


CONFIDENTIAL This document/program, including the content, is property of Fisher Controls and must be held in strict confidence and properly safeguarded by the recipient at all times. It may not be copied or reproduced, or provided or revealed to any other party, except with prior written authorization of an appropriate officer of


Fisher Controls and any authorized copy or reproduction must include this admonition. The recipient may use the same only for the purpose for which Fisher Controls has provided it to the recipient. The document must be returned to Fisher Controls upon request. By accepting this document/program, the recipient agrees to the foregoing.

DWG. NO.
GE43106

HELVETICA
BOLD LETTERS



BLACK LETTERS ON GRAY BACKGROUND.
 PROPORTION LETTER SIZE AS SHOWN.
 HELVETICA MEDIUM LETTERS EXCEPT WHERE INDICATED.

UNLESS OTHERWISE SPECIFIED
 TOLERANCE ± 0.5 $\angle \pm 2$ °
 SURFACE FINISH R_a
 REMOVE BURRS AND SHARP
 CORNERS, R OR CHAM MAX
 THREAD DRILL DEPTHS ARE MAX.
 THREAD LENGTHS ARE FULL THREAD.
 UNIT OF MEASURE
 MILLIMETERS
 DO NOT MEASURE THE DRAWING
 ISO / ASME Y14.5

MATERIAL: VINYL FOR OUTDOOR
 APPLICATIONS

© 2009 Fisher Controls Intl. LLC

REVISION			
	ECRN NUMBER		

SUPERSEDES



TYPE 4300 SERIES
 LABEL, FCC
 FIELD TRIAL

	BY	DATE	DESIGN	M
DWN.	BLG	23FEB09		
CHKD.			DWG NO.	REV.
APVD.			GE43106	4
DWG SCALE		2 : 1		

FISHER

Type 4320

Wireless Position Monitor

FCC ID: W684300FT

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions.

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.