



Shenzhen Hong Lian Xing Technology Co., Ltd.

---

## SPECIFICATION FOR APPROVAL

CUSTOMER NAME :  
PAPT NAME : 2.4G 2 dBi antenna  
PAPT MODEL : h1x-w2-004

---

### INFORMATION CONFIRM

SUPPLIER CONFIRM :

PROTOCOL	AUDIT	APPROVE

CUSTOMER CONFIRM :

CONFIRM	AUDIT	APPROVE

Address: NUMBER 288, Building 1, PuOi Road, PuChengAo, Pinghu Town, Shenzhen, China  
Tel: 0755-29805767      FAX: 0755- 29805862      www.h-lx.com  
Phone : 13410704829 (Mr. yang )  
E-mail: yanghuahaoma@163.com


## 一、Electrical factor

1. Frequency range	2400-2500 MHz
2. Impedance	50 $\Omega$
3. VSWR	$\leq 2$
4. Gain	2 dBi
5. Polarization	Vertical
6. Radiation	Omni Antenna
7. Maximun power Input-watts	50W

## 二、Mechanical performance

1. Dimension	110 $\pm$ 1mm
2. Connector	SMA-K
3. Radome material	TPE、ABS
4. Radome color	BLACK
5. Working temperature	-20 $^{\circ}$ C ~ 80 $^{\circ}$ C
6. Storage temperature	-40 $^{\circ}$ C ~ 85 $^{\circ}$ C

三 Drawings




鸿联兴

投影方式  
PROJECTION  
标准  
SANTON


UnRegistered

#### 四、FUNCTION TEXT

##### 1. SMITH



##### 2. VSWR



### 3. RETURN LOSS

