



SOLiD, Inc.

10,9th Floor, SOLiD Space 220 Pangyoyeok-ro, Bundang-gu, Seongnam-si, Gyeonggi-do, Korea 463-400

Tel : +82-31-627-6290 Fax : +82-31-627-6209

Booster Warning Label Artwork


WARNING. This is **NOT** a **CONSUMER** device. It is designed for installation by **FCC LICENSEES** and **QUALIFIED INSTALLERS**. You **MUST** have an **FCC LICENSE** or express consent of an FCC Licensee to operate this device. Unauthorized use may result in significant forfeiture penalties, including penalties in excess of \$100,000 for each continuing violation.

FCC ID Label Artwork


1. SC-MRU1900P850C-AC

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Product is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.

SINGLE CARRIER DAS(SC-DAS)
MODEL NAME : SC-MRU1900P850C-AC
RATING:AC120V~, 50/60Hz, 0.8A
SERIAL NO. :
Manufactured :

 I.T.E
E324601
41EV


FCC ID:W6U19P85C70L21A
" CLASS 1 LASER PRODUCT "

 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea


2. SC-MRU1900P850C-AC(N)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Product is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.


SINGLE CARRIER DAS(SC-DAS)
MODEL NAME:SC-MRU1900P850C-AC(N)
RATING:AC120V~, 50/60Hz, 0.8A
SERIAL NO. :
Manufactured :

 I.T.E
E324601
41EV


FCC ID:W6U19P85C70L21A
" CLASS 1 LASER PRODUCT "
NEMA 4

 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea


3. SC-MRU1900P850C-DC


 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Product is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.

SINGLE CARRIER DAS(SC-DAS)
MODEL NAME : SC-MRU1900P850C-DC
RATING : DC -48V , 1.0A
SERIAL NO. :
Manufactured :


 I.T.E E324601
41EV

FCC ID:W6U19P85C70L21A
"CLASS 1 LASER PRODUCT"


 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea




4. SC-MRU1900P850C-DC(N)


 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Product is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.

SINGLE CARRIER DAS(SC-DAS)
MODEL NAME : SC-MRU1900P850C-DC(N)
RATING : DC -48V , 1.0A
SERIAL NO. :
Manufactured :



 I.T.E E324601
41EV

FCC ID:W6U19P85C70L21A
"CLASS 1 LASER PRODUCT"
NEMA 4


 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea





5. SC-ARU700LTEAWS-AC



 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received,
including interference that may cause undesired operation. 

SINGLE CARRIER DAS(SC-DAS)
MODEL NAME : SC-ARU700LTEAWS-AC
RATING : AC120V~, 50/60Hz, 0.6A
SERIAL NO. :
Manufactured :


 I.T.E
E324601
41EV
FCC ID:W6U19P85C70L21A



 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea 

6. SC-ARU700LTEAWS-AC(N)



 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received,
including interference that may cause undesired operation. 

SINGLE CARRIER DAS(SC-DAS)
MODEL NAME:SC-ARU700LTEAWS-AC(N)
RATING : AC120V~, 50/60Hz, 0.6A
SERIAL NO. :
Manufactured :


 I.T.E
E324601
41EV
FCC ID:W6U19P85C70L21A
NEMA 4



 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea 

7. SC-ARU700LTEAWS-DC



 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received,
including interference that may cause undesired operation. 

SINGLE CARRIER DAS(SC-DAS)
MODEL NAME : SC-ARU700LTEAWS-DC
RATING : DC -48V , 0.8A
SERIAL NO. :
Manufactured :


 I.T.E
E324601 41EV
FCC ID:W6U19P85C70L21A



 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea 

8. SC-ARU700LTEAWS-DC(N)

 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received,
including interference that may cause undesired operation. 


SINGLE CARRIER DAS(SC-DAS)
MODEL NAME : SC-ARU700LTEAWS-DC(N)
RATING : DC -48V , 0.8A
SERIAL NO. :
Manufactured :

 I.T.E
E324601 41EV
FCC ID:W6U19P85C70L21A
NEMA 4

 SOLiD Technologies, Inc
18th Floor, KINS Tower, 25-1 Jeongja-Dong, Bundang-Gu, Seongnam-Si, Gyeonggi-Do 463-847, Korea 

Label Location

1. SC-MRU (4 EA)



2. SC-ARU (4 EA)

