

Full Spectrum




Figure 8.6-33: Radiated emissions spectral plot (18 GHz - 23.6 GHz) – Band 30 (2355 MHz)

Table 8.6-33: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18155.400000	---	26.16	---	---	5000.0	1000.000	107.0	H	11.0	15.6
18155.400000	39.74	---	82.23	42.49	5000.0	1000.000	107.0	H	11.0	15.6
18955.700000	41.80	---	82.23	40.43	5000.0	1000.000	292.0	H	142.0	15.9
18955.700000	---	28.70	---	---	5000.0	1000.000	292.0	H	142.0	15.9
19363.250000	41.51	---	82.23	40.72	5000.0	1000.000	346.0	V	293.0	16.7
19363.250000	---	27.68	---	---	5000.0	1000.000	346.0	V	293.0	16.7
19528.450000	41.91	---	82.23	40.32	5000.0	1000.000	396.0	V	0.0	16.3
19528.450000	---	28.21	---	---	5000.0	1000.000	396.0	V	0.0	16.3
20078.550000	---	27.39	---	---	5000.0	1000.000	145.0	H	31.0	16.8
20078.550000	40.47	---	82.23	41.76	5000.0	1000.000	145.0	H	31.0	16.8
23573.700000	45.15	---	82.23	37.08	5000.0	1000.000	386.0	H	81.0	23.9
23573.700000	---	32.09	---	---	5000.0	1000.000	386.0	H	81.0	23.9

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-34: Radiated emissions spectral plot (30 MHz - 1 GHz) – Band 30 (2360 MHz)

Table 8.6-34: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
184.347000	42.86	84.40	41.54	5000.0	100.000	98.0	V	201.0	16.9
188.170000	42.50	84.40	41.90	5000.0	100.000	98.0	V	204.0	17.0
199.673000	43.32	84.40	41.08	5000.0	100.000	98.0	V	217.0	17.6
211.216000	42.66	84.40	41.74	5000.0	100.000	98.0	V	217.0	17.8
284.160000	37.28	84.40	47.12	5000.0	100.000	98.0	V	258.0	21.2
825.614000	42.53	84.40	41.87	5000.0	100.000	106.0	H	203.0	32.0

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-35: Radiated emissions spectral plot (1 GHz - 18 GHz) – Band 30 (2360 MHz)

Table 8.6-35: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2836.633333	40.27	82.23	41.96	100.0	1000.000	114.0	V	9.0	-3.1
3284.433333	40.75	82.23	41.48	100.0	1000.000	346.0	V	325.0	-1.7
3441.833333	41.36	82.23	40.87	100.0	1000.000	168.0	V	111.0	-1.2
15273.700000	52.06	82.23	30.17	100.0	1000.000	400.0	H	70.0	18.2
16630.233333	55.37	82.23	26.86	100.0	1000.000	306.0	V	276.0	23.0
17994.466667	57.15	82.23	25.08	100.0	1000.000	301.0	V	302.0	25.0

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-36: Radiated emissions spectral plot (18 GHz - 23.6 GHz) – Band 30 (2360 MHz)

Table 8.6-36: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18280.500000	---	27.95	---	---	5000.0	1000.000	400.0	H	308.0	15.5
18280.500000	40.89	---	82.23	41.34	5000.0	1000.000	400.0	H	308.0	15.5
18898.050000	---	28.68	---	---	5000.0	1000.000	400.0	H	148.0	15.9
18898.050000	41.94	---	82.23	40.29	5000.0	1000.000	400.0	H	148.0	15.9
19359.900000	40.11	---	82.23	42.12	5000.0	1000.000	391.0	H	192.0	16.7
19359.900000	---	27.04	---	---	5000.0	1000.000	391.0	H	192.0	16.7
19530.650000	---	28.23	---	---	5000.0	1000.000	387.0	H	324.0	16.3
19530.650000	41.69	---	82.23	40.54	5000.0	1000.000	387.0	H	324.0	16.3
20597.150000	39.37	---	82.23	42.86	5000.0	1000.000	325.0	V	170.0	17.5
20597.150000	---	26.45	---	---	5000.0	1000.000	325.0	V	170.0	17.5
23577.600000	---	32.07	---	---	5000.0	1000.000	343.0	H	78.0	23.9
23577.600000	45.09	---	82.23	37.14	5000.0	1000.000	343.0	H	78.0	23.9

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

8.6.5.5 Operating frequency band: Band 41: 2496 – 2690 MHz

Full Spectrum




Figure 8.6-37: Radiated emissions spectral plot (30 MHz - 1 GHz) – Band 41 (2496 MHz)

Table 8.6-37: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
184.307000	42.97	84.40	41.43	5000.0	100.000	98.0	V	206.0	16.9
199.673000	43.31	84.40	41.09	5000.0	100.000	98.0	V	228.0	17.6
207.376000	43.12	84.40	41.28	5000.0	100.000	98.0	V	239.0	18.1
211.216000	42.83	84.40	41.57	5000.0	100.000	98.0	V	218.0	17.8
277.529000	36.65	84.40	47.75	5000.0	100.000	111.0	H	98.0	21.1
575.993000	38.34	84.40	46.06	5000.0	100.000	152.0	H	189.0	28.3

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-38: Radiated emissions spectral plot (1 GHz - 18 GHz) – Band 41 (2496 MHz)

Table 8.6-38: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2677.100000	39.81	82.23	42.42	100.0	1000.000	191.0	V	304.0	-3.6
2956.166667	40.72	82.23	41.51	100.0	1000.000	142.0	V	197.0	-2.8
3281.000000	40.74	82.23	41.49	100.0	1000.000	232.0	V	108.0	-1.7
13568.466667	50.16	82.23	32.07	100.0	1000.000	226.0	H	209.0	16.7
16646.933333	56.67	82.23	25.56	100.0	1000.000	264.0	H	0.0	23.4
17995.866667	57.36	82.23	24.87	100.0	1000.000	323.0	V	152.0	25.0

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-39: Radiated emissions spectral plot (18 GHz - 26 GHz) – Band 41 (2496 MHz)

Table 8.6-39: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
19428.500000	41.35	---	82.23	40.88	5000.0	1000.000	141.0	V	0.0	16.5
19428.500000	---	28.54	---	---	5000.0	1000.000	141.0	V	0.0	16.5
23555.100000	---	31.29	---	---	5000.0	1000.000	255.0	H	291.0	23.7
23555.100000	44.84	---	82.23	37.39	5000.0	1000.000	255.0	H	291.0	23.7
24116.900000	48.16	---	82.23	34.07	5000.0	1000.000	117.0	V	300.0	27.4
24116.900000	---	34.55	---	---	5000.0	1000.000	117.0	V	300.0	27.4
24198.400000	---	34.60	---	---	5000.0	1000.000	354.0	H	0.0	27.1
24198.400000	47.67	---	82.23	34.56	5000.0	1000.000	354.0	H	0.0	27.1
24820.300000	---	30.47	---	---	5000.0	1000.000	165.0	V	221.0	22.3
24820.300000	43.52	---	82.23	38.71	5000.0	1000.000	165.0	V	221.0	22.3
25437.200000	---	29.58	---	---	5000.0	1000.000	120.0	V	232.0	21.7
25437.200000	42.92	---	82.23	39.31	5000.0	1000.000	120.0	V	232.0	21.7

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-40: Radiated emissions spectral plot (26 GHz - 27 GHz) – Band 41 (2496 MHz)

Table 8.6-40: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
26048.837500	---	32.70	---	---	5000.0	1000.000	211.0	H	278.0	10.3
26048.837500	46.07	---	82.23	36.16	5000.0	1000.000	211.0	H	278.0	10.3

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.



Full Spectrum




Figure 8.6-41: Radiated emissions spectral plot (30 MHz - 1 GHz) – Band 41 (2593 MHz)

Table 8.6-41: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
184.347000	42.26	84.40	42.14	5000.0	100.000	98.0	V	205.0	16.9
195.833000	43.61	84.40	40.79	5000.0	100.000	98.0	V	227.0	17.4
203.536000	44.09	84.40	40.31	5000.0	100.000	125.0	V	100.0	17.8
207.376000	43.06	84.40	41.34	5000.0	100.000	98.0	V	229.0	18.1
272.657000	37.23	84.40	47.17	5000.0	100.000	98.0	V	184.0	21.1
587.496000	36.43	84.40	47.97	5000.0	100.000	124.0	V	186.0	28.6

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-42: Radiated emissions spectral plot (1 GHz - 18 GHz) – Band 41 (2593 MHz)

Table 8.6-42: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3035.333333	40.88	82.23	41.35	100.0	1000.000	236.0	V	300.0	-2.3
3201.200000	41.37	82.23	40.86	100.0	1000.000	218.0	V	86.0	-1.8
3320.500000	40.71	82.23	41.52	100.0	1000.000	370.0	V	306.0	-1.7
12355.033333	49.49	82.23	32.74	100.0	1000.000	123.0	H	22.0	15.3
16632.733333	55.41	82.23	26.82	100.0	1000.000	119.0	H	0.0	23.1
17999.166667	57.26	82.23	24.97	100.0	1000.000	237.0	V	229.0	25.3

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-43: Radiated emissions spectral plot (18 GHz - 26 GHz) – Band 41 (2593 MHz)

Table 8.6-43: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
19357.500000	41.09	---	82.23	41.14	5000.0	1000.000	233.0	V	139.0	16.7
19357.500000	---	27.66	---	---	5000.0	1000.000	233.0	V	139.0	16.7
23591.600000	44.35	---	82.23	37.88	5000.0	1000.000	262.0	V	53.0	23.8
23591.600000	---	31.31	---	---	5000.0	1000.000	262.0	V	53.0	23.8
24023.300000	---	33.96	---	---	5000.0	1000.000	128.0	V	21.0	27.6
24023.300000	47.46	---	82.23	34.77	5000.0	1000.000	128.0	V	21.0	27.6
24206.000000	48.95	---	82.23	33.28	5000.0	1000.000	287.0	V	333.0	27.1
24206.000000	---	35.13	---	---	5000.0	1000.000	287.0	V	333.0	27.1
24835.200000	---	30.30	---	---	5000.0	1000.000	390.0	V	195.0	22.3
24835.200000	43.21	---	82.23	39.02	5000.0	1000.000	390.0	V	195.0	22.3
25456.700000	41.77	---	82.23	40.46	5000.0	1000.000	318.0	H	136.0	21.8
25456.700000	---	28.44	---	---	5000.0	1000.000	318.0	H	136.0	21.8

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-44: Radiated emissions spectral plot (26 GHz - 27 GHz) – Band 41 (2593 MHz)

Table 8.6-44: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
26450.312500	---	32.36	---	---	5000.0	1000.000	132.0	V	11.0	11.0
26450.312500	46.07	---	82.23	36.16	5000.0	1000.000	132.0	V	11.0	11.0

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-45: Radiated emissions spectral plot (30 MHz - 1 GHz) – Band 41 (2690 MHz)

Table 8.6-45: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
184.307000	42.75	84.40	41.65	5000.0	100.000	98.0	V	205.0	16.9
195.850000	42.98	84.40	41.42	5000.0	100.000	98.0	V	217.0	17.4
199.673000	43.27	84.40	41.13	5000.0	100.000	98.0	V	213.0	17.6
215.039000	42.60	84.40	41.80	5000.0	100.000	98.0	V	213.0	17.5
270.465000	34.20	84.40	50.20	5000.0	100.000	247.0	H	89.0	21.1
762.233000	41.31	84.40	43.09	5000.0	100.000	98.0	V	252.0	31.1

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-46: Radiated emissions spectral plot (1 GHz - 18 GHz) – Band 41 (2690 MHz)

Table 8.6-46: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2750.566667	40.00	82.23	42.23	100.0	1000.000	188.0	V	21.0	-3.2
2925.966667	39.05	82.23	43.18	100.0	1000.000	377.0	V	251.0	-3.1
3041.366667	40.16	82.23	42.07	100.0	1000.000	370.0	V	311.0	-2.3
3323.033333	40.57	82.23	41.66	100.0	1000.000	187.0	V	149.0	-1.6
7486.266667	45.75	82.23	36.48	100.0	1000.000	243.0	V	153.0	5.9
17998.266667	57.56	82.23	24.67	100.0	1000.000	351.0	V	187.0	25.2

- Notes:
- <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)
  - <sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)
  - <sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-47: Radiated emissions spectral plot (18 GHz - 26 GHz) – Band 41 (2690 MHz)

Table 8.6-47: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
19380.100000	41.62	---	82.23	40.61	5000.0	1000.000	384.0	V	216.0	16.6
19380.100000	---	28.40	---	---	5000.0	1000.000	384.0	V	216.0	16.6
23572.400000	---	30.91	---	---	5000.0	1000.000	245.0	H	246.0	23.9
23572.400000	44.60	---	82.23	37.63	5000.0	1000.000	245.0	H	246.0	23.9
24057.400000	---	34.13	---	---	5000.0	1000.000	360.0	V	0.0	27.5
24057.400000	46.91	---	82.23	35.32	5000.0	1000.000	360.0	V	0.0	27.5
24223.700000	---	34.74	---	---	5000.0	1000.000	225.0	V	20.0	27.0
24223.700000	47.83	---	82.23	34.40	5000.0	1000.000	225.0	V	20.0	27.0
24866.300000	---	30.13	---	---	5000.0	1000.000	267.0	V	316.0	22.3
24866.300000	43.86	---	82.23	38.37	5000.0	1000.000	267.0	V	316.0	22.3
25474.100000	43.54	---	82.23	38.69	5000.0	1000.000	104.0	H	102.0	21.8
25474.100000	---	29.99	---	---	5000.0	1000.000	104.0	H	102.0	21.8

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

Full Spectrum




Figure 8.6-48: Radiated emissions spectral plot (26 GHz - 27 GHz) – Band 41 (2690 MHz)

Table 8.6-48: Radiated emissions results

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
26209.550000	---	32.96	---	---	5000.0	1000.000	275.0	V	261.0	10.3
26209.550000	46.44	---	82.23	35.79	5000.0	1000.000	275.0	V	261.0	10.3

Notes: <sup>1</sup> Field strength (dB V/m) = receiver/spectrum analyzer value (dB V) + correction factor (dB)  
<sup>2</sup> Correction factors = antenna factor ACF (dB) + cable loss (dB)  
<sup>3</sup> Emissions that were continuously present for a minimum of 1 second and occurred more than once for every 15 seconds observation period were considered valid emissions. The maximum value of valid emissions has been recorded.

End of test report