

Dongzhen Electronics Co., Ltd

Shangpin Science and Technology Building, Xinjin Street, Longhu District, Shantou City

Antenna Specification for Approval

Customer Name: _____

Product Name: _____ 2.4G antenna _____

Product Name: _____

Part NO. : _____ 19PIN*0.12*1.4PVC _____

Write By: _____ Mr. zhou _____


Issued Date: _____ 2019-3-8 _____

customer :

R&D Dept	Business Dept	Approved By

supplier

R&D Dept	Engineer Dept	Approval



Dongzhen Electronic Technology Co., Ltd

PART TITLE	2.4GANT	MATERIAL	19PIN×0.12×1.4PVC	UNIT IN	mm	SCALE	5:1	VER	版本 1.01
PART NO.	19P×0.12×1.4PVC	DRW ING	Mr. Zhou	DATE	2019/3/09	CHECK ING		SUPPLIER CFM	

requirement:

- 1, Those marked with tolerance are important dimensions, and those without tolerance shall be ± 0.15 .

Product Specification

A. Electrical Characteristics

Frequency 2400MHz ~2500MHz

VSWR <3.0

Efficiency >20%

Impedance 50 Ohm

Gain 0.59DBi

Polarization mode: linear polarization

B. Material & Mechanical Characteristics

Material of Radiator Cu

Cable Type 1.4 white

Connector Type : NO

Dimension

C. Environmental

Operation Temperature - 30 °C ~ + 80 °C

Storage Temperature - 30 °C ~ + 85 °C

Test Equipment & Conditions




1. Network Analyzers :

Agilent 8753D 5071B

2. Communications Test Set:

Agilent E5515C

3. 3D Chamber Test System




Efficiency & Gain


Freq (MHz)	Effi (%)	Gain (dBi)
2400	23.66	0.47
2410	23.19	0.38
2420	23.03	0.49
2430	22.41	0.42
2440	21.67	0.45
2450	20.24	0.52
2460	20.61	0.51
2470	21.41	0.59
2480	23.89	0.56
2490	26.46	0.53
2500	25.73	0.46

Radiation Pattern


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

