

Type	No.	Material Code	ERP code	component	specification	location	Quantity	Unit
	1	F2-8027PCB-SMT1	300010000235	The mainboard SMT	Detailed see F2-8027PCB - SMT1 material list		1	PCS
SMT placement		F2-8027PCB-01	129901020044	The mainboard PCB	OND - F2 - A double-sided fiberglass board guandu gold		1	PCS
		RC-0R0-110-J-01	110123000001	SMD resistor	0R 1/10W ±5% 0603	R18 C19	2	PCS
		RC-0R0-104-J-01	110123000001	SMD resistor	0R 1/4W ±5% 1206	R1 R14	2	PCS
		RC-75K-110-F-01	110123750201	SMD resistor	75K 1/10W ±1% 0603	R2 R3	2	PCS
		RC-49K9-110-F-01	110123499201	SMD resistor	49.9K 1/10W ±1% 0603	R4 R5	2	PCS
		RC-1R-110-J-01	110123100001	SMD resistor	1R 1/10W ±5% 0603	R6 R7 R17	3	PCS
		RC-100R-110-J-01	110123101001	SMD resistor	100R 1/10W ±5% 0603	R12	1	PCS
		RC-220R-110-J-01	110123221001	SMD resistor	220R 1/10W ±5% 0603	R13	1	PCS
		RC-820R-110-J-01	110123821001	SMD resistor	820R 1/10W±5% 0603	R15	1	PCS
		RC-4K7-110-J-01	110123472001	SMD resistor	4.7K 1/10W ±5% 0603	R16	1	PCS
		CC-22UF-500-J-01	110235226002	Patch capacitance	22UF/50V 0805	C1 E1 E2 E3	4	PCS
		CC-22UF-500-Z-01	110233334001	Patch capacitance	22UF/50V 1206	C3	1	PCS
		CC-104P-500-J-01	110233104001	Patch capacitance	104P/50V 0603	C2 C4 C12 C15	4	PCS
		CC-106P-500-J-01	110233106001	Patch capacitance	106P/50V 0603	c8 c9	2	PCS
		CC-105P-500-J-01	110233105001	Patch capacitance	105P/50V 0603	c6 c7 c17	3	PCS
		CC-20P-500-J-01	110233210001	Patch capacitance	20P/50V 0603	C10 C11	2	PCS
		CC-102P-500-J-01	110233102001	Patch capacitance	102P/50V 0603	C13 C14	2	PCS
		LC-120NH-0805-01	110370124001	Wire wound inductance	120NH 0805 High frequency	L5	1	PCS
		LC-10UH-0603-01	110323106001	Laminated patch inductance	10uH 0603 The low-frequency	L1 L2 L3	3	PCS
		LC-30NH-0603-01	110323303001	Laminated patch inductance	30NH 0603 High frequency	R11	1	PCS
	DC-ZD3V9-1206-01	110502010002	Patch regulator tube	3.9V(Avr diode) 1206	D2	1	PCS	
	TRC-8050-SOT23-01	110602010001	Patch triode	8050 SOT-23	Q2	1	PCS	

Type	No.	Material Code	ERP code	component	specification	location	Quantity	Unit
SMT placement		IC-1621-01	110705000001	IC	1621 binding	U5	1	PCS
		IC-24C02-01	110704200004	IC	24C02 SOP-8	U3	1	PCS
		IC-QN8027-01	110704200011	IC	QN8027 SSOP10	U2	1	PCS
		IC-F2-02	110704200064	IC	F2 microcontroller SOP-14 88.1-107.9MHZ	U4	1	PCS
Plugins/ after welding	2	LCD-F2A-01	110800180001	display	1.8mm*18P	LCD1	1	PCS
	3	CP-100u-100-01	110204107001	plugin electrolytic capacitor	100UF/10V 4*7mm	E4	1	PCS
	4	L03-3.5-210-black	130014000005	Audio line	Three HPVV/OD3.5 black		1	PCS
		CONA-3.5-3P-02	111621030007	Audio head	Section 3 (nickel plating)		1	PCS
		L03-D3.0-210mm-black	130037000003	Three HPVV	Every core nine copper wire, outside be PVC		1	条
	5	SW-ZC-6663-01	111504010003	Plugin light touch switch	ZC - 6663 and hing specification	S1 S2 S3	3	PCS
	6	BGB-F2-01	112100000019	Back plate	1.5 * * 37mm 15 white-haired blue ribbon line	D1	1	PCS
	7	CONB-USB-4P-01	111603010002	USB seat	Pin pitch 2.0 mm * 4ps even mouth	USB1	1	PCS
	8	XTAL-12M-01	110912000002	crystals	With insulation slab 12M cylindrical 3 * 8mm	Y1	1	PCS
	9	CONB-DC-3P-01	111602010001	DC seat	Inner diameter: 3.7 MM I pins	JK1	1	PCS
	10	WJ-F2-01	151401000003	Anode battery slice	Silvery white		1	PCS
	11	WJ-F2-02	151402000003	Positive battery slice	Silvery white		1	PCS
	12	WJ-F2-03	151403000004	negative chain body battery slice	Silvery white		1	PCS
	13	SC-PA2.3*8	151106000002	screw	PA2.3 * 8mm black		3	PCS
14	GZP-F2-01	151701000002	Pot seed slice	Triangular shape 5 * 1 400g	S4 S5 S6	3	PCS	
Electronic	1	DYC1-POWPCB-ASY04	300010000234	Car charger board	See DYC1 - POWPCB - ASY03 material list		1	PCS

Type	No.	Material Code	ERP code	component	specification	location	Quantity	Unit
plastic	2	SJ-DYC1-01	170003100801	Car charger on shell	black		1	PCS
	3	SJ-DYC1-02	170003900301	Car charger next shell			1	PCS
	4	SJ-DYC1-03	170005000602	Plastic cap screw	Inner diameter: 7.4 mm		1	PCS
hardware	5	WJC-F8-01	150702000005	Hardware circle	T = 0.5 mm diameter 10mm diameter: 15.1 mm: high: 3.8 mm		1	PCS
	6	TP-DYC1-01	151201000001	Cigarette lighter shrapnel	See drawing		1	PCS
	7	ZDT-F8-01	150302000002	The bullet	Flat-roofed diameter: 5.4 mm high: 9mm even mouth		1	PCS
	8	FU-250V/2A-0520	111101200001	Insurance tube	5*20mm 2A		1	PCS
		IC-XL1513-01	110704200039	IC	XL1513 SOP-8	UA	1	PCS
Plugins/ after welding	2	CP-100uF-100-01	110204227004	Plug-in electrolytic capacitors	220UF/10V 4*7mm		1	PCS
	3	CP-47uF-350-01	110204476002	Plug-in electrolytic capacitors	47UF/35V 6*7mm		1	PCS
	4	LP-33U-GZ-01	110308336001	Work fonts inductance	33UH 6*8mm Belt insulated casing		1	PCS
	5	TH-DYC1-01	150503000010	Cigarette lighter spring	0.5*6.8*20MM (side lead according to the drawing)		1	PCS
	6	C1-DC3.5-700-black	130009000009	Car charger line	2 core/OD3.0		1	PCS
		CONA-3.5-2P-01	111640020005	DC head	2P		1	PCS
		L02-D3.0-685MM-blac	130039000008	Two HPVV	Outside was: PVC every HPVV 20 copper wire		1	PCS
	7	TP-DYC1-01	151201000001	Cigarette lighter shrapnel	See drawing		1	PCS
8	L01-D1.2-32.5MM-red	130013000007	Anode connections	1 HPVV/OD1.2		1	PCS	