

Label Placement is located on the front of the equipment

Equipment



WiFi SSID: Aranet-d53b2c
WiFi IP: 192.168.206.100
ETH IP: 192.168.205.100
ETH MAC: C4930030341B
Username: root
Password: RbCt3cr7kg

Aranet PRO Plus LTE base
Made in Latvia, EU
www.aranet.com

M/N: TDSBOBU3
S/N: 367310 104637

FCC ID: W9Z-ARANETPPL
IC: 8855A-ARANETPPL

Contains FCC ID: Z9W-CM2
Contains FCC ID: XMR201903EG25G
Contains IC: 11468A-CM2
Contains IC: 10224A-201903EG25G



IEEE 802.3af PoE



WiFi SSID: Aranet-d53b2c
WiFi IP: 192.168.206.100
ETH IP: 192.168.205.100
ETH MAC: C4930030341B
Username: root
Password: RbCt3cr7kg

Aranet PRO Plus LTE base
Made in Latvia, EU
www.aranet.com

M/N: TDSBOBU4
S/N: 367310 104637

FCC ID: W9Z-ARANETPPL
IC: 8855A-ARANETPPL

Contains FCC ID: Z9W-CM2
Contains FCC ID: XMR201903EG25G
Contains IC: 11468A-CM2
Contains IC: 10224A-201903EG25G



IEEE 802.3af PoE



WiFi SSID: Aranet-d53b2c
WiFi IP: 192.168.206.100
ETH IP: 192.168.205.100
ETH MAC: C4930030341B
Username: root
Password: RbCt3cr7kg

Aranet PRO Plus LTE base
Made in Latvia, EU
www.aranet.com

M/N: TDSBOBU5
S/N: 367310 104637

FCC ID: W9Z-ARANETPPL
IC: 8855A-ARANETPPL

Contains FCC ID: Z9W-CM2
Contains FCC ID: XMR201903EG25G
Contains IC: 11468A-CM2
Contains IC: 10224A-201903EG25G



IEEE 802.3af PoE



WiFi SSID: Aranet-d53b2c
WiFi IP: 192.168.206.100
ETH IP: 192.168.205.100
ETH MAC: C4930030341B
Username: root
Password: RbCt3cr7kg

Aranet PRO Plus LTE base
Made in Latvia, EU
www.aranet.com

M/N: TDSBOBU6
S/N: 367310 104637

FCC ID: W9Z-ARANETPPL
IC: 8855A-ARANETPPL

Contains FCC ID: Z9W-CM2
Contains FCC ID: XMR201903EG25G
Contains IC: 11468A-CM2
Contains IC: 10224A-201903EG25G



IEEE 802.3af PoE



WiFi SSID: Aranet-d53b2c
WiFi IP: 192.168.206.100
ETH IP: 192.168.205.100
ETH MAC: C4930030341B
Username: root
Password: RbCt3cr7kg

Aranet PRO Plus LTE base
Made in Latvia, EU
www.aranet.com

M/N: TDSBOBU7
S/N: 367310 104637

FCC ID: W9Z-ARANETPPL
IC: 8855A-ARANETPPL

Contains FCC ID: Z9W-CM2
Contains FCC ID: XMR201903EG25G
Contains IC: 11468A-CM2
Contains IC: 10224A-201903EG25G



IEEE 802.3af PoE