


Label samples of the equipment under tests

Radio model number: SAF Integra-5G8.

Date taken: 2023-07-04.



Pic. 1, 2. Label placement


Label is always placed:

- Between the rips in the middle of the heatsink on the front side of the product, assuming the front side is where the antenna flange is located.
- On the left upper corner of the back side of the product, if wire handle is located on the top but connectors - on the bottom.


Rogers Labs, Inc.
4405 West 259th Terrace
Louisburg, KS 66053
Phone/Fax: (913) 837-3214
Revision 1

SAF Tehnika AS
Model: Integra-5G8
Test: 230709
Test to: 47CFR, Part 15E, §15.407
and Canada RSS-247 Issue 2
File: LabelSmpl_Integra-5G8.pdf

Date: July 4, 2023
FCC: W9Z-INTEGRA5G8
IC: 8855A-INTEGRA5G8
Page 1 of 3



Pic. 3. Label sample of the L (Low) side radio.



Pic. 4. Label sample of the H (High) side radio.



Pic. 5. Printed label sample of the L (Low) side radio.

Rogers Labs, Inc.
4405 West 259th Terrace
Louisburg, KS 66053
Phone/Fax: (913) 837-3214
Revision 1

SAF Tehnika AS
Model: Integra-5G8
Test: 230709
Test to: 47CFR, Part 15E, §15.407
and Canada RSS-247 Issue 2
File: LabelSmpl_Integra-5G8.pdf

Date: July 4, 2023
FCC: W9Z-INTEGRA5G8
IC: 8855A-INTEGRA5G8
Page 3 of 3