

# AT1800

The vehicle carries the FM launcher instruction booklet  
contents

一、About AT1800.....	2
二、Diagram .....	2
三、Turns on the launcher.....	2
四、Starts to use.....	2
五、Launcher control.....	3
六、Remote control long-distance control .....	3
七 Maintenance .....	3
八 FAQs.....	4

Welcome you to use by zhongshan K-mate General Electronics Co.,Ltd this section vehicle which designs for you carries FM launcher AT1800, in uses in front of this product, please in detail reads the textbook handbook.

## 一、About AT1800

AT1800 is section specially is iPod the Nano III player design vehicle carries the FM launcher, May receive through its you the Nano III on music transmission to any FM。 This product conformity numeral frequency modulation and the phase-lock link technology, provided stable and the perfect acoustic fidelity. This product simultaneously has the infrared remote control, may realize the long-distance control to iPod.

This product may automatically to the Nano III charge, you not need to carry does not need the extra battery charger.

## 二、Diagram

Note: The picture and the material object have the difference, please take material object as。



The launcher :

- 1 < Key: Frequency backlash
- 2 LCD (Frequency demonstration)
- 3 > Key: Frequency advance
- 4 Infrared receive window
- 5 Cigar head
- 6 iPod Nano III



Remote control:

- 7 Emission of infrared radiation window
- 8 < Key: Frequency backlash
- 9 > Key: Frequency advance
- 10 ⏮ Key: Previous tune
- 11 ⏩ Key: Suspension/restoration
- 12 ⏭ Key: Next tune
- 13 Vol - Key: Volume reduction
- 14 Vol + Key: Volume increase

## 三、Turns on the launcher

A FM launcher insertion automobile smoke (DC 12V) center, AT1800 can automatically

opening machine.

#### 四、Strats to use

1 First turns on your radio, adjusts the radio to seek a section continual quite to be broad also not the frequency band which takes, and finally establishes the radio frequency among this spatial frequency band。For example searches to 90.1 - 93.5MHz this frequency band between does not have the broadcasting station, then transfers to the radio frequency 91.5MHz。

2 Nano III player insertion launcher in。

3 Transfers to the frequency the launcher frequency which the radio established a moment ago。

4 Broadcasts the music on the Nano III player。

#### 五、Launcher Control

Function	Operation
Broadcast music	Broadcasts on the player
The frequency spot reduces 0.1MHz	Short according to launcher on < key
The frequency spot elevates 0.1MHz	Short according to launcher on > key
Frequency continuously reduces	Holds down on the launcher on < key, After arrives the request frequency to release the pressed key
Frequency continuously elevates	Holds down on the launcher on > key, After arrives the request frequency to release the pressed key

#### 六、Remote control long-distance control

Attention: When use, please aims at the remote control emission of infrared radiation window the vehicle to carry on the FM launcher the infrared receive window, and guarantees the remote control to be away from in the scope in the effective operation.

Function	Operation
频点降低 0.1MHz	短按遥控器上的 < 键
频点升高 0.1MHz	短按遥控器上的 > 键
频点连续降低	按住遥控器上的 < 键, 到达要求的频点后释放按键
频点连续升高	按住遥控器上的 > 键, 到达要求的频点后释放按键
上一曲	短按遥控器上的 ⏮ 键
下一曲	短按遥控器上的 ⏭ 键
暂停/恢复播放	短按遥控器上的 ⏸ 键
音量减少	短按遥控器上的 Vol - 键

音量增加

短按遥控器上的 Vol+键

## 七 Maintenance

When use below, please read the suggestion to be helpful to you observes the maintenance provision, and lengthens the product the service life.

- The maintenance product is dry, not will put on the moist place, in order to avoid influence product internal circuit.
- Do not lay aside the product in the sun exposes to the sun shoots or the temperature high place. The high temperature can reduce the electronic part the service life, causes certain plastic part distortions.
- Do not put the product on the cold place, in order to avoid damage internal circuit board.
- Do not attempt to disassemble the product. If the layman, possibly can damage the product.
- Do not drop, the intense vibration, with the hardware hit product, in order to avoid can damage the internal circuit.
- Do not use the fierce chemical product, the cleanser clean product.
- Do not use the sharp body randomly to delimit on the product surface, in order to avoid damage outer covering and influence outward appearance.

If the product cannot the normal work, please deliver it to yours qualified service organization, the staff can warm-heartedly help you to solve the problem.

## 八 FAQs

1 The back is luminous but LCD not to have the demonstration.

Answers: After is idle has not broadcast a music approximately minute, LCD can the automatic shut-off. This time, so long as again broadcasts the music or has other operations, LCD can reopen.

2 When broadcast has other sound disturbances.

Answers: a Please guarantee the current hypothesis the frequency spot not to have other active the broadcasting station, otherwise reestablishes a frequency spot.

b Please guarantee nearby the launcher not to have other electronic installations.

3 Does not have the music.

Answers: a Please guarantee the player to broadcast the music.

b Guarantees between the player and the launcher contacts good.

c Please guarantee the radio the frequency with the launcher frequency is

consistent.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Note: This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.