

Photo Report on testo Bluetooth® Connector

Report Reference: MDE_TESTO_2203_FCC_Photo_Setups

Test Laboratory:

7layers GmbH
Borsigstrasse 11
40880 Ratingen
Germany



Deutsche
Akkreditierungsstelle
D-PL-12140-01-01
D-PL-12140-01-02
D-PL-12140-01-03

Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH
Borsigstraße 11
40880 Ratingen, Germany
T +49 (0) 2102 749 0
F +49 (0) 2102 749 350

Geschäftsführer/
Managing Directors:
Frank Spiller
Bernhard Retka
Alexandre Norré-Oudard

Registergericht/registered:
Düsseldorf HRB 75554
USt-Id.-Nr./VAT-No. DE203159652
Steuer-Nr./TAX-No. 147/5869/0385

a Bureau Veritas
Group Company
www.7layers.com




Photo 1: Test setup for radiated measurements (stand alone, semi-anechoic chamber 30 MHz – 1 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 2: Test setup for radiated measurements (computer peripheral, semi-anechoic chamber 30 MHz – 1 GHz; unintentional radiator §15.109, ANSI C63.4)



Photo 3: Test setup for radiated measurements (stand alone, semi-anechoic chamber above 1 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 4: Test setup for radiated measurements (computer peripheral, semi-anechoic chamber above 1 GHz; unintentional radiator §15.109, ANSI C63.4)



Photo 5: Test setup for conducted measurements (AC Port (power line), EUT supplied by AC/DC adapter, unintentional radiator §15.107, ANSI C63.4)



Photo 6: Test setup for conducted measurements (computer peripheral setup, EUT connected via USB-cable to computer, unintentional radiator §15.107, ANSI C63.4)




Photo 7: Test setup for radiated measurements (stand alone, 9 kHz - 30 MHz; FCC 15c247), ANSI C63.10)




Photo 8: Test setup for radiated measurements (stand alone, 1 – 18 GHz; FCC 15c247, ANSI C63.10)



Photo 9: Test setup for radiated measurements, detailed view (stand alone, 1 – 18 GHz; FCC 15c247, ANSI C63.10)