





Band edge measurements :


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	4.50	-34.57	≤-25.5	PASS
BLE_1M	Ant1	High	2480	4.25	-38.46	≤-25.75	PASS
BLE_2M	Ant1	Low	2402	3.79	-30.84	≤-26.21	PASS
BLE_2M	Ant1	High	2480	3.25	-35.66	≤-26.75	PASS
BLE_125K	Ant1	Low	2402	2.62	-37.04	≤-27.38	PASS
BLE_125K	Ant1	High	2480	2.12	-37.55	≤-27.88	PASS
BLE_500K	Ant1	Low	2402	4.29	-35.14	≤-25.71	PASS
BLE_500K	Ant1	High	2480	3.79	-38.6	≤-26.21	PASS




BLE\_1M-Ant1-2402




BLE\_1M-Ant1-2480




BLE\_2M-Ant1-2402




BLE\_2M-Ant1-2480




BLE\_125K-Ant1-2402



BLE\_125K-Ant1-2480



BLE\_500K-Ant1-2402



BLE\_500K-Ant1-2480

Conducted Spurious Emission :

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	4.50	-52.25	≤-25.5	PASS
BLE_1M	Ant1	2402	1000~3000	4.50	-50.24	≤-25.5	PASS
BLE_1M	Ant1	2402	3000~5000	4.50	-49.4	≤-25.5	PASS
BLE_1M	Ant1	2402	5000~7000	4.50	-49.82	≤-25.5	PASS
BLE_1M	Ant1	2402	7000~9000	4.50	-50.57	≤-25.5	PASS
BLE_1M	Ant1	2402	9000~11000	4.50	-50.34	≤-25.5	PASS
BLE_1M	Ant1	2402	11000~13000	4.50	-49.15	≤-25.5	PASS
BLE_1M	Ant1	2402	13000~15000	4.50	-45.13	≤-25.5	PASS
BLE_1M	Ant1	2402	15000~17000	4.50	-44.82	≤-25.5	PASS
BLE_1M	Ant1	2402	17000~19000	4.50	-43.42	≤-25.5	PASS
BLE_1M	Ant1	2402	19000~21000	4.50	-42.73	≤-25.5	PASS
BLE_1M	Ant1	2402	21000~23000	4.50	-42.03	≤-25.5	PASS
BLE_1M	Ant1	2402	23000~25000	4.50	-39.52	≤-25.5	PASS
BLE_1M	Ant1	2440	30~1000	4.55	-52.71	≤-25.45	PASS
BLE_1M	Ant1	2440	1000~3000	4.55	-50.29	≤-25.45	PASS
BLE_1M	Ant1	2440	3000~5000	4.55	-50.24	≤-25.45	PASS
BLE_1M	Ant1	2440	5000~7000	4.55	-50.43	≤-25.45	PASS
BLE_1M	Ant1	2440	7000~9000	4.55	-51.19	≤-25.45	PASS
BLE_1M	Ant1	2440	9000~11000	4.55	-49.22	≤-25.45	PASS
BLE_1M	Ant1	2440	11000~13000	4.55	-49.28	≤-25.45	PASS
BLE_1M	Ant1	2440	13000~15000	4.55	-46.24	≤-25.45	PASS
BLE_1M	Ant1	2440	15000~17000	4.55	-45.1	≤-25.45	PASS
BLE_1M	Ant1	2440	17000~19000	4.55	-44.39	≤-25.45	PASS
BLE_1M	Ant1	2440	19000~21000	4.55	-42.15	≤-25.45	PASS
BLE_1M	Ant1	2440	21000~23000	4.55	-41.75	≤-25.45	PASS
BLE_1M	Ant1	2440	23000~25000	4.55	-40.27	≤-25.45	PASS
BLE_1M	Ant1	2480	30~1000	4.25	-52.66	≤-25.75	PASS
BLE_1M	Ant1	2480	1000~3000	4.25	-50.24	≤-25.75	PASS
BLE_1M	Ant1	2480	3000~5000	4.25	-49.98	≤-25.75	PASS
BLE_1M	Ant1	2480	5000~7000	4.25	-50.04	≤-25.75	PASS
BLE_1M	Ant1	2480	7000~9000	4.25	-51.31	≤-25.75	PASS


BLE_1M	Ant1	2480	9000~11000	4.25	-50.44	≤-25.75	PASS
BLE_1M	Ant1	2480	11000~13000	4.25	-49.73	≤-25.75	PASS
BLE_1M	Ant1	2480	13000~15000	4.25	-45.77	≤-25.75	PASS
BLE_1M	Ant1	2480	15000~17000	4.25	-44.97	≤-25.75	PASS
BLE_1M	Ant1	2480	17000~19000	4.25	-44.8	≤-25.75	PASS
BLE_1M	Ant1	2480	19000~21000	4.25	-41.89	≤-25.75	PASS
BLE_1M	Ant1	2480	21000~23000	4.25	-41.87	≤-25.75	PASS
BLE_1M	Ant1	2480	23000~25000	4.25	-39.8	≤-25.75	PASS
BLE_2M	Ant1	2402	30~1000	3.79	-51.99	≤-26.21	PASS
BLE_2M	Ant1	2402	1000~3000	3.79	-50.6	≤-26.21	PASS
BLE_2M	Ant1	2402	3000~5000	3.79	-49.43	≤-26.21	PASS
BLE_2M	Ant1	2402	5000~7000	3.79	-49.53	≤-26.21	PASS
BLE_2M	Ant1	2402	7000~9000	3.79	-51.25	≤-26.21	PASS
BLE_2M	Ant1	2402	9000~11000	3.79	-49.89	≤-26.21	PASS
BLE_2M	Ant1	2402	11000~13000	3.79	-49.68	≤-26.21	PASS
BLE_2M	Ant1	2402	13000~15000	3.79	-46.32	≤-26.21	PASS
BLE_2M	Ant1	2402	15000~17000	3.79	-44.09	≤-26.21	PASS
BLE_2M	Ant1	2402	17000~19000	3.79	-43.74	≤-26.21	PASS
BLE_2M	Ant1	2402	19000~21000	3.79	-42.44	≤-26.21	PASS
BLE_2M	Ant1	2402	21000~23000	3.79	-42.02	≤-26.21	PASS
BLE_2M	Ant1	2402	23000~25000	3.79	-39.8	≤-26.21	PASS
BLE_2M	Ant1	2440	30~1000	3.57	-52.52	≤-26.43	PASS
BLE_2M	Ant1	2440	1000~3000	3.57	-51.24	≤-26.43	PASS
BLE_2M	Ant1	2440	3000~5000	3.57	-49.92	≤-26.43	PASS
BLE_2M	Ant1	2440	5000~7000	3.57	-49.61	≤-26.43	PASS
BLE_2M	Ant1	2440	7000~9000	3.57	-50.79	≤-26.43	PASS
BLE_2M	Ant1	2440	9000~11000	3.57	-49.49	≤-26.43	PASS
BLE_2M	Ant1	2440	11000~13000	3.57	-49.64	≤-26.43	PASS
BLE_2M	Ant1	2440	13000~15000	3.57	-46.13	≤-26.43	PASS
BLE_2M	Ant1	2440	15000~17000	3.57	-44.89	≤-26.43	PASS
BLE_2M	Ant1	2440	17000~19000	3.57	-44.25	≤-26.43	PASS
BLE_2M	Ant1	2440	19000~21000	3.57	-42.96	≤-26.43	PASS
BLE_2M	Ant1	2440	21000~23000	3.57	-41.95	≤-26.43	PASS
BLE_2M	Ant1	2440	23000~25000	3.57	-40.65	≤-26.43	PASS
BLE_2M	Ant1	2480	30~1000	3.25	-52.82	≤-26.75	PASS
BLE_2M	Ant1	2480	1000~3000	3.25	-51.15	≤-26.75	PASS
BLE_2M	Ant1	2480	3000~5000	3.25	-49.79	≤-26.75	PASS
BLE_2M	Ant1	2480	5000~7000	3.25	-49.84	≤-26.75	PASS
BLE_2M	Ant1	2480	7000~9000	3.25	-51	≤-26.75	PASS
BLE_2M	Ant1	2480	9000~11000	3.25	-50.54	≤-26.75	PASS
BLE_2M	Ant1	2480	11000~13000	3.25	-49.55	≤-26.75	PASS
BLE_2M	Ant1	2480	13000~15000	3.25	-45.94	≤-26.75	PASS
BLE_2M	Ant1	2480	15000~17000	3.25	-44.57	≤-26.75	PASS
BLE_2M	Ant1	2480	17000~19000	3.25	-44.48	≤-26.75	PASS
BLE_2M	Ant1	2480	19000~21000	3.25	-43	≤-26.75	PASS
BLE_2M	Ant1	2480	21000~23000	3.25	-42.24	≤-26.75	PASS
BLE_2M	Ant1	2480	23000~25000	3.25	-41.19	≤-26.75	PASS
BLE_125K	Ant1	2402	30~1000	2.62	-52.44	≤-27.38	PASS
BLE_125K	Ant1	2402	1000~3000	2.62	-50.49	≤-27.38	PASS
BLE_125K	Ant1	2402	3000~5000	2.62	-49.76	≤-27.38	PASS
BLE_125K	Ant1	2402	5000~7000	2.62	-50.17	≤-27.38	PASS


BLE_125K	Ant1	2402	7000~9000	2.62	-50.77	≤-27.38	PASS
BLE_125K	Ant1	2402	9000~11000	2.62	-50.3	≤-27.38	PASS
BLE_125K	Ant1	2402	11000~13000	2.62	-48.48	≤-27.38	PASS
BLE_125K	Ant1	2402	13000~15000	2.62	-46.14	≤-27.38	PASS
BLE_125K	Ant1	2402	15000~17000	2.62	-44.64	≤-27.38	PASS
BLE_125K	Ant1	2402	17000~19000	2.62	-43.64	≤-27.38	PASS
BLE_125K	Ant1	2402	19000~21000	2.62	-42.33	≤-27.38	PASS
BLE_125K	Ant1	2402	21000~23000	2.62	-42.52	≤-27.38	PASS
BLE_125K	Ant1	2402	23000~25000	2.62	-40.76	≤-27.38	PASS
BLE_125K	Ant1	2440	30~1000	1.29	-52.18	≤-28.71	PASS
BLE_125K	Ant1	2440	1000~3000	1.29	-51.06	≤-28.71	PASS
BLE_125K	Ant1	2440	3000~5000	1.29	-49.57	≤-28.71	PASS
BLE_125K	Ant1	2440	5000~7000	1.29	-50.47	≤-28.71	PASS
BLE_125K	Ant1	2440	7000~9000	1.29	-51.42	≤-28.71	PASS
BLE_125K	Ant1	2440	9000~11000	1.29	-50.79	≤-28.71	PASS
BLE_125K	Ant1	2440	11000~13000	1.29	-49.3	≤-28.71	PASS
BLE_125K	Ant1	2440	13000~15000	1.29	-45.98	≤-28.71	PASS
BLE_125K	Ant1	2440	15000~17000	1.29	-44.2	≤-28.71	PASS
BLE_125K	Ant1	2440	17000~19000	1.29	-43.87	≤-28.71	PASS
BLE_125K	Ant1	2440	19000~21000	1.29	-43.21	≤-28.71	PASS
BLE_125K	Ant1	2440	21000~23000	1.29	-42.54	≤-28.71	PASS
BLE_125K	Ant1	2440	23000~25000	1.29	-41.32	≤-28.71	PASS
BLE_125K	Ant1	2480	30~1000	2.12	-52.98	≤-27.88	PASS
BLE_125K	Ant1	2480	1000~3000	2.12	-50.64	≤-27.88	PASS
BLE_125K	Ant1	2480	3000~5000	2.12	-49.52	≤-27.88	PASS
BLE_125K	Ant1	2480	5000~7000	2.12	-47.75	≤-27.88	PASS
BLE_125K	Ant1	2480	7000~9000	2.12	-51.04	≤-27.88	PASS
BLE_125K	Ant1	2480	9000~11000	2.12	-50.35	≤-27.88	PASS
BLE_125K	Ant1	2480	11000~13000	2.12	-49.9	≤-27.88	PASS
BLE_125K	Ant1	2480	13000~15000	2.12	-46.49	≤-27.88	PASS
BLE_125K	Ant1	2480	15000~17000	2.12	-43.93	≤-27.88	PASS
BLE_125K	Ant1	2480	17000~19000	2.12	-43.24	≤-27.88	PASS
BLE_125K	Ant1	2480	19000~21000	2.12	-42.96	≤-27.88	PASS
BLE_125K	Ant1	2480	21000~23000	2.12	-42.42	≤-27.88	PASS
BLE_125K	Ant1	2480	23000~25000	2.12	-41.2	≤-27.88	PASS
BLE_500K	Ant1	2402	30~1000	4.29	-52.52	≤-25.71	PASS
BLE_500K	Ant1	2402	1000~3000	4.29	-50.88	≤-25.71	PASS
BLE_500K	Ant1	2402	3000~5000	4.29	-48.85	≤-25.71	PASS
BLE_500K	Ant1	2402	5000~7000	4.29	-49.64	≤-25.71	PASS
BLE_500K	Ant1	2402	7000~9000	4.29	-50.79	≤-25.71	PASS
BLE_500K	Ant1	2402	9000~11000	4.29	-49.94	≤-25.71	PASS
BLE_500K	Ant1	2402	11000~13000	4.29	-49.42	≤-25.71	PASS
BLE_500K	Ant1	2402	13000~15000	4.29	-46.28	≤-25.71	PASS
BLE_500K	Ant1	2402	15000~17000	4.29	-44.31	≤-25.71	PASS
BLE_500K	Ant1	2402	17000~19000	4.29	-44.05	≤-25.71	PASS
BLE_500K	Ant1	2402	19000~21000	4.29	-42.61	≤-25.71	PASS
BLE_500K	Ant1	2402	21000~23000	4.29	-42.15	≤-25.71	PASS
BLE_500K	Ant1	2402	23000~25000	4.29	-41.06	≤-25.71	PASS
BLE_500K	Ant1	2440	30~1000	4.47	-51.88	≤-25.53	PASS
BLE_500K	Ant1	2440	1000~3000	4.47	-50.89	≤-25.53	PASS
BLE_500K	Ant1	2440	3000~5000	4.47	-49.35	≤-25.53	PASS






BLE_500K	Ant1	2440	5000~7000	4.47	-49.65	≤-25.53	PASS
BLE_500K	Ant1	2440	7000~9000	4.47	-50.89	≤-25.53	PASS
BLE_500K	Ant1	2440	9000~11000	4.47	-50.92	≤-25.53	PASS
BLE_500K	Ant1	2440	11000~13000	4.47	-49.21	≤-25.53	PASS
BLE_500K	Ant1	2440	13000~15000	4.47	-46.63	≤-25.53	PASS
BLE_500K	Ant1	2440	15000~17000	4.47	-45.1	≤-25.53	PASS
BLE_500K	Ant1	2440	17000~19000	4.47	-44.07	≤-25.53	PASS
BLE_500K	Ant1	2440	19000~21000	4.47	-42.7	≤-25.53	PASS
BLE_500K	Ant1	2440	21000~23000	4.47	-43.04	≤-25.53	PASS
BLE_500K	Ant1	2440	23000~25000	4.47	-40.84	≤-25.53	PASS
BLE_500K	Ant1	2480	30~1000	3.79	-52.47	≤-26.21	PASS
BLE_500K	Ant1	2480	1000~3000	3.79	-51.05	≤-26.21	PASS
BLE_500K	Ant1	2480	3000~5000	3.79	-49.4	≤-26.21	PASS
BLE_500K	Ant1	2480	5000~7000	3.79	-50.01	≤-26.21	PASS
BLE_500K	Ant1	2480	7000~9000	3.79	-50.8	≤-26.21	PASS
BLE_500K	Ant1	2480	9000~11000	3.79	-50.12	≤-26.21	PASS
BLE_500K	Ant1	2480	11000~13000	3.79	-50.04	≤-26.21	PASS
BLE_500K	Ant1	2480	13000~15000	3.79	-45.44	≤-26.21	PASS
BLE_500K	Ant1	2480	15000~17000	3.79	-44.44	≤-26.21	PASS
BLE_500K	Ant1	2480	17000~19000	3.79	-44.39	≤-26.21	PASS
BLE_500K	Ant1	2480	19000~21000	3.79	-42.45	≤-26.21	PASS
BLE_500K	Ant1	2480	21000~23000	3.79	-42.55	≤-26.21	PASS
BLE_500K	Ant1	2480	23000~25000	3.79	-40.14	≤-26.21	PASS






BLE\_1M-Ant1-2402-1000~3000




BLE\_1M-Ant1-2402-3000~5000




BLE\_1M-Ant1-2402-5000~7000







BLE\_1M-Ant1-2402-7000~9000




BLE\_1M-Ant1-2402-9000~11000




BLE\_1M-Ant1-2402-11000~13000




BLE\_1M-Ant1-2402-13000~15000




BLE\_1M-Ant1-2402-15000~17000




BLE\_1M-Ant1-2402-17000~19000




BLE\_1M-Ant1-2402-19000~21000




BLE\_1M-Ant1-2402-21000~23000




BLE\_1M-Ant1-2402-23000~25000




BLE\_1M-Ant1-2440-30~1000




BLE\_1M-Ant1-2440-1000~3000




BLE\_1M-Ant1-2440-3000~5000




BLE\_1M-Ant1-2440-5000~7000




BLE\_1M-Ant1-2440-7000~9000




BLE\_1M-Ant1-2440-9000~11000



BLE\_1M-Ant1-2440-11000~13000




BLE\_1M-Ant1-2440-13000~15000




BLE\_1M-Ant1-2440-15000~17000







BLE\_1M-Ant1-2440-17000~19000




BLE\_1M-Ant1-2440-19000~21000




BLE\_1M-Ant1-2440-21000~23000




BLE\_1M-Ant1-2440-23000~25000




BLE\_1M-Ant1-2480-30~1000




BLE\_1M-Ant1-2480-1000~3000




BLE\_1M-Ant1-2480-3000~5000




BLE\_1M-Ant1-2480-5000~7000




BLE\_1M-Ant1-2480-7000~9000




BLE\_1M-Ant1-2480-9000~11000




BLE\_1M-Ant1-2480-11000~13000




BLE\_1M-Ant1-2480-13000~15000




BLE\_1M-Ant1-2480-15000~17000




BLE\_1M-Ant1-2480-17000~19000




BLE\_1M-Ant1-2480-19000~21000



BLE\_1M-Ant1-2480-21000~23000




BLE\_1M-Ant1-2480-23000~25000




BLE\_2M-Ant1-2402-30~1000







BLE\_2M-Ant1-2402-1000~3000




BLE\_2M-Ant1-2402-3000~5000




BLE\_2M-Ant1-2402-5000~7000




BLE\_2M-Ant1-2402-7000~9000




BLE\_2M-Ant1-2402-9000~11000




BLE\_2M-Ant1-2402-11000~13000




BLE\_2M-Ant1-2402-13000~15000




BLE\_2M-Ant1-2402-15000~17000




BLE\_2M-Ant1-2402-17000~19000




BLE\_2M-Ant1-2402-19000~21000




BLE\_2M-Ant1-2402-21000~23000




BLE\_2M-Ant1-2402-23000~25000




BLE\_2M-Ant1-2440-30~1000




BLE\_2M-Ant1-2440-1000~3000




BLE\_2M-Ant1-2440-3000~5000



BLE\_2M-Ant1-2440-5000~7000




BLE\_2M-Ant1-2440-7000~9000




BLE\_2M-Ant1-2440-9000~11000







BLE\_2M-Ant1-2440-11000~13000




BLE\_2M-Ant1-2440-13000~15000




BLE\_2M-Ant1-2440-15000~17000




BLE\_2M-Ant1-2440-17000~19000




BLE\_2M-Ant1-2440-19000~21000




BLE\_2M-Ant1-2440-21000~23000




BLE\_2M-Ant1-2440-23000~25000




BLE\_2M-Ant1-2480-30~1000




BLE\_2M-Ant1-2480-1000~3000




BLE\_2M-Ant1-2480-3000~5000




BLE\_2M-Ant1-2480-5000~7000




BLE\_2M-Ant1-2480-7000~9000




BLE\_2M-Ant1-2480-9000~11000




BLE\_2M-Ant1-2480-11000~13000




BLE\_2M-Ant1-2480-13000~15000




BLE\_2M-Ant1-2480-15000~17000




BLE\_2M-Ant1-2480-17000~19000




BLE\_2M-Ant1-2480-19000~21000



BLE\_2M-Ant1-2480-21000-23000




BLE\_2M-Ant1-2480-23000-25000




BLE\_125K-Ant1-2402-30-1000







BLE\_125K-Ant1-2402-1000~3000




BLE\_125K-Ant1-2402-3000~5000




BLE\_125K-Ant1-2402-5000~7000




BLE\_125K-Ant1-2402-7000~9000




BLE\_125K-Ant1-2402-9000~11000




BLE\_125K-Ant1-2402-11000~13000



BLE\_125K-Ant1-2402-13000~15000



BLE\_125K-Ant1-2402-15000~17000



BLE\_125K-Ant1-2402-17000~19000