


# 1. Spurious Emission

## 1.1 30k\_SISO\_20MHz\_NTNV


### 1.1.1 Test Result

5G NR n78d SCS=30kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict
			Ant1	Ant2	Sum	
DFT-s-OFDM PI/2 BPSK	3560.01	Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
DFT-s-OFDM QPSK	3560.01	Inner_1RB_Right	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
	3624.99	Inner_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
CP-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Right	Refer To Test Graph			Pass


### 1.1.2 Test Graph




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3548.96	1	6.58	1	3525.132	-48.60	-40	Pass
3548.96	3549.96	0.22	0	2	3549.448	-43.65	-13	Pass
3549.96	3570.061	0.22	0	3	/	/	/	/
3570.061	3571.061	0.22	0	3	3570.903	-40.17	-13	Pass
3571.061	3730	1	6.58	4	3725.489	-49.11	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3560.01MHz\_Inner\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.255	1	15.23	1	3524.695	-46.81	-40	Pass
3679.255	3680.255	0.03	0	2	3679.965	-61.15	-13	Pass
3680.255	3699.745	0.03	0	3	3699.750	-27.73	-13	Pass
3699.745	3700.745	0.03	0	4	3727.606	-44.88	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right







n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Outer\_Full




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM PI/2 BPSK\_3690MHz\_Inner\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3548.96	1	6.58	1	3523.591	-47.71	-40	Pass
3548.96	3549.96	0.22	0	2	3549.007	-41.75	-13	Pass
3549.96	3570.061	0.22	0	/	/	/	/	/
3570.061	3571.061	0.22	0	3	3570.352	-39.64	-13	Pass
3571.061	3730	1	6.58	4	3581.795	-34.20	-25	Pass

n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3548.952	1	15.23	1	3526.072	-48.63	-40	Pass
3548.952	3549.952	0.03	0	2	3549.877	-43.84	-13	Pass
3549.952	3570.068	0.03	0	3	3571.043	-66.38	-13	Pass
3570.068	3730	1	15.23	4	3727.240	-48.65	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.022	1	15.23	1	3521.560	-46.92	-40	Pass
3679.022	3680.022	0.03	0	2	3679.170	-60.56	-13	Pass
3680.022	3699.979	0.03	0	3	3700.005	-30.96	-13	Pass
3699.979	3700.979	0.03	0	4	3721.306	-46.37	-40	Pass




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM\_QPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.266	1	6.99	1	3522.100	-47.16	-40	Pass
3679.266	3680.266	0.2	0	2	3679.500	-41.26	-13	Pass
3680.266	3699.734	0.2	0	/	/	/	/	/
3699.734	3700.734	0.2	0	3	3699.900	-41.06	-13	Pass
3700.734	3860	1	6.99	4	3725.300	-42.71	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_20MHz\_DFT-s-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.338	1	15.23	1	3522.775	-46.56	-40	Pass
3679.338	3680.338	0.03	0	2	3680.115	-60.99	-13	Pass
3680.338	3699.663	0.03	0	/	/	/	/	/
3699.663	3700.663	0.03	0	3	3699.675	-32.06	-13	Pass
3700.663	3860	1	15.23	4	3721.306	-44.00	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3549.149	1	15.23	1	3397.340	-49.51	-40	Pass
3549.149	3550.149	0.03	0	2	3550.087	-29.64	-13	Pass
3550.149	3569.871	0.03	0	3	/	/	/	/
3569.871	3570.871	0.03	0	3	3570.188	-66.28	-13	Pass
3570.871	3730	1	15.23	4	3724.795	-48.39	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3560.01MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3548.908	1	6.58	1	3527.552	-45.14	-40	Pass
3548.908	3549.908	0.22	0	2	3549.778	-37.15	-13	Pass
3549.908	3570.112	0.22	0	/	/	/	/	/
3570.112	3571.112	0.22	0	3	3570.132	-38.08	-13	Pass
3571.112	3730	1	6.58	4	3729.120	-49.08	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3560.01MHz\_Inner\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left






n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.107	1	15.23	1	3523.570	-46.81	-40	Pass
3679.107	3680.107	0.03	0	2	3679.815	-62.58	-13	Pass
3680.107	3699.893	0.03	0	3	3699.960	-32.07	-13	Pass
3699.893	3700.893	0.03	0	4	3721.306	-44.79	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Outer\_Full



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.14	1	6.99	1	3524.400	-47.39	-40	Pass
3679.14	3680.14	0.2	0	2	3680.000	-35.54	-13	Pass
3680.14	3699.861	0.2	0	3	3700.200	-34.14	-13	Pass
3699.861	3700.861	0.2	0	4	3720.400	-41.76	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_20MHz\_CP-OFDM QPSK\_3690MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3679.064	1	15.23	1	3522.835	-46.68	-40	Pass
3679.064	3680.064	0.03	0	2	3679.365	-61.45	-13	Pass
3680.064	3699.937	0.03	0	3	3699.945	-38.67	-13	Pass
3699.937	3700.937	0.03	0	4	3721.306	-45.98	-40	Pass

## 1.2 30k\_SISO\_30MHz\_NTNV


### 1.2.1 Test Result

5G NR n78d SCS=30kHz SISO 30MHz NTV						
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict
			Ant1	Ant2	Sum	
DFT-s-OFDM PI/2 BPSK	3565.02	Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
	3684.99	Inner_1RB_Right	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
DFT-s-OFDM QPSK	3565.02	Inner_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
	3624.99	Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Right	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
	3684.99	Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Right	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
CP-OFDM QPSK	3565.02	Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Left	Refer To Test Graph			Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph			Pass
		Edge_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
	3684.99	Inner_1RB_Right	Refer To Test Graph			Pass
		Outer_Full	Refer To Test Graph			Pass
		Inner_1RB_Right	Refer To Test Graph			Pass


## 1.2.2 Test Graph




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3549.593	1	5.23	1	3529.083	-40.58	-40	Pass
3549.593	3550.593	0.3	0	2	3550.240	-32.61	-13	Pass
3550.593	3579.447	0.3	0	/	/	/	/	/
3579.447	3580.447	0.3	0	3	3579.650	-39.20	-13	Pass
3580.447	3730	1	5.23	4	3720.997	-48.54	-40	Pass




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3565.02MHz\_Inner\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.46	1	15.23	1	3524.050	-46.67	-40	Pass
3669.46	3670.46	0.03	0	2	3670.380	-63.70	-13	Pass
3670.46	3699.52	0.03	0	/	/	/	/	/
3699.52	3700.52	0.03	0	3	3699.525	-24.36	-13	Pass
3700.52	3849.98	1	15.23	4	3726.256	-42.11	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.52	1	5.23	1	3523.451	-47.26	-40	Pass
3669.52	3670.52	0.3	0	2	3670.509	-28.05	-13	Pass
3670.52	3699.46	0.3	0	/	/	/	/	/
3699.46	3700.46	0.3	0	3	3699.471	-45.02	-13	Pass
3700.46	3849.98	1	5.23	4	3720.329	-45.25	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM PI/2 BPSK\_3684.99MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.011	1	15.23	1	3527.905	-46.49	-40	Pass
3669.011	3670.011	0.03	0	2	3669.660	-63.75	-13	Pass
3670.011	3699.969	0.03	0	/	/	/	/	/
3699.969	3700.969	0.03	0	3	3699.975	-49.18	-13	Pass
3700.969	3849.98	1	15.23	4	3725.251	-42.76	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3549.546	1	15.23	1	3526.777	-49.52	-40	Pass
3549.546	3550.546	0.03	0	2	3550.522	-23.75	-13	Pass
3550.546	3579.494	0.03	0	/	/	/	/	/
3579.494	3580.494	0.03	0	3	3579.653	-67.12	-13	Pass
3580.494	3730	1	15.23	4	3721.300	-45.26	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left






n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3549.546	1	5.23	1	3529.683	-40.48	-40	Pass
3549.546	3550.546	0.3	0	2	3550.540	-34.89	-13	Pass
3550.546	3579.494	0.3	0	/	/	/	/	/
3579.494	3580.494	0.3	0	3	3579.800	-40.24	-13	Pass
3580.494	3730	1	5.23	4	3598.256	-33.55	-25	Pass


n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3668.964	1	15.23	1	3528.880	-47.12	-40	Pass
3668.964	3669.964	0.03	0	2	3669.345	-63.24	-13	Pass
3669.964	3700.016	0.03	0	/	/	/	/	/
3700.016	3701.016	0.03	0	3	3700.035	-38.33	-13	Pass
3701.016	3849.98	1	15.23	4	3721.306	-44.75	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.52	1	5.23	1	3524.652	-47.72	-40	Pass
3669.52	3670.52	0.3	0	2	3670.509	-32.05	-13	Pass
3670.52	3699.46	0.3	0	/	/	/	/	/
3699.46	3700.46	0.3	0	3	3699.471	-45.05	-13	Pass
3700.46	3849.98	1	5.23	4	3845.028	-47.19	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_30MHz\_DFT-s-OFDM QPSK\_3684.99MHz\_Inner\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.46	1	15.23	1	3527.920	-46.37	-40	Pass
3669.46	3670.46	0.03	0	2	3670.275	-63.52	-13	Pass
3670.46	3699.52	0.03	0	/	/	/	/	/
3699.52	3700.52	0.03	0	3	3699.570	-33.00	-13	Pass
3700.52	3849.98	1	15.23	4	3721.291	-44.12	-40	Pass

n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left







n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3565.02MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Outer\_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3549.593	1	5.23	1	3529.833	-40.55	-40	Pass
3549.593	3550.593	0.3	0	2	3550.540	-33.36	-13	Pass
3550.593	3579.447	0.3	0	/	/	/	/	/
3579.447	3580.447	0.3	0	3	3579.500	-30.05	-13	Pass
3580.447	3730	1	5.23	4	3589.853	-33.79	-25	Pass


n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3565.02MHz\_Inner\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3624.99MHz\_Edge\_1RB\_Left



n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3624.99MHz\_Edge\_1RB\_Left




n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3669.029	1	15.23	1	3522.115	-46.91	-40	Pass
3669.029	3670.029	0.03	0	2	3669.690	-62.86	-13	Pass
3670.029	3699.951	0.03	0	/	/	/	/	/
3699.951	3700.951	0.03	0	3	3699.960	-37.73	-13	Pass
3700.951	3849.98	1	15.23	4	3721.291	-43.54	-40	Pass


n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3684.99MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM\_QPSK\_3684.99MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right



n78d\_30kHz\_SISO\_NTNV\_30MHz\_CP-OFDM QPSK\_3684.99MHz\_Edge\_1RB\_Right

