



# **FCC TEST REPORT**

Application No.: 10122916 (Rx)

Rm02, 15/F Fonda Ind Bldg, 37-39 Au Pui Wan Street, Fotan Shatin, N.T., Hong Kong  
**Tel:** [852] 2690 0881      **Fax:** [852] 2690 0877

**TABLE OF CONTENTS**

Cover Sheet	-----	p.1
Table of Contents	-----	p.2
General Details	-----	p.3 ~ p.4
Summary of Test Results	-----	p.5
Radiation Emission Test	-----	p.6 ~ p.7
Conducted Emission Test	-----	p.8 ~ p.9
Appendix A List of Measurement Equipment	-----	p.10
Appendix B Test Sample (Photo)	-----	p.11~ p.13

**REPORT NO.:** 10122916 (RX)

**DATE:** 28 April, 2011

**APPLICANT:** AQUATIC AV

**ADDRESS:** 1476 CAMDEN AVENUE,  
CAMPBELL, CA 95008,  
U.S.A.

**DATE OF RECEIVED:** 17 January, 2011

**DATE OF TESTING:** 17 January, 2011 to 28 April ,2011

**DESCRIPTION OF SAMPLE:**

Product: Floatable Water-Resistant RF Wireless Remote  
Brand Name: AQUATIC AV  
Model No.: AQ-RF-34  
Addition model: AQ-RF-4 / AQ-RF-3 / AQ-RF-3a  
FCC ID: WBQIP67AQR34R  
Input Voltage: DC 5.0V

**Description of EUT  
Operation**

The Equipment Under Test (EUT) is a AQUATIC AV

**INVESTIGATION  
REQUESTED:**

**FCC PART 15 SUBPART B**

**TEST RESULTS:**

See attached sheets

**CONCLUSIONS:**

The submitted product **COMPLIED** with the requirements of Federal Communications Commission [FCC] Rules and Regulations Part 15. The tests were performed in accordance with the standards described above and on page 5 in this Test report.



---

CS Lin, EMC  
Approved Signatory

**REPORT NO.:** 10122916 (RX)

**DATE:** 28 April, 2011

**General Details**

**Test Laboratory**

GTC CENTRE LTD  
EMC Laboratory  
Rm02, 15/F Fonda Ind Bldg, 37-39 Au Pui Wan Street, Fotan  
Shatin, N.T., Hong Kong

Telephone: 852 2690 0881  
Fax: 852 2690 0877

**Applicant Details**

**Applicant**

AQUATIC AV  
1476 CAMDEN AVENUE,  
CAMPBELL, CA 95008,  
U.S.A.

**Manufacturer**

HENG YONG ELECTRONIC PRODUCTS CO. LTD  
NAN ZHA INDUSTRIAL ESTATE 4,  
HU MEN TOWN, DONG GUAN CITY,  
GUANG DONG, CHINA,  
POST CODE 523932

**REPORT NO.:** 10122916 (RX)

**DATE:** 28 April, 2011

**Technical Details**

**Investigations Requested**

Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15 and ANSI C63.4:2003 for FCC Certification.

**Test Standards and Results Summary Tables**

<b>EMISSION Results Summary</b>					
Test Condition	Test Requirement	Test Method	Test Result		
			Pass	Failed	N/A
Radiated Emissions, 30MHz to 1GHz	FCC 47CFR 15.109 (Class B)	ANSI C63.4:2003	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Conducted Emissions on AC, 0.15MHz to 30MHz	FCC 47CFR 15.107 (Class B)	ANSI C63.4:2003	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>


Note: N/A – Not Applicable

## Test Results

### Emission

#### Radiation Emission Measurement (30MHz to 1GHz)

##### Setup diagram:



#### Test Method:

The sample was placed 0.8m above the ground plane on the OATS\*. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigated all operating modes, rotated about all 3 axis (X,Y & Z) and considered typical configuration to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. The emissions worst-case are shown in Test Results of the following pages.

\*. OATS [Open Area Test Site] located at GTC with a metal ground plane filed with the FCC pursuant to section 2.948 of the FCC rules. With Registration Number:493655

## **Radiation** **Emissions Measurement**

Appl. : AQUATIC AV  
Model: AQ-RF-34  
Operation: RX Mode

Test Requirement: FCC 47CFR 15.109  
Test Method: ANSI C63.4:2003  
Test Date: 2011-01-15

Level: Class B

### **Limits for Radiated Emissions:**

Frequency Range [MHz]	Quasi-Peak Limits [ $\mu\text{V/m}$ ]
30-88	100
88-216	150
216-960	200
Above 960	500

The emission limits shown in the above table are based on measurement employing a CISPR quasi-peak detector and above 1000MHz are based on measurements employing an average detector.


<b><u>Radiated Emissions Quasi-Peak</u></b>						
Frequency MHz	Measured Level @3m dB $\mu\text{V}$	Correction Factor dB/m	Field Strength dB $\mu\text{V/m}$	Field Strength $\mu\text{V/m}$	Limit @3m $\mu\text{V/m}$	E-Field Polarity
30.0	< 16.0	18.4	< 34.4	< 52.5	100	Vertical
150.0	< 16.0	15.1	< 31.1	< 35.9	150	Vertical
300.0	< 16.0	16.6	< 32.6	< 42.7	200	Horizontal
289.7	18.0	21.4	39.4	93.3	200	Horizontal
390.0	22.0	18.1	40.1	101.2	200	Horizontal
433.9	22.0	18.9	40.9	110.9	200	Horizontal
500.0	14.0	20.1	34.1	50.7	200	Horizontal
780.0	15.0	25.6	40.6	107.2	200	Horizontal
867.8	10.0	26.5	36.5	66.8	200	Horizontal
1000.0	< 8.0	27.8	< 35.8	< 61.7	500	Horizontal

Remark:  
Calculated measurement uncertainty : 30MHz to 1GHz  $\pm 4.1\text{dB}$

## Test Results

### Conducted Emission

#### Conducted Emission Measurement on AC (0.15MHz to 30MHz) Setup diagram:



#### Test Method:

The test was performed in accordance with ANSI C63.4:2003, with the following: initial measurements were performed in peak and average detection modes on the live line. Any emissions recorded within 25dB of the relevant limit lines were re-measured using quasi-peak and average detection on the live and neutral lines with the worst case recorded in the table of results.



REPORT NO.: 10122916 (RX)

DATE: 28 April, 2011

## **Conducted Emission on AC** **(0.15MHz to 30MHz)**

Appl. : AQUATIC AV  
Model: AQ-RF-34  
Operation: RX Mode

Test Requirement: FCC 47CFR 15.207  
Test Method: ANSI C63.4:2003  
Test Date: N/A

**Results:** N/A

The EUT is operated by a single source of internal battery power [located in the battery compartment], therefore power line conducted emission was deemed unnecessary.

## **APPENDIX A**

### **LIST OF MEASUREMENT EQUIPMENT**

<b><u>Equi. No.</u></b>	<b><u>Equipment</u></b>	<b><u>Manufacturer</u></b>	<b><u>Model No.</u></b>	<b><u>Serial No.</u></b>	<b><u>Calibration Date</u></b>	<b><u>Due Date</u></b>
E005	EMI Test Receiver	Rohde & Schwarz	ESVP	893417/019	09 Sep 2010	08 Sep 2011
E003	Spectrum Analyzer With Q/P	Tektronix	2712	B034039	09 Sep 2010	08 Sep 2011
E004	RF Preselector	Tektronix	2706	B010649	09 Sep 2010	08 Sep 2011
E057	EMI Test Receiver	Rohde & Schwarz	ESV	863112/007	17 Aug 2010	16 Aug 2011
E084	Spectrum Analyzer	Hewlett Packard	HP 8568B	3001A04930	07 Jul 2011	06 Jul 2012
E085	Display of Spectrum Analyzer	Hewlett Packard	HP 85662A	2033A01841	07 Sep 2010	06 Sep 2011
E086	Quasi-Peak Adaptor	Hewlett Packard	HP 85650A	2527A00785	07 Sep 2010	06 Sep 2011
E090	RF Signal Generator	Rohde & Schwarz	SMX	832566/005	04 Mar 2011	03 Mar 2012
E001	Antenna System	Schwarzbeck	D-6917	UHALP9107	04 Mar 2011	03 Mar 2012
E002	Antenna System	Schwarzbeck	VHA9103	VHA91031253	04 Mar 2011	03 Mar 2012
E101	Loop Antenna	EMCO	6502	9902-3269	20 Feb 2011	20Feb 2012
E008	LISN	EMCO	3825/2	1115	20 Sep 2010	19 Sep 2011
E115	Limiter 50 Ohm DC~1800MHz	Hewlett Packard	11867A	-----	04 Mar 2011	03 Mar 2012
E100	Turntable	Chioce Way	TB1200	51112	-----	-----
E006	RF Signal Generator	Fluke	6060A	3880007	04 Mar 2011	03 Mar 2012
E092	Antenna Tripole	IT&T	UH800100	A05011	04 Mar 2011	03 Mar 2012
E098	Pre-Amplifier	Hewlett Packard	8447D	2944A09089	04 Mar 2011	03 Mar 2012
E099	Antenna Mast	Schwarzbeck	AM9014	-----	-----	-----
E113	Spectrum Analyzer	Hewlett Packard	HP8566B	2747A05483	20 Feb 2011	20 Feb 2012
E118	Display of Spectrum Analyzer	Hewlett Packard	HP85662A	2152A03271	20 Feb 2011	20 Feb 2012

## **APPENDIX B**

### **Photos of EUT**

Front View of the product



Rear View of the product



**REPORT NO.:** 10122916 (RX)

**DATE:** 28 April, 2011

## Photos of EUT

Component Side View




Copper Side View



**Photos of EUT**

**Measurement of Radiated Emission Test Set up**



**Measurement of Radiated Emission Test Set up**



End of Document