

Nemko Test Report:	2015 283053A FCC15249				
Applicant:	Residential Control Systems 12625 Danielson Ct.Suite 102 Poway CA 92064				
Equipment Under Test: (E.U.T.)	RSZ2				
FCC Identifier:	WIBTZW020				
Industry Canada Identifier:	9374A-W020				
In Accordance With:	FCC Part 15, Subpart C, 15.249 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.				
Tested By:	Nemko USA, Inc. 2210 Faraday Ave, Suite 150 Carlsbad, CA 92008				
TESTED BY: David Light	DATE: 04 May 2015				
APPROVED BY:	DATE: 24 June 2015				

Total Number of Pages: 17

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.

REPORT NO.: 2015 283053B FCC15249

EQUIPMENT: RSZ2

Table of Contents

SECTION 1.	SUMMARY OF TEST RESULTS	3
SECTION 2.	GENERAL EQUIPMENT SPECIFICATION	5
SECTION 3.	TRANSMIT RADIATED EMISSIONS	6
SECTION 4.	EMISSION BANDWIDTH	11
SECTION 5.	TEST EQUIPMENT LIST	14
ΔΝΝΕΧ Δ ΤΕ	ST DIAGRAMS	15

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8

Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Section 1. Summary Of Test Results

Manufacturer: Residential Control Systems

Model No.: RSZ2

Serial No.: None

General: All measurements are traceable to national standards.

These tests were conducted on a sample of the equipment for the purpose of demonstrating compliance with FCC Paragraph 15.249 and Industry Canada RSS-210, Issue 8. All tests were conducted using measurement procedure ANSI C63.10-2013. Radiated Emissions were made on a semi-anechoic chamber.

\boxtimes	New Submission	\boxtimes	Production Unit
	Class II Permissive Change		Pre-Production Unit

THIS TEST REPORT RELATES ONLY TO THE ITEM(S) TESTED.

THE FOLLOWING DEVIATIONS FROM, ADDITIONS TO, OR EXCLUSIONS FROM THE TEST SPECIFICATIONS HAVE BEEN MADE.

See "Summary of Test Data".



NVLAP Lab Code 200116-0

Nemko USA, Inc. authorizes the above named company to reproduce this report provided it is reproduced in its entirety, for use by the company's employees only.

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government. Nemko USA, Inc. is a NVLAP accredited laboratory.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. Nemko USA, Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report. This report applies only to the items tested.

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Summary Of Test Data

NAME OF TEST	PARA. NO.	RESULT
Conducted Emissions	15.207	NA
Radiated Emissions	15.249	Complies

Footnotes For N/A's:

The EUT is battery powered.

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8

Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Section 2. General Equipment Specification						
Frequency Range:	902 to 928 MHz					
Operating Frequen	cy(ies) of Sample:	908.4 to 916 MHz				
Number of Channel	ls:	2				
Modulation Type:		2FSK (Lower Channel) 2GFSK (Upper Channel)				
Emission Designate	86K0F2D (Lower Channel) 110KF2D (Upper Channel)					
Hardware Version:		Rev B				
Firmware Version:		1.2				
User Frequency Ad	justment:					
Integral Antenna		Yes No				
Description of EU	Т					
Remote temperatu	re sensor.					

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8

Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Section 3. Transmit Radiated Emissions

NAME OF TEST: Transmit Radiated Emissions PARA. NO.: 15.249

TESTED BY: David Light DATE: 20 April 2015

Minimum Standard: Para no. 15.249

(a) The field strengths shall not exceed the following:

Carrier (MHz)	Field Strength (mV/m)	5		Harmonic (dBμV)	
902-928	50	94	500	54	
2400-2483.5	50	94	500	54	
5725-5875	50	94	500	54	
24000-24250	250	108	2500	68	

- (b) Field strength limits are specified at a distance of 3 metres.
- (c) Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated limits of 15.209 whichever is the less attenuation.
- (d) ...for frequencies above 1000 MHz, the above field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

Test Results: Complies

Measurement Data: See attached table and graphs.

Meas.	Ant.	Atten.	Meter	Antenna	Path	RF	Corrected	Spec.	CR/SL	Pass	
Freq.	Pol.		Reading	Factor	Loss	Gain	Reading	limit	Diff.	Fail	
(MHz)	(H/V)	(dB)	(dBuV)	(dB)	(dB)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	Unc.	Comment
908.4	V	0.0	31.3	23.5	3.7	0.0	58.5	94.0	-35.5	Pass	
908.4	Η	0.0	25.9	23.5	3.7	0.0	53.1	94.0	-40.9	Pass	
916.0	V	0.0	34.5	23.5	3.7	0.0	61.7	94.0	-32.3	Pass	
916.0	Η	0.0	31.7	23.5	3.7	0.0	58.9	94.0	-35.1	Pass	
		·									


CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,


and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Test Data - Radiated Emissions

Lower Channel






EQUIPMENT: RSZ2


CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.

REPORT NO.: 2015 283053B FCC15249

Test Data - Radiated Emissions

Lower Channel







CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Test Data - Radiated Emissions

Upper Channel






EQUIPMENT: RSZ2


CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.

REPORT NO.: 2015 283053B FCC15249

Test Data - Radiated Emissions

Upper Channel





CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Section 4. Emission Bandwidth

NAME OF TEST: Emission Bandwidth PARA. NO.: RSS-General 6.6

TESTED BY: David Light DATE: 20 April 2015

Minimum Standard: Para no. 6.6

Test Results: Complies

Measurement Data: See attached graphs.


Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Test Data - 99% Emission Bandwidth

Lower Channel - 2FSK




Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Test Data - 99% Emission Bandwidth

Upper Channel - GFSK



CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8

Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Section 5. Test Equipment List

Asset Tag	Description	Manufacturer	Model	Serial #	Last Cal	Next Cal
E1029	Preamplifier	A.H. Systems,	PAM-0118	343	12-Aug-2014	12-Aug-2015
	(20MHz to	Inc.				
	18GHz)					
993	Antenna,	A.H. Systems	SAS-200/571	162	23-Dec-2014	23-Dec-2016
	Horn					
1036	Spectrum	Rohde &	FSEK30	830844/006	15-Jul-2013	15-Jul-2015
	Analyzer	Schwartz				
1763	Antenna,	Schaffner	CBL 6111D	22926	13-May-2014	13-May-2015
	Bilog					

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.

REPORT NO.: 2015 283053B FCC15249

EQUIPMENT: RSZ2

ANNEX A

TEST DIAGRAMS

CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8


Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.


REPORT NO.: 2015 283053B FCC15249

Conducted Emissions

EQUIPMENT: RSZ2



Radiated Prescan



CFR 47, PART 15, Paragraph 15.249 and Industry Canada RSS-210, Issue 8

Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz,

and 24.0-24.25 GHz.

EQUIPMENT: RSZ2 REPORT NO.: 2015 283053B FCC15249

Test Site For Radiated Emissions

