

Page: 1 of 67

ELECTROMAGNETIC EMISSIONS COMPLIANCE TEST REPORT





Applicant: CASTLES TECHNOLOGY CO., LTD.

6F, NO. 207-5, SEC. 3, BEIXIN RD., XINDIAN DISTRICT,

NEW TAIPEI CITY 231030, TAIWAN (R.O.C)

Manufacturer: CASTLES TECHNOLOGY CO., LTD.

6F, NO. 207-5, SEC. 3, BEIXIN RD., XINDIAN DISTRICT,

NEW TAIPEI CITY 231030, TAIWAN (R.O.C)

Product Name: Smart module

Brand Name:

Model No.: **SLM500**

Report Number: TERF2408002260E2

FCC ID WIYSLM500QA

IC: 27350-SLM500QA

Date of EUT Received: August 1, 2024

August 12, 2024~September 3, 2024 Date of Test:

Issue Date: October 8, 2024

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.247, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 2 of 67

Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
TERF2408002260E2	00	Original	September 5, 2024	Susan Lin		
TERF2408002260E2	01	Update section 8.2	October 8, 2024	Susan Lin	*	

Note:

1 . The remark "*" indicates modification of the report upon requests from certification

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 67

Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	14
6	MEASUREMENT EQUIPMENT USED	15
7	PEAK OUTPUT POWER MEASUREMENT	16
8	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 67

GENERAL INFORMATION

1.1 Product description

Product Name:	Smart module
Brand Name:	CASTLES TECHNOLOGY
Model No.:	SLM500
Hardware Version:	V1F.00
Firmware Version:	N/A
EUT Series No.:	196242025224
Product Name of Host:	POS Terminal
Brand Name of Host:	CASTLES TECHNOLOGY
Model No. of Host:	S1E2-UPT
Power Supply:	9Vdc from Adapter
Test Software (Name/Version):	Qualcomm Radio Control Tool 4.0.00161.0

1.2 RF Specification

WLAN 2.4GHz

Wi-Fi	Frequency	Channels	Rated Pov	wer (dBm)	Modulation
VVI-Г1	Range	Charmers	Peak	Avg.	Technology
802.11b	2412~2462	11	17.77	15.16	DSSS
802.11g	2412~2462	11	17.60	8.62	OFDM
802.11n_HT20	2412~2462	11	17.64	8.57	OFDM
802.11n_HT40	2422~2452	7	17.86	8.62	OFDM
M. I. I. C.		CCK, DQPSK, DBPSK for DSSS in 802.11b			
Modulation type: 64QAM		64QAM, 16QA	M, QPSK, BPS	SK for OFDM i	n 802.11g,11n
		802.11b: 1/2/5.5/11 Mbps			
Data Rate:		802.11g: 6/9/12/18/24/36/48/54 Mbps			
Data Nate.		802.11n_HT20:up to 72.2Mbps			
	802.11n_HT40:up to 150Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 5 of 67

WLAN 2.4GHz for IC

Wi-Fi	Frequency	Channels	Rated Pov	wer (dBm)	Rated Power	Modulation
VVI-Г1	Range	Charmers	Peak	Avg.	in dBm (EIRP)	Technology
802.11b	2412~2462	11	17.77	15.16	17.58	DSSS
802.11g	2412~2462	11	17.60	8.62	11.04	OFDM
802.11n_HT20	2412~2462	11	17.64	8.57	10.99	OFDM
802.11n_HT40	2422~2452	7	17.86	8.62	11.04	OFDM
Modulation	CCK, DQPSK, DBPSK for DSSS in 802.11b (pe: 64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11g,11n					
	802.11b: 1/2/5		11b: 1/2/5.5/11 Mbps			
Data Rate:		802.11g: 6/9/12/18/24/36/48/54 Mbps				
Dala Nale.		802.11n_HT20:up to 72.2Mbps				
		802.11n_HT40:up to 150Mbps				

1.3 Antenna Designation

Antenna	Supplier	Antenna	Freq.	Peak Antenna
Type		Part No.	(MHz)	Gain (dBi)
Dipole	ADVANCED WIRELESS & ANTENNA INC.	S1E2-UPT-WiFi	2412~2462	2.42

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 6 of 67

1.4 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas, Guidance v05r02

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 3 Aug. 2023

RSS-Gen, Issue 5 April 2018

ANSI C63.10:2013

1.5 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB
		SAC 1		
		SAC 2		
		SAC 3		
	No.134, Wu Kung Road, New Taipei	Conduction 1		
		Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		TW3702
		SAC C		
(TAF code 3702)		SAC D		
		SAC G		
	No 2 Kaji 1et Bd. Cujeban Dietriet	Conducted A		
	No.2, Keji 1st Rd., Guishan District,	Conducted B	TW0028	
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.6 Special Accessories

There are no special accessories used while test was conducted.

1.7 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 7 of 67

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.2 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 8 of 67

2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

2.5 Test Configuration





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 67

2.6 Control Unit(s)

Conducted Emission Test Site: Conducted D					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
USB Cable	l Max	USB-C1200	N/A	N/A	N/A
AC Adapter	Castles	PW04-945A	N/A	N/A	N/A
Cable	HOMESHUN	CABLE FOR S1U2 HSG 4.2PITCH 2X3P FEMALE AND RJ45 8P8C FEMALE X2 TO HSG 2X10P 2.0PITCH L:750MM	N/A	N/A	N/A
Cable	TAI-CHING	CABLE FOR MARS1000 DC JACK	N/A	N/A	N/A
Notebook	Lenovo	T470	P0001293	N/A	N/A

Radiated Emission Test Site: SAC G					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
USB Cable	ASUS	ASUS USB-C Cable	N/A	N/A	N/A
Cable	HOMESHUN	CABLE FOR S1U2 HSG 4.2PITCH 2X3P FEMALE AND RJ45 8P8C FEMALE X2 TO HSG 2X10P 2.0PITCH L:750MM	N/A	N/A	N/A
Cable	TAI-CHING	CABLE FOR MARS1000 DC JACK	N/A	N/A	N/A
AC Adapter	Castles	PW04-945A	N/A	N/A	N/A
Notebook	Lenovo	T420	S0012599	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 10 of 67

SUMMARY OF TEST RESULTS

FCC Rules	ISED Rules	Description Of Test	Result
§15.247(b) (3)	RSS-247 §5.4 d	Peak Output Power	Compliant
§15.247(d) §15.209	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10 RSS-Gen §6.13	Radiated Band Edge & Radiated Spurious Emission	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 11 of 67

4 DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

<u> </u>	, a III 2400 ~ 2403.5WII				
Modulation	Modulation of BW 20MHz		of BW 40MHz		
CHANNEL	FREQUENCY (MHz)	CHANNEL	FREQUENCY (MHz)		
1	2412	3	2422		
2	2417	4	2427		
3	2422	5	2432		
4	2427	6	2437		
5	2432	7	2442		
6	2437	8	2447		
7	2442	9	2452		
8	2447				
9	2452				
10	2457				
11	2462				

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 12 of 67

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. aTest program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

Modulation	Transmission Chain	Single Transmission Spatial	Multiple Transmission Spatial
⊠ 802.11 b	☑ Ch0 ☐ Ch1 ☐ Ch2 ☐ Ch	B ⊠ 1TX	□ 2TX
⊠ 802.11 g	☑ Ch0 ☐ Ch1 ☐ Ch2 ☐ Ch	B ⊠ 1TX	□ 2TX
⊠ 802.11 n	☑ Ch0 ☐ Ch1 ☐ Ch2 ☐ Ch	B ⊠ SISO	☐ MIMO

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

	CONDUCTED TEST								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11b	1 to 11	1,6,11	DSSS	1	ch0				
802.11g	1 to 11	1,6,11	OFDM	6	ch0				
802.11n_HT20	1 to 11	1,6,11	OFDM	MCS0	ch0				
802.11n_HT40	3 to 9	3,6,9	OFDM	MCS0	ch0				

TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT			
802.11g	1 to 11	6	OFDM	6	ch0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 67

	TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT					
802.11b	1 to 11	1,6,11	DSSS	1	ch0					
802.11g	1 to 11	1,6,11	OFDM	6	ch0					
802.11n_HT20	1 to 11	1,6,11	OFDM	MCS0	ch0					
802.11n_HT40	3 to 9	3,6,9	OFDM	MCS0	ch0					

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 67

5 MEASUREMENT UNCERTAINTY

Test Items	Ur	ncertaint	:y	
Output Power measurement	tput Power measurement +/- 0.97			
Conducted emission measurement	+/-	0.77	dB	
Temperature	+/-	0.6	°C	
Humidity	+/-	3	%	
DC / AC Power Source	+/-	1	%	

Radiated Spurious Em	Radiated Spurious Emission Measurement Uncertainty						
	+/-	1.89	dB	9kHz~30MHz			
Balanianian Mantiani	+/-	4.15	dB	30MHz - 1000MHz			
Polarization: Vertical	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	1.89	dB	9kHz~30MHz			
Delevinetiene Herinentel	+/-	4.02	dB	30MHz - 1000MHz			
Polarization: Horizontal	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	2	dB	33GHz-50GHz			
	+/-	1.59	dB	50GHz-60GHz			
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz			
	+/-	1.64	dB	90GHz-140GHz			
	+/-	3.83	dB	140GHz-220GHz			

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 15 of 67

MEASUREMENT EQUIPMENT USED

6.1 Condcuted Measurement

	Conducted Emission Test Site: Conducted D										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Attenuator	Marvelous	MVE2213-10	RF10	11/15/2023	11/14/2024						
DC Block	MITEQ	W70289-5108	RF159	11/15/2023	11/14/2024						
Power Meter	Anritsu	ML2496A	1804002	04/26/2024	04/25/2025						
Power Sensor	Anritsu	MA2411B	1726105	04/26/2024	04/25/2025						
Power Sensor	Anritsu	MA2411B	1726106	04/26/2024	04/25/2025						
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/10/2024	04/09/2025						
Test Software SGS Taiwan		Dynamic Frequency Selection Test	Ver. 22.01.24	N.C.R	N.C.R						

6.2 Radiated Measurement

	Radiated Emission Test Site: SAC G										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
3m Site NSA	SGS	966 chamber G	N/A	03/30/2024	03/29/2025						
Active Loop Antenna	COM-POWER	AL-130R	10160105	12/04/2023	12/03/2024						
Broadband Antenna	SCHWARZBECK	VULB 9168	1208	07/17/2024	07/16/2025						
Coaxial Cable	EMC Instruments	EMC104-SM-SM- 8000-5000-5000	210219 \ 210220 \ 210221	03/13/2024	03/12/2025						
Coaxial Cable	EMC Instruments	EMCCFD400-NM- NM-8000-5000- 2000	210216 \ 210217 \ 210218	03/13/2024	03/12/2025						
High Pass Filter	WI	WHKX10-2624- 3200-18000-80SS	RF210	11/15/2023	11/14/2024						
Horn Antenna	RF SPIN	DRH18-E	210105A18E	04/12/2024	04/11/2025						
Horn Antenna	Schwarzbeck	BBHA9170	184	12/28/2023	12/27/2024						
Lowpass Filter	Woken	EWT-56-0019	RF173	11/15/2023	11/14/2024						
Pre-Amplifier	EMC Instruments	EMC118A45SE	980815	05/08/2024	05/07/2025						
Pre-Amplifier	EMC Instruments	EMC18405SEE	980881	11/15/2023	11/14/2024						
Pre-Amplifier	EMC Instruments	EMC330N	980781	03/13/2024	03/12/2025						
Spectrum Analyzer	KEYSIGHT	N9010B	MY63440390	02/16/2024	02/15/2025						
Test Software audix e3		e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R						

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 16 of 67

PEAK OUTPUT POWER MEASUREMENT

7.1 Standard Applicable

7.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

7.1.2 Output Power

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt and the e.i.r.p. shall not exceed 4 W.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

7.2 Test Setup

7.2.1 Duty Cycle



7.2.2 Output Power:



7.3 Measurement Procedure

7.3.1 Duty Cycle:

- 1. Set span = Zero
- 2. RBW = 8MHz
- VBW = 8MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 17 of 67

4. Detector = Peak

7.3.2 Output Power

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

* Note: The duty cycle factor and below is compensated to obtain the maximum value of measurement in average.

7.4 Measurement Result

7.4.1 Duty Cycle:

Mode	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11b	97.62	0.10	0.12	1.00
802.11g	87.29	0.59	0.74	1.00
802.11n_20	86.53	0.63	0.79	1.00
802.11n_40	76.05	1.19	1.58	2.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 18 of 67

7.4.2 Duty Cycle test plots





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 19 of 67

7.4.3 Output Power

802.11	lb Ch0						
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	1	11.5	56.10	17.49	30.00	PASS
6	2437	1	13.5	52.72	17.22	30.00	PASS
11	2462	1	12.5	59.84	17.77	30.00	PASS
802.11	lb Ch0						·
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	1	11.5	30.58	14.85	30.00	PASS
6	2437	1	13.5	28.28	14.51	30.00	PASS
11	2462	1	12.5	32.84	15.16	30.00	PASS

802.11	g Ch0						
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	7	54.33	17.35	30.00	PASS
6	2437	6	9	57.54	17.60	30.00	PASS
11	2462	6	7	56.62	17.53	30.00	PASS
802.11	g Ch0						•
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	7	6.71	8.27	30.00	PASS
6	2437	6	9	7.28	8.62	30.00	PASS
11	2462	6	7	6.97	8.43	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 20 of 67

802.11	ln_HT_20	M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	7	56.23	17.50	30.00	PASS
6	2437	MCS0	8.5	57.68	17.61	30.00	PASS
11	2462	MCS0	7	58.08	17.64	30.00	PASS
802.11	In_HT_20	M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	7	6.65	8.23	30.00	PASS
6	2437	MCS0	8.5	7.19	8.57	30.00	PASS
11	2462	MCS0	7	6.50	8.13	30.00	PASS

802.11	In_HT_40	M Ch0					_
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
3	2422	MCS0	7	57.02	17.56	30.00	PASS
6	2437	MCS0	7	58.61	17.68	30.00	PASS
9	2452	MCS0	7	61.09	17.86	30.00	PASS
802.11	n_HT_40	M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
3	2422	MCS0	7	7.28	8.62	30.00	PASS
6	2437	MCS0	7	6.74	8.29	30.00	PASS
9	2452	MCS0	7	7.00	8.45	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 21 of 67

802.11b Ch0									
СН	Freq. Data (MHz) Rate		Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT		
1	2412	1	14.85	2.42	17.27	36	PASS		
6	2437	1	14.51	2.42	16.93	36	PASS		
11	2462	1	15.16	2.42	17.58	36	PASS		

802.11g Ch0									
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm) Antenna Gain (dBi)		EIRP (dBm)	Limit (dBm)	RESULT		
1	2412	6	8.27	2.42	10.69	36	PASS		
6	2437	6	8.62	2.42	11.04	36	PASS		
11	2462	6	8.43	2.42	10.85	36	PASS		

802.11n_HT_20M Ch0									
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT		
1	2412	MCS0	8.23	2.42	10.65	36	PASS		
6	2437	MCS0	8.57	2.42	10.99	36	PASS		
11	2462	MCS0	8.13	2.42	10.55	36	PASS		

802.11n_HT_40M Ch0									
СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	RESULT		
3	2422	MCS0	8.62	2.42	11.04	36	PASS		
6	2437	MCS0	8.29	2.42	10.71	36	PASS		
9	2452	MCS0	8.45	2.42	10.87	36	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 22 of 67

RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

8.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 and RSS-Gen §8.9 Table 5 and 6 limit as below.

And according to §15.33(a) (1) & RSS-Gen §6.13.2.a, for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

1. The lower limit shall apply at the transition frequencies.

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 23 of 67




(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 24 of 67

8.3 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz.
- 6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measurements at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
- 9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 12. Repeat above procedures until all default test channel measured were complete.

8.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

The limit of the emission level is expressed in dBuV/m, which converts 20*log(uV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 67

Actual $FS(dB\mu V/m) = SPA$. Reading level($dB\mu V$) + Factor(dB) = Antenna Factor($dB\mu V/m$) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

8.5 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) & RSS-GEN §6.13.2 was not reported.

8.6 Measurement Result

Note:

- 1. Refer to next page spectrum analyzer data chart and tabular data sheets.
- 2. Measurements are completed at peak and average level, the mark of average is the highest emission in restricted bands

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 26 of 67


8.6.1 Radiated Band Edge Measurement Result

:TERF2408002260E2 **Test Site** :SAC G Chamber Report Number

Operation Mode :802.11b **Test Date** :2024-08-19 Test Frequency :21.2°C/65% :2412 MHz Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dBµV	dB	dBμV/m	dBμV/m	dB
2389.800	Average	43.16	-3.27	39.89	54.00	-14.11
2389.800	Peak	54.49	-3.27	51.21	74.00	-22.79
2390.000	Average	43.24	-3.28	39.96	54.00	-14.04
2390.000	Peak	53.37	-3.28	50.09	74.00	-23.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Page: 27 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-19 **Test Frequency** :21.2°C/65% :2412 MHz Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
2389.440	Average	42.39	-3.27	39.12	54.00	-14.88
2389.440	Peak	54.06	-3.27	50.78	74.00	-23.22
2390.000	Average	42.65	-3.28	39.37	54.00	-14.63
2390.000	Peak	54.05	-3.28	50.78	74.00	-23.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 28 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11b
 Test Date
 :2024-08-19

 Test Frequency
 :2462 MHz
 Temp./Humi.
 :21.2°C/65%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
						_
2483.500	Average	45.91	-3.31	42.60	54.00	-11.40
2483.500	Peak	57.63	-3.31	54.32	74.00	-19.68
2485.200	Average	45.35	-3.31	42.04	54.00	-11.96
2485.200	Peak	57.17	-3.31	53.86	74.00	-20.14

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 29 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-19 **Test Frequency** :21.2°C/65% :2462 MHz Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
2483.500	Average	44.53	-3.31	41.21	54.00	-12.79
2483.500	Peak	54.39	-3.31	51.08	74.00	-22.92
2486.800	Average	44.67	-3.30	41.37	54.00	-12.63
2486.800	Peak	55.96	-3.30	52.65	74.00	-21.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 30 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11g
 Test Date
 :2024-08-19

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :21.2°C/65%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dBµV	dB	dBµV/m	dBµV/m	dB
2389.920	Average	43.57	-3.27	40.29	54.00	-13.71
2389.920	Peak	55.48	-3.27	52.21	74.00	-21.79
2390.000	Average	43.73	-3.28	40.45	54.00	-13.55
2390.000	Peak	54.89	-3.28	51.61	74.00	-22.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 31 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode :802.11g **Test Date** :2024-08-19 **Test Frequency** :2412 MHz :21.2°C/65% Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
2389.680	Average	42.62	-3.27	39.35	54.00	-14.65
2389.680	Peak	54.11	-3.27	50.84	74.00	-23.16
2390.000	Average	42.89	-3.28	39.62	54.00	-14.38
2390.000	Peak	54.01	-3.28	50.73	74.00	-23.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. N




Page: 32 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11g **Test Date** :2024-08-19 **Test Frequency** :2462 MHz :21.2°C/65% Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
2483.500	Average	48.29	-3.31	44.98	54.00	-9.02
2483.500	Peak	63.95	-3.31	60.64	74.00	-13.36
2484.000	Average	47.61	-3.31	44.30	54.00	-9.70
2484.000	Peak	63.68	-3.31	60.37	74.00	-13.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 33 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11g **Test Date** :2024-08-19 **Test Frequency** :2462 MHz :21.2°C/65% Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AVG	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.500	Average	46.20	-3.31	42.89	54.00	-11.11
2483.500	Peak	61.63	-3.31	58.31	74.00	-15.69
2483.600	Average	46.36	-3.31	43.05	54.00	-10.95
2483.600	Peak	59.89	-3.31	56.58	74.00	-17.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 34 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11n20
 Test Date
 :2024-08-20

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :21.0°C/63%

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
2389.800	Average	42.90	-3.27	39.62	54.00	-14.38
2389.800	Peak	57.00	-3.27	53.73	74.00	-20.27
2390.000	Average	43.07	-3.28	39.80	54.00	-14.20
2390.000	Peak	55.17	-3.28	51.89	74.00	-22.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 35 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2412 MHz Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
2389.320	Average	42.80	-3.27	39.52	54.00	-14.48
2389.320	Peak	55.37	-3.27	52.09	74.00	-21.91
2390.000	Average	43.65	-3.28	40.37	54.00	-13.63
2390.000	Peak	56.49	-3.28	53.21	74.00	-20.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 36 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2462 MHz Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
2483.500	Average	48.35	-3.31	45.03	54.00	-8.97
2483.500	Peak	61.28	-3.31	57.97	74.00	-16.03
2484.000	Average	47.63	-3.31	44.31	54.00	-9.69
2484.000	Peak	64.74	-3.31	61.43	74.00	-12.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 37 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2462 MHz Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	•	dB	dBµV/m	dBμV/m	dB
2483.500	Average	48.57	-3.31	45.26	54.00	-8.74
2483.500	Peak	61.64	-3.31	58.32	74.00	-15.68
2483.700	Average	48.33	-3.31	45.02	54.00	-8.98
2483.700	Peak	64.81	-3.31	61.50	74.00	-12.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 38 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n40 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2422 MHz Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBµV/m	dB
2389.920	Average	45.00	-3.27	41.73	54.00	-12.27
2389.920	Peak	60.77	-3.27	57.49	74.00	-16.51
2390.000	Average	45.01	-3.28	41.73	54.00	-12.27
2390.000	Peak	60.84	-3.28	57.56	74.00	-16.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 39 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n40 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2422 MHz Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :H Plane Engineer :Jacky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBµV/m	dB
2389.920	Average	45.04	-3.27	41.76	54.00	-12.24
2389.920	Peak	60.16	-3.27	56.88	74.00	-17.12
2390.000	Average	45.02	-3.28	41.75	54.00	-12.25
2390.000	Peak	59.73	-3.28	56.46	74.00	-17.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 40 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n40 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2452 MHz Temp./Humi.

Test Mode :Bandedge Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
2483.500	Average	49.16	-3.31	45.85	54.00	-8.15
2483.500	Peak	64.26	-3.31	60.95	74.00	-13.05
2485.600	Average	49.30	-3.31	45.99	54.00	-8.01
2485.600	Peak	64.46	-3.31	61.15	74.00	-12.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


台灣檢驗科技股份有限公司



Page: 41 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode :802.11n40 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2452 MHz Temp./Humi. Test Mode :Bandedge Antenna Pol. :Horizontal **EUT Pol** :Jacky Chen :H Plane Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dBµV	dB	dBμV/m	dBµV/m	dB
2483.500	Average	49.84	-3.31	46.53	54.00	-7.47
2483.500	Peak	63.82	-3.31	60.51	74.00	-13.49
2485.300	Average	49.59	-3.31	46.28	54.00	-7.72
2485.300	Peak	64.98	-3.31	61.67	74.00	-12.33

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 42 of 67


8.6.2 Spurious Emission:

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11g **Test Date** :2024-08-21 **Test Frequency** :2437 MHz :21.5°C/66% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
32.910	Peak	47.67	-14.56	33.11	40.00	-6.89
66.860	Peak	47.77	-14.22	33.55	40.00	-6.45
140.580	Peak	46.35	-13.51	32.84	43.50	-10.66
303.540	Peak	49.10	-11.92	37.18	46.00	-8.82
321.970	Peak	48.69	-11.21	37.48	46.00	-8.52
971.870	Peak	29.80	1.22	31.01	54.00	-22.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 43 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode:802.11gTest Date:2024-08-21Test Frequency:2437 MHzTemp./Humi.:21.5°C/66%Test Mode:TxAntenna Pol.:Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dBµV	dB	dBµV/m	dBμV/m	dB
67.830	Peak	41.51	-14.14	27.37	40.00	-12.63
120.210	Peak	52.24	-15.56	36.68	43.50	-6.82
192.960	Peak	51.64	-15.44	36.20	43.50	-7.30
266.680	Peak	52.83	-13.15	39.67	46.00	-6.33
283.170	Peak	51.12	-12.31	38.81	46.00	-7.19
971.870	Peak	29.64	1.22	30.86	54.00	-23.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 44 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2412 MHz Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4824.000	Average	30.19	3.35	33.54	54.00	-20.46
4824.000	Peak	39.72	3.35	43.07	74.00	-30.93
7236.000	Average	26.18	9.38	35.56	54.00	-18.44
7236.000	Peak	37.42	9.38	46.80	74.00	-27.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 45 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2412 MHz Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dBµV	dB	dBµV/m	dBµV/m	dB
						_
4824.000	Average	29.60	3.35	32.95	54.00	-21.05
4824.000	Peak	40.03	3.35	43.38	74.00	-30.62
7236.000	Average	26.44	9.38	35.82	54.00	-18.18
7236.000	Peak	37.23	9.38	46.61	74.00	-27.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 46 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2437 MHz Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4874.000	Average	29.10	3.49	32.58	54.00	-21.42
4874.000	Peak	39.06	3.49	42.54	74.00	-31.46
7311.000	Average	26.96	9.76	36.72	54.00	-17.28
7311.000	Peak	37.65	9.76	47.41	74.00	-26.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.sgs.com.tw




Page: 47 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2437 MHz Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4874.000	Average	28.82	3.49	32.31	54.00	-21.69
4874.000	Peak	39.06	3.49	42.54	74.00	-31.46
7311.000	Average	26.83	9.76	36.59	54.00	-17.41
7311.000	Peak	37.17	9.76	46.93	74.00	-27.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 48 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11b **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2462 MHz Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	MHz	Mode PK/QP/AVG	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
-	IVII IZ	FN/QF/AVG	αБμν	uБ	ασμν/π	αδμ ν/π	ub
	4924.000	Average	29.54	3.71	33.25	54.00	-20.75
	4924.000	Peak	37.49	3.71	41.20	74.00	-32.80
	7386.000	Average	26.33	9.86	36.19	54.00	-17.81
	7386.000	Peak	35.68	9.86	45.54	74.00	-28.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 49 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode:802.11bTest Date:2024-08-20Test Frequency:2462 MHzTemp./Humi.:21.0 ℃/63%Test Mode:TxAntenna Pol.:Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	•	dB	dBµV/m	dBµV/m	dB
4924.000	Average	29.72	3.71	33.43	54.00	-20.57
4924.000	Peak	37.99	3.71	41.70	74.00	-32.30
7386.000	Average	26.55	9.86	36.41	54.00	-17.59
7386.000	Peak	36.28	9.86	46.14	74.00	-27.86

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 50 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11g
 Test Date
 :2024-08-20

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :21.0°C/63%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
4824.000	Average	28.62	3.35	31.97	54.00	-22.03
4824.000	Peak	37.53	3.35	40.88	74.00	-33.12
7236.000	Average	26.44	9.38	35.82	54.00	-18.18
7236.000	Peak	36.13	9.38	45.51	74.00	-28.49

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 51 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11g **Test Date** :2024-08-20 **Test Frequency** :2412 MHz :21.0°C/63% Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4824.000	Average	28.57	3.35	31.92	54.00	-22.08
4824.000	Peak	38.68	3.35	42.03	74.00	-31.97
7236.000	Average	26.44	9.38	35.82	54.00	-18.18
7236.000	Peak	36.81	9.38	46.19	74.00	-27.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 52 of 67

Report Number **Test Site** :SAC G Chamber :TERF2408002260E2

Operation Mode :802.11g **Test Date** :2024-08-20 **Test Frequency** :2437 MHz :21.0°C/63% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4874.000	Average	29.44	3.49	32.93	54.00	-21.07
4874.000	Peak	37.80	3.49	41.29	74.00	-32.71
7311.000	Average	26.37	9.76	36.13	54.00	-17.87
7311.000	Peak	35.96	9.76	45.71	74.00	-28.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 53 of 67

Report Number **Test Site** :SAC G Chamber :TERF2408002260E2

Operation Mode :802.11g **Test Date** :2024-08-20 **Test Frequency** :2437 MHz :21.0°C/63% Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
						_
4874.000	Average	29.32	3.49	32.81	54.00	-21.19
4874.000	Peak	38.12	3.49	41.61	74.00	-32.39
7311.000	Average	26.55	9.76	36.31	54.00	-17.69
7311.000	Peak	36.40	9.76	46.16	74.00	-27.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 54 of 67

Report Number **Test Site** :SAC G Chamber :TERF2408002260E2

Operation Mode :802.11g **Test Date** :2024-08-20 **Test Frequency** :2462 MHz :21.0°C/63% Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
4924.000	Average	29.26	3.71	32.97	54.00	-21.03
4924.000	Peak	37.76	3.71	41.47	74.00	-32.53
7386.000	Average	26.88	9.86	36.74	54.00	-17.26
7386.000	Peak	36.07	9.86	45.93	74.00	-28.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 55 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11g **Test Date** :2024-08-20 **Test Frequency** :2462 MHz :21.0°C/63% Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.000	Average	29.31	3.71	33.02	54.00	-20.98
4924.000	Peak	37.83	3.71	41.54	74.00	-32.46
7386.000	Average	26.89	9.86	36.75	54.00	-17.25
7386.000	Peak	35.70	9.86	45.56	74.00	-28.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 56 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11n20
 Test Date
 :2024-08-20

 Test Frequency
 :2412 MHz
 Temp./Humi.
 :21.0°C/63%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	•	dB	dBµV/m	dBµV/m	dB
4824.000	Average	29.32	3.35	32.67	54.00	-21.33
4824.000	Peak	37.45	3.35	40.80	74.00	-33.20
7236.000	Average	26.88	9.38	36.26	54.00	-17.74
7236.000	Peak	35.91	9.38	45.29	74.00	-28.71

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 57 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode:802.11n20Test Date:2024-08-20Test Frequency:2412 MHzTemp./Humi.:21.0°C/63%Test Mode:TxAntenna Pol.:Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4824.000	Average	29.43	3.35	32.78	54.00	-21.22
4824.000	Peak	38.21	3.35	41.56	74.00	-32.44
7236.000	Average	26.72	9.38	36.10	54.00	-17.90
7236.000	Peak	35.29	9.38	44.67	74.00	-29.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 58 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2437 MHz Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
4874.000	Average	29.72	3.49	33.21	54.00	-20.79
4874.000	Peak	38.07	3.49	41.55	74.00	-32.45
7311.000	Average	26.85	9.76	36.61	54.00	-17.39
7311.000	Peak	36.14	9.76	45.89	74.00	-28.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 59 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2437 MHz Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dΒμV/m	dB
4874.000	Average	29.47	3.49	32.96	54.00	-21.04
4874.000	Peak	37.85	3.49	41.33	74.00	-32.67
7311.000	Average	26.62	9.76	36.38	54.00	-17.62
7311.000	Peak	35.68	9.76	45.43	74.00	-28.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 60 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2462 MHz Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	MHz	Mode PK/QP/AVG	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
-	1711 12	110317700	αυμν	45	αυμ ν/ιιι	αυμν/πι	<u> </u>
	4924.000	Average	29.85	3.71	33.56	54.00	-20.44
	4924.000	Peak	38.27	3.71	41.98	74.00	-32.02
	7386.000	Average	26.62	9.86	36.48	54.00	-17.52
	7386.000	Peak	36.49	9.86	46.35	74.00	-27.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 61 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n20 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2462 MHz Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
4924.000	Average	29.56	3.71	33.27	54.00	-20.73
4924.000	Peak	38.28	3.71	41.99	74.00	-32.01
7386.000	Average	26.87	9.86	36.73	54.00	-17.27
7386.000	Peak	36.07	9.86	45.93	74.00	-28.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 62 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11n40
 Test Date
 :2024-08-20

 Test Frequency
 :2422 MHz
 Temp./Humi.
 :21.0°C/63%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμ̈V	dB	dBµV/m	dBμV/m	dB
4844.000	Average	29.33	3.36	32.69	54.00	-21.31
4844.000	Peak	38.15	3.36	41.52	74.00	-32.48
7266.000	Average	26.57	9.55	36.12	54.00	-17.88
7266.000	Peak	36.24	9.55	45.79	74.00	-28.21

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw




Page: 63 of 67

Report Number :TERF2408002260E2 Test Site :SAC G Chamber

Operation Mode:802.11n40Test Date:2024-08-20Test Frequency:2422 MHzTemp./Humi.:21.0°C/63%Test Mode:TxAntenna Pol.:Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4844.000	Average	29.59	3.36	32.95	54.00	-21.05
4844.000	Peak	38.12	3.36	41.49	74.00	-32.51
7266.000	Average	26.42	9.55	35.97	54.00	-18.03
7266.000	Peak	35.71	9.55	45.27	74.00	-28.73

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 64 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n40 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2437 MHz Temp./Humi.

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4874.000	Average	29.15	3.49	32.64	54.00	-21.36
4874.000	Peak	38.57	3.49	42.05	74.00	-31.95
7311.000	Average	26.92	9.76	36.68	54.00	-17.32
7311.000	Peak	36.69	9.76	46.45	74.00	-27.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 65 of 67

Report Number :TERF2408002260E2 **Test Site** :SAC G Chamber

Operation Mode :802.11n40 **Test Date** :2024-08-20 **Test Frequency** :21.0°C/63% :2437 MHz Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	MHz	Mode PK/QP/AVG	Reading Level dBuV	dB	FS dBµV/m	@3m dBµV/m	dB
-	IVII IZ	I IVQI /AVO	чъμν	45	αυμ ν/π	αυμν/π	<u> </u>
	4874.000	Average	29.74	3.49	33.23	54.00	-20.77
	4874.000	Peak	38.36	3.49	41.85	74.00	-32.15
	7311.000	Average	26.57	9.76	36.33	54.00	-17.67
	7311.000	Peak	36.72	9.76	46.47	74.00	-27.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 66 of 67


Report Number :TERF2408002260E2 Test Site :SAC G Chamber

 Operation Mode
 :802.11n40
 Test Date
 :2024-08-20

 Test Frequency
 :2452 MHz
 Temp./Humi.
 :21.0°C/63%

Test Mode :Tx Antenna Pol. :Vertical

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBμV/m	dB
4904.000	Average	29.41	3.63	33.04	54.00	-20.96
4904.000	Peak	37.70	3.63	41.33	74.00	-32.67
7356.000	Average	26.39	9.88	36.27	54.00	-17.73
7356.000	Peak	36.89	9.88	46.78	74.00	-27.22

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 67 of 67

Report Number **Test Site** :SAC G Chamber :TERF2408002260E2

Operation Mode :802.11n40 **Test Date** :2024-08-20 :21.0°C/63% **Test Frequency** :2452 MHz Temp./Humi. Test Mode :Tx Antenna Pol. :Horizontal

EUT Pol :H Plane Engineer :Jacky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AVG	dΒμV	dB	dBµV/m	dBµV/m	dB
						_
4904.000	Average	28.97	3.63	32.60	54.00	-21.40
4904.000	Peak	37.85	3.63	41.47	74.00	-32.53
7356.000	Average	26.58	9.88	36.46	54.00	-17.54
7356.000	Peak	37.21	9.88	47.09	74.00	-26.91

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.