

ELECTROMAGNETIC EMISSIONS **CLASS II & IV PERMISSIVE CHANGE** REPORT



Applicant: Manufacturer:	CASTLES TECHNOLOGY CO., LTD. 6F, NO. 207-5, SEC. 3, BEIXIN RD., XINDIAN DISTRICT, NEW TAIPEI CITY 23143, TAIWAN (R.O.C) CASTLES TECHNOLOGY CO., LTD. 6F, NO. 207-5, SEC. 3, BEIXIN RD., XINDIAN DISTRICT,
Product Name:	NEW TAIPEI CITY 23143, TAIWAN (R.O.C) SLM758
Brand Name:	CASTLES TECHNOLOGY
Model No.:	SLM758
Model Difference:	N/A
Report Number:	TERF2207001187ER
FCC ID	WIYSLM758A
IC:	27350-SLM758A
Issue Date:	Oct. 19, 2022
Date of Test:	Sep. 07, 2022~Sep. 08, 2022
Date of EUT Received	: Jul. 19, 2022
	4

Jim Ch Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI ANSI C63.26-2015 and the energy emitted by the sample EUT comply with FCC rule part 2, 22H & 24E & 27C and ISED RSS-Gen, 130, 132, 133, 139, 199.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Revision History								
Report Number Revision Description Issue Date Revised By Rem								
TERF2207001187ER	00	Original.	Oct. 19, 2022	Yi-Shan Tsai				

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sqs.com.tw
```



Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	11
6	MEASUREMENT EQUIPMENT USED	12
7	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GENERAL PRODUCT INFORMATION 1

1.1 **Product Description**

Product Name:	SLM758
Brand Name:	CASTLES TECHNOLOGY
Model No.:	SLM758
Model Difference:	N/A
Hardware Version:	V3.00
Firmware Version:	N/A
EUT Series No.:	166222201801
Product Name of Host:	POS Terminal
Brand Name of Host:	CASTLES TECHNOLOGY
Model No. of Host:	S1E2-L
Power Supply:	Battery 3.75Vdc Adapter 5Vdc
Test Software (Name/Version)	Default

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sqs.com.tw



1.2 Antenna Designation

Antenna Type Antenna Model No.						
PIFA	Ant0					
Note: Transmission	Note: Transmission frequencies in this test report are only available by the above antenna(s).					

Modulation	Frequency (MHz)			Peak Antenna Gain (dBi) Ant0
				Anto
LTE-Band 2	1850	~	1910	2.088
LTE-Band 4	1710	~	1755	3.131
LTE-Band 5	824	~	849	-0.372
LTE-Band 7	2500	~	2570	2.321
LTE-Band 12	699	~	716	-6.541
LTE-Band 13	777	~	787	-1.328
LTE-Band 17	704	~	716	-6.541

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.3 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22H, 24E, 27C ISED RSS-130 Issue 2 Feb. 2019, ISED RSS-132 Issue 3 Jan. 2013 ISED RSS-133 Issue 6, Amendment 1 Jan. 18, 2018, ISED RSS-139 Issue 3 July 16, 2015 ISED RSS-199 Issue 3 Dec. 2016 ANSI C63.26-2015 KDB971168 D01 Power Meas license Digital System v03r01 KDB412172 D01 Determining ERP and EIRP v01r01

1.4 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 3		
		Conduction 1		
	No.134, Wu Kung Road, New Taipei	Conducted 1		
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		
		Conducted 4		TW3702
		Conducted 5	-	
		Conducted 6		
SGS Taiwan Ltd.	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C	TW0028	
Central RF Lab.		SAC C		
TAF code 3702)		SAC D		
		SAC G		
		Conducted A		
		Conducted B		
		Conducted C		
		Conducted D		
		Conducted E	-	
		Conducted F		
		Conducted G		

tion where measurements occurred in specific test site and address.

Special Accessories 1.5

No special accessories were used during testing.

Equipment Modifications 1.6

There was no modifications incorporated into the EUT.

1.7 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



SYSTEM TEST CONFIGURATION 2

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 **Test Procedure**

2.3.1 Radiated Emissions (ERP/EIRP)

The EUT is placed on a turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sqs.com.tw



Test Configuration 2.4



Note: Radio Communication Analyzer is placed in remote side for radiated test.

2.5 Control Unit(s)

Radiated Emission Test Site: SAC 1								
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.								
Test Software	t Software Audix e3 Ver. 9.210322 N.C.R N.C.R							
Adapter	LUCENT TRANS	3A52-UB52A	N/A	N/A	N/A			

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



3 SUMMARY OF TEST RESULTS

FCC Rules	IC Rules	Description Of Test	Result
§2.1053 §22.917(a) §24.238(a) §27.53(c)(2),(4 §27.50(c)(5) §27.53(f) §27.53(g) §27.53(h) §27.53(h)	RSS-GEN §6.13 RSS-130 §4.7 RSS-132 §5.5 RSS-133 §6.5 RSS-139 §6.6 RSS-199 §4.5	Field Strength of Spurious Radiation	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sqs.com.tw



DESCRIPTION OF TEST MODES 4

4.1 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case scenario from all possible combinations among available modulations, data rates and antenna ports, the worst case configurations listed below for the final test.
- 3. The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

4.2 **Measurement Configuration**

Band	Test	Channel Bandwidth	Modulation	Resource Block Allocation	
Dallu	Channel	(MHz)	wouldion	RBs allocated	RB Start
2	Low, Mid, High	20	QPSK	1	0
4	Low, Mid, High	20	QPSK	1	0
5	Low, Mid, High	10	QPSK	1	0
7	Low, Mid, High	20	QPSK	1	0
12	Low, Mid, High	10	QPSK	1	0
13	Mid	10	QPSK	1	0
17	Low, Mid, High	10	QPSK	1	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



MEASUREMENT UNCERTAINTY 5

Radiated Spurious Emission Measurement Uncertainty							
	+/-	2.57	dB	9kHz~30MHz			
Polarization: Vertical	+/-	4.85	dB	30MHz - 1000MHz			
	+/-	4.45	dB	1GHz - 18GHz			
	+/-	4.24	dB	18GHz - 40GHz			
	+/-	2.57	dB	9kHz~30MHz			
Polarization: Horizontal	+/-	4.37	dB	30MHz - 1000MHz			
	+/-	4.45	dB	1GHz - 18GHz			
	+/-	4.24	dB	18GHz - 40GHz			

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sqs.com.tw



MEASUREMENT EQUIPMENT USED 6

6.1 **Radiated Measurement**

Radiated Emission Test Site: SAC 1							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
Bi-log Antenna	SCHWARZBECK	VULB9168	300	10/19/2021	10/18/2022		
Horn Antenna	SCHWARZBECK	BBHA9120D	D803	12/20/2021	12/19/2022		
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/03/2022	01/02/2023		
Horn Antenna	SCHWARZBECK	BBHA9120D	603	05/16/2022	05/15/2023		
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/16/2021	12/15/2022		
Horn Antenna	SCHWARZBECK	BBHA9170	185	08/22/2022	08/21/2023		
Spectrum Analyzer	Agilent	E4446A	MY51100003	10/26/2021	10/25/2022		
Signal Generator	R&S	SMBV100A	263084	01/11/2022	01/10/2023		
Radio Communication Analyer	Anritsu	MT8821C	6261786084	01/18/2022	01/17/2023		
Site Cal	SGS	SAC 1	N/A	01/01/2022	12/31/2022		
Pre-Amplifier	EMC Instruments	EMC184045B	980135	10/27/2021	10/26/2022		
Pre-Amplifier	HP	8449B	3008A01973	12/16/2021	12/15/2022		
Pre-Amplifier	HP	8447D	2944A09469	12/16/2021	12/15/2022		
Bandreject Filter 635- 920	Micro-Tronics	WI	4	12/14/2021	12/13/2022		
Bandreject Filter 1700-2000	Micro-Tronics	EWT	M3	12/14/2021	12/13/2022		
Bandreject Filter 2240-2700	Micro-Tronics	WI	2	12/14/2021	12/13/2022		
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	12/14/2021	12/13/2022		
3.2GHz High Pass Filter	WI	WHKX10-2624-80SS	3	12/14/2021	12/13/2022		
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-2000	160123	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	SUCOFLEX 104	160125	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	SUCOFLEX 106	76096/6	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY2630/2	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	SUCOFLEX 102	MY22962/2	12/16/2021	12/15/2022		
Coaxial Cable	Huber Suhner	SUCOFLEX 102	SN 520430/2	12/16/2021	12/15/2022		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT 7

7.1 Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)

RSS-130 §4.7, RSS-132 §5.5, RSS-133 §6.5.1, RSS-139 §6.6, RSS-199 §4.5

Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(g) for LTE B12

Compliance for operations in the 600 MHz, 698-746 MHz, 746-758 MHz and the 776-788 MHz band with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be emploved.

- (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB:
- (3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 76 + 10 log (P) dB in a 6.25 kHz band segment, for base and fixed stations;
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

FCC §27.53(h)(1) for LTE B4

(h) AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log₁₀ (P) dB.

FCC §27.53(m) (4) (6) for LTE B7

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all freauencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P) dB$ on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement nstrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Report No.: TERF2207001187ER Page: 14 of 59



percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

RSS-199 §4.5 for LTE B7

In the 1 MHz band immediately outside and adjacent to the channel edge, the unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth for base station and fixed subscriber equipment, and 2% for mobile subscriber equipment. Beyond the 1 MHz band, a resolution bandwidth of 1 MHz shall be used. A narrower resolution bandwidth can be used, provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz, or 1% or 2% of the occupied bandwidth, as applicable.

Equipment shall comply with the following unwanted emission limits:

for base station and fixed subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least 43 + 10 log10 p for mobile subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least:

40 + 10 log10 p from the channel edges to 5 MHz away

43 + 10 log10 p between 5 MHz and X MHz from the channel edges, and

55 + 10 log10 p at X MHz and beyond from the channel edges

In addition, the attenuation shall not be less than 43 + 10 log10 p on all frequencies between 2490.5 MHz and 2496 MHz, and 55 + 10 log10 p at or below 2490.5 MHz.

In (a) and (b), p is the transmitter power measured in watts and X is 6 MHz or the equipment occupied bandwidth, whichever is greater.

RSS-130 §4.7.1 for LTE B12, 13

Compliance for operations in the 617-652 MHz, 663-698 MHz, 698-756 MHz and the 777-787 MHz band, the unwanted emissions in any 100 kHz bandwidth on any frequency outside the low frequency edge and the high frequency edge of each frequency block range(s), shall be attenuated below the transmitter power, P (dBW), by at least 43 + 10 log10 p (watts), dB. However, in the 100 kHz band immediately outside of the equipment's frequency block range, a resolution bandwidth of 30 kHz may be employed.

RSS-130 §4.7.2 for LTE B13

In addition to the limit outlined in section 4.7.1 above, equipment operating in the frequency bands 746-756 MHz and 777-787 MHz shall also comply with the following restrictions: the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least:

76 + 10 log10 p (watts), dB, for base and fixed equipment and 65 + 10 log10 p (watts), dB, for mobile and portable equipment

the e.i.r.p. in the band 1559-1610 MHz shall not exceed -70 dBW/MHz for wideband signal and -80 dBW for discrete emission with bandwidth less than 700 Hz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



RSS-132 §5.5 for LTE B5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

- i. In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p (watts).
- ii. After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

RSS-133 §6.5.1 for LTE B2

Equipment shall comply with the limits in (i) and (ii) below.

- In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p(watts).
- ii. After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

RSS-139 §6.6 for LTE B4

In the first 1.0 MHz bands immediately outside and adjacent to the equipment's smallest operating frequency block, Footnote 2 which can contain the equipment's occupied bandwidth, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least 43 + 10 log10 p (watts) dB.

After the first 1.0 MHz outside the equipment's smallest operating frequency block, which can contain the equipment's occupied bandwidth, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in dBW) by at least 43 + 10 log10 p (watts) dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




7.2 **EUT Setup**

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



7.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4 Measurement Result:

Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B2	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:1860 MHz	Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

-55.14

-48.55

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

13.00

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

5580.00

-8.42

-13.00

-35.55



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B2	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:1860 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40		8				
-50	7 9	2				
-60						
-70						
-70						
-80						
-90						
100						
30	4024.	8018. Frequenc	12012. cy (MHz)	16006.	20000	
-		00	A (0.11		·
Freq.	EIRP/ERP	SG Output Laval	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
	dBill	dDin			dDiri	uD
119.24	-73.37	-72.88	0.65	-1.14	-13.00	-60.37
004 00						
201.69	-78.39	-83.50	6.58	-1.47	-13.00	-65.39
	-78.39 -76.27	-83.50 -80.78	6.58 6.33	-1.47 -1.82	-13.00 -13.00	-65.39 -63.27
307.42					-13.00 -13.00	
307.42 387.93	-76.27	-80.78	6.33	-1.82	-13.00	-63.27
307.42 387.93 430.61	-76.27 -75.34	-80.78 -79.91	6.33 6.64	-1.82 -2.07	-13.00 -13.00	-63.27 -62.34
201.69 307.42 387.93 430.61 567.38 3720.00	-76.27 -75.34 -74.97	-80.78 -79.91 -79.30	6.33 6.64 6.39	-1.82 -2.07 -2.06	-13.00 -13.00 -13.00	-63.27 -62.34 -61.97

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B2	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:1880 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40						
-40	_ 8	i				
-50	7 9					
-60						
-70 36						
5						
-80						
-90						
100						
30	4024.	8018. Frequenc	12012. ;y (MHz)	16006.	20000	
_						
		~ ~	• •	A		
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
Freq.	EIRP/ERP dBm				Limit dBm	Margin dB
		Output Level	Gain	Loss		-
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
MHz 53.28 99.84	dBm -65.39	Output Level dBm -55.99	Gain dBi/dBd -8.69	Loss dB -0.72	dBm -13.00	dB -52.39
MHz 53.28 99.84 182.29	dBm -65.39 -65.59	Output Level dBm -55.99 -66.30	Gain dBi/dBd -8.69 1.73 4.10 6.98	Loss dB -0.72 -1.02 -1.41 -1.60	dBm -13.00 -13.00	dB -52.39 -52.59
MHz 53.28 99.84 182.29 231.76	dBm -65.39 -65.59 -72.62	Output Level dBm -55.99 -66.30 -75.31	Gain <u>dBi/dBd</u> -8.69 1.73 4.10	Loss dB -0.72 -1.02 -1.41	dBm -13.00 -13.00 -13.00	dB -52.39 -52.59 -59.62
MHz 53.28 99.84 182.29 231.76 318.09	dBm -65.39 -65.59 -72.62 -74.06	Output Level dBm -55.99 -66.30 -75.31 -79.44	Gain dBi/dBd -8.69 1.73 4.10 6.98	Loss dB -0.72 -1.02 -1.41 -1.60	dBm -13.00 -13.00 -13.00 -13.00	dB -52.39 -52.59 -59.62 -61.06
MHz 53.28	dBm -65.39 -65.59 -72.62 -74.06 -74.78	Output Level dBm -55.99 -66.30 -75.31 -79.44 -79.37	Gain dBi/dBd -8.69 1.73 4.10 6.98 6.31	Loss dB -0.72 -1.02 -1.41 -1.60 -1.72	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -52.39 -52.59 -59.62 -61.06 -61.78

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B2	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:1880 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40						
-50	7 8	3				
-60						
- 70 2 ₆						
-80						
-90						
100 30	4024.	8018. Frequenc	12012. v (MHz)	16006.	20000	
Freq.					1	Marain
	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	EIRP/ERP dBm				dBm	dB
MHz 62.01		Output Level	Gain	Loss		-
62.01	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
62.01 125.06	dBm -79.98	Output Level dBm -72.58	Gain dBi/dBd -6.63	Loss dB -0.77	dBm -13.00	dB -66.98
62.01 125.06 202.66	dBm -79.98 -74.44	Output Level dBm -72.58 -73.94	Gain dBi/dBd -6.63 0.66	Loss dB -0.77 -1.16	dBm -13.00 -13.00	dB -66.98 -61.44
62.01 125.06 202.66 228.85	dBm -79.98 -74.44 -78.86	Output Level dBm -72.58 -73.94 -84.00	Gain dBi/dBd -6.63 0.66 6.61	Loss dB -0.77 -1.16 -1.47	dBm -13.00 -13.00 -13.00	dB -66.98 -61.44 -65.86
62.01 125.06 202.66 228.85 311.30	dBm -79.98 -74.44 -78.86 -78.20	Output Level dBm -72.58 -73.94 -84.00 -83.87	Gain dBi/dBd -6.63 0.66 6.61 7.25	Loss dB -0.77 -1.16 -1.47 -1.58	dBm -13.00 -13.00 -13.00 -13.00	dB -66.98 -61.44 -65.86 -65.20
	dBm -79.98 -74.44 -78.86 -78.20 -77.32	Output Level dBm -72.58 -73.94 -84.00 -83.87 -81.87	Gain dBi/dBd -6.63 0.66 6.61 7.25 6.33	Loss dB -0.77 -1.16 -1.47 -1.58 -1.79	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -66.98 -61.44 -65.86 -65.20 -64.32

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B2	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:1900 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40						
-40		8				
-50	7	Ī				
-60						
-70						
15						
-80						
-90						
100 <u>30</u>	4024.	8018. Frequenc	12012. (MHz)	16006.	20000	
_						
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	-ID	Output Level	Gain	Loss	ID	
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63.95	-73.05	-65.91	-6.36	-0.79	-13.00	-60.05
99.84	-68.09	-68.79	1.73	-1.02	-13.00	-55.09
						-59.80
202.66	-72.80	-77.93	6.61	-1.47	-13.00	-39.00
233.70	-74.43	-77.93 -79.59	6.78	-1.47 -1.61	-13.00	-61.43
233.70 316.15	-74.43 -73.80	-79.59 -78.36	6.78 6.30	-1.61 -1.74	-13.00 -13.00	-61.43 -60.80
233.70 316.15 558.65	-74.43 -73.80 -71.29	-79.59 -78.36 -75.22	6.78 6.30 6.59	-1.61 -1.74 -2.66	-13.00 -13.00 -13.00	-61.43 -60.80 -58.29
202.66 233.70 316.15 558.65 3800.00 5700.00	-74.43 -73.80	-79.59 -78.36	6.78 6.30	-1.61 -1.74	-13.00 -13.00	-61.43 -60.80

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B2	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:1900 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40						
-50	7	8				
-60						
-70 1 ₅₆						
-80						
-90						
100 <u>30</u>	4024.	8018. Frequenc	12012. y (MHz)	16006.	20000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		margin
MHz	dBm	dBm				dB
	dDin	UDIII	dBi/dBd	dB	dBm	uр
117 30						
	-73.39	-72.97	0.71	-1.12	-13.00	-60.39
202.66	-73.39 -78.35	-72.97 -83.48	0.71 6.61	-1.12 -1.47	-13.00 -13.00	-60.39 -65.35
202.66 264.74	-73.39 -78.35 -78.98	-72.97 -83.48 -83.78	0.71 6.61 6.49	-1.12 -1.47 -1.68	-13.00 -13.00 -13.00	-60.39 -65.35 -65.98
202.66 264.74 315.18	-73.39 -78.35	-72.97 -83.48	0.71 6.61	-1.12 -1.47	-13.00 -13.00	-60.39 -65.35
202.66 264.74 315.18 390.84	-73.39 -78.35 -78.98 -76.32	-72.97 -83.48 -83.78 -80.85	0.71 6.61 6.49 6.29	-1.12 -1.47 -1.68 -1.75	-13.00 -13.00 -13.00 -13.00	-60.39 -65.35 -65.98 -63.32
117.30 202.66 264.74 315.18 390.84 561.56 3800.00	-73.39 -78.35 -78.98 -76.32 -74.37	-72.97 -83.48 -83.78 -80.85 -78.91	0.71 6.61 6.49 6.29 6.63	-1.12 -1.47 -1.68 -1.75 -2.09	-13.00 -13.00 -13.00 -13.00 -13.00	-60.39 -65.35 -65.98 -63.32 -61.37

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B4	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:1720 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)			1		
-10						
-20						
-30						
-30						
-40						
-50	7 8					
-60						
-70		_				
-80						
-90						
100 30	4024.	8018. Frequenc	12012. cy (MHz)	16006.	20000	
Fred		SG		Cable	Lincit	Margin
Freq.	EIRP/ERP	Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63.95						
n < Un	70.07	CE 00	6.26	0.70	12.00	E0 07
	-72.97 -69 78	-65.82 -70.48	-6.36 1 73	-0.79 -1.02	-13.00	-59.97 -56 78
99.84	-69.78	-70.48	1.73	-1.02	-13.00	-56.78
99.84 115.36	-69.78 -70.29	-70.48 -70.01	1.73 0.83	-1.02 -1.11	-13.00 -13.00	-56.78 -57.29
99.84 115.36 204.60	-69.78 -70.29 -72.22	-70.48 -70.01 -77.39	1.73 0.83 6.65	-1.02 -1.11 -1.48	-13.00 -13.00 -13.00	-56.78 -57.29 -59.22
99.84 115.36 204.60 309.36	-69.78 -70.29 -72.22 -74.54	-70.48 -70.01 -77.39 -79.08	1.73 0.83 6.65 6.35	-1.02 -1.11 -1.48 -1.81	-13.00 -13.00 -13.00 -13.00	-56.78 -57.29 -59.22 -61.54
	-69.78 -70.29 -72.22	-70.48 -70.01 -77.39	1.73 0.83 6.65	-1.02 -1.11 -1.48	-13.00 -13.00 -13.00	-56.78 -57.29 -59.22

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B4	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:1720 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
	-1					
-20						
-30						
-40						
-50	7 8					
-60						
-70 1						
-80						
-90						
100						
30	4024.	8018. Frequenc	12012. cy (MHz)	16006.	20000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
119.24	-71.27	-70.78	0.65	-1.14	-13.00	-58.27
			0.00	1.1-1	10.00	00.27
203.63		-82 39	6.63	-1.48	-13.00	-64 24
203.63 304.51	-77.24	-82.39 -80.77	6.63 6.31	-1.48 -1.83	-13.00 -13.00	-64.24 -63.28
304.51	-77.24 -76.28	-80.77	6.31	-1.83	-13.00	-63.28
304.51 393.75	-77.24 -76.28 -74.85	-80.77 -79.30	6.31 6.58	-1.83 -2.12	-13.00 -13.00	-63.28 -61.85
304.51 393.75 465.53	-77.24 -76.28 -74.85 -74.74	-80.77 -79.30 -78.63	6.31 6.58 6.28	-1.83	-13.00 -13.00 -13.00	-63.28 -61.85 -61.74
304.51	-77.24 -76.28 -74.85	-80.77 -79.30	6.31 6.58	-1.83 -2.12 -2.40	-13.00 -13.00	-63.28 -61.85

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

Report No.: TERF2207001187ER Page: 26 of 59



:TERF2207001187ER	Test Site	:SAC 1
:LTE B4	Test Date	:2022-09-08
:Tx	Temp./Humi.	:24.5/67
:E1 Plane	Antenna Pol.	:Vertical
:1732.5 MHz	Engineer	:Jack Liu
	:LTE B4 :Tx :E1 Plane	:LTE B4Test Date:TxTemp./Humi.:E1 PlaneAntenna Pol.

0 Level (d	Bm/m)					
-10						
-20	•					
-30						
-40						
-50	7 8					
-60						
-70 2						
-80						
-90						
100 <u>30</u>	4024.	8018. Frequenc	12012. ;y (MHz)	16006.	20000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		Margin
Freq. MHz	EIRP/ERP dBm				Limit dBm	Margin dB
MHz 62.01	dBm -73.87	Output Level dBm -66.47	Gain dBi/dBd -6.63	Loss dB -0.77	dBm -13.00	dB -60.87
MHz 62.01 90.14	dBm -73.87 -69.63	Output Level dBm -66.47 -70.37	Gain dBi/dBd -6.63 1.72	Loss dB -0.77 -0.98	dBm -13.00 -13.00	dB -60.87 -56.63
MHz 62.01 90.14 122.15	dBm -73.87 -69.63 -72.97	Output Level dBm -66.47 -70.37 -72.48	Gain <u>dBi/dBd</u> -6.63 1.72 0.66	Loss dB -0.77 -0.98 -1.15	dBm -13.00 -13.00 -13.00	dB -60.87 -56.63 -59.97
MHz 62.01 90.14 122.15 202.66	dBm -73.87 -69.63 -72.97 -73.73	Output Level dBm -66.47 -70.37 -72.48 -78.86	Gain dBi/dBd -6.63 1.72 0.66 6.61	Loss dB -0.77 -0.98 -1.15 -1.47	dBm -13.00 -13.00 -13.00 -13.00	dB -60.87 -56.63 -59.97 -60.73
MHz 62.01 90.14 122.15 202.66	dBm -73.87 -69.63 -72.97	Output Level dBm -66.47 -70.37 -72.48	Gain dBi/dBd -6.63 1.72 0.66 6.61 6.88	Loss dB -0.77 -0.98 -1.15	dBm -13.00 -13.00 -13.00	dB -60.87 -56.63 -59.97 -60.73
MHz 62.01	dBm -73.87 -69.63 -72.97 -73.73	Output Level dBm -66.47 -70.37 -72.48 -78.86	Gain dBi/dBd -6.63 1.72 0.66 6.61	Loss dB -0.77 -0.98 -1.15 -1.47	dBm -13.00 -13.00 -13.00 -13.00	dB -60.87 -56.63 -59.97
MHz 62.01 90.14 122.15 202.66 232.73	dBm -73.87 -69.63 -72.97 -73.73 -74.39	Output Level dBm -66.47 -70.37 -72.48 -78.86 -79.67	Gain dBi/dBd -6.63 1.72 0.66 6.61 6.88	Loss dB -0.77 -0.98 -1.15 -1.47 -1.60	dBm -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	dB -60.87 -56.63 -59.97 -60.73 -61.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B4	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:1732.5 MHz	Engineer	:Jack Liu

12012.	16006.	20000	
(IVITIZ)			
Antenna	Cable	Limit	Margin
Gain	Loss		-
		Limit dBm	Margin dB
Gain dBi/dBd	Loss dB	dBm	dB
Gain dBi/dBd 1.89	Loss dB -1.00	dBm -13.00	dB -61.57
Gain dBi/dBd 1.89 0.66	Loss dB -1.00 -1.15	dBm -13.00 -13.00	dB -61.57 -59.99
Gain dBi/dBd 1.89	Loss dB -1.00	dBm -13.00	dB -61.57
Gain dBi/dBd 1.89 0.66 6.49	Loss dB -1.00 -1.15 -1.68	dBm -13.00 -13.00 -13.00	dB -61.57 -59.99 -66.54
Gain dBi/dBd 1.89 0.66 6.49 6.31	Loss dB -1.00 -1.15 -1.68 -1.72	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -61.57 -59.99 -66.54 -63.23
Gain dBi/dBd 1.89 0.66 6.49 6.31 6.74	Loss dB -1.00 -1.15 -1.68 -1.72 -2.03	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -61.57 -59.99 -66.54 -63.23 -61.98
	12012. (MHz)	12012. 16006. (MHz)	12012. 16006. 20000

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B4	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:1745 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40						
-50	7 8					
-60						
-70 36						
-80						
-90						
100 <u>30</u>	4024.	8018. Frequenc	12012. sy (MHz)	16006.	20000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
1109.		Output Level	Gain	Loss	2	margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
63 95	-73 72	-66 57	-6 36	-0 79	-13 00	-60 72
63.95 99.84	-73.72 -68.99	-66.57 -69.69	-6.36 1.73	-0.79 -1.02	-13.00 -13.00	-60.72 -55.99
99.84						
99.84 116.33	-68.99	-69.69	1.73	-1.02	-13.00	-55.99
99.84 116.33 203.63	-68.99 -71.24	-69.69 -70.89	1.73 0.77	-1.02 -1.12	-13.00 -13.00	-55.99 -58.24
99.84 116.33 203.63 315.18	-68.99 -71.24 -72.10	-69.69 -70.89 -77.25	1.73 0.77 6.63	-1.02 -1.12 -1.48	-13.00 -13.00 -13.00	-55.99 -58.24 -59.10
	-68.99 -71.24 -72.10 -74.83	-69.69 -70.89 -77.25 -79.37	1.73 0.77 6.63 6.29	-1.02 -1.12 -1.48 -1.75	-13.00 -13.00 -13.00 -13.00	-55.99 -58.24 -59.10 -61.83

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B4	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:1745 MHz	Engineer	:Jack Liu


0 Level (d	Bm/m)			1 1		
-10						
-20						
-30						
-40						
-50	7 8					
-60						
-70 1						
-80						
-90						
100 <u>30</u>	4024.	8018. Frequenc	12012. ;y (MHz)	16006.	20000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-72.61	-72.12	0.66	-1.15	-13.00	-59.61
-					-13.00	-65.02
203.63	-78.02	-83.17	0.03	-1.40	-13.00	-0J.UZ
203.63 265.71	-78.02 -77.55	-83.17 -82.33	6.63 6.47	-1.48 -1.68		
	-78.02 -77.55 -75.62	-83.17 -82.33 -80.18	6.63 6.47 6.30	-1.48 -1.68 -1.74	-13.00 -13.00 -13.00	-64.55 -62.62
265.71	-77.55	-82.33	6.47	-1.68	-13.00	-64.55
265.71 316.15	-77.55 -75.62 -74.99	-82.33 -80.18	6.47 6.30	-1.68 -1.74	-13.00 -13.00	-64.55 -62.62
265.71 316.15 414.12	-77.55 -75.62	-82.33 -80.18 -79.72	6.47 6.30 6.68	-1.68 -1.74 -1.95	-13.00 -13.00 -13.00	-64.55 -62.62 -61.99

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B5	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:829 MHz	Engineer	:Jack Liu



t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B5	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:829 MHz	Engineer	:Jack Liu

OLEVEI (d	Bm/m)					
-10						
					+	
-20						
-30						
-40						
-50	7 8					
-60						
-70 3						
-80						
-90						
100						
30	2024.	4018. Frequenc	6012. sy (MHz)	8006.	10000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		c
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
61 04	-79.63	-71 82	-7.05	-0.76	-13.00	-66 63
61.04 95 96	-79.63 -74 69	-71.82 -75.66	-7.05 1 97	-0.76 -1 01	-13.00 -13.00	-66.63 -61.69
95.96	-74.69	-75.66	1.97	-1.01	-13.00	-61.69
95.96 118.27	-74.69 -71.50	-75.66 -71.10	1.97 0.73	-1.01 -1.13	-13.00 -13.00	-61.69 -58.50
95.96 118.27 321.00	-74.69 -71.50 -76.35	-75.66 -71.10 -80.94	1.97 0.73 6.31	-1.01 -1.13 -1.73	-13.00 -13.00 -13.00	-61.69 -58.50 -63.35
95.96 118.27 321.00 475.23	-74.69 -71.50 -76.35 -74.07	-75.66 -71.10 -80.94 -78.01	1.97 0.73 6.31 6.36	-1.01 -1.13 -1.73 -2.42	-13.00 -13.00 -13.00 -13.00	-61.69 -58.50 -63.35 -61.07
95.96 118.27 321.00	-74.69 -71.50 -76.35	-75.66 -71.10 -80.94	1.97 0.73 6.31	-1.01 -1.13 -1.73	-13.00 -13.00 -13.00	-61.69 -58.50 -63.35

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B5	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:836.5 MHz	Engineer	:Jack Liu

ı/m)					
7 8					
2024.	4018. Frequenc	6012. sy (MHz)	8006.	10000	
EIRP/ERP	SG	Antenna	Cable	Limit	Margin
				Linne	margin
		(-ain	2201		
dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
	dBm	dBi/dBd	dB		
-73.38	dBm -66.23	dBi/dBd -6.36	dB -0.79	-13.00	-60.38
-73.38 -69.49	dBm -66.23 -70.39	dBi/dBd -6.36 1.89	dB -0.79 -1.00	-13.00 -13.00	-60.38 -56.49
-73.38 -69.49 -73.72	dBm -66.23 -70.39 -78.85	dBi/dBd -6.36 1.89 6.61	dB -0.79 -1.00 -1.47	-13.00 -13.00 -13.00	-60.38 -56.49 -60.72
-73.38 -69.49 -73.72 -74.35	dBm -66.23 -70.39 -78.85 -79.42	dBi/dBd -6.36 1.89 6.61 6.68	dB -0.79 -1.00 -1.47 -1.61	-13.00 -13.00 -13.00 -13.00	-60.38 -56.49 -60.72 -61.35
-73.38 -69.49 -73.72 -74.35 -74.34	dBm -66.23 -70.39 -78.85 -79.42 -78.87	dBi/dBd -6.36 1.89 6.61 6.68 6.30	dB -0.79 -1.00 -1.47 -1.61 -1.76	-13.00 -13.00 -13.00 -13.00 -13.00	-60.38 -56.49 -60.72 -61.35 -61.34
-73.38 -69.49 -73.72 -74.35	dBm -66.23 -70.39 -78.85 -79.42	dBi/dBd -6.36 1.89 6.61 6.68	dB -0.79 -1.00 -1.47 -1.61	-13.00 -13.00 -13.00 -13.00	-60.38 -56.49 -60.72 -61.35
		7 8 7 8 1 1 1 1 2024. 4018. Frequence EIRP/ERP SG	7 8	Image: Contract of the second seco	2024. 4018. 6012. 8006. 10000 EIRP/ERP SG Antenna Cable Limit

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B5	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:836.5 MHz	Engineer	:Jack Liu

Ocevel (di	Bm/m)					
-10						
-20						
-30						
-40						
-40						
-50	7 8					
-60						
-70 2						
-80 ² 3 ⁴⁵⁶						
-90						
100 100 30	2024.	4018.	6012.	8006.	10000	
		Frequenc	y (MHz)			
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
61 04	-79 55	-71 74	-7.05	-0.76	-13 00	-66 55
61.04 123.12	-79.55 -73.84	-71.74 -73.39	-7.05 0.71	-0.76 -1.16	-13.00 -13.00	-66.55 -60.84
123.12	-73.84	-73.39	0.71	-1.16	-13.00	-60.84
123.12 318.09	-73.84 -75.84	-73.39 -80.43	0.71 6.31	-1.16 -1.72	-13.00 -13.00	-60.84 -62.84
123.12 318.09 406.36	-73.84 -75.84 -74.75	-73.39	0.71 6.31 6.67	-1.16 -1.72 -2.02	-13.00 -13.00 -13.00	-60.84 -62.84 -61.75
123.12 318.09 406.36 484.93	-73.84 -75.84 -74.75 -74.79	-73.39 -80.43 -79.41 -78.92	0.71 6.31 6.67 6.54	-1.16 -1.72 -2.02 -2.40	-13.00 -13.00 -13.00 -13.00	-60.84 -62.84 -61.75 -61.79
61.04 123.12 318.09 406.36 484.93 601.33 1673.00	-73.84 -75.84 -74.75	-73.39 -80.43 -79.41	0.71 6.31 6.67	-1.16 -1.72 -2.02	-13.00 -13.00 -13.00	-60.84 -62.84 -61.75

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B5	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:844 MHz	Engineer	:Jack Liu

0 Level (d	ылла					
-10						
-20						
-30						
-40						
	-					
-50	7					
-60						
-70 2						
Pis ĭ						
-80						
-90						
100						
30	2024.	4018.	6012.	8006.	10000	
		Frequence	cy (MHZ)			
Гиз «				Cable	Lineit	Manain
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		SG Output Level	Antenna Gain	Loss		-
Freq. MHz	EIRP/ERP dBm	SG	Antenna		Limit dBm	Margin dB
		SG Output Level	Antenna Gain	Loss		-
MHz 63.95 99.84	dBm -73.68 -68.88	SG Output Level dBm -66.53 -69.58	Antenna Gain dBi/dBd -6.36 1.73	Loss dB -0.79 -1.02	dBm -13.00 -13.00	dB -60.68 -55.88
MHz 63.95 99.84 138.64	dBm -73.68 -68.88 -73.76	SG Output Level dBm -66.53 -69.58 -72.95	Antenna Gain dBi/dBd -6.36 1.73 0.50	Loss dB -0.79 -1.02 -1.31	dBm -13.00 -13.00 -13.00	dB -60.68 -55.88 -60.76
MHz 63.95 99.84 138.64 204.60	dBm -73.68 -68.88 -73.76 -72.84	SG Output Level dBm -66.53 -69.58 -72.95 -78.01	Antenna Gain dBi/dBd -6.36 1.73 0.50 6.65	Loss dB -0.79 -1.02 -1.31 -1.48	dBm -13.00 -13.00 -13.00 -13.00	dB -60.68 -55.88 -60.76 -59.84
MHz 63.95 99.84 138.64 204.60	dBm -73.68 -68.88 -73.76	SG Output Level dBm -66.53 -69.58 -72.95	Antenna Gain dBi/dBd -6.36 1.73 0.50	Loss dB -0.79 -1.02 -1.31	dBm -13.00 -13.00 -13.00	dB -60.68 -55.88 -60.76 -59.84 -62.18
MHz 63.95 99.84 138.64 204.60 314.21	dBm -73.68 -68.88 -73.76 -72.84	SG Output Level dBm -66.53 -69.58 -72.95 -78.01	Antenna Gain dBi/dBd -6.36 1.73 0.50 6.65	Loss dB -0.79 -1.02 -1.31 -1.48	dBm -13.00 -13.00 -13.00 -13.00	dB -60.68 -55.88 -60.76 -59.84
MHz 63.95	dBm -73.68 -68.88 -73.76 -72.84 -75.18	SG Output Level dBm -66.53 -69.58 -72.95 -78.01 -79.71	Antenna Gain dBi/dBd -6.36 1.73 0.50 6.65 6.30	Loss dB -0.79 -1.02 -1.31 -1.48 -1.76	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -60.68 -55.88 -60.76 -59.84 -62.18

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

www.sgs.com.tw




Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B5	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:844 MHz	Engineer	:Jack Liu

0 Level (dl	Bm/m)					
-10						
-20						
-30						
-40						
-50	7 8					
-60						
-70						
1 4 ⁵⁶						
-80						
-90						
-100						
30	2024.	4018. Frequenc	6012. ;y (MHz)	8006.	10000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
ricq.		00	Antonna	Cabic		
		Output Level	Gain	Loss		margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
	dBm	dBm	dBi/dBd	dB	dBm	dB
62.01	dBm -78.71	dBm -71.31	dBi/dBd -6.63	dB -0.77	dBm -13.00	dB -65.71
62.01 97.90	dBm -78.71 -73.57	dBm -71.31 -74.30	dBi/dBd -6.63 1.75	dB -0.77 -1.01	dBm -13.00 -13.00	dB -65.71 -60.57
62.01 97.90 121.18	dBm -78.71 -73.57 -73.88	dBm -71.31 -74.30 -73.48	dBi/dBd -6.63 1.75 0.76	dB -0.77 -1.01 -1.15	dBm -13.00 -13.00 -13.00	dB -65.71 -60.57 -60.88
62.01 97.90 121.18 310.33	dBm -78.71 -73.57 -73.88 -76.56	dBm -71.31 -74.30 -73.48 -81.10	dBi/dBd -6.63 1.75 0.76 6.35	dB -0.77 -1.01 -1.15 -1.80	dBm -13.00 -13.00 -13.00 -13.00	dB -65.71 -60.57 -60.88 -63.56
62.01 97.90 121.18 310.33 412.18	dBm -78.71 -73.57 -73.88 -76.56 -75.23	dBm -71.31 -74.30 -73.48 -81.10 -79.98	dBi/dBd -6.63 1.75 0.76 6.35 6.68	dB -0.77 -1.01 -1.15 -1.80 -1.94	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -65.71 -60.57 -60.88 -63.56 -62.23
62.01 97.90 121.18 310.33 412.18 529.55	dBm -78.71 -73.57 -73.88 -76.56 -75.23 -74.81	dBm -71.31 -74.30 -73.48 -81.10 -79.98 -79.24	dBi/dBd -6.63 1.75 0.76 6.35 6.68 6.51	dB -0.77 -1.01 -1.15 -1.80 -1.94 -2.07	dBm -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	dB -65.71 -60.57 -60.88 -63.56 -62.23 -61.81
62.01 97.90	dBm -78.71 -73.57 -73.88 -76.56 -75.23	dBm -71.31 -74.30 -73.48 -81.10 -79.98	dBi/dBd -6.63 1.75 0.76 6.35 6.68	dB -0.77 -1.01 -1.15 -1.80 -1.94	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -65.71 -60.57 -60.88 -63.56 -62.23

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B7	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:2510 MHz	Engineer	:Jack Liu




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B7	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:2510 MHz	Engineer	:Jack Liu




t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B7	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:2535 MHz	Engineer	:Jack Liu



t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B7	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:2535 MHz	Engineer	:Jack Liu




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

```
f (886-2) 2298-0488
```



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B7	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:2560 MHz	Engineer	:Jack Liu




t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B7	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:2560 MHz	Engineer	:Jack Liu




t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B12	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:704 MHz	Engineer	:Jack Liu



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B12	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:704 MHz	Engineer	:Jack Liu

-						
40						
-10						
-20						
-30						
	i i					
-40	8	9				
-50						
-60						
70						
-70 2 13456						
-80						
-90						
-100	2024.	4018. Frequenc	6012.	8006.	10000	
			, (IIII 2)			
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Marain
				Oublo	LIIIII	Margin
		Output Level	Gain	Loss		-
MHz	dBm				dBm	dB
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
MHz 57.16	dBm -76.72	Output Level dBm -68.08	Gain dBi/dBd -7.90	Loss dB -0.73	dBm -13.00	dB -63.72
MHz 57.16 119.24	dBm -76.72 -72.74	Output Level dBm -68.08 -72.26	Gain dBi/dBd -7.90 0.65	Loss dB -0.73 -1.14	dBm -13.00 -13.00	dB -63.72 -59.74
MHz 57.16	dBm -76.72	Output Level dBm -68.08	Gain dBi/dBd -7.90	Loss dB -0.73	dBm -13.00	dB -63.72
MHz 57.16 119.24 204.60	dBm -76.72 -72.74 -78.02	Output Level dBm -68.08 -72.26 -83.18	Gain <u>dBi/dBd</u> -7.90 0.65 6.65	Loss dB -0.73 -1.14 -1.48	dBm -13.00 -13.00 -13.00	dB -63.72 -59.74 -65.02
MHz 57.16 119.24 204.60 313.24	dBm -76.72 -72.74 -78.02 -75.94	Output Level dBm -68.08 -72.26 -83.18 -80.47	Gain dBi/dBd -7.90 0.65 6.65 6.31	Loss dB -0.73 -1.14 -1.48 -1.77	dBm -13.00 -13.00 -13.00 -13.00	dB -63.72 -59.74 -65.02 -62.94
MHz 57.16 119.24 204.60 313.24 402.48	dBm -76.72 -72.74 -78.02 -75.94 -75.10	Output Level dBm -68.08 -72.26 -83.18 -80.47 -79.65	Gain dBi/dBd -7.90 0.65 6.65 6.31 6.67	Loss dB -0.73 -1.14 -1.48 -1.77 -2.12	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -63.72 -59.74 -65.02 -62.94 -62.10

10.96

12.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

-54.10

-50.43

-45.79

-41.52

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

2816.00

3520.00

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```

-5.65

-6.41

-13.00


-13.00

-32.79

-28.52



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B12	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:707.5 MHz	Engineer	:Jack Liu



t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B12	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:707.5 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30	- 7					
-40		10				
-50	8	9				
-60						
-70 2 46						
-80						
-90						
100 30	2024.	4018. Frequenc	6012. cy (MHz)	8006.	10000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
95.96	-75.02	-75.99	1.97	-1.01	-13.00	-62.02
121.18	-73.00	-72.61	0.76	-1.15	-13.00	-60.00
201.69	-78.65	-83.76	6.58	-1.47	-13.00	-65.65
	-75.86	-80.40	6.32	-1.78	-13.00	-62.86
312.27		-80.40 -78.21	6.32 6.59	-1.78 -2.11	-13.00 -13.00	-62.86 -60.72
312.27 392.78	-75.86					
312.27 392.78 478.14	-75.86 -73.72	-78.21	6.59	-2.11	-13.00	-60.72
312.27 392.78 478.14 415.00	-75.86 -73.72 -74.77	-78.21 -78.73	6.59 6.41	-2.11 -2.46	-13.00 -13.00	-60.72 -61.77
312.27 392.78 478.14 1415.00 2122.50 2830.00	-75.86 -73.72 -74.77 -33.20	-78.21 -78.73 -40.06	6.59 6.41 7.86	-2.11 -2.46 -4.00	-13.00 -13.00 -13.00	-60.72 -61.77 -20.20

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B12	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:711 MHz	Engineer	:Jack Liu

0 Level (dl	Bm/m)					
-10						
-10						
-20						
-30						
-40	7					
50		10				
-50	8	9				
-60						
-70						
-80						
-90						
100 30	2024.	4018. Frequenc	6012.	8006.	10000	
_				<u> </u>		
Freq.	EIRP/ERP	SG Output Laural	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
	ubiii	ubiii	ubi/ubu	ub	UDIII	UD
63.95	-72.21	-65.06	-6.36	-0.79	-13.00	-59.21
94.02	-69.50	-70.40	1.89	-1.00	-13.00	-56.50
140.58	-74.89	-74.10	0.52	-1.32	-13.00	-61.89
210.42	-74.11	-79.49	6.88	-1.50	-13.00	-61.11
318.09	-75.02	-79.61	6.31	-1.72	-13.00	-62.02
414.12	-74.73	-79.46	6.68	-1.95	-13.00	-61.73
1422.00	-38.75	-45.64	7.89	-4.00	-13.00	-25.75
2133.00	-52.51	-60.00	9.47	-4.98	-13.00	-39.51
2133.00 2844.00						
	-52.51 -53.35 -49.86	-60.00 -60.78 -58.46	9.47 11.08 12.21	-4.98 -5.65 -6.61	-13.00 -13.00 -13.00	-39.51 -40.35 -36.86

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B12	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:711 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-40	7	10				
-50	8	9				
-60						
-70 2						
-80						
-90						
-100 30	2024.	4018.	6012.	8006.	10000	
		Frequenc	y (MHZ)			
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	15	Output Level	Gain	Loss	15	15
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
62.01	-80.77	-73.37	-6.63	-0.77	-13.00	-67.77
123.12	-73.29	-72.84	0.71	-1.16	-13.00	-60.29
216.24	-79.79	-85.34	7.05	-1.50	-13.00	-66.79
280.26	-77.96	-82.40	6.17	-1.72	-13.00	-64.96
314.21	-76.73	-81.26	6.30	-1.76	-13.00	-63.73
431.58	-75.16	-79.47	6.39	-2.08	-13.00	-62.16
1422.00	-38.44	-45.33	7.89	-4.00	-13.00	-25.44
2133.00	-50.51	-58.01	9.47	-4.98	-13.00	-37.51
2844.00	-50.25	-58.67	11.08	-5.65	-13.00	-37.25

t (886-2) 2299-3279

-43.36

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents issued by the Company subject to its General Conductors and http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12.21

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

3555.00

-51.96

f (886-2) 2298-0488


-6.61

-13.00

-30.36



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B13	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:782 MHz	Engineer	:Jack Liu



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B13	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:782 MHz	Engineer	:Jack Liu

OLevel (di	Bm/m)					
-10						
-20						
-30						
-40						
-50	7 8					
-60						
-70						
-80						
-90						
-100	2024.	4018. Frequenc	6012. v (MHz)	8006.	10000	
			, (IIII 2)			
Freq.		<u> </u>	Antenna	Cable	Limit	Margin
	EIRP/ERP	SG				J
		Output Level	Gain	Loss		-
MHz	dBm	-			dBm	dB
MHz 62.01		Output Level	Gain	Loss		-
	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
62.01	dBm -80.74	Output Level dBm -73.34	Gain dBi/dBd -6.63	Loss dB -0.77	dBm -13.00	dB -67.74
62.01 97.90	dBm -80.74 -74.89	Output Level dBm -73.34 -75.62	Gain dBi/dBd -6.63 1.75	Loss dB -0.77 -1.01	dBm -13.00 -13.00	dB -67.74 -61.89
62.01 97.90 122.15	dBm -80.74 -74.89 -74.88	Output Level dBm -73.34 -75.62 -74.39	Gain dBi/dBd -6.63 1.75 0.66	Loss dB -0.77 -1.01 -1.15	dBm -13.00 -13.00 -13.00	dB -67.74 -61.89 -61.88
62.01 97.90 122.15 309.36	dBm -80.74 -74.89 -74.88 -75.99	Output Level dBm -73.34 -75.62 -74.39 -80.53	Gain dBi/dBd -6.63 1.75 0.66 6.35	Loss dB -0.77 -1.01 -1.15 -1.81	dBm -13.00 -13.00 -13.00 -13.00	dB -67.74 -61.89 -61.88 -62.99
62.01 97.90 122.15 309.36 415.09	dBm -80.74 -74.89 -74.88 -75.99 -74.82	Output Level dBm -73.34 -75.62 -74.39 -80.53 -79.54	Gain dBi/dBd -6.63 1.75 0.66 6.35 6.68	Loss dB -0.77 -1.01 -1.15 -1.81 -1.96	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -67.74 -61.89 -61.88 -62.99 -61.82

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B17	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:709 MHz	Engineer	:Jack Liu


0 Level (d	Dinizing			1		
-10						
-20						
-30	7					
-40						
-50	8	9 10				
-60						
2						
-70 54 3 5 ⁶						
-80						
-90						
100						
30	2024.	4018. Frequence	6012.	8006.	10000	
		riequene	<i>(</i> (((),2))			
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		SG Output Level	Antenna Gain	Loss		Margin
Freq. MHz	EIRP/ERP dBm	SG	Antenna		Limit dBm	Margin dB
MHz	dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Loss dB	dBm	dB
•		SG Output Level	Antenna Gain	Loss		-
MHz 62.01 89.17	dBm -72.38	SG Output Level dBm -64.98	Antenna Gain dBi/dBd -6.63	Loss dB -0.77	dBm -13.00	dB -59.38
MHz 62.01 89.17 140.58	dBm -72.38 -69.44	SG Output Level dBm -64.98 -70.02	Antenna Gain dBi/dBd -6.63 1.54	Loss dB -0.77 -0.97	dBm -13.00 -13.00	dB -59.38 -56.44
MHz 62.01 89.17 140.58 232.73	dBm -72.38 -69.44 -74.48	SG Output Level dBm -64.98 -70.02 -73.69	Antenna Gain dBi/dBd -6.63 1.54 0.52	Loss dB -0.77 -0.97 -1.32	dBm -13.00 -13.00 -13.00	dB -59.38 -56.44 -61.48
MHz 62.01 89.17 140.58 232.73 318.09	dBm -72.38 -69.44 -74.48 -71.56	SG Output Level dBm -64.98 -70.02 -73.69 -76.83	Antenna Gain dBi/dBd -6.63 1.54 0.52 6.88	Loss dB -0.77 -0.97 -1.32 -1.60	dBm -13.00 -13.00 -13.00 -13.00	dB -59.38 -56.44 -61.48 -58.56
MHz 62.01 89.17 140.58 232.73 318.09 397.63	dBm -72.38 -69.44 -74.48 -71.56 -75.57	SG Output Level dBm -64.98 -70.02 -73.69 -76.83 -80.16	Antenna Gain dBi/dBd -6.63 1.54 0.52 6.88 6.31	Loss dB -0.77 -0.97 -1.32 -1.60 -1.72	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -59.38 -56.44 -61.48 -58.56 -62.57
MHz 62.01 89.17 140.58 232.73 318.09 397.63 1418.00	dBm -72.38 -69.44 -74.48 -71.56 -75.57 -74.09	SG Output Level dBm -64.98 -70.02 -73.69 -76.83 -80.16 -78.54	Antenna Gain dBi/dBd -6.63 1.54 0.52 6.88 6.31 6.61	Loss dB -0.77 -0.97 -1.32 -1.60 -1.72 -2.16	dBm -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	dB -59.38 -56.44 -61.48 -58.56 -62.57 -61.09
MHz 62.01	dBm -72.38 -69.44 -74.48 -71.56 -75.57 -74.09 -33.09	SG Output Level dBm -64.98 -70.02 -73.69 -76.83 -80.16 -78.54 -39.96	Antenna Gain dBi/dBd -6.63 1.54 0.52 6.88 6.31 6.61 7.87	Loss dB -0.77 -0.97 -1.32 -1.60 -1.72 -2.16 -3.99	dBm -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	dB -59.38 -56.44 -61.48 -58.56 -62.57 -61.09 -20.09

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B17	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:709 MHz	Engineer	:Jack Liu



-52.72

-44.09

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

3545.00

t (886-2) 2299-3279

f (886-2) 2298-0488

12.22


-6.58

-13.00

-31.09



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B17	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:710 MHz	Engineer	:Jack Liu



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B17	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:710 MHz	Engineer	:Jack Liu


0 Level (d	Billinity					
-10						
-20						
-30	7					
-40						
-50	8	9 10				
-60						
-70						
-80						
-90						
100 20	2024.	4018.	6012.	8006.	10000	
30	2024.	4018. Frequenc	0012. v (MHz)	8000.	10000	
		Trequence	,y (minz)			
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
				Loss		_
Freq. MHz	EIRP/ERP dBm	SG	Antenna		Limit dBm	Margin dB
MHz	dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Loss dB	dBm	dB
MHz 61.04	dBm -75.95	SG Output Level dBm -68.14	Antenna Gain dBi/dBd -7.05	Loss dB -0.76	dBm -13.00	dB -62.95
MHz 61.04 92.08	dBm -75.95 -74.12	SG Output Level dBm -68.14 -75.04	Antenna Gain dBi/dBd -7.05 1.91	Loss dB -0.76 -0.99	dBm -13.00 -13.00	dB -62.95 -61.12
MHz 61.04 92.08 123.12	dBm -75.95	SG Output Level dBm -68.14	Antenna Gain dBi/dBd -7.05	Loss dB -0.76	dBm -13.00	dB -62.95
MHz 61.04 92.08 123.12 224.97	dBm -75.95 -74.12 -73.81	SG Output Level dBm -68.14 -75.04 -73.36	Antenna Gain dBi/dBd -7.05 1.91 0.71	Loss dB -0.76 -0.99 -1.16	dBm -13.00 -13.00 -13.00	dB -62.95 -61.12 -60.81
MHz 61.04 92.08 123.12 224.97 262.80	dBm -75.95 -74.12 -73.81 -75.32	SG Output Level dBm -68.14 -75.04 -73.36 -81.34 -80.40	Antenna Gain dBi/dBd -7.05 1.91 0.71 7.57 6.50	Loss dB -0.76 -0.99 -1.16 -1.54	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -62.95 -61.12 -60.81 -62.32
MHz 61.04 92.08 123.12 224.97 262.80 475.23	dBm -75.95 -74.12 -73.81 -75.32 -75.58	SG Output Level dBm -68.14 -75.04 -73.36 -81.34	Antenna Gain dBi/dBd -7.05 1.91 0.71 7.57	Loss dB -0.76 -0.99 -1.16 -1.54 -1.68	dBm -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	dB -62.95 -61.12 -60.81 -62.32 -62.58
MHz 61.04 92.08 123.12 224.97 262.80 475.23 1420.00	dBm -75.95 -74.12 -73.81 -75.32 -75.58 -74.07	SG Output Level dBm -68.14 -75.04 -73.36 -81.34 -80.40 -78.01	Antenna Gain dBi/dBd -7.05 1.91 0.71 7.57 6.50 6.36	Loss dB -0.76 -0.99 -1.16 -1.54 -1.68 -2.42	dBm -13.00 -13.00 -13.00 -13.00 -13.00	dB -62.95 -61.12 -60.81 -62.32 -62.58 -61.07
MHz 61.04	dBm -75.95 -74.12 -73.81 -75.32 -75.58 -74.07 -34.88	SG Output Level dBm -68.14 -75.04 -73.36 -81.34 -80.40 -78.01 -41.77	Antenna Gain dBi/dBd -7.05 1.91 0.71 7.57 6.50 6.36 7.88	Loss dB -0.76 -0.99 -1.16 -1.54 -1.68 -2.42 -3.99	dBm -13.00 -13.00 -13.00 -13.00 -13.00 -13.00 -13.00	dB -62.95 -61.12 -60.81 -62.32 -62.58 -61.07 -21.88

除非另有說明,此報告結果僅對測試之樣品負責。同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B17	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:711 MHz	Engineer	:Jack Liu



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B17	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:711 MHz	Engineer	:Jack Liu

0 Level (d	Bm/m)					
-10						
-20						
-30						
-30	7					
-40		10				
-50	8	9				
-60						
-70 3 ₄₅ 6						
-80						
-90						
-100 30			6012.			
30	2024.	4018. Frequenc	sy (MHz)	8006.	10000	
Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
62.01						
	-72.43	-65.03	-6.63	-0.77	-13.00	-59.43
90.14	-72.78	-73.52	1.72	-0.98	-13.00	-59.78
90.14 123.12	-72.78 -74.36	-73.52 -73.91	1.72 0.71	-0.98 -1.16	-13.00 -13.00	-59.78 -61.36
90.14 123.12 218.18	-72.78 -74.36 -75.89	-73.52 -73.91 -81.56	1.72 0.71 7.16	-0.98 -1.16 -1.50	-13.00 -13.00 -13.00	-59.78 -61.36 -62.89
90.14 123.12 218.18 315.18	-72.78 -74.36 -75.89 -75.95	-73.52 -73.91 -81.56 -80.49	1.72 0.71 7.16 6.29	-0.98 -1.16 -1.50 -1.75	-13.00 -13.00 -13.00 -13.00	-59.78 -61.36 -62.89 -62.95
90.14 123.12 218.18 315.18 422.85	-72.78 -74.36 -75.89 -75.95 -74.81	-73.52 -73.91 -81.56 -80.49 -79.38	1.72 0.71 7.16 6.29 6.59	-0.98 -1.16 -1.50 -1.75 -2.02	-13.00 -13.00 -13.00 -13.00 -13.00	-59.78 -61.36 -62.89 -62.95 -61.81
90.14 123.12 218.18 315.18 422.85 1422.00	-72.78 -74.36 -75.89 -75.95	-73.52 -73.91 -81.56 -80.49 -79.38 -44.82	1.72 0.71 7.16 6.29 6.59 7.89	-0.98 -1.16 -1.50 -1.75 -2.02 -4.00	-13.00 -13.00 -13.00 -13.00	-59.78 -61.36 -62.89 -62.95 -61.81 -24.93
90.14 123.12 218.18 315.18 422.85	-72.78 -74.36 -75.89 -75.95 -74.81	-73.52 -73.91 -81.56 -80.49 -79.38	1.72 0.71 7.16 6.29 6.59	-0.98 -1.16 -1.50 -1.75 -2.02	-13.00 -13.00 -13.00 -13.00 -13.00	-59.78 -61.36 -62.89 -62.95 -61.81

-55.30

-46.70

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12.21

3555.00

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```


-6.61

-13.00

-33.70



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B13	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:782 MHz	Engineer	:Jack Liu




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```




Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B13	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:782 MHz	Engineer	:Jack Liu



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B13	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Vertical
Test Frequency	:782 MHz	Engineer	:Jack Liu




除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```



Report Number	:TERF2207001187ER	Test Site	:SAC 1
Operation Mode	:LTE B13	Test Date	:2022-09-08
Test Mode	:Tx	Temp./Humi.	:24.5/67
EUT Pol	:E1 Plane	Antenna Pol.	:Horizontal
Test Frequency	:782 MHz	Engineer	:Jack Liu



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

f (886-2) 2298-0488