



RF EXPOSURE REPORT

REPORT NO.: SA980826L13

MODEL NO.: NCUN-4, NCUN-2

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: novero GmbH

ADDRESS: Rensingstrasse 15, 44807 Bochum, Germany

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,
Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



A D T

No Evaluation required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)
Conducted Power	1.260
EIRP Power	2.730

***Note:** The antenna is F antenna with 1.47dBi gain.

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 1.875mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold