

RF Exposure Evaluation Report

Product Name : Light Guided Operations
Model No. : GWS-GWCT
FCC ID : WL6GWS-GWCT

Applicant : ELITEGROUP COMPUTER SYSTEMS CO., LTD.

Address : No.239, SEC. 2, TI DING BLVD, TAIPEI 11493, TAIWAN

Date of Receipt : Apr. 03, 2018
Date of Declaration : June 12, 2018
Report No. : 1840026R-RFUSP02V00
Report Version : V1.0

The test results relate only to the samples tested.

The test results shown in the test report are traceable to the national/international standard through the calibration report of the equipment and evaluated measurement uncertainty herein.

This report must not be used to claim product endorsement by TAF or any agency of the government.

The test report shall not be reproduced without the written approval of QuieTek Corporation.

Issued Date: June 12, 2018

Report No.: 1840026R-RFUSP02V00



Product Name	Light Guided Operations
Applicant	ELITEGROUP COMPUTER SYSTEMS CO., LTD.
Address	No.239, SEC. 2, TI DING BLVD, TAIPEI 11493, TAIWAN
Manufacturer	Golden Elite Technology (SHENZHEN) CO., LTD.
Model No.	GWS-GWCT
FCC ID.	WL6GWS-GWCT
EUT Rated Voltage	DC 3.7V (Power by Battery)
EUT Test Voltage	DC 3.7V (Power by Battery)
Trade Name	ECS
Applicable Standard	FCC 47 CFR 1.1310
Test Result	Complied

Documented By :



(Senior Adm. Specialist / Joanne Lin)

Tested By :



(Engineer / Nova Chu)

Approved By :



(Director / Vincent Lin)

1. Standard Applicable

According to 1.1307 (b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

2. Measurement Result:

According to KDB 447498 D01 Mobile Portable RF Exposure v06,
Operation frequency = 2405MHz and antenna separation distance = 5mm,
SAR Test Exclusion Threshold = 10mW

Frequency Band	Maximum output power Peak Gain: 1dBi		SAR Test Exclusion Threshold
	Conductive (dBm)	EIRP (mW)	(mW)
2405MHz	5.01	3.99	10

The SAR measurement is not necessary.