

Test Date	2017/03/02	Temp./Hum.	24°C/56%
Mode	802.11ac-VHT20	UNII Band	II-2A
		Frequency	TX 5260MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
 Fax: +886 2 26099303

Test Date	2017/03/02	Temp./Hum.	24°C/56%
Mode	802.11ac-VHT20	UNII Band	II-2A
		Frequency	TX 5300MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/02	Temp./Hum.	24°C/56%
Mode	802.11ac-VHT20	UNII Band	II-2A
		Frequency	TX 5320MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	



AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
 Fax: +886 2 26099303



AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
 Fax: +886 2 26099303

Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5500MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5600MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5700MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
 Fax: +886 2 26099303

Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5720MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
 Fax: +886 2 26099303

Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	III
		Frequency	TX 5745MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan


Tel: +886 2 26099301
 Fax: +886 2 26099303


Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	III
		Frequency	TX 5785MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	III
		Frequency	TX 5825MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	






Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	I
		Frequency	TX 5190MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	I
		Frequency	TX 5230MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2A
		Frequency	TX 5270MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





AUDIX Technology Corp.
 No. 53-11, Dingfu, Linkou, Dist.,
 New Taipei City 244, Taiwan

Tel: +886 2 26099301
 Fax: +886 2 26099303

Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2A
		Frequency	TX 5310MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2C
		Frequency	TX 5510MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2C
		Frequency	TX 5590MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	





Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2C
		Frequency	TX 5670MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	

