







Appendix A3: Min emission bandwidth

Test Result

TestMode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant2	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant1	5785	15.120	5777.440	5792.560	0.5	PASS
	Ant2	5785	14.920	5777.880	5792.800	0.5	PASS
	Ant1	5825	14.960	5817.520	5832.480	0.5	PASS
	Ant2	5825	15.000	5817.520	5832.520	0.5	PASS
11N20MIMO	Ant1	5745	15.080	5737.440	5752.520	0.5	PASS
	Ant2	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant1	5785	15.080	5777.440	5792.520	0.5	PASS
	Ant2	5785	15.080	5777.440	5792.520	0.5	PASS
	Ant1	5825	15.120	5817.440	5832.560	0.5	PASS
	Ant2	5825	15.640	5817.480	5833.120	0.5	PASS
11N40MIMO	Ant1	5755	35.040	5737.480	5772.520	0.5	PASS
	Ant2	5755	35.040	5737.480	5772.520	0.5	PASS
	Ant1	5795	35.040	5777.480	5812.520	0.5	PASS
	Ant2	5795	35.040	5777.480	5812.520	0.5	PASS
11AC20MIMO	Ant1	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant2	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant1	5785	15.080	5777.480	5792.560	0.5	PASS
	Ant2	5785	15.120	5777.440	5792.560	0.5	PASS
	Ant1	5825	15.120	5817.440	5832.560	0.5	PASS
	Ant2	5825	15.680	5816.880	5832.560	0.5	PASS
11AC40MIMO	Ant1	5755	35.040	5737.480	5772.520	0.5	PASS
	Ant2	5755	35.040	5737.480	5772.520	0.5	PASS
	Ant1	5795	35.040	5777.480	5812.520	0.5	PASS
	Ant2	5795	35.040	5777.480	5812.520	0.5	PASS
11AC80MIMO	Ant1	5775	75.200	5737.400	5812.600	0.5	PASS
	Ant2	5775	75.200	5737.400	5812.600	0.5	PASS



Test Graphs



CTC Laboratories, Inc.

1-2/F, Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO Ant1 5745




11AC20MIMO Ant2 5745




11AC20MIMO Ant1 5785




11AC20MIMO Ant2 5785




11AC20MIMO Ant1 5825




11AC20MIMO Ant2 5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO Ant2 5795




11AC80MIMO Ant1 5775



11AC80MIMO Ant2 5775





Appendix B: Maximum conducted output power

Test Result

TestMode	Antenna	Channel	Result[dBm]	Max limit[dBm]	Verdict
11A	Ant1	5180	19.82	≤30	PASS
	Ant2	5180	18.97	≤30	PASS
	Ant1	5200	19.96	≤30	PASS
	Ant2	5200	19.03	≤30	PASS
	Ant1	5240	19.97	≤30	PASS
	Ant2	5240	19.22	≤30	PASS
	Ant1	5260	19.43	≤23.98	PASS
	Ant2	5260	19.11	≤23.98	PASS
	Ant1	5280	19.76	≤23.98	PASS
	Ant2	5280	19.34	≤23.98	PASS
	Ant1	5320	19.57	≤23.98	PASS
	Ant2	5320	19.85	≤23.98	PASS
	Ant1	5500	19.76	≤23.98	PASS
	Ant2	5500	19.72	≤23.98	PASS
	Ant1	5580	19.74	≤23.98	PASS
	Ant2	5580	19.56	≤23.98	PASS
	Ant1	5700	19.72	≤23.98	PASS
	Ant2	5700	17.63	≤23.98	PASS
	Ant1	5745	20.85	≤30	PASS
	Ant2	5745	21.25	≤30	PASS
	Ant1	5785	20.80	≤30	PASS
	Ant2	5785	21.16	≤30	PASS
	Ant1	5825	21.59	≤30	PASS
	Ant2	5825	21.31	≤30	PASS
11N20MIMO	Ant1	5180	17.53	≤28	PASS
	Ant2	5180	16.53	≤28	PASS
	total	5180	20.1	≤28	PASS
	Ant1	5200	17.19	≤28	PASS
	Ant2	5200	16.29	≤28	PASS
	total	5200	19.8	≤28	PASS
	Ant1	5240	17.05	≤28	PASS
	Ant2	5240	16.43	≤28	PASS
	total	5240	19.8	≤28	PASS
	Ant1	5260	16.40	≤21.98	PASS
	Ant2	5260	15.58	≤21.98	PASS
	total	5260	19.0	≤21.98	PASS
	Ant1	5280	16.29	≤21.98	PASS
	Ant2	5280	15.48	≤21.98	PASS
	total	5280	18.9	≤21.98	PASS
	Ant1	5320	16.00	≤21.98	PASS
	Ant2	5320	15.98	≤21.98	PASS
	total	5320	19.0	≤21.98	PASS
	Ant1	5500	16.37	≤21.98	PASS
	Ant2	5500	16.02	≤21.98	PASS
	total	5500	19.2	≤21.98	PASS
	Ant1	5580	16.24	≤21.98	PASS
	Ant2	5580	16.22	≤21.98	PASS
	total	5580	19.2	≤21.98	PASS
	Ant1	5700	15.64	≤21.98	PASS
	Ant2	5700	15.59	≤21.98	PASS
	total	5700	18.6	≤21.98	PASS
	Ant1	5745	20.73	≤28	PASS
	Ant2	5745	20.19	≤28	PASS
	total	5745	23.5	≤28	PASS
	Ant1	5785	20.71	≤28	PASS
	Ant2	5785	19.99	≤28	PASS
	total	5785	23.4	≤28	PASS
	Ant1	5825	20.67	≤28	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant2	5825	20.50	≤28	PASS
	total	5825	23.6	≤28	PASS
11N40MIMO	Ant1	5190	16.72	≤28	PASS
	Ant2	5190	15.71	≤28	PASS
	total	5190	19.3	≤28	PASS
	Ant1	5230	16.42	≤28	PASS
	Ant2	5230	15.73	≤28	PASS
	total	5230	19.1	≤28	PASS
	Ant1	5270	16.59	≤21.98	PASS
	Ant2	5270	15.73	≤21.98	PASS
	total	5270	19.2	≤21.98	PASS
	Ant1	5310	16.26	≤21.98	PASS
	Ant2	5310	16.23	≤21.98	PASS
	total	5310	19.3	≤21.98	PASS
	Ant1	5510	16.60	≤21.98	PASS
	Ant2	5510	16.47	≤21.98	PASS
	total	5510	19.5	≤21.98	PASS
	Ant1	5550	16.97	≤21.98	PASS
	Ant2	5550	16.38	≤21.98	PASS
	total	5550	19.7	≤21.98	PASS
	Ant1	5670	16.50	≤21.98	PASS
	Ant2	5670	15.55	≤21.98	PASS
	total	5670	19.1	≤21.98	PASS
	Ant1	5755	20.59	≤28	PASS
	Ant2	5755	20.01	≤28	PASS
	total	5755	23.3	≤28	PASS
	Ant1	5795	20.65	≤28	PASS
	Ant2	5795	19.97	≤28	PASS
	total	5795	23.3	≤28	PASS
11AC20MIMO	Ant1	5180	16.34	≤28	PASS
	Ant2	5180	15.39	≤28	PASS
	total	5180	18.9	≤28	PASS
	Ant1	5200	16.21	≤28	PASS
	Ant2	5200	15.25	≤28	PASS
	total	5200	18.8	≤28	PASS
	Ant1	5240	16.04	≤28	PASS
	Ant2	5240	15.50	≤28	PASS
	total	5240	18.8	≤28	PASS
	Ant1	5260	15.69	≤21.98	PASS
	Ant2	5260	15.62	≤21.98	PASS
	total	5260	18.7	≤21.98	PASS
	Ant1	5280	16.45	≤21.98	PASS
	Ant2	5280	15.50	≤21.98	PASS
	total	5280	19.0	≤21.98	PASS
	Ant1	5320	16.07	≤21.98	PASS
	Ant2	5320	16.04	≤21.98	PASS
	total	5320	19.1	≤21.98	PASS
	Ant1	5500	16.02	≤21.98	PASS
	Ant2	5500	15.98	≤21.98	PASS
	total	5500	19.0	≤21.98	PASS
	Ant1	5580	16.01	≤21.98	PASS
	Ant2	5580	15.91	≤21.98	PASS
	total	5580	19.0	≤21.98	PASS
	Ant1	5700	15.59	≤21.98	PASS
	Ant2	5700	15.44	≤21.98	PASS
	total	5700	18.5	≤21.98	PASS
	Ant1	5745	20.93	≤28	PASS
	Ant2	5745	20.32	≤28	PASS
	total	5745	23.6	≤28	PASS
	Ant1	5785	20.50	≤28	PASS
	Ant2	5785	19.95	≤28	PASS
	total	5785	23.2	≤28	PASS
	Ant1	5825	20.46	≤28	PASS
	Ant2	5825	20.24	≤28	PASS
	total	5825	23.4	≤28	PASS
11AC40MIMO	Ant1	5190	16.38	≤28	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant2	5190	15.48	≤28	PASS
	total	5190	19.0	≤28	PASS
	Ant1	5230	16.24	≤28	PASS
	Ant2	5230	15.73	≤28	PASS
	total	5230	19.0	≤28	PASS
	Ant1	5270	16.64	≤21.98	PASS
	Ant2	5270	15.94	≤21.98	PASS
	total	5270	19.3	≤21.98	PASS
	Ant1	5310	14.94	≤21.98	PASS
	Ant2	5310	15.07	≤21.98	PASS
	total	5310	18.0	≤21.98	PASS
	Ant1	5510	16.82	≤21.98	PASS
	Ant2	5510	16.52	≤21.98	PASS
	total	5510	19.7	≤21.98	PASS
	Ant1	5550	15.92	≤21.98	PASS
	Ant2	5550	15.40	≤21.98	PASS
	total	5550	18.7	≤21.98	PASS
	Ant1	5670	15.55	≤21.98	PASS
	Ant2	5670	14.52	≤21.98	PASS
	total	5670	18.1	≤21.98	PASS
	Ant1	5755	20.44	≤28	PASS
	Ant2	5755	19.87	≤28	PASS
	total	5755	23.2	≤28	PASS
	Ant1	5795	20.57	≤28	PASS
	Ant2	5795	19.93	≤28	PASS
	total	5795	23.3	≤28	PASS
11AC80MIMO	Ant1	5210	16.20	≤28	PASS
	Ant2	5210	15.18	≤28	PASS
	total	5210	18.7	≤28	PASS
	Ant1	5290	15.65	≤21.98	PASS
	Ant2	5290	14.86	≤21.98	PASS
	total	5290	18.3	≤21.98	PASS
	Ant1	5530	15.96	≤21.98	PASS
	Ant2	5530	15.77	≤21.98	PASS
	total	5530	18.9	≤21.98	PASS
	Ant1	5610	15.94	≤21.98	PASS
	Ant2	5610	15.93	≤21.98	PASS
	total	5610	18.9	≤21.98	PASS
	Ant1	5775	20.17	≤28	PASS
	Ant2	5775	19.47	≤28	PASS
	total	5775	22.8	≤28	PASS

Note :

1. The Duty Cycle Factor is compensated in the graph



Appendix C: Maximum power spectral density

Test Result

TestMode	Antenna	Channel	Result [dBm/MHz]	Max limit[dBm]	Verdict
11A	Ant1	5180	9.57	≤17	PASS
	Ant2	5180	8.95	≤17	PASS
	Ant1	5200	9.67	≤17	PASS
	Ant2	5200	8.77	≤17	PASS
	Ant1	5240	9.86	≤17	PASS
	Ant2	5240	9.17	≤17	PASS
	Ant1	5260	9.35	≤11	PASS
	Ant2	5260	8.76	≤11	PASS
	Ant1	5280	9.7	≤11	PASS
	Ant2	5280	9.16	≤11	PASS
	Ant1	5320	9.51	≤11	PASS
	Ant2	5320	9.81	≤11	PASS
	Ant1	5500	9.67	≤11	PASS
	Ant2	5500	9.36	≤11	PASS
	Ant1	5580	9.61	≤11	PASS
	Ant2	5580	9.55	≤11	PASS
	Ant1	5700	9.64	≤11	PASS
	Ant2	5700	7.63	≤11	PASS
	Ant1	5745	9.37	≤30	PASS
	Ant2	5745	9.10	≤30	PASS
	Ant1	5785	8.33	≤30	PASS
	Ant2	5785	8.72	≤30	PASS
	Ant1	5825	9.06	≤30	PASS
	Ant2	5825	8.56	≤30	PASS
11N20MIMO	Ant1	5180	7.23	≤15	PASS
	Ant2	5180	6.58	≤15	PASS
	total	5180	9.93	≤15	PASS
	Ant1	5200	6.81	≤15	PASS
	Ant2	5200	6.14	≤15	PASS
	total	5200	9.50	≤15	PASS
	Ant1	5240	6.79	≤15	PASS
	Ant2	5240	6.13	≤15	PASS
	total	5240	9.48	≤15	PASS
	Ant1	5260	6.22	≤9	PASS
	Ant2	5260	5.34	≤9	PASS
	total	5260	8.81	≤9	PASS
	Ant1	5280	6.07	≤9	PASS
	Ant2	5280	5.28	≤9	PASS
	total	5280	8.70	≤9	PASS
	Ant1	5320	5.77	≤9	PASS
	Ant2	5320	5.53	≤9	PASS
	total	5320	8.66	≤9	PASS
	Ant1	5500	5.93	≤9	PASS
	Ant2	5500	5.79	≤9	PASS
	total	5500	8.87	≤9	PASS
	Ant1	5580	5.91	≤9	PASS
	Ant2	5580	5.81	≤9	PASS
	total	5580	8.87	≤9	PASS
	Ant1	5700	5.35	≤9	PASS
	Ant2	5700	5.57	≤9	PASS
	total	5700	8.47	≤9	PASS
	Ant1	5745	9.05	≤28	PASS
	Ant2	5745	8.04	≤28	PASS
	total	5745	11.58	≤28	PASS
	Ant1	5785	7.67	≤28	PASS
	Ant2	5785	7.65	≤28	PASS
	total	5785	10.67	≤28	PASS
	Ant1	5825	7.82	≤28	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant2	5825	7.91	≤28	PASS
	total	5825	10.88	≤28	PASS
11N40MIMO	Ant1	5190	3.64	≤15	PASS
	Ant2	5190	2.36	≤15	PASS
	total	5190	6.06	≤15	PASS
	Ant1	5230	3	≤15	PASS
	Ant2	5230	2.78	≤15	PASS
	total	5230	5.90	≤15	PASS
	Ant1	5270	3.44	≤9	PASS
	Ant2	5270	2.67	≤9	PASS
	total	5270	6.08	≤9	PASS
	Ant1	5310	3.11	≤9	PASS
	Ant2	5310	3.2	≤9	PASS
	total	5310	6.17	≤9	PASS
	Ant1	5510	3.81	≤9	PASS
	Ant2	5510	3.37	≤9	PASS
	total	5510	6.61	≤9	PASS
	Ant1	5550	3.75	≤9	PASS
	Ant2	5550	3.41	≤9	PASS
	total	5550	6.59	≤9	PASS
	Ant1	5670	3.31	≤9	PASS
	Ant2	5670	2.56	≤9	PASS
	total	5670	5.96	≤9	PASS
	Ant1	5755	4.81	≤28	PASS
	Ant2	5755	4.38	≤28	PASS
	total	5755	7.61	≤28	PASS
	Ant1	5795	4.48	≤28	PASS
	Ant2	5795	4.40	≤28	PASS
	total	5795	7.45	≤28	PASS
11AC20MIMO	Ant1	5180	6.27	≤15	PASS
	Ant2	5180	5.1	≤15	PASS
	total	5180	8.73	≤15	PASS
	Ant1	5200	6	≤15	PASS
	Ant2	5200	5.03	≤15	PASS
	total	5200	8.55	≤15	PASS
	Ant1	5240	5.78	≤15	PASS
	Ant2	5240	5.5	≤15	PASS
	total	5240	8.65	≤15	PASS
	Ant1	5260	5.71	≤9	PASS
	Ant2	5260	5.37	≤9	PASS
	total	5260	8.55	≤9	PASS
	Ant1	5280	6.29	≤9	PASS
	Ant2	5280	5.26	≤9	PASS
	total	5280	8.82	≤9	PASS
	Ant1	5320	6.01	≤9	PASS
	Ant2	5320	5.72	≤9	PASS
	total	5320	8.88	≤9	PASS
	Ant1	5500	5.53	≤9	PASS
	Ant2	5500	5.76	≤9	PASS
	total	5500	8.66	≤9	PASS
	Ant1	5580	5.87	≤9	PASS
	Ant2	5580	5.78	≤9	PASS
	total	5580	8.84	≤9	PASS
	Ant1	5700	5.24	≤9	PASS
	Ant2	5700	6.02	≤9	PASS
	total	5700	8.66	≤9	PASS
11AC40MIMO	Ant1	5745	8.37	≤28	PASS
	Ant2	5745	8.11	≤28	PASS
	total	5745	11.25	≤28	PASS
	Ant1	5785	7.85	≤28	PASS
	Ant2	5785	7.32	≤28	PASS
	total	5785	10.60	≤28	PASS
	Ant1	5825	8.07	≤28	PASS
	Ant2	5825	7.71	≤28	PASS
	total	5825	10.90	≤28	PASS
	Ant1	5190	2.9	≤15	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



	Ant2	5190	2.35	≤15	PASS
	total	5190	5.64	≤15	PASS
	Ant1	5230	3.3	≤15	PASS
	Ant2	5230	2.73	≤15	PASS
	total	5230	6.03	≤15	PASS
	Ant1	5270	3.53	≤9	PASS
	Ant2	5270	3.08	≤9	PASS
	total	5270	6.32	≤9	PASS
	Ant1	5310	2.06	≤9	PASS
	Ant2	5310	1.85	≤9	PASS
	total	5310	4.97	≤9	PASS
	Ant1	5510	3.73	≤9	PASS
	Ant2	5510	3.41	≤9	PASS
	total	5510	6.58	≤9	PASS
	Ant1	5550	2.75	≤9	PASS
	Ant2	5550	2.32	≤9	PASS
	total	5550	5.55	≤9	PASS
	Ant1	5670	1.93	≤9	PASS
	Ant2	5670	1.42	≤9	PASS
	total	5670	4.69	≤9	PASS
	Ant1	5755	4.97	≤28	PASS
	Ant2	5755	4.55	≤28	PASS
	total	5755	7.78	≤28	PASS
	Ant1	5795	4.49	≤28	PASS
	Ant2	5795	4.30	≤28	PASS
	total	5795	7.41	≤28	PASS
11AC80MIMO	Ant1	5210	-0.01	≤15	PASS
	Ant2	5210	-0.85	≤15	PASS
	total	5210	2.60	≤15	PASS
	Ant1	5290	-0.48	≤9	PASS
	Ant2	5290	-1.04	≤9	PASS
	total	5290	2.26	≤9	PASS
	Ant1	5530	-0.05	≤9	PASS
	Ant2	5530	-0.34	≤9	PASS
	total	5530	2.82	≤9	PASS
	Ant1	5610	0.2	≤9	PASS
	Ant2	5610	-0.48	≤9	PASS
	total	5610	2.88	≤9	PASS
	Ant1	5775	1.25	≤28	PASS
	Ant2	5775	0.88	≤28	PASS
	total	5775	4.08	≤28	PASS

Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



Test Graphs



CTC Laboratories, Inc.

1-2/F, Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn




11A_Ant2_5200




11A_Ant1_5240



11A_Ant2_5240




11A_Ant1_5260




11A Ant2 5260




11A Ant1 5280




11A Ant2 5280




11A Ant1_5320




11A Ant2_5320




11A Ant1_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A Ant1 5700




11A Ant2 5700




11A Ant1 5745




11A Ant2 5745




11A Ant1 5785




11A Ant2 5785






11A_Ant1_5825



11A_Ant2_5825



11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5200