



		Type6	17	1	333.3	9	0.3333	300	5687	1
		Type6	17	1	333.3	9	0.3333	300	5648	1
		Type6	17	1	333.3	9	0.3333	300	5312	1
		Type6	17	1	333.3	9	0.3333	300	5480	1
		Type6	17	1	333.3	9	0.3333	300	5459	1
		Type6	17	1	333.3	9	0.3333	300	5605	1
		Type6	17	1	333.3	9	0.3333	300	5715	1
		Type6	17	1	333.3	9	0.3333	300	5414	1
		Type6	17	1	333.3	9	0.3333	300	5354	1
11AC80MIMO	5290	Type6	17	1	333.3	9	0.3333	300	5485	1
		Type6	17	1	333.3	9	0.3333	300	5521	1
		Type6	17	1	333.3	9	0.3333	300	5523	1
		Type6	17	1	333.3	9	0.3333	300	5712	1
		Type6	17	1	333.3	9	0.3333	300	5619	1
		Type6	17	1	333.3	9	0.3333	300	5375	1
		Type6	17	1	333.3	9	0.3333	300	5608	1
		Type6	17	1	333.3	9	0.3333	300	5279	1
		Type6	17	1	333.3	9	0.3333	300	5474	1
		Type6	17	1	333.3	9	0.3333	300	5565	1
		Type6	17	1	333.3	9	0.3333	300	5543	1
		Type6	17	1	333.3	9	0.3333	300	5438	1
		Type6	17	1	333.3	9	0.3333	300	5297	1
		Type6	17	1	333.3	9	0.3333	300	5552	1
		Type6	17	1	333.3	9	0.3333	300	5665	1
		Type6	17	1	333.3	9	0.3333	300	5499	1
		Type6	17	1	333.3	9	0.3333	300	5257	1
		Type6	17	1	333.3	9	0.3333	300	5280	1
		Type6	17	1	333.3	9	0.3333	300	5681	1
		Type6	17	1	333.3	9	0.3333	300	5485	1
		Type6	17	1	333.3	9	0.3333	300	5391	1
		Type6	17	1	333.3	9	0.3333	300	5470	1
		Type6	17	1	333.3	9	0.3333	300	5621	1
		Type6	17	1	333.3	9	0.3333	300	5708	1
		Type6	17	1	333.3	9	0.3333	300	5537	1
		Type6	17	1	333.3	9	0.3333	300	5509	1
		Type6	17	1	333.3	9	0.3333	300	5396	1
		Type6	17	1	333.3	9	0.3333	300	5331	1
		Type6	17	1	333.3	9	0.3333	300	5333	1
		Type6	17	1	333.3	9	0.3333	300	5464	1
		Type6	17	1	333.3	9	0.3333	300	5315	1
		Type6	17	1	333.3	9	0.3333	300	5301	1
		Type6	17	1	333.3	9	0.3333	300	5671	1
		Type6	17	1	333.3	9	0.3333	300	5699	1
		Type6	17	1	333.3	9	0.3333	300	5492	1
		Type6	17	1	333.3	9	0.3333	300	5427	1
		Type6	17	1	333.3	9	0.3333	300	5414	1
		Type6	17	1	333.3	9	0.3333	300	5687	1
		Type6	17	1	333.3	9	0.3333	300	5347	1
		Type6	17	1	333.3	9	0.3333	300	5688	1
		Type6	17	1	333.3	9	0.3333	300	5691	1
		Type6	17	1	333.3	9	0.3333	300	5304	1
		Type6	17	1	333.3	9	0.3333	300	5348	1
		Type6	17	1	333.3	9	0.3333	300	5715	1
		Type6	17	1	333.3	9	0.3333	300	5568	1
		Type6	17	1	333.3	9	0.3333	300	5633	1
		Type6	17	1	333.3	9	0.3333	300	5264	1
		Type6	17	1	333.3	9	0.3333	300	5354	1
		Type6	17	1	333.3	9	0.3333	300	5588	1
		Type6	17	1	333.3	9	0.3333	300	5287	1
		Type6	17	1	333.3	9	0.3333	300	5441	1
		Type6	17	1	333.3	9	0.3333	300	5549	1
		Type6	17	1	333.3	9	0.3333	300	5605	1
		Type6	17	1	333.3	9	0.3333	300	5692	1
		Type6	17	1	333.3	9	0.3333	300	5370	1
		Type6	17	1	333.3	9	0.3333	300	5367	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	17	1	333.3	9	0.3333	300	5522	1
Type6	17	1	333.3	9	0.3333	300	5421	1
Type6	17	1	333.3	9	0.3333	300	5546	1
Type6	17	1	333.3	9	0.3333	300	5266	1
Type6	17	1	333.3	9	0.3333	300	5253	1
Type6	17	1	333.3	9	0.3333	300	5446	1
Type6	17	1	333.3	9	0.3333	300	5450	1
Type6	17	1	333.3	9	0.3333	300	5544	1
Type6	17	1	333.3	9	0.3333	300	5558	1
Type6	17	1	333.3	9	0.3333	300	5366	1
Type6	17	1	333.3	9	0.3333	300	5412	1
Type6	17	1	333.3	9	0.3333	300	5353	1
Type6	17	1	333.3	9	0.3333	300	5547	1
Type6	17	1	333.3	9	0.3333	300	5328	1
Type6	17	1	333.3	9	0.3333	300	5434	1
Type6	17	1	333.3	9	0.3333	300	5541	1
Type6	17	1	333.3	9	0.3333	300	5507	1
Type6	17	1	333.3	9	0.3333	300	5261	1
Type6	17	1	333.3	9	0.3333	300	5511	1
Type6	17	1	333.3	9	0.3333	300	5408	1
Type6	17	1	333.3	9	0.3333	300	5317	1
Type6	17	1	333.3	9	0.3333	300	5719	1
Type6	17	1	333.3	9	0.3333	300	5481	1
Type6	17	1	333.3	9	0.3333	300	5355	1
Type6	17	1	333.3	9	0.3333	300	5462	1
Type6	17	1	333.3	9	0.3333	300	5459	1
Type6	17	1	333.3	9	0.3333	300	5480	1
Type6	17	1	333.3	9	0.3333	300	5312	1
Type6	17	1	333.3	9	0.3333	300	5648	1
Type6	17	1	333.3	9	0.3333	300	5663	1
Type6	17	1	333.3	9	0.3333	300	5682	1
Type6	17	1	333.3	9	0.3333	300	5599	1
Type6	17	1	333.3	9	0.3333	300	5540	1
Type6	17	1	333.3	9	0.3333	300	5659	1
Type6	17	1	333.3	9	0.3333	300	5356	1
Type6	17	1	333.3	9	0.3333	300	5718	1
Type6	17	1	333.3	9	0.3333	300	5685	1
Type6	17	1	333.3	9	0.3333	300	5276	1
Type6	17	1	333.3	9	0.3333	300	5316	1
Type6	17	1	333.3	9	0.3333	300	5413	1
Type6	17	1	333.3	9	0.3333	300	5640	1
Type6	17	1	333.3	9	0.3333	300	5510	1
Type6	17	1	333.3	9	0.3333	300	5655	1
Type6	17	1	333.3	9	0.3333	300	5497	1
Type6	17	1	333.3	9	0.3333	300	5271	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11N20MIMO	5260	Type6	18	1	333.3	9	0.3333	300	5665	1
		Type6	18	1	333.3	9	0.3333	300	5629	1
		Type6	18	1	333.3	9	0.3333	300	5586	1
		Type6	18	1	333.3	9	0.3333	300	5706	1
		Type6	18	1	333.3	9	0.3333	300	5589	1
		Type6	18	1	333.3	9	0.3333	300	5516	1
		Type6	18	1	333.3	9	0.3333	300	5682	1
		Type6	18	1	333.3	9	0.3333	300	5312	1
		Type6	18	1	333.3	9	0.3333	300	5359	1
		Type6	18	1	333.3	9	0.3333	300	5646	1
		Type6	18	1	333.3	9	0.3333	300	5647	1
		Type6	18	1	333.3	9	0.3333	300	5438	1
		Type6	18	1	333.3	9	0.3333	300	5633	1
		Type6	18	1	333.3	9	0.3333	300	5623	1
		Type6	18	1	333.3	9	0.3333	300	5585	1
		Type6	18	1	333.3	9	0.3333	300	5596	1
		Type6	18	1	333.3	9	0.3333	300	5466	1
		Type6	18	1	333.3	9	0.3333	300	5276	1
		Type6	18	1	333.3	9	0.3333	300	5435	1
		Type6	18	1	333.3	9	0.3333	300	5531	1
		Type6	18	1	333.3	9	0.3333	300	5338	1
		Type6	18	1	333.3	9	0.3333	300	5618	1
		Type6	18	1	333.3	9	0.3333	300	5580	1
		Type6	18	1	333.3	9	0.3333	300	5498	1
		Type6	18	1	333.3	9	0.3333	300	5394	1
		Type6	18	1	333.3	9	0.3333	300	5455	1
		Type6	18	1	333.3	9	0.3333	300	5619	1
		Type6	18	1	333.3	9	0.3333	300	5476	1
		Type6	18	1	333.3	9	0.3333	300	5273	1
		Type6	18	1	333.3	9	0.3333	300	5599	1
		Type6	18	1	333.3	9	0.3333	300	5543	1
		Type6	18	1	333.3	9	0.3333	300	5493	1
		Type6	18	1	333.3	9	0.3333	300	5661	1
		Type6	18	1	333.3	9	0.3333	300	5664	1
		Type6	18	1	333.3	9	0.3333	300	5258	1
		Type6	18	1	333.3	9	0.3333	300	5636	1
		Type6	18	1	333.3	9	0.3333	300	5392	1
		Type6	18	1	333.3	9	0.3333	300	5491	1
		Type6	18	1	333.3	9	0.3333	300	5341	1
		Type6	18	1	333.3	9	0.3333	300	5274	1
		Type6	18	1	333.3	9	0.3333	300	5326	1
		Type6	18	1	333.3	9	0.3333	300	5541	1
		Type6	18	1	333.3	9	0.3333	300	5560	1
		Type6	18	1	333.3	9	0.3333	300	5305	1
		Type6	18	1	333.3	9	0.3333	300	5603	1
		Type6	18	1	333.3	9	0.3333	300	5632	1
		Type6	18	1	333.3	9	0.3333	300	5462	1
		Type6	18	1	333.3	9	0.3333	300	5607	1
		Type6	18	1	333.3	9	0.3333	300	5463	1
		Type6	18	1	333.3	9	0.3333	300	5291	1
		Type6	18	1	333.3	9	0.3333	300	5674	1
		Type6	18	1	333.3	9	0.3333	300	5317	1
		Type6	18	1	333.3	9	0.3333	300	5666	1
		Type6	18	1	333.3	9	0.3333	300	5649	1
		Type6	18	1	333.3	9	0.3333	300	5611	1
		Type6	18	1	333.3	9	0.3333	300	5345	1
		Type6	18	1	333.3	9	0.3333	300	5672	1
		Type6	18	1	333.3	9	0.3333	300	5303	1
		Type6	18	1	333.3	9	0.3333	300	5434	1
		Type6	18	1	333.3	9	0.3333	300	5381	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	18	1	333.3	9	0.3333	300	5332	1
		Type6	18	1	333.3	9	0.3333	300	5419	1
		Type6	18	1	333.3	9	0.3333	300	5293	1
		Type6	18	1	333.3	9	0.3333	300	5711	1
		Type6	18	1	333.3	9	0.3333	300	5400	1
		Type6	18	1	333.3	9	0.3333	300	5430	1
		Type6	18	1	333.3	9	0.3333	300	5673	1
		Type6	18	1	333.3	9	0.3333	300	5403	1
		Type6	18	1	333.3	9	0.3333	300	5254	1
		Type6	18	1	333.3	9	0.3333	300	5718	1
		Type6	18	1	333.3	9	0.3333	300	5601	1
		Type6	18	1	333.3	9	0.3333	300	5410	1
		Type6	18	1	333.3	9	0.3333	300	5640	1
		Type6	18	1	333.3	9	0.3333	300	5290	1
		Type6	18	1	333.3	9	0.3333	300	5282	1
		Type6	18	1	333.3	9	0.3333	300	5342	1
		Type6	18	1	333.3	9	0.3333	300	5333	1
		Type6	18	1	333.3	9	0.3333	300	5573	1
		Type6	18	1	333.3	9	0.3333	300	5461	1
		Type6	18	1	333.3	9	0.3333	300	5557	1
		Type6	18	1	333.3	9	0.3333	300	5517	1
		Type6	18	1	333.3	9	0.3333	300	5304	1
		Type6	18	1	333.3	9	0.3333	300	5405	1
		Type6	18	1	333.3	9	0.3333	300	5525	1
		Type6	18	1	333.3	9	0.3333	300	5298	1
		Type6	18	1	333.3	9	0.3333	300	5708	1
		Type6	18	1	333.3	9	0.3333	300	5330	1
		Type6	18	1	333.3	9	0.3333	300	5310	1
		Type6	18	1	333.3	9	0.3333	300	5311	1
		Type6	18	1	333.3	9	0.3333	300	5309	1
		Type6	18	1	333.3	9	0.3333	300	5314	1
		Type6	18	1	333.3	9	0.3333	300	5450	1
		Type6	18	1	333.3	9	0.3333	300	5374	1
		Type6	18	1	333.3	9	0.3333	300	5609	1
		Type6	18	1	333.3	9	0.3333	300	5424	1
		Type6	18	1	333.3	9	0.3333	300	5506	1
		Type6	18	1	333.3	9	0.3333	300	5620	1
		Type6	18	1	333.3	9	0.3333	300	5572	1
		Type6	18	1	333.3	9	0.3333	300	5518	1
		Type6	18	1	333.3	9	0.3333	300	5275	1
11N40MIMO	5270	Type6	18	1	333.3	9	0.3333	300	5543	1
		Type6	18	1	333.3	9	0.3333	300	5580	1
		Type6	18	1	333.3	9	0.3333	300	5273	1
		Type6	18	1	333.3	9	0.3333	300	5312	1
		Type6	18	1	333.3	9	0.3333	300	5394	1
		Type6	18	1	333.3	9	0.3333	300	5599	1
		Type6	18	1	333.3	9	0.3333	300	5661	1
		Type6	18	1	333.3	9	0.3333	300	5338	1
		Type6	18	1	333.3	9	0.3333	300	5291	1
		Type6	18	1	333.3	9	0.3333	300	5314	1
		Type6	18	1	333.3	9	0.3333	300	5309	1
		Type6	18	1	333.3	9	0.3333	300	5311	1
		Type6	18	1	333.3	9	0.3333	300	5424	1
		Type6	18	1	333.3	9	0.3333	300	5629	1
		Type6	18	1	333.3	9	0.3333	300	5664	1
		Type6	18	1	333.3	9	0.3333	300	5531	1
		Type6	18	1	333.3	9	0.3333	300	5476	1
		Type6	18	1	333.3	9	0.3333	300	5618	1
		Type6	18	1	333.3	9	0.3333	300	5438	1
		Type6	18	1	333.3	9	0.3333	300	5498	1
		Type6	18	1	333.3	9	0.3333	300	5586	1
		Type6	18	1	333.3	9	0.3333	300	5455	1
		Type6	18	1	333.3	9	0.3333	300	5276	1
		Type6	18	1	333.3	9	0.3333	300	5435	1
		Type6	18	1	333.3	9	0.3333	300	5517	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	18	1	333.3	9	0.3333	300	5572	1
Type6	18	1	333.3	9	0.3333	300	5620	1
Type6	18	1	333.3	9	0.3333	300	5506	1
Type6	18	1	333.3	9	0.3333	300	5282	1
Type6	18	1	333.3	9	0.3333	300	5342	1
Type6	18	1	333.3	9	0.3333	300	5330	1
Type6	18	1	333.3	9	0.3333	300	5573	1
Type6	18	1	333.3	9	0.3333	300	5665	1
Type6	18	1	333.3	9	0.3333	300	5557	1
Type6	18	1	333.3	9	0.3333	300	5461	1
Type6	18	1	333.3	9	0.3333	300	5601	1
Type6	18	1	333.3	9	0.3333	300	5708	1
Type6	18	1	333.3	9	0.3333	300	5298	1
Type6	18	1	333.3	9	0.3333	300	5525	1
Type6	18	1	333.3	9	0.3333	300	5405	1
Type6	18	1	333.3	9	0.3333	300	5304	1
Type6	18	1	333.3	9	0.3333	300	5682	1
Type6	18	1	333.3	9	0.3333	300	5718	1
Type6	18	1	333.3	9	0.3333	300	5633	1
Type6	18	1	333.3	9	0.3333	300	5589	1
Type6	18	1	333.3	9	0.3333	300	5516	1
Type6	18	1	333.3	9	0.3333	300	5666	1
Type6	18	1	333.3	9	0.3333	300	5466	1
Type6	18	1	333.3	9	0.3333	300	5374	1
Type6	18	1	333.3	9	0.3333	300	5359	1
Type6	18	1	333.3	9	0.3333	300	5463	1
Type6	18	1	333.3	9	0.3333	300	5518	1
Type6	18	1	333.3	9	0.3333	300	5493	1
Type6	18	1	333.3	9	0.3333	300	5275	1
Type6	18	1	333.3	9	0.3333	300	5450	1
Type6	18	1	333.3	9	0.3333	300	5310	1
Type6	18	1	333.3	9	0.3333	300	5290	1
Type6	18	1	333.3	9	0.3333	300	5640	1
Type6	18	1	333.3	9	0.3333	300	5410	1
Type6	18	1	333.3	9	0.3333	300	5609	1
Type6	18	1	333.3	9	0.3333	300	5333	1
Type6	18	1	333.3	9	0.3333	300	5706	1
Type6	18	1	333.3	9	0.3333	300	5647	1
Type6	18	1	333.3	9	0.3333	300	5274	1
Type6	18	1	333.3	9	0.3333	300	5303	1
Type6	18	1	333.3	9	0.3333	300	5254	1
Type6	18	1	333.3	9	0.3333	300	5381	1
Type6	18	1	333.3	9	0.3333	300	5317	1
Type6	18	1	333.3	9	0.3333	300	5293	1
Type6	18	1	333.3	9	0.3333	300	5400	1
Type6	18	1	333.3	9	0.3333	300	5430	1
Type6	18	1	333.3	9	0.3333	300	5672	1
Type6	18	1	333.3	9	0.3333	300	5646	1
Type6	18	1	333.3	9	0.3333	300	5419	1
Type6	18	1	333.3	9	0.3333	300	5341	1
Type6	18	1	333.3	9	0.3333	300	5491	1
Type6	18	1	333.3	9	0.3333	300	5392	1
Type6	18	1	333.3	9	0.3333	300	5636	1
Type6	18	1	333.3	9	0.3333	300	5434	1
Type6	18	1	333.3	9	0.3333	300	5332	1
Type6	18	1	333.3	9	0.3333	300	5305	1
Type6	18	1	333.3	9	0.3333	300	5607	1
Type6	18	1	333.3	9	0.3333	300	5673	1
Type6	18	1	333.3	9	0.3333	300	5326	1
Type6	18	1	333.3	9	0.3333	300	5462	1
Type6	18	1	333.3	9	0.3333	300	5632	1
Type6	18	1	333.3	9	0.3333	300	5603	1
Type6	18	1	333.3	9	0.3333	300	5258	1
Type6	18	1	333.3	9	0.3333	300	5711	1
Type6	18	1	333.3	9	0.3333	300	5674	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	18	1	333.3	9	0.3333	300	5345	1
		Type6	18	1	333.3	9	0.3333	300	5623	1
		Type6	18	1	333.3	9	0.3333	300	5585	1
		Type6	18	1	333.3	9	0.3333	300	5596	1
		Type6	18	1	333.3	9	0.3333	300	5403	1
		Type6	18	1	333.3	9	0.3333	300	5619	1
		Type6	18	1	333.3	9	0.3333	300	5649	1
		Type6	18	1	333.3	9	0.3333	300	5611	1
		Type6	18	1	333.3	9	0.3333	300	5541	1
11AC80MIMO	5290	Type6	18	1	333.3	9	0.3333	300	5560	1
		Type6	18	1	333.3	9	0.3333	300	5572	1
		Type6	18	1	333.3	9	0.3333	300	5298	1
		Type6	18	1	333.3	9	0.3333	300	5708	1
		Type6	18	1	333.3	9	0.3333	300	5601	1
		Type6	18	1	333.3	9	0.3333	300	5517	1
		Type6	18	1	333.3	9	0.3333	300	5557	1
		Type6	18	1	333.3	9	0.3333	300	5718	1
		Type6	18	1	333.3	9	0.3333	300	5573	1
		Type6	18	1	333.3	9	0.3333	300	5330	1
		Type6	18	1	333.3	9	0.3333	300	5342	1
		Type6	18	1	333.3	9	0.3333	300	5506	1
		Type6	18	1	333.3	9	0.3333	300	5518	1
		Type6	18	1	333.3	9	0.3333	300	5275	1
		Type6	18	1	333.3	9	0.3333	300	5430	1
		Type6	18	1	333.3	9	0.3333	300	5461	1
		Type6	18	1	333.3	9	0.3333	300	5525	1
		Type6	18	1	333.3	9	0.3333	300	5620	1
		Type6	18	1	333.3	9	0.3333	300	5282	1
		Type6	18	1	333.3	9	0.3333	300	5560	1
		Type6	18	1	333.3	9	0.3333	300	5711	1
		Type6	18	1	333.3	9	0.3333	300	5392	1
		Type6	18	1	333.3	9	0.3333	300	5491	1
		Type6	18	1	333.3	9	0.3333	300	5341	1
		Type6	18	1	333.3	9	0.3333	300	5274	1
		Type6	18	1	333.3	9	0.3333	300	5434	1
		Type6	18	1	333.3	9	0.3333	300	5674	1
		Type6	18	1	333.3	9	0.3333	300	5332	1
		Type6	18	1	333.3	9	0.3333	300	5258	1
		Type6	18	1	333.3	9	0.3333	300	5603	1
		Type6	18	1	333.3	9	0.3333	300	5632	1
		Type6	18	1	333.3	9	0.3333	300	5462	1
		Type6	18	1	333.3	9	0.3333	300	5607	1
		Type6	18	1	333.3	9	0.3333	300	5463	1
		Type6	18	1	333.3	9	0.3333	300	5326	1
		Type6	18	1	333.3	9	0.3333	300	5419	1
		Type6	18	1	333.3	9	0.3333	300	5611	1
		Type6	18	1	333.3	9	0.3333	300	5345	1
		Type6	18	1	333.3	9	0.3333	300	5672	1
		Type6	18	1	333.3	9	0.3333	300	5303	1
		Type6	18	1	333.3	9	0.3333	300	5254	1
		Type6	18	1	333.3	9	0.3333	300	5636	1
		Type6	18	1	333.3	9	0.3333	300	5317	1
		Type6	18	1	333.3	9	0.3333	300	5649	1
		Type6	18	1	333.3	9	0.3333	300	5293	1
		Type6	18	1	333.3	9	0.3333	300	5333	1
		Type6	18	1	333.3	9	0.3333	300	5400	1
		Type6	18	1	333.3	9	0.3333	300	5541	1
		Type6	18	1	333.3	9	0.3333	300	5673	1
		Type6	18	1	333.3	9	0.3333	300	5305	1
		Type6	18	1	333.3	9	0.3333	300	5381	1
		Type6	18	1	333.3	9	0.3333	300	5531	1
		Type6	18	1	333.3	9	0.3333	300	5619	1
		Type6	18	1	333.3	9	0.3333	300	5599	1
		Type6	18	1	333.3	9	0.3333	300	5273	1
		Type6	18	1	333.3	9	0.3333	300	5476	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	18	1	333.3	9	0.3333	300	5276	1
Type6	18	1	333.3	9	0.3333	300	5450	1
Type6	18	1	333.3	9	0.3333	300	5314	1
Type6	18	1	333.3	9	0.3333	300	5309	1
Type6	18	1	333.3	9	0.3333	300	5311	1
Type6	18	1	333.3	9	0.3333	300	5424	1
Type6	18	1	333.3	9	0.3333	300	5493	1
Type6	18	1	333.3	9	0.3333	300	5435	1
Type6	18	1	333.3	9	0.3333	300	5661	1
Type6	18	1	333.3	9	0.3333	300	5338	1
Type6	18	1	333.3	9	0.3333	300	5618	1
Type6	18	1	333.3	9	0.3333	300	5580	1
Type6	18	1	333.3	9	0.3333	300	5498	1
Type6	18	1	333.3	9	0.3333	300	5664	1
Type6	18	1	333.3	9	0.3333	300	5455	1
Type6	18	1	333.3	9	0.3333	300	5405	1
Type6	18	1	333.3	9	0.3333	300	5304	1
Type6	18	1	333.3	9	0.3333	300	5682	1
Type6	18	1	333.3	9	0.3333	300	5291	1
Type6	18	1	333.3	9	0.3333	300	5629	1
Type6	18	1	333.3	9	0.3333	300	5359	1
Type6	18	1	333.3	9	0.3333	300	5410	1
Type6	18	1	333.3	9	0.3333	300	5640	1
Type6	18	1	333.3	9	0.3333	300	5290	1
Type6	18	1	333.3	9	0.3333	300	5310	1
Type6	18	1	333.3	9	0.3333	300	5403	1
Type6	18	1	333.3	9	0.3333	300	5596	1
Type6	18	1	333.3	9	0.3333	300	5585	1
Type6	18	1	333.3	9	0.3333	300	5623	1
Type6	18	1	333.3	9	0.3333	300	5633	1
Type6	18	1	333.3	9	0.3333	300	5438	1
Type6	18	1	333.3	9	0.3333	300	5543	1
Type6	18	1	333.3	9	0.3333	300	5665	1
Type6	18	1	333.3	9	0.3333	300	5609	1
Type6	18	1	333.3	9	0.3333	300	5374	1
Type6	18	1	333.3	9	0.3333	300	5466	1
Type6	18	1	333.3	9	0.3333	300	5666	1
Type6	18	1	333.3	9	0.3333	300	5516	1
Type6	18	1	333.3	9	0.3333	300	5589	1
Type6	18	1	333.3	9	0.3333	300	5706	1
Type6	18	1	333.3	9	0.3333	300	5586	1
Type6	18	1	333.3	9	0.3333	300	5394	1
Type6	18	1	333.3	9	0.3333	300	5312	1
Type6	18	1	333.3	9	0.3333	300	5646	1
Type6	18	1	333.3	9	0.3333	300	5647	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11N20MIMO	5260	Type6	19	1	333.3	9	0.3333	300	5608	1
		Type6	19	1	333.3	9	0.3333	300	5500	1
		Type6	19	1	333.3	9	0.3333	300	5377	1
		Type6	19	1	333.3	9	0.3333	300	5623	1
		Type6	19	1	333.3	9	0.3333	300	5543	1
		Type6	19	1	333.3	9	0.3333	300	5702	1
		Type6	19	1	333.3	9	0.3333	300	5546	1
		Type6	19	1	333.3	9	0.3333	300	5430	1
		Type6	19	1	333.3	9	0.3333	300	5285	1
		Type6	19	1	333.3	9	0.3333	300	5524	1
		Type6	19	1	333.3	9	0.3333	300	5615	1
		Type6	19	1	333.3	9	0.3333	300	5280	1
		Type6	19	1	333.3	9	0.3333	300	5334	1
		Type6	19	1	333.3	9	0.3333	300	5635	1
		Type6	19	1	333.3	9	0.3333	300	5450	1
		Type6	19	1	333.3	9	0.3333	300	5447	1
		Type6	19	1	333.3	9	0.3333	300	5390	1
		Type6	19	1	333.3	9	0.3333	300	5401	1
		Type6	19	1	333.3	9	0.3333	300	5577	1
		Type6	19	1	333.3	9	0.3333	300	5308	1
		Type6	19	1	333.3	9	0.3333	300	5672	1
		Type6	19	1	333.3	9	0.3333	300	5464	1
		Type6	19	1	333.3	9	0.3333	300	5275	1
		Type6	19	1	333.3	9	0.3333	300	5600	1
		Type6	19	1	333.3	9	0.3333	300	5507	1
		Type6	19	1	333.3	9	0.3333	300	5594	1
		Type6	19	1	333.3	9	0.3333	300	5300	1
		Type6	19	1	333.3	9	0.3333	300	5393	1
		Type6	19	1	333.3	9	0.3333	300	5415	1
		Type6	19	1	333.3	9	0.3333	300	5518	1
		Type6	19	1	333.3	9	0.3333	300	5622	1
		Type6	19	1	333.3	9	0.3333	300	5620	1
		Type6	19	1	333.3	9	0.3333	300	5502	1
		Type6	19	1	333.3	9	0.3333	300	5373	1
		Type6	19	1	333.3	9	0.3333	300	5649	1
		Type6	19	1	333.3	9	0.3333	300	5273	1
		Type6	19	1	333.3	9	0.3333	300	5645	1
		Type6	19	1	333.3	9	0.3333	300	5681	1
		Type6	19	1	333.3	9	0.3333	300	5322	1
		Type6	19	1	333.3	9	0.3333	300	5440	1
		Type6	19	1	333.3	9	0.3333	300	5288	1
		Type6	19	1	333.3	9	0.3333	300	5383	1
		Type6	19	1	333.3	9	0.3333	300	5512	1
		Type6	19	1	333.3	9	0.3333	300	5439	1
		Type6	19	1	333.3	9	0.3333	300	5315	1
		Type6	19	1	333.3	9	0.3333	300	5590	1
		Type6	19	1	333.3	9	0.3333	300	5257	1
		Type6	19	1	333.3	9	0.3333	300	5335	1
		Type6	19	1	333.3	9	0.3333	300	5265	1
		Type6	19	1	333.3	9	0.3333	300	5596	1
		Type6	19	1	333.3	9	0.3333	300	5724	1
		Type6	19	1	333.3	9	0.3333	300	5621	1
		Type6	19	1	333.3	9	0.3333	300	5662	1
		Type6	19	1	333.3	9	0.3333	300	5719	1
		Type6	19	1	333.3	9	0.3333	300	5589	1
		Type6	19	1	333.3	9	0.3333	300	5528	1
		Type6	19	1	333.3	9	0.3333	300	5515	1
		Type6	19	1	333.3	9	0.3333	300	5716	1
		Type6	19	1	333.3	9	0.3333	300	5462	1
		Type6	19	1	333.3	9	0.3333	300	5433	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	19	1	333.3	9	0.3333	300	5307	1
		Type6	19	1	333.3	9	0.3333	300	5284	1
		Type6	19	1	333.3	9	0.3333	300	5510	1
		Type6	19	1	333.3	9	0.3333	300	5474	1
		Type6	19	1	333.3	9	0.3333	300	5292	1
		Type6	19	1	333.3	9	0.3333	300	5399	1
		Type6	19	1	333.3	9	0.3333	300	5710	1
		Type6	19	1	333.3	9	0.3333	300	5250	1
		Type6	19	1	333.3	9	0.3333	300	5353	1
		Type6	19	1	333.3	9	0.3333	300	5509	1
		Type6	19	1	333.3	9	0.3333	300	5303	1
		Type6	19	1	333.3	9	0.3333	300	5597	1
		Type6	19	1	333.3	9	0.3333	300	5407	1
		Type6	19	1	333.3	9	0.3333	300	5428	1
		Type6	19	1	333.3	9	0.3333	300	5562	1
		Type6	19	1	333.3	9	0.3333	300	5678	1
		Type6	19	1	333.3	9	0.3333	300	5296	1
		Type6	19	1	333.3	9	0.3333	300	5442	1
		Type6	19	1	333.3	9	0.3333	300	5289	1
		Type6	19	1	333.3	9	0.3333	300	5424	1
		Type6	19	1	333.3	9	0.3333	300	5706	1
		Type6	19	1	333.3	9	0.3333	300	5571	1
		Type6	19	1	333.3	9	0.3333	300	5361	1
		Type6	19	1	333.3	9	0.3333	300	5629	1
		Type6	19	1	333.3	9	0.3333	300	5479	1
		Type6	19	1	333.3	9	0.3333	300	5392	1
		Type6	19	1	333.3	9	0.3333	300	5519	1
		Type6	19	1	333.3	9	0.3333	300	5456	1
		Type6	19	1	333.3	9	0.3333	300	5290	1
		Type6	19	1	333.3	9	0.3333	300	5566	1
		Type6	19	1	333.3	9	0.3333	300	5297	1
		Type6	19	1	333.3	9	0.3333	300	5679	1
		Type6	19	1	333.3	9	0.3333	300	5435	1
		Type6	19	1	333.3	9	0.3333	300	5282	1
		Type6	19	1	333.3	9	0.3333	300	5385	1
		Type6	19	1	333.3	9	0.3333	300	5372	1
		Type6	19	1	333.3	9	0.3333	300	5283	1
		Type6	19	1	333.3	9	0.3333	300	5494	1
		Type6	19	1	333.3	9	0.3333	300	5337	1
		Type6	19	1	333.3	9	0.3333	300	5560	1
11N40MIMO	5270	Type6	19	1	333.3	9	0.3333	300	5577	1
		Type6	19	1	333.3	9	0.3333	300	5290	1
		Type6	19	1	333.3	9	0.3333	300	5282	1
		Type6	19	1	333.3	9	0.3333	300	5297	1
		Type6	19	1	333.3	9	0.3333	300	5716	1
		Type6	19	1	333.3	9	0.3333	300	5623	1
		Type6	19	1	333.3	9	0.3333	300	5600	1
		Type6	19	1	333.3	9	0.3333	300	5275	1
		Type6	19	1	333.3	9	0.3333	300	5464	1
		Type6	19	1	333.3	9	0.3333	300	5392	1
		Type6	19	1	333.3	9	0.3333	300	5308	1
		Type6	19	1	333.3	9	0.3333	300	5435	1
		Type6	19	1	333.3	9	0.3333	300	5401	1
		Type6	19	1	333.3	9	0.3333	300	5390	1
		Type6	19	1	333.3	9	0.3333	300	5447	1
		Type6	19	1	333.3	9	0.3333	300	5450	1
		Type6	19	1	333.3	9	0.3333	300	5608	1
		Type6	19	1	333.3	9	0.3333	300	5672	1
		Type6	19	1	333.3	9	0.3333	300	5645	1
		Type6	19	1	333.3	9	0.3333	300	5500	1
		Type6	19	1	333.3	9	0.3333	300	5334	1
		Type6	19	1	333.3	9	0.3333	300	5546	1
		Type6	19	1	333.3	9	0.3333	300	5702	1
		Type6	19	1	333.3	9	0.3333	300	5335	1
		Type6	19	1	333.3	9	0.3333	300	5265	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	19	1	333.3	9	0.3333	300	5635	1
Type6	19	1	333.3	9	0.3333	300	5442	1
Type6	19	1	333.3	9	0.3333	300	5280	1
Type6	19	1	333.3	9	0.3333	300	5456	1
Type6	19	1	333.3	9	0.3333	300	5377	1
Type6	19	1	333.3	9	0.3333	300	5424	1
Type6	19	1	333.3	9	0.3333	300	5706	1
Type6	19	1	333.3	9	0.3333	300	5571	1
Type6	19	1	333.3	9	0.3333	300	5361	1
Type6	19	1	333.3	9	0.3333	300	5479	1
Type6	19	1	333.3	9	0.3333	300	5519	1
Type6	19	1	333.3	9	0.3333	300	5543	1
Type6	19	1	333.3	9	0.3333	300	5518	1
Type6	19	1	333.3	9	0.3333	300	5596	1
Type6	19	1	333.3	9	0.3333	300	5566	1
Type6	19	1	333.3	9	0.3333	300	5462	1
Type6	19	1	333.3	9	0.3333	300	5292	1
Type6	19	1	333.3	9	0.3333	300	5515	1
Type6	19	1	333.3	9	0.3333	300	5284	1
Type6	19	1	333.3	9	0.3333	300	5415	1
Type6	19	1	333.3	9	0.3333	300	5289	1
Type6	19	1	333.3	9	0.3333	300	5622	1
Type6	19	1	333.3	9	0.3333	300	5620	1
Type6	19	1	333.3	9	0.3333	300	5502	1
Type6	19	1	333.3	9	0.3333	300	5373	1
Type6	19	1	333.3	9	0.3333	300	5649	1
Type6	19	1	333.3	9	0.3333	300	5597	1
Type6	19	1	333.3	9	0.3333	300	5393	1
Type6	19	1	333.3	9	0.3333	300	5353	1
Type6	19	1	333.3	9	0.3333	300	5407	1
Type6	19	1	333.3	9	0.3333	300	5428	1
Type6	19	1	333.3	9	0.3333	300	5562	1
Type6	19	1	333.3	9	0.3333	300	5678	1
Type6	19	1	333.3	9	0.3333	300	5300	1
Type6	19	1	333.3	9	0.3333	300	5307	1
Type6	19	1	333.3	9	0.3333	300	5509	1
Type6	19	1	333.3	9	0.3333	300	5681	1
Type6	19	1	333.3	9	0.3333	300	5250	1
Type6	19	1	333.3	9	0.3333	300	5710	1
Type6	19	1	333.3	9	0.3333	300	5399	1
Type6	19	1	333.3	9	0.3333	300	5724	1
Type6	19	1	333.3	9	0.3333	300	5474	1
Type6	19	1	333.3	9	0.3333	300	5296	1
Type6	19	1	333.3	9	0.3333	300	5303	1
Type6	19	1	333.3	9	0.3333	300	5629	1
Type6	19	1	333.3	9	0.3333	300	5273	1
Type6	19	1	333.3	9	0.3333	300	5337	1
Type6	19	1	333.3	9	0.3333	300	5494	1
Type6	19	1	333.3	9	0.3333	300	5283	1
Type6	19	1	333.3	9	0.3333	300	5372	1
Type6	19	1	333.3	9	0.3333	300	5621	1
Type6	19	1	333.3	9	0.3333	300	5560	1
Type6	19	1	333.3	9	0.3333	300	5662	1
Type6	19	1	333.3	9	0.3333	300	5433	1
Type6	19	1	333.3	9	0.3333	300	5430	1
Type6	19	1	333.3	9	0.3333	300	5322	1
Type6	19	1	333.3	9	0.3333	300	5285	1
Type6	19	1	333.3	9	0.3333	300	5524	1
Type6	19	1	333.3	9	0.3333	300	5615	1
Type6	19	1	333.3	9	0.3333	300	5385	1
Type6	19	1	333.3	9	0.3333	300	5590	1
Type6	19	1	333.3	9	0.3333	300	5594	1
Type6	19	1	333.3	9	0.3333	300	5440	1
Type6	19	1	333.3	9	0.3333	300	5288	1
Type6	19	1	333.3	9	0.3333	300	5383	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	19	1	333.3	9	0.3333	300	5512	1
		Type6	19	1	333.3	9	0.3333	300	5510	1
		Type6	19	1	333.3	9	0.3333	300	5315	1
		Type6	19	1	333.3	9	0.3333	300	5257	1
		Type6	19	1	333.3	9	0.3333	300	5528	1
		Type6	19	1	333.3	9	0.3333	300	5507	1
		Type6	19	1	333.3	9	0.3333	300	5589	1
		Type6	19	1	333.3	9	0.3333	300	5679	1
		Type6	19	1	333.3	9	0.3333	300	5719	1
11AC80MIMO	5290	Type6	19	1	333.3	9	0.3333	300	5439	1
		Type6	19	1	333.3	9	0.3333	300	5596	1
		Type6	19	1	333.3	9	0.3333	300	5288	1
		Type6	19	1	333.3	9	0.3333	300	5702	1
		Type6	19	1	333.3	9	0.3333	300	5543	1
		Type6	19	1	333.3	9	0.3333	300	5623	1
		Type6	19	1	333.3	9	0.3333	300	5377	1
		Type6	19	1	333.3	9	0.3333	300	5645	1
		Type6	19	1	333.3	9	0.3333	300	5280	1
		Type6	19	1	333.3	9	0.3333	300	5635	1
		Type6	19	1	333.3	9	0.3333	300	5265	1
		Type6	19	1	333.3	9	0.3333	300	5335	1
		Type6	19	1	333.3	9	0.3333	300	5257	1
		Type6	19	1	333.3	9	0.3333	300	5590	1
		Type6	19	1	333.3	9	0.3333	300	5315	1
		Type6	19	1	333.3	9	0.3333	300	5439	1
		Type6	19	1	333.3	9	0.3333	300	5649	1
		Type6	19	1	333.3	9	0.3333	300	5373	1
		Type6	19	1	333.3	9	0.3333	300	5289	1
		Type6	19	1	333.3	9	0.3333	300	5393	1
		Type6	19	1	333.3	9	0.3333	300	5415	1
		Type6	19	1	333.3	9	0.3333	300	5518	1
		Type6	19	1	333.3	9	0.3333	300	5622	1
		Type6	19	1	333.3	9	0.3333	300	5512	1
		Type6	19	1	333.3	9	0.3333	300	5502	1
		Type6	19	1	333.3	9	0.3333	300	5383	1
		Type6	19	1	333.3	9	0.3333	300	5273	1
		Type6	19	1	333.3	9	0.3333	300	5456	1
		Type6	19	1	333.3	9	0.3333	300	5681	1
		Type6	19	1	333.3	9	0.3333	300	5594	1
		Type6	19	1	333.3	9	0.3333	300	5440	1
		Type6	19	1	333.3	9	0.3333	300	5629	1
		Type6	19	1	333.3	9	0.3333	300	5620	1
		Type6	19	1	333.3	9	0.3333	300	5284	1
		Type6	19	1	333.3	9	0.3333	300	5353	1
		Type6	19	1	333.3	9	0.3333	300	5589	1
		Type6	19	1	333.3	9	0.3333	300	5528	1
		Type6	19	1	333.3	9	0.3333	300	5515	1
		Type6	19	1	333.3	9	0.3333	300	5292	1
		Type6	19	1	333.3	9	0.3333	300	5462	1
		Type6	19	1	333.3	9	0.3333	300	5662	1
		Type6	19	1	333.3	9	0.3333	300	5307	1
		Type6	19	1	333.3	9	0.3333	300	5621	1
		Type6	19	1	333.3	9	0.3333	300	5296	1
		Type6	19	1	333.3	9	0.3333	300	5474	1
		Type6	19	1	333.3	9	0.3333	300	5724	1
		Type6	19	1	333.3	9	0.3333	300	5399	1
		Type6	19	1	333.3	9	0.3333	300	5710	1
		Type6	19	1	333.3	9	0.3333	300	5442	1
		Type6	19	1	333.3	9	0.3333	300	5566	1
		Type6	19	1	333.3	9	0.3333	300	5507	1
		Type6	19	1	333.3	9	0.3333	300	5577	1
		Type6	19	1	333.3	9	0.3333	300	5401	1
		Type6	19	1	333.3	9	0.3333	300	5390	1
		Type6	19	1	333.3	9	0.3333	300	5447	1
		Type6	19	1	333.3	9	0.3333	300	5450	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	19	1	333.3	9	0.3333	300	5608	1
Type6	19	1	333.3	9	0.3333	300	5719	1
Type6	19	1	333.3	9	0.3333	300	5546	1
Type6	19	1	333.3	9	0.3333	300	5509	1
Type6	19	1	333.3	9	0.3333	300	5615	1
Type6	19	1	333.3	9	0.3333	300	5524	1
Type6	19	1	333.3	9	0.3333	300	5285	1
Type6	19	1	333.3	9	0.3333	300	5322	1
Type6	19	1	333.3	9	0.3333	300	5430	1
Type6	19	1	333.3	9	0.3333	300	5433	1
Type6	19	1	333.3	9	0.3333	300	5334	1
Type6	19	1	333.3	9	0.3333	300	5424	1
Type6	19	1	333.3	9	0.3333	300	5250	1
Type6	19	1	333.3	9	0.3333	300	5392	1
Type6	19	1	333.3	9	0.3333	300	5519	1
Type6	19	1	333.3	9	0.3333	300	5479	1
Type6	19	1	333.3	9	0.3333	300	5435	1
Type6	19	1	333.3	9	0.3333	300	5361	1
Type6	19	1	333.3	9	0.3333	300	5282	1
Type6	19	1	333.3	9	0.3333	300	5706	1
Type6	19	1	333.3	9	0.3333	300	5297	1
Type6	19	1	333.3	9	0.3333	300	5510	1
Type6	19	1	333.3	9	0.3333	300	5337	1
Type6	19	1	333.3	9	0.3333	300	5494	1
Type6	19	1	333.3	9	0.3333	300	5283	1
Type6	19	1	333.3	9	0.3333	300	5372	1
Type6	19	1	333.3	9	0.3333	300	5385	1
Type6	19	1	333.3	9	0.3333	300	5571	1
Type6	19	1	333.3	9	0.3333	300	5672	1
Type6	19	1	333.3	9	0.3333	300	5303	1
Type6	19	1	333.3	9	0.3333	300	5597	1
Type6	19	1	333.3	9	0.3333	300	5407	1
Type6	19	1	333.3	9	0.3333	300	5428	1
Type6	19	1	333.3	9	0.3333	300	5562	1
Type6	19	1	333.3	9	0.3333	300	5678	1
Type6	19	1	333.3	9	0.3333	300	5290	1
Type6	19	1	333.3	9	0.3333	300	5308	1
Type6	19	1	333.3	9	0.3333	300	5560	1
Type6	19	1	333.3	9	0.3333	300	5464	1
Type6	19	1	333.3	9	0.3333	300	5275	1
Type6	19	1	333.3	9	0.3333	300	5600	1
Type6	19	1	333.3	9	0.3333	300	5500	1
Type6	19	1	333.3	9	0.3333	300	5716	1
Type6	19	1	333.3	9	0.3333	300	5679	1
Type6	19	1	333.3	9	0.3333	300	5300	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11N20MIMO	5260	Type6	20	1	333.3	9	0.3333	300	5403	1
		Type6	20	1	333.3	9	0.3333	300	5502	1
		Type6	20	1	333.3	9	0.3333	300	5597	1
		Type6	20	1	333.3	9	0.3333	300	5309	1
		Type6	20	1	333.3	9	0.3333	300	5479	1
		Type6	20	1	333.3	9	0.3333	300	5466	1
		Type6	20	1	333.3	9	0.3333	300	5704	1
		Type6	20	1	333.3	9	0.3333	300	5601	1
		Type6	20	1	333.3	9	0.3333	300	5515	1
		Type6	20	1	333.3	9	0.3333	300	5555	1
		Type6	20	1	333.3	9	0.3333	300	5396	1
		Type6	20	1	333.3	9	0.3333	300	5680	1
		Type6	20	1	333.3	9	0.3333	300	5347	1
		Type6	20	1	333.3	9	0.3333	300	5710	1
		Type6	20	1	333.3	9	0.3333	300	5615	1
		Type6	20	1	333.3	9	0.3333	300	5260	1
		Type6	20	1	333.3	9	0.3333	300	5454	1
		Type6	20	1	333.3	9	0.3333	300	5326	1
		Type6	20	1	333.3	9	0.3333	300	5338	1
		Type6	20	1	333.3	9	0.3333	300	5677	1
		Type6	20	1	333.3	9	0.3333	300	5465	1
		Type6	20	1	333.3	9	0.3333	300	5554	1
		Type6	20	1	333.3	9	0.3333	300	5688	1
		Type6	20	1	333.3	9	0.3333	300	5660	1
		Type6	20	1	333.3	9	0.3333	300	5591	1
		Type6	20	1	333.3	9	0.3333	300	5422	1
		Type6	20	1	333.3	9	0.3333	300	5700	1
		Type6	20	1	333.3	9	0.3333	300	5435	1
		Type6	20	1	333.3	9	0.3333	300	5449	1
		Type6	20	1	333.3	9	0.3333	300	5622	1
		Type6	20	1	333.3	9	0.3333	300	5350	1
		Type6	20	1	333.3	9	0.3333	300	5569	1
		Type6	20	1	333.3	9	0.3333	300	5390	1
		Type6	20	1	333.3	9	0.3333	300	5443	1
		Type6	20	1	333.3	9	0.3333	300	5641	1
		Type6	20	1	333.3	9	0.3333	300	5665	1
		Type6	20	1	333.3	9	0.3333	300	5687	1
		Type6	20	1	333.3	9	0.3333	300	5311	1
		Type6	20	1	333.3	9	0.3333	300	5579	1
		Type6	20	1	333.3	9	0.3333	300	5543	1
		Type6	20	1	333.3	9	0.3333	300	5318	1
		Type6	20	1	333.3	9	0.3333	300	5471	1
		Type6	20	1	333.3	9	0.3333	300	5533	1
		Type6	20	1	333.3	9	0.3333	300	5634	1
		Type6	20	1	333.3	9	0.3333	300	5356	1
		Type6	20	1	333.3	9	0.3333	300	5379	1
		Type6	20	1	333.3	9	0.3333	300	5566	1
		Type6	20	1	333.3	9	0.3333	300	5639	1
		Type6	20	1	333.3	9	0.3333	300	5428	1
		Type6	20	1	333.3	9	0.3333	300	5592	1
		Type6	20	1	333.3	9	0.3333	300	5719	1
		Type6	20	1	333.3	9	0.3333	300	5387	1
		Type6	20	1	333.3	9	0.3333	300	5261	1
		Type6	20	1	333.3	9	0.3333	300	5707	1
		Type6	20	1	333.3	9	0.3333	300	5291	1
		Type6	20	1	333.3	9	0.3333	300	5550	1
		Type6	20	1	333.3	9	0.3333	300	5602	1
		Type6	20	1	333.3	9	0.3333	300	5386	1
		Type6	20	1	333.3	9	0.3333	300	5257	1
		Type6	20	1	333.3	9	0.3333	300	5527	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	20	1	333.3	9	0.3333	300	5692	1
		Type6	20	1	333.3	9	0.3333	300	5498	1
		Type6	20	1	333.3	9	0.3333	300	5269	1
		Type6	20	1	333.3	9	0.3333	300	5487	1
		Type6	20	1	333.3	9	0.3333	300	5439	1
		Type6	20	1	333.3	9	0.3333	300	5401	1
		Type6	20	1	333.3	9	0.3333	300	5650	1
		Type6	20	1	333.3	9	0.3333	300	5335	1
		Type6	20	1	333.3	9	0.3333	300	5402	1
		Type6	20	1	333.3	9	0.3333	300	5255	1
		Type6	20	1	333.3	9	0.3333	300	5659	1
		Type6	20	1	333.3	9	0.3333	300	5722	1
		Type6	20	1	333.3	9	0.3333	300	5364	1
		Type6	20	1	333.3	9	0.3333	300	5493	1
		Type6	20	1	333.3	9	0.3333	300	5676	1
		Type6	20	1	333.3	9	0.3333	300	5510	1
		Type6	20	1	333.3	9	0.3333	300	5512	1
		Type6	20	1	333.3	9	0.3333	300	5408	1
		Type6	20	1	333.3	9	0.3333	300	5653	1
		Type6	20	1	333.3	9	0.3333	300	5521	1
		Type6	20	1	333.3	9	0.3333	300	5263	1
		Type6	20	1	333.3	9	0.3333	300	5314	1
		Type6	20	1	333.3	9	0.3333	300	5509	1
		Type6	20	1	333.3	9	0.3333	300	5586	1
		Type6	20	1	333.3	9	0.3333	300	5529	1
		Type6	20	1	333.3	9	0.3333	300	5393	1
		Type6	20	1	333.3	9	0.3333	300	5528	1
		Type6	20	1	333.3	9	0.3333	300	5525	1
		Type6	20	1	333.3	9	0.3333	300	5572	1
		Type6	20	1	333.3	9	0.3333	300	5370	1
		Type6	20	1	333.3	9	0.3333	300	5646	1
		Type6	20	1	333.3	9	0.3333	300	5333	1
		Type6	20	1	333.3	9	0.3333	300	5504	1
		Type6	20	1	333.3	9	0.3333	300	5343	1
		Type6	20	1	333.3	9	0.3333	300	5537	1
		Type6	20	1	333.3	9	0.3333	300	5667	1
		Type6	20	1	333.3	9	0.3333	300	5325	1
		Type6	20	1	333.3	9	0.3333	300	5585	1
		Type6	20	1	333.3	9	0.3333	300	5608	1
		Type6	20	1	333.3	9	0.3333	300	5300	1
11N40MIMO	5270	Type6	20	1	333.3	9	0.3333	300	5338	1
		Type6	20	1	333.3	9	0.3333	300	5572	1
		Type6	20	1	333.3	9	0.3333	300	5343	1
		Type6	20	1	333.3	9	0.3333	300	5646	1
		Type6	20	1	333.3	9	0.3333	300	5386	1
		Type6	20	1	333.3	9	0.3333	300	5309	1
		Type6	20	1	333.3	9	0.3333	300	5660	1
		Type6	20	1	333.3	9	0.3333	300	5688	1
		Type6	20	1	333.3	9	0.3333	300	5554	1
		Type6	20	1	333.3	9	0.3333	300	5393	1
		Type6	20	1	333.3	9	0.3333	300	5677	1
		Type6	20	1	333.3	9	0.3333	300	5504	1
		Type6	20	1	333.3	9	0.3333	300	5326	1
		Type6	20	1	333.3	9	0.3333	300	5454	1
		Type6	20	1	333.3	9	0.3333	300	5260	1
		Type6	20	1	333.3	9	0.3333	300	5615	1
		Type6	20	1	333.3	9	0.3333	300	5403	1
		Type6	20	1	333.3	9	0.3333	300	5465	1
		Type6	20	1	333.3	9	0.3333	300	5687	1
		Type6	20	1	333.3	9	0.3333	300	5502	1
		Type6	20	1	333.3	9	0.3333	300	5347	1
		Type6	20	1	333.3	9	0.3333	300	5704	1
		Type6	20	1	333.3	9	0.3333	300	5466	1
		Type6	20	1	333.3	9	0.3333	300	5639	1
		Type6	20	1	333.3	9	0.3333	300	5428	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



Type6	20	1	333.3	9	0.3333	300	5710	1
Type6	20	1	333.3	9	0.3333	300	5408	1
Type6	20	1	333.3	9	0.3333	300	5680	1
Type6	20	1	333.3	9	0.3333	300	5525	1
Type6	20	1	333.3	9	0.3333	300	5597	1
Type6	20	1	333.3	9	0.3333	300	5521	1
Type6	20	1	333.3	9	0.3333	300	5263	1
Type6	20	1	333.3	9	0.3333	300	5314	1
Type6	20	1	333.3	9	0.3333	300	5509	1
Type6	20	1	333.3	9	0.3333	300	5529	1
Type6	20	1	333.3	9	0.3333	300	5528	1
Type6	20	1	333.3	9	0.3333	300	5479	1
Type6	20	1	333.3	9	0.3333	300	5622	1
Type6	20	1	333.3	9	0.3333	300	5592	1
Type6	20	1	333.3	9	0.3333	300	5370	1
Type6	20	1	333.3	9	0.3333	300	5257	1
Type6	20	1	333.3	9	0.3333	300	5439	1
Type6	20	1	333.3	9	0.3333	300	5602	1
Type6	20	1	333.3	9	0.3333	300	5498	1
Type6	20	1	333.3	9	0.3333	300	5449	1
Type6	20	1	333.3	9	0.3333	300	5653	1
Type6	20	1	333.3	9	0.3333	300	5350	1
Type6	20	1	333.3	9	0.3333	300	5569	1
Type6	20	1	333.3	9	0.3333	300	5390	1
Type6	20	1	333.3	9	0.3333	300	5443	1
Type6	20	1	333.3	9	0.3333	300	5641	1
Type6	20	1	333.3	9	0.3333	300	5722	1
Type6	20	1	333.3	9	0.3333	300	5435	1
Type6	20	1	333.3	9	0.3333	300	5402	1
Type6	20	1	333.3	9	0.3333	300	5364	1
Type6	20	1	333.3	9	0.3333	300	5493	1
Type6	20	1	333.3	9	0.3333	300	5676	1
Type6	20	1	333.3	9	0.3333	300	5510	1
Type6	20	1	333.3	9	0.3333	300	5700	1
Type6	20	1	333.3	9	0.3333	300	5692	1
Type6	20	1	333.3	9	0.3333	300	5255	1
Type6	20	1	333.3	9	0.3333	300	5311	1
Type6	20	1	333.3	9	0.3333	300	5335	1
Type6	20	1	333.3	9	0.3333	300	5650	1
Type6	20	1	333.3	9	0.3333	300	5401	1
Type6	20	1	333.3	9	0.3333	300	5719	1
Type6	20	1	333.3	9	0.3333	300	5487	1
Type6	20	1	333.3	9	0.3333	300	5512	1
Type6	20	1	333.3	9	0.3333	300	5659	1
Type6	20	1	333.3	9	0.3333	300	5586	1
Type6	20	1	333.3	9	0.3333	300	5665	1
Type6	20	1	333.3	9	0.3333	300	5608	1
Type6	20	1	333.3	9	0.3333	300	5585	1
Type6	20	1	333.3	9	0.3333	300	5325	1
Type6	20	1	333.3	9	0.3333	300	5667	1
Type6	20	1	333.3	9	0.3333	300	5387	1
Type6	20	1	333.3	9	0.3333	300	5300	1
Type6	20	1	333.3	9	0.3333	300	5261	1
Type6	20	1	333.3	9	0.3333	300	5527	1
Type6	20	1	333.3	9	0.3333	300	5601	1
Type6	20	1	333.3	9	0.3333	300	5579	1
Type6	20	1	333.3	9	0.3333	300	5515	1
Type6	20	1	333.3	9	0.3333	300	5555	1
Type6	20	1	333.3	9	0.3333	300	5396	1
Type6	20	1	333.3	9	0.3333	300	5537	1
Type6	20	1	333.3	9	0.3333	300	5379	1
Type6	20	1	333.3	9	0.3333	300	5422	1
Type6	20	1	333.3	9	0.3333	300	5543	1
Type6	20	1	333.3	9	0.3333	300	5318	1
Type6	20	1	333.3	9	0.3333	300	5471	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		Type6	20	1	333.3	9	0.3333	300	5533	1
		Type6	20	1	333.3	9	0.3333	300	5269	1
		Type6	20	1	333.3	9	0.3333	300	5356	1
		Type6	20	1	333.3	9	0.3333	300	5566	1
		Type6	20	1	333.3	9	0.3333	300	5550	1
		Type6	20	1	333.3	9	0.3333	300	5591	1
		Type6	20	1	333.3	9	0.3333	300	5291	1
		Type6	20	1	333.3	9	0.3333	300	5333	1
		Type6	20	1	333.3	9	0.3333	300	5707	1
11AC80MIMO	5290	Type6	20	1	333.3	9	0.3333	300	5634	1
		Type6	20	1	333.3	9	0.3333	300	5592	1
		Type6	20	1	333.3	9	0.3333	300	5318	1
		Type6	20	1	333.3	9	0.3333	300	5466	1
		Type6	20	1	333.3	9	0.3333	300	5479	1
		Type6	20	1	333.3	9	0.3333	300	5309	1
		Type6	20	1	333.3	9	0.3333	300	5597	1
		Type6	20	1	333.3	9	0.3333	300	5687	1
		Type6	20	1	333.3	9	0.3333	300	5680	1
		Type6	20	1	333.3	9	0.3333	300	5710	1
		Type6	20	1	333.3	9	0.3333	300	5428	1
		Type6	20	1	333.3	9	0.3333	300	5639	1
		Type6	20	1	333.3	9	0.3333	300	5566	1
		Type6	20	1	333.3	9	0.3333	300	5379	1
		Type6	20	1	333.3	9	0.3333	300	5356	1
		Type6	20	1	333.3	9	0.3333	300	5634	1
		Type6	20	1	333.3	9	0.3333	300	5641	1
		Type6	20	1	333.3	9	0.3333	300	5443	1
		Type6	20	1	333.3	9	0.3333	300	5653	1
		Type6	20	1	333.3	9	0.3333	300	5435	1
		Type6	20	1	333.3	9	0.3333	300	5449	1
		Type6	20	1	333.3	9	0.3333	300	5622	1
		Type6	20	1	333.3	9	0.3333	300	5350	1
		Type6	20	1	333.3	9	0.3333	300	5533	1
		Type6	20	1	333.3	9	0.3333	300	5390	1
		Type6	20	1	333.3	9	0.3333	300	5471	1
		Type6	20	1	333.3	9	0.3333	300	5665	1
		Type6	20	1	333.3	9	0.3333	300	5525	1
		Type6	20	1	333.3	9	0.3333	300	5311	1
		Type6	20	1	333.3	9	0.3333	300	5422	1
		Type6	20	1	333.3	9	0.3333	300	5543	1
		Type6	20	1	333.3	9	0.3333	300	5586	1
		Type6	20	1	333.3	9	0.3333	300	5569	1
		Type6	20	1	333.3	9	0.3333	300	5498	1
		Type6	20	1	333.3	9	0.3333	300	5402	1
		Type6	20	1	333.3	9	0.3333	300	5291	1
		Type6	20	1	333.3	9	0.3333	300	5550	1
		Type6	20	1	333.3	9	0.3333	300	5602	1
		Type6	20	1	333.3	9	0.3333	300	5439	1
		Type6	20	1	333.3	9	0.3333	300	5257	1
		Type6	20	1	333.3	9	0.3333	300	5261	1
		Type6	20	1	333.3	9	0.3333	300	5692	1
		Type6	20	1	333.3	9	0.3333	300	5387	1
		Type6	20	1	333.3	9	0.3333	300	5512	1
		Type6	20	1	333.3	9	0.3333	300	5487	1
		Type6	20	1	333.3	9	0.3333	300	5719	1
		Type6	20	1	333.3	9	0.3333	300	5401	1
		Type6	20	1	333.3	9	0.3333	300	5650	1
		Type6	20	1	333.3	9	0.3333	300	5408	1
		Type6	20	1	333.3	9	0.3333	300	5370	1
		Type6	20	1	333.3	9	0.3333	300	5591	1
		Type6	20	1	333.3	9	0.3333	300	5338	1
		Type6	20	1	333.3	9	0.3333	300	5326	1
		Type6	20	1	333.3	9	0.3333	300	5454	1
		Type6	20	1	333.3	9	0.3333	300	5260	1
		Type6	20	1	333.3	9	0.3333	300	5615	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	20	1	333.3	9	0.3333	300	5403	1
Type6	20	1	333.3	9	0.3333	300	5707	1
Type6	20	1	333.3	9	0.3333	300	5704	1
Type6	20	1	333.3	9	0.3333	300	5255	1
Type6	20	1	333.3	9	0.3333	300	5396	1
Type6	20	1	333.3	9	0.3333	300	5555	1
Type6	20	1	333.3	9	0.3333	300	5515	1
Type6	20	1	333.3	9	0.3333	300	5579	1
Type6	20	1	333.3	9	0.3333	300	5601	1
Type6	20	1	333.3	9	0.3333	300	5527	1
Type6	20	1	333.3	9	0.3333	300	5347	1
Type6	20	1	333.3	9	0.3333	300	5521	1
Type6	20	1	333.3	9	0.3333	300	5335	1
Type6	20	1	333.3	9	0.3333	300	5393	1
Type6	20	1	333.3	9	0.3333	300	5528	1
Type6	20	1	333.3	9	0.3333	300	5529	1
Type6	20	1	333.3	9	0.3333	300	5504	1
Type6	20	1	333.3	9	0.3333	300	5509	1
Type6	20	1	333.3	9	0.3333	300	5343	1
Type6	20	1	333.3	9	0.3333	300	5263	1
Type6	20	1	333.3	9	0.3333	300	5646	1
Type6	20	1	333.3	9	0.3333	300	5269	1
Type6	20	1	333.3	9	0.3333	300	5608	1
Type6	20	1	333.3	9	0.3333	300	5585	1
Type6	20	1	333.3	9	0.3333	300	5325	1
Type6	20	1	333.3	9	0.3333	300	5667	1
Type6	20	1	333.3	9	0.3333	300	5537	1
Type6	20	1	333.3	9	0.3333	300	5314	1
Type6	20	1	333.3	9	0.3333	300	5465	1
Type6	20	1	333.3	9	0.3333	300	5659	1
Type6	20	1	333.3	9	0.3333	300	5722	1
Type6	20	1	333.3	9	0.3333	300	5364	1
Type6	20	1	333.3	9	0.3333	300	5493	1
Type6	20	1	333.3	9	0.3333	300	5676	1
Type6	20	1	333.3	9	0.3333	300	5510	1
Type6	20	1	333.3	9	0.3333	300	5572	1
Type6	20	1	333.3	9	0.3333	300	5677	1
Type6	20	1	333.3	9	0.3333	300	5300	1
Type6	20	1	333.3	9	0.3333	300	5554	1
Type6	20	1	333.3	9	0.3333	300	5688	1
Type6	20	1	333.3	9	0.3333	300	5660	1
Type6	20	1	333.3	9	0.3333	300	5502	1
Type6	20	1	333.3	9	0.3333	300	5386	1
Type6	20	1	333.3	9	0.3333	300	5333	1
Type6	20	1	333.3	9	0.3333	300	5700	1