






IEEE 802.11a Channel 157 20MHz Antenna 2




IEEE 802.11a Channel 157 20MHz Antenna 3




IEEE 802.11a Channel 165 20MHz Antenna 0




IEEE 802.11a Channel 165 20MHz Antenna 1



IEEE 802.11a Channel 165 20MHz Antenna 2



IEEE 802.11a Channel 165 20MHz Antenna 3



CTC Laboratories, Inc.


1-2/F, Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China: yz.cnca.cn



CTC Laboratories, Inc.


1-2/F, Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn




IEEE 802.11n Channel 151 40MHz Antenna 0




IEEE 802.11n Channel 151 40MHz Antenna 1




IEEE 802.11n Channel 151 40MHz Antenna 2







IEEE 802.11n Channel 151 40MHz Antenna 3




IEEE 802.11n Channel 159 40MHz Antenna 0




IEEE 802.11n Channel 159 40MHz Antenna 1







IEEE 802.11ac Channel 157 20MHz Antenna 0




IEEE 802.11ac Channel 157 20MHz Antenna 1




IEEE 802.11ac Channel 157 20MHz Antenna 2



IEEE 802.11ac Channel 157 20MHz Antenna 3




IEEE 802.11ac Channel 165 20MHz Antenna 0




IEEE 802.11ac Channel 165 20MHz Antenna 1




IEEE 802.11ac Channel 165 20MHz Antenna 2




IEEE 802.11ac Channel 165 20MHz Antenna 3




IEEE 802.11ac Channel 151 40MHz Antenna 0




IEEE 802.11ac Channel 151 40MHz Antenna 1



IEEE 802.11ac Channel 151 40MHz Antenna 2



IEEE 802.11ac Channel 151 40MHz Antenna 3



CTC Laboratories, Inc.


1-2/F, Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China


Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn





Appendix D: Frequency Stability

Test Result

Condition	Mode	Antenna	Center Frequency (MHz)	Calculated Value of Center Frequency(MHz)	Result (ppm)	Limit (ppm)	State
NT/NV	20M	0	5180.0	5179.997706	-0.44	20	PASS
		1	5180.0	5179.997206	-0.54		PASS
		2	5180.0	5179.997794	-0.43		PASS
		3	5180.0	5179.998406	-0.31		PASS
		0	5200.0	5200.016469	3.17		PASS
		1	5200.0	5200.016407	3.16		PASS
		2	5200.0	5200.015582	3.0		PASS
		3	5200.0	5200.014994	2.88		PASS
		0	5240.0	5240.008819	1.68		PASS
		1	5240.0	5240.010569	2.02		PASS
		2	5240.0	5240.012007	2.29		PASS
		3	5240.0	5240.011644	2.22		PASS
		0	5260.0	5259.996394	-0.69		PASS
		1	5260.0	5259.995494	-0.86		PASS
		2	5260.0	5259.995956	-0.77		PASS
		3	5260.0	5259.996581	-0.65		PASS
		0	5280.0	5280.005406	1.02		PASS
		1	5280.0	5280.006581	1.25		PASS
		2	5280.0	5280.006756	1.28		PASS
		3	5280.0	5280.007044	1.33		PASS
		0	5320.0	5320.006594	1.24		PASS
		1	5320.0	5320.008469	1.59		PASS
		2	5320.0	5320.008981	1.69		PASS
		3	5320.0	5320.009694	1.82		PASS
		0	5500.0	5500.007819	1.42		PASS
		1	5500.0	5500.009769	1.78		PASS
		2	5500.0	5500.011269	2.05		PASS
		3	5500.0	5500.011219	2.04		PASS
		0	5580.0	5580.011107	1.99		PASS
		1	5580.0	5580.011469	2.06		PASS
		2	5580.0	5580.012369	2.22		PASS
		3	5580.0	5580.012244	2.19		PASS
		0	5700.0	5700.009581	1.68		PASS
		1	5700.0	5700.010857	1.9		PASS
		2	5700.0	5700.011607	2.04		PASS
		3	5700.0	5700.012144	2.13		PASS
	40M	0	5190.0	5190.007694	1.48		PASS
		1	5190.0	5190.010319	1.99		PASS
		2	5190.0	5190.011207	2.16		PASS
		3	5190.0	5190.011044	2.13		PASS
		0	5230.0	5229.998731	-0.24		PASS
		1	5230.0	5230.000081	0.02		PASS
		2	5230.0	5230.000906	0.17		PASS
		3	5230.0	5230.001719	0.33		PASS
		0	5270.0	5270.010794	2.05		PASS
		1	5270.0	5270.011294	2.14		PASS
		2	5270.0	5270.011182	2.12		PASS
		3	5270.0	5270.011007	2.09		PASS
		0	5310.0	5310.006981	1.31		PASS
		1	5310.0	5310.009406	1.77		PASS
		2	5310.0	5310.010807	2.04		PASS
		3	5310.0	5310.010982	2.07		PASS
		0	5510.0	5510.007281	1.32		PASS
		1	5510.0	5510.012457	2.26		PASS
		2	5510.0	5510.012394	2.25		PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		3	5510.0	5510.011982	2.17	PASS
		0	5550.0	5550.010519	1.9	PASS
		1	5550.0	5550.013544	2.44	PASS
		2	5550.0	5550.013819	2.49	PASS
		3	5550.0	5550.013669	2.46	PASS
		0	5670.0	5669.999081	-0.16	PASS
		1	5670.0	5669.998631	-0.24	PASS
		2	5670.0	5669.999681	-0.06	PASS
		3	5670.0	5670.000444	0.08	PASS
	80M	0	5210.0	5210.008319	1.6	PASS
		1	5210.0	5210.010057	1.93	PASS
		2	5210.0	5210.011407	2.19	PASS
		3	5210.0	5210.011532	2.21	PASS
		0	5290.0	5290.008744	1.65	PASS
		1	5290.0	5290.011494	2.17	PASS
		2	5290.0	5290.011982	2.26	PASS
		3	5290.0	5290.012207	2.31	PASS
		0	5530.0	5530.009481	1.71	PASS
		1	5530.0	5530.010769	1.95	PASS
		2	5530.0	5530.012019	2.17	PASS
		3	5530.0	5530.012594	2.28	PASS
		0	5610.0	5610.009331	1.66	PASS
		1	5610.0	5610.012519	2.23	PASS
		2	5610.0	5610.012894	2.3	PASS
		3	5610.0	5610.013894	2.48	PASS
LT/NV	20M	0	5180.0	5179.998931	-0.21	PASS
		1	5180.0	5180.000431	0.08	PASS
		2	5180.0	5180.001331	0.26	PASS
		3	5180.0	5180.002094	0.4	PASS
		0	5200.0	5200.014344	2.76	PASS
		1	5200.0	5200.013594	2.61	PASS
		2	5200.0	5200.013757	2.65	PASS
		3	5200.0	5200.013344	2.57	PASS
		0	5240.0	5240.011994	2.29	PASS
		1	5240.0	5240.011919	2.27	PASS
		2	5240.0	5240.012432	2.37	PASS
		3	5240.0	5240.012994	2.48	PASS
		0	5260.0	5259.997444	-0.49	PASS
		1	5260.0	5259.998481	-0.29	PASS
		2	5260.0	5259.999094	-0.17	PASS
		3	5260.0	5259.999644	-0.07	PASS
		0	5280.0	5280.008244	1.56	PASS
		1	5280.0	5280.008044	1.52	PASS
		2	5280.0	5280.008094	1.53	PASS
		3	5280.0	5280.008469	1.6	PASS
		0	5320.0	5320.009544	1.79	PASS
		1	5320.0	5320.010032	1.89	PASS
		2	5320.0	5320.010182	1.91	PASS
		3	5320.0	5320.010444	1.96	PASS
		0	5500.0	5500.011644	2.12	PASS
		1	5500.0	5500.010982	2.0	PASS
		2	5500.0	5500.011694	2.13	PASS
		3	5500.0	5500.012132	2.21	PASS
		0	5580.0	5580.012069	2.16	PASS
		1	5580.0	5580.012044	2.16	PASS
		2	5580.0	5580.011694	2.1	PASS
		3	5580.0	5580.011957	2.14	PASS
		0	5700.0	5700.011907	2.09	PASS
		1	5700.0	5700.012482	2.19	PASS
		2	5700.0	5700.012582	2.21	PASS
		3	5700.0	5700.012444	2.18	PASS
	40M	0	5190.0	5190.011469	2.21	PASS
		1	5190.0	5190.011544	2.22	PASS
		2	5190.0	5190.011594	2.23	PASS
		3	5190.0	5190.011732	2.26	PASS
		0	5230.0	5230.001994	0.38	PASS

CTC Laboratories, Inc.


1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		1	5230.0	5230.002844	0.54	PASS
		2	5230.0	5230.003319	0.63	PASS
		3	5230.0	5230.004231	0.81	PASS
		0	5270.0	5270.011157	2.12	PASS
		1	5270.0	5270.011107	2.11	PASS
		2	5270.0	5270.010794	2.05	PASS
		3	5270.0	5270.011319	2.15	PASS
		0	5310.0	5310.011194	2.11	PASS
		1	5310.0	5310.011269	2.12	PASS
		2	5310.0	5310.011344	2.14	PASS
		3	5310.0	5310.011844	2.23	PASS
		0	5510.0	5510.012744	2.31	PASS
		1	5510.0	5510.012994	2.36	PASS
		2	5510.0	5510.012657	2.3	PASS
		3	5510.0	5510.012569	2.28	PASS
		0	5550.0	5550.013669	2.46	PASS
		1	5550.0	5550.013869	2.5	PASS
		2	5550.0	5550.013619	2.45	PASS
		3	5550.0	5550.013182	2.38	PASS
		0	5670.0	5670.001531	0.27	PASS
		1	5670.0	5670.003019	0.53	PASS
		2	5670.0	5670.003131	0.55	PASS
		3	5670.0	5670.004181	0.74	PASS
	80M	0	5210.0	5210.011444	2.2	PASS
		1	5210.0	5210.011644	2.23	PASS
		2	5210.0	5210.011894	2.28	PASS
		3	5210.0	5210.011882	2.28	PASS
		0	5290.0	5290.012044	2.28	PASS
		1	5290.0	5290.011982	2.26	PASS
		2	5290.0	5290.013219	2.5	PASS
		3	5290.0	5290.012794	2.42	PASS
		0	5530.0	5530.013407	2.42	PASS
		1	5530.0	5530.013582	2.46	PASS
		2	5530.0	5530.014219	2.57	PASS
		3	5530.0	5530.013894	2.51	PASS
		0	5610.0	5610.013769	2.45	PASS
		1	5610.0	5610.014319	2.55	PASS
		2	5610.0	5610.014507	2.59	PASS
		3	5610.0	5610.014382	2.56	PASS
	HT/NV	0	5180.0	5180.003219	0.62	PASS
		1	5180.0	5180.003631	0.7	PASS
		2	5180.0	5180.004644	0.9	PASS
		3	5180.0	5180.005319	1.03	PASS
		0	5200.0	5200.012894	2.48	PASS
		1	5200.0	5200.012932	2.49	PASS
		2	5200.0	5200.013369	2.57	PASS
		3	5200.0	5200.012957	2.49	PASS
		0	5240.0	5240.012882	2.46	PASS
		1	5240.0	5240.012657	2.42	PASS
		2	5240.0	5240.013969	2.67	PASS
		3	5240.0	5240.012844	2.45	PASS
		0	5260.0	5260.000294	0.06	PASS
		1	5260.0	5260.000594	0.11	PASS
		2	5260.0	5260.001881	0.36	PASS
		3	5260.0	5260.001956	0.37	PASS
		0	5280.0	5280.008669	1.64	PASS
		1	5280.0	5280.008794	1.67	PASS
		2	5280.0	5280.008381	1.59	PASS
		3	5280.0	5280.008631	1.63	PASS
		0	5320.0	5320.009969	1.87	PASS
		1	5320.0	5320.009244	1.74	PASS
		2	5320.0	5320.010006	1.88	PASS
		3	5320.0	5320.009956	1.87	PASS
		0	5500.0	5500.012382	2.25	PASS
		1	5500.0	5500.012194	2.22	PASS
		2	5500.0	5500.012019	2.19	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		3	5500.0	5500.012244	2.23	PASS
		0	5580.0	5580.012569	2.25	PASS
		1	5580.0	5580.012357	2.21	PASS
		2	5580.0	5580.012232	2.19	PASS
		3	5580.0	5580.012644	2.27	PASS
		0	5700.0	5700.012294	2.16	PASS
		1	5700.0	5700.012357	2.17	PASS
		2	5700.0	5700.012369	2.17	PASS
		3	5700.0	5700.012569	2.21	PASS
	40M	0	5190.0	5190.012007	2.31	PASS
		1	5190.0	5190.011982	2.31	PASS
		2	5190.0	5190.012257	2.36	PASS
		3	5190.0	5190.012307	2.37	PASS
		0	5230.0	5230.004181	0.8	PASS
		1	5230.0	5230.005119	0.98	PASS
		2	5230.0	5230.005344	1.02	PASS
		3	5230.0	5230.005481	1.05	PASS
		0	5270.0	5270.011082	2.1	PASS
		1	5270.0	5270.011194	2.12	PASS
		2	5270.0	5270.010982	2.08	PASS
		3	5270.0	5270.011707	2.22	PASS
		0	5310.0	5310.012207	2.3	PASS
		1	5310.0	5310.011232	2.12	PASS
		2	5310.0	5310.012169	2.29	PASS
		3	5310.0	5310.012107	2.28	PASS
		0	5510.0	5510.012657	2.3	PASS
		1	5510.0	5510.012619	2.29	PASS
		2	5510.0	5510.013294	2.41	PASS
		3	5510.0	5510.013294	2.41	PASS
		0	5550.0	5550.012944	2.33	PASS
		1	5550.0	5550.013732	2.47	PASS
		2	5550.0	5550.013432	2.42	PASS
		3	5550.0	5550.014119	2.54	PASS
		0	5670.0	5670.005019	0.89	PASS
		1	5670.0	5670.005606	0.99	PASS
		2	5670.0	5670.005844	1.03	PASS
		3	5670.0	5670.010169	1.79	PASS
	80M	0	5210.0	5210.012407	2.38	PASS
		1	5210.0	5210.012407	2.38	PASS
		2	5210.0	5210.011944	2.29	PASS
		3	5210.0	5210.012394	2.38	PASS
		0	5290.0	5290.012619	2.39	PASS
		1	5290.0	5290.013057	2.47	PASS
		2	5290.0	5290.012969	2.45	PASS
		3	5290.0	5290.013144	2.48	PASS
		0	5530.0	5530.014132	2.56	PASS
		1	5530.0	5530.014994	2.71	PASS
		2	5530.0	5530.014044	2.54	PASS
		3	5530.0	5530.013807	2.5	PASS
		0	5610.0	5610.014382	2.56	PASS
		1	5610.0	5610.014507	2.59	PASS
0°C/NV	20M	2	5610.0	5610.015107	2.69	PASS
		3	5610.0	5610.014869	2.65	PASS
		0	5180.0	5180.006006	1.16	PASS
		1	5180.0	5180.006819	1.32	PASS
		2	5180.0	5180.008831	1.7	PASS
		3	5180.0	5180.010319	1.99	PASS
		0	5200.0	5200.013032	2.51	PASS
		1	5200.0	5200.012607	2.42	PASS
		2	5200.0	5200.012869	2.47	PASS
		3	5200.0	5200.012369	2.38	PASS
		0	5240.0	5240.012807	2.44	PASS
		1	5240.0	5240.013782	2.63	PASS
		2	5240.0	5240.013307	2.54	PASS
		3	5240.0	5240.012769	2.44	PASS
		0	5260.0	5260.003281	0.62	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		1	5260.0	5260.003494	0.66	PASS
		2	5260.0	5260.004219	0.8	PASS
		3	5260.0	5260.004319	0.82	PASS
		0	5280.0	5280.008944	1.69	PASS
		1	5280.0	5280.008844	1.67	PASS
		2	5280.0	5280.009169	1.74	PASS
		3	5280.0	5280.009556	1.81	PASS
		0	5320.0	5320.010369	1.95	PASS
		1	5320.0	5320.009969	1.87	PASS
		2	5320.0	5320.010244	1.93	PASS
		3	5320.0	5320.009881	1.86	PASS
		0	5500.0	5500.012357	2.25	PASS
		1	5500.0	5500.011632	2.11	PASS
		2	5500.0	5500.011569	2.1	PASS
		3	5500.0	5500.012394	2.25	PASS
		0	5580.0	5580.012594	2.26	PASS
		1	5580.0	5580.012594	2.26	PASS
		2	5580.0	5580.012882	2.31	PASS
		3	5580.0	5580.012794	2.29	PASS
		0	5700.0	5700.012557	2.2	PASS
		1	5700.0	5700.012882	2.26	PASS
		2	5700.0	5700.012857	2.26	PASS
		3	5700.0	5700.012607	2.21	PASS
	40M	0	5190.0	5190.012269	2.36	PASS
		1	5190.0	5190.012344	2.38	PASS
		2	5190.0	5190.012219	2.35	PASS
		3	5190.0	5190.012357	2.38	PASS
		0	5230.0	5230.005906	1.13	PASS
		1	5230.0	5230.006331	1.21	PASS
		2	5230.0	5230.006769	1.29	PASS
		3	5230.0	5230.006769	1.29	PASS
		0	5270.0	5270.011407	2.16	PASS
		1	5270.0	5270.011332	2.15	PASS
		2	5270.0	5270.011632	2.21	PASS
		3	5270.0	5270.011132	2.11	PASS
		0	5310.0	5310.011819	2.23	PASS
		1	5310.0	5310.012019	2.26	PASS
		2	5310.0	5310.012307	2.32	PASS
		3	5310.0	5310.011832	2.23	PASS
		0	5510.0	5510.013019	2.36	PASS
		1	5510.0	5510.013019	2.36	PASS
		2	5510.0	5510.013444	2.44	PASS
		3	5510.0	5510.013057	2.37	PASS
		0	5550.0	5550.013882	2.5	PASS
		1	5550.0	5550.014369	2.59	PASS
		2	5550.0	5550.013619	2.45	PASS
		3	5550.0	5550.014082	2.54	PASS
		0	5670.0	5670.010769	1.9	PASS
		1	5670.0	5670.012182	2.15	PASS
		2	5670.0	5670.011932	2.1	PASS
		3	5670.0	5670.011882	2.1	PASS
	80M	0	5210.0	5210.012119	2.33	PASS
		1	5210.0	5210.012744	2.45	PASS
		2	5210.0	5210.012532	2.41	PASS
		3	5210.0	5210.012332	2.37	PASS
		0	5290.0	5290.013819	2.61	PASS
		1	5290.0	5290.013069	2.47	PASS
		2	5290.0	5290.013082	2.47	PASS
		3	5290.0	5290.013482	2.55	PASS
		0	5530.0	5530.014832	2.68	PASS
		1	5530.0	5530.014807	2.68	PASS
		2	5530.0	5530.013744	2.49	PASS
		3	5530.0	5530.014269	2.58	PASS
		0	5610.0	5610.014582	2.6	PASS
		1	5610.0	5610.014194	2.53	PASS
		2	5610.0	5610.014819	2.64	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



10°C/NV	20M	3	5610.0	5610.014332	2.55	PASS
		0	5180.0	5180.012657	2.44	PASS
		1	5180.0	5180.013919	2.69	PASS
		2	5180.0	5180.015682	3.03	PASS
		3	5180.0	5180.016119	3.11	PASS
		0	5200.0	5200.012332	2.37	PASS
		1	5200.0	5200.012732	2.45	PASS
		2	5200.0	5200.012657	2.43	PASS
		3	5200.0	5200.012744	2.45	PASS
		0	5240.0	5240.013707	2.62	PASS
		1	5240.0	5240.013944	2.66	PASS
		2	5240.0	5240.014107	2.69	PASS
		3	5240.0	5240.013607	2.6	PASS
		0	5260.0	5260.004669	0.89	PASS
		1	5260.0	5260.005019	0.95	PASS
		2	5260.0	5260.005094	0.97	PASS
		3	5260.0	5260.005281	1.0	PASS
		0	5280.0	5280.009406	1.78	PASS
		1	5280.0	5280.009056	1.72	PASS
		2	5280.0	5280.009256	1.75	PASS
		3	5280.0	5280.009194	1.74	PASS
		0	5320.0	5320.009844	1.85	PASS
		1	5320.0	5320.010432	1.96	PASS
		2	5320.0	5320.010582	1.99	PASS
		3	5320.0	5320.010682	2.01	PASS
		0	5500.0	5500.011844	2.15	PASS
		1	5500.0	5500.011982	2.18	PASS
		2	5500.0	5500.012394	2.25	PASS
		3	5500.0	5500.010944	1.99	PASS
		0	5580.0	5580.012332	2.21	PASS
		1	5580.0	5580.012569	2.25	PASS
		2	5580.0	5580.012944	2.32	PASS
		3	5580.0	5580.011882	2.13	PASS
		0	5700.0	5700.012532	2.2	PASS
		1	5700.0	5700.012594	2.21	PASS
		2	5700.0	5700.012644	2.22	PASS
		3	5700.0	5700.012494	2.19	PASS
	40M	0	5190.0	5190.012494	2.41	PASS
		1	5190.0	5190.011644	2.24	PASS
		2	5190.0	5190.011707	2.26	PASS
		3	5190.0	5190.012094	2.33	PASS
		0	5230.0	5230.006894	1.32	PASS
		1	5230.0	5230.007281	1.39	PASS
		2	5230.0	5230.010319	1.97	PASS
		3	5230.0	5230.010369	1.98	PASS
		0	5270.0	5270.011219	2.13	PASS
		1	5270.0	5270.010894	2.07	PASS
		2	5270.0	5270.011219	2.13	PASS
		3	5270.0	5270.010894	2.07	PASS
		0	5310.0	5310.012319	2.32	PASS
		1	5310.0	5310.012032	2.27	PASS
		2	5310.0	5310.011819	2.23	PASS
		3	5310.0	5310.012332	2.32	PASS
		0	5510.0	5510.012857	2.33	PASS
		1	5510.0	5510.012894	2.34	PASS
		2	5510.0	5510.012707	2.31	PASS
		3	5510.0	5510.013132	2.38	PASS
		0	5550.0	5550.013944	2.51	PASS
		1	5550.0	5550.014132	2.55	PASS
		2	5550.0	5550.014107	2.54	PASS
		3	5550.0	5550.014019	2.53	PASS
		0	5670.0	5670.012182	2.15	PASS
		1	5670.0	5670.012707	2.24	PASS
		2	5670.0	5670.013032	2.3	PASS
		3	5670.0	5670.012869	2.27	PASS
	80M	0	5210.0	5210.012632	2.42	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		1	5210.0	5210.012394	2.38	PASS
		2	5210.0	5210.012807	2.46	PASS
		3	5210.0	5210.012832	2.46	PASS
		0	5290.0	5290.013619	2.57	PASS
		1	5290.0	5290.013157	2.49	PASS
		2	5290.0	5290.013707	2.59	PASS
		3	5290.0	5290.013369	2.53	PASS
		0	5530.0	5530.014544	2.63	PASS
		1	5530.0	5530.014307	2.59	PASS
		2	5530.0	5530.014019	2.54	PASS
		3	5530.0	5530.014107	2.55	PASS
		0	5610.0	5610.015532	2.77	PASS
		1	5610.0	5610.014444	2.57	PASS
		2	5610.0	5610.014732	2.63	PASS
		3	5610.0	5610.014807	2.64	PASS
20°C/NV	20M	0	5180.0	5180.017132	3.31	PASS
		1	5180.0	5180.017444	3.37	PASS
		2	5180.0	5180.018157	3.51	PASS
		3	5180.0	5180.018969	3.66	PASS
		0	5200.0	5200.012607	2.42	PASS
		1	5200.0	5200.012419	2.39	PASS
		2	5200.0	5200.012369	2.38	PASS
		3	5200.0	5200.012407	2.39	PASS
		0	5240.0	5240.013457	2.57	PASS
		1	5240.0	5240.013982	2.67	PASS
		2	5240.0	5240.013119	2.5	PASS
		3	5240.0	5240.013282	2.53	PASS
		0	5260.0	5260.005369	1.02	PASS
		1	5260.0	5260.005956	1.13	PASS
		2	5260.0	5260.006056	1.15	PASS
		3	5260.0	5260.006219	1.18	PASS
		0	5280.0	5280.009619	1.82	PASS
		1	5280.0	5280.009044	1.71	PASS
		2	5280.0	5280.009706	1.84	PASS
		3	5280.0	5280.009982	1.89	PASS
	40M	0	5320.0	5320.010682	2.01	PASS
		1	5320.0	5320.010407	1.96	PASS
		2	5320.0	5320.010832	2.04	PASS
		3	5320.0	5320.010744	2.02	PASS
		0	5500.0	5500.012382	2.25	PASS
		1	5500.0	5500.012232	2.22	PASS
		2	5500.0	5500.011632	2.11	PASS
		3	5500.0	5500.012644	2.3	PASS
		0	5580.0	5580.012557	2.25	PASS
		1	5580.0	5580.012469	2.23	PASS
		2	5580.0	5580.012719	2.28	PASS
		3	5580.0	5580.013019	2.33	PASS
		0	5700.0	5700.012432	2.18	PASS
		1	5700.0	5700.012644	2.22	PASS
		2	5700.0	5700.012482	2.19	PASS
		3	5700.0	5700.013119	2.3	PASS
		0	5190.0	5190.012019	2.32	PASS
		1	5190.0	5190.012194	2.35	PASS
		2	5190.0	5190.012044	2.32	PASS
		3	5190.0	5190.012344	2.38	PASS
		0	5230.0	5230.010157	1.94	PASS
		1	5230.0	5230.010232	1.96	PASS
		2	5230.0	5230.010457	2.0	PASS
		3	5230.0	5230.010607	2.03	PASS
		0	5270.0	5270.011132	2.11	PASS
		1	5270.0	5270.011019	2.09	PASS
		2	5270.0	5269.997469	-0.48	PASS
		3	5270.0	5269.998831	-0.22	PASS
		0	5310.0	5310.011982	2.26	PASS
		1	5310.0	5310.012219	2.3	PASS
		2	5310.0	5310.012182	2.29	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		3	5310.0	5310.011882	2.24	PASS
		0	5510.0	5510.012844	2.33	PASS
		1	5510.0	5510.012769	2.32	PASS
		2	5510.0	5510.013244	2.4	PASS
		3	5510.0	5510.013294	2.41	PASS
		0	5550.0	5550.013832	2.49	PASS
		1	5550.0	5550.014044	2.53	PASS
		2	5550.0	5550.013882	2.5	PASS
		3	5550.0	5550.014394	2.59	PASS
		0	5670.0	5670.013057	2.3	PASS
		1	5670.0	5670.012807	2.26	PASS
		2	5670.0	5670.012757	2.25	PASS
		3	5670.0	5670.013107	2.31	PASS
	80M	0	5210.0	5210.013119	2.52	PASS
		1	5210.0	5210.012919	2.48	PASS
		2	5210.0	5210.013019	2.5	PASS
		3	5210.0	5210.013432	2.58	PASS
		0	5290.0	5290.013582	2.57	PASS
		1	5290.0	5290.013682	2.59	PASS
		2	5290.0	5290.013507	2.55	PASS
		3	5290.0	5290.013482	2.55	PASS
		0	5530.0	5530.014607	2.64	PASS
		1	5530.0	5530.013807	2.5	PASS
		2	5530.0	5530.014557	2.63	PASS
		3	5530.0	5530.014357	2.6	PASS
		0	5610.0	5610.015057	2.68	PASS
		1	5610.0	5610.014944	2.66	PASS
		2	5610.0	5610.015594	2.78	PASS
		3	5610.0	5610.015382	2.74	PASS
		0	5180.0	5180.019657	3.79	PASS
		1	5180.0	5180.019957	3.85	PASS
		2	5180.0	5180.020044	3.87	PASS
		3	5180.0	5180.020157	3.89	PASS
		0	5200.0	5200.012707	2.44	PASS
		1	5200.0	5200.012782	2.46	PASS
		2	5200.0	5200.012482	2.4	PASS
		3	5200.0	5200.012157	2.34	PASS
		0	5240.0	5240.013544	2.58	PASS
		1	5240.0	5240.012757	2.43	PASS
		2	5240.0	5240.014069	2.68	PASS
		3	5240.0	5240.013019	2.48	PASS
	20M	0	5260.0	5260.006494	1.23	PASS
		1	5260.0	5260.006781	1.29	PASS
		2	5260.0	5260.006806	1.29	PASS
		3	5260.0	5260.007156	1.36	PASS
		0	5280.0	5280.009644	1.83	PASS
		1	5280.0	5280.009269	1.76	PASS
		2	5280.0	5280.009194	1.74	PASS
		3	5280.0	5280.009744	1.85	PASS
		0	5320.0	5320.010769	2.02	PASS
		1	5320.0	5320.010269	1.93	PASS
		2	5320.0	5320.010507	1.97	PASS
		3	5320.0	5320.010582	1.99	PASS
		0	5500.0	5500.012919	2.35	PASS
		1	5500.0	5500.012607	2.29	PASS
		2	5500.0	5500.013119	2.39	PASS
		3	5500.0	5500.013157	2.39	PASS
		0	5580.0	5580.013044	2.34	PASS
		1	5580.0	5580.012632	2.26	PASS
		2	5580.0	5580.012669	2.27	PASS
		3	5580.0	5580.012932	2.32	PASS
		0	5700.0	5700.012944	2.27	PASS
		1	5700.0	5700.012969	2.28	PASS
		2	5700.0	5700.013357	2.34	PASS
		3	5700.0	5700.013019	2.28	PASS
	40M	0	5190.0	5190.012332	2.38	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		1	5190.0	5190.012057	2.32	PASS
		2	5190.0	5190.012407	2.39	PASS
		3	5190.0	5190.012807	2.47	PASS
		0	5230.0	5230.010394	1.99	PASS
		1	5230.0	5230.010582	2.02	PASS
		2	5230.0	5230.010394	1.99	PASS
		3	5230.0	5230.010144	1.94	PASS
		0	5270.0	5270.000219	0.04	PASS
		1	5270.0	5270.001656	0.31	PASS
		2	5270.0	5270.002256	0.43	PASS
		3	5270.0	5270.003144	0.6	PASS
		0	5310.0	5310.012607	2.37	PASS
		1	5310.0	5310.011869	2.24	PASS
		2	5310.0	5310.012482	2.35	PASS
		3	5310.0	5310.012344	2.32	PASS
		0	5510.0	5510.013294	2.41	PASS
		1	5510.0	5510.013032	2.37	PASS
		2	5510.0	5510.013482	2.45	PASS
		3	5510.0	5510.013332	2.42	PASS
		0	5550.0	5550.013994	2.52	PASS
		1	5550.0	5550.014207	2.56	PASS
		2	5550.0	5550.013982	2.52	PASS
		3	5550.0	5550.014432	2.6	PASS
		0	5670.0	5670.013194	2.33	PASS
		1	5670.0	5670.012819	2.26	PASS
		2	5670.0	5670.012807	2.26	PASS
		3	5670.0	5670.012757	2.25	PASS
	80M	0	5210.0	5210.012794	2.46	PASS
		1	5210.0	5210.012782	2.45	PASS
		2	5210.0	5210.013244	2.54	PASS
		3	5210.0	5210.013394	2.57	PASS
		0	5290.0	5290.013207	2.5	PASS
		1	5290.0	5290.012907	2.44	PASS
		2	5290.0	5290.013069	2.47	PASS
		3	5290.0	5290.012857	2.43	PASS
		0	5530.0	5530.014857	2.69	PASS
		1	5530.0	5530.014619	2.64	PASS
		2	5530.0	5530.015519	2.81	PASS
		3	5530.0	5530.014694	2.66	PASS
		0	5610.0	5610.015619	2.78	PASS
		1	5610.0	5610.015294	2.73	PASS
		2	5610.0	5610.015544	2.77	PASS
		3	5610.0	5610.015469	2.76	PASS
	40°C/NV	0	5180.0	5180.020569	3.97	PASS
		1	5180.0	5180.021032	4.06	PASS
		2	5180.0	5180.021219	4.1	PASS
		3	5180.0	5180.021432	4.14	PASS
		0	5200.0	5200.012769	2.46	PASS
		1	5200.0	5200.013319	2.56	PASS
		2	5200.0	5200.011994	2.31	PASS
		3	5200.0	5200.013132	2.53	PASS
		0	5240.0	5240.013407	2.56	PASS
		1	5240.0	5240.013032	2.49	PASS
		2	5240.0	5240.013319	2.54	PASS
		3	5240.0	5240.013232	2.53	PASS
		0	5260.0	5260.006869	1.31	PASS
		1	5260.0	5260.006956	1.32	PASS
		2	5260.0	5260.007431	1.41	PASS
		3	5260.0	5260.007706	1.47	PASS
		0	5280.0	5280.009856	1.87	PASS
		1	5280.0	5280.009931	1.88	PASS
		2	5280.0	5280.009594	1.82	PASS
		3	5280.0	5280.010069	1.91	PASS
		0	5320.0	5320.010757	2.02	PASS
		1	5320.0	5320.011382	2.14	PASS
		2	5320.0	5320.010369	1.95	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		3	5320.0	5320.011319	2.13	PASS
		0	5500.0	5500.013307	2.42	PASS
		1	5500.0	5500.012182	2.21	PASS
		2	5500.0	5500.012107	2.2	PASS
		3	5500.0	5500.012194	2.22	PASS
		0	5580.0	5580.012844	2.3	PASS
		1	5580.0	5580.013319	2.39	PASS
		2	5580.0	5580.012669	2.27	PASS
		3	5580.0	5580.012744	2.28	PASS
		0	5700.0	5700.012807	2.25	PASS
		1	5700.0	5700.013219	2.32	PASS
		2	5700.0	5700.013119	2.3	PASS
		3	5700.0	5700.013557	2.38	PASS
		0	5190.0	5190.012357	2.38	PASS
	40M	1	5190.0	5190.011957	2.3	PASS
		2	5190.0	5190.012294	2.37	PASS
		3	5190.0	5190.012182	2.35	PASS
		0	5230.0	5230.010044	1.92	PASS
		1	5230.0	5230.010519	2.01	PASS
		2	5230.0	5230.010332	1.98	PASS
		3	5230.0	5230.010507	2.01	PASS
		0	5270.0	5270.006719	1.27	PASS
		1	5270.0	5270.007419	1.41	PASS
		2	5270.0	5270.008031	1.52	PASS
		3	5270.0	5270.007956	1.51	PASS
		0	5310.0	5310.007194	1.35	PASS
		1	5310.0	5310.010482	1.97	PASS
		2	5310.0	5310.011344	2.14	PASS
		3	5310.0	5310.011732	2.21	PASS
		0	5510.0	5510.013944	2.53	PASS
		1	5510.0	5510.013419	2.44	PASS
		2	5510.0	5510.014007	2.54	PASS
		3	5510.0	5510.013669	2.48	PASS
		0	5550.0	5550.014007	2.52	PASS
		1	5550.0	5550.013994	2.52	PASS
		2	5550.0	5550.014144	2.55	PASS
		3	5550.0	5550.014194	2.56	PASS
		0	5670.0	5670.012719	2.24	PASS
		1	5670.0	5670.013344	2.35	PASS
		2	5670.0	5670.013432	2.37	PASS
		3	5670.0	5670.013207	2.33	PASS
	80M	0	5210.0	5210.013219	2.54	PASS
		1	5210.0	5210.012994	2.49	PASS
		2	5210.0	5210.013169	2.53	PASS
		3	5210.0	5210.013182	2.53	PASS
		0	5290.0	5290.012957	2.45	PASS
		1	5290.0	5290.013457	2.54	PASS
		2	5290.0	5290.013469	2.55	PASS
		3	5290.0	5290.013457	2.54	PASS
		0	5530.0	5530.014557	2.63	PASS
		1	5530.0	5530.014832	2.68	PASS
		2	5530.0	5530.014194	2.57	PASS
		3	5530.0	5530.015032	2.72	PASS
		0	5610.0	5610.015207	2.71	PASS
		1	5610.0	5610.015019	2.68	PASS
		2	5610.0	5610.014832	2.64	PASS
		3	5610.0	5610.016069	2.86	PASS
45°C/NV	20M	0	5180.0	5180.021519	4.15	PASS
		1	5180.0	5180.021957	4.24	PASS
		2	5180.0	5180.021932	4.23	PASS
		3	5180.0	5180.022244	4.29	PASS
		0	5200.0	5200.012607	2.42	PASS
		1	5200.0	5200.012619	2.43	PASS
		2	5200.0	5200.012132	2.33	PASS
		3	5200.0	5200.012694	2.44	PASS
		0	5240.0	5240.012844	2.45	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		1	5240.0	5240.012569	2.4	PASS
		2	5240.0	5240.012582	2.4	PASS
		3	5240.0	5240.012057	2.3	PASS
		0	5260.0	5260.007444	1.42	PASS
		1	5260.0	5260.007494	1.42	PASS
		2	5260.0	5260.007931	1.51	PASS
		3	5260.0	5260.008056	1.53	PASS
		0	5280.0	5280.010019	1.9	PASS
		1	5280.0	5280.009869	1.87	PASS
		2	5280.0	5280.009969	1.89	PASS
		3	5280.0	5280.009531	1.81	PASS
		0	5320.0	5320.011169	2.1	PASS
		1	5320.0	5320.011169	2.1	PASS
		2	5320.0	5320.010819	2.03	PASS
		3	5320.0	5320.010307	1.94	PASS
		0	5500.0	5500.012882	2.34	PASS
		1	5500.0	5500.012644	2.3	PASS
		2	5500.0	5500.012957	2.36	PASS
		3	5500.0	5500.012957	2.36	PASS
		0	5580.0	5580.013019	2.33	PASS
		1	5580.0	5580.012882	2.31	PASS
		2	5580.0	5580.013019	2.33	PASS
		3	5580.0	5580.013132	2.35	PASS
		0	5700.0	5700.013132	2.3	PASS
		1	5700.0	5700.012907	2.26	PASS
		2	5700.0	5700.013069	2.29	PASS
		3	5700.0	5700.012882	2.26	PASS
	40M	0	5190.0	5190.012194	2.35	PASS
		1	5190.0	5190.012007	2.31	PASS
		2	5190.0	5190.011682	2.25	PASS
		3	5190.0	5190.011857	2.28	PASS
		0	5230.0	5230.010232	1.96	PASS
		1	5230.0	5230.010719	2.05	PASS
		2	5230.0	5230.011119	2.13	PASS
		3	5230.0	5230.010907	2.09	PASS
		0	5270.0	5270.010932	2.07	PASS
		1	5270.0	5270.010632	2.02	PASS
		2	5270.0	5270.010932	2.07	PASS
		3	5270.0	5270.010807	2.05	PASS
		0	5310.0	5310.012019	2.26	PASS
		1	5310.0	5310.011669	2.2	PASS
		2	5310.0	5310.011957	2.25	PASS
		3	5310.0	5310.012232	2.3	PASS
		0	5510.0	5510.013757	2.5	PASS
		1	5510.0	5510.013707	2.49	PASS
		2	5510.0	5510.013569	2.46	PASS
		3	5510.0	5510.013694	2.49	PASS
		0	5550.0	5550.014444	2.6	PASS
		1	5550.0	5550.014344	2.58	PASS
		2	5550.0	5550.014419	2.6	PASS
		3	5550.0	5550.014132	2.55	PASS
		0	5670.0	5670.013319	2.35	PASS
		1	5670.0	5670.012819	2.26	PASS
		2	5670.0	5670.012532	2.21	PASS
		3	5670.0	5670.013119	2.31	PASS
	80M	0	5210.0	5210.013144	2.52	PASS
		1	5210.0	5210.013019	2.5	PASS
		2	5210.0	5210.013132	2.52	PASS
		3	5210.0	5210.012882	2.47	PASS
		0	5290.0	5290.013682	2.59	PASS
		1	5290.0	5290.013132	2.48	PASS
		2	5290.0	5290.013919	2.63	PASS
		3	5290.0	5290.010744	2.03	PASS
		0	5530.0	5530.009982	1.8	PASS
		1	5530.0	5530.010719	1.94	PASS
		2	5530.0	5530.012294	2.22	PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		3	5530.0	5530.013057	2.36		PASS
		0	5610.0	5610.015607	2.78		PASS
		1	5610.0	5610.016244	2.9		PASS
		2	5610.0	5610.015882	2.83		PASS
		3	5610.0	5610.015269	2.72		PASS

Condition	Mode	Ch.	Antenna	Center Frequency (MHz)	Calculated Value of Center Frequency(MHz)	Result (ppm)	Limit (ppm)	State
NT/NV	20M	149	0	5745.0	5745.006881	1.2	20	PASS
			1	5745.0	5745.008919	1.55		PASS
			2	5745.0	5745.008831	1.54		PASS
			3	5745.0	5745.009194	1.6		PASS
		157	0	5785.0	5785.010982	1.9		PASS
			1	5785.0	5785.010944	1.89		PASS
			2	5785.0	5785.011007	1.9		PASS
			3	5785.0	5785.011444	1.98		PASS
		165	0	5825.0	5825.008906	1.53		PASS
			1	5825.0	5825.009844	1.69		PASS
			2	5825.0	5825.011007	1.89		PASS
			3	5825.0	5825.010107	1.74		PASS
	40M	151	0	5755.0	5754.994131	-1.02		PASS
			1	5755.0	5754.994406	-0.97		PASS
			2	5755.0	5755.011257	1.96		PASS
			3	5755.0	5755.011282	1.96		PASS
		159	0	5795.0	5795.005644	0.97		PASS
			1	5795.0	5795.008681	1.5		PASS
			2	5795.0	5795.009369	1.62		PASS
			3	5795.0	5795.009619	1.66		PASS
	80M	155	0	5775.0	5775.011557	2.0		PASS
			1	5775.0	5775.013994	2.42		PASS
			2	5775.0	5775.014769	2.56		PASS
			3	5775.0	5775.015794	2.73		PASS
LT/NV	20M	149	0	5745.0	5745.009381	1.63		PASS
			1	5745.0	5745.010819	1.88		PASS
			2	5745.0	5745.009806	1.71		PASS
			3	5745.0	5745.009494	1.65		PASS
		157	0	5785.0	5785.010344	1.79		PASS
			1	5785.0	5785.010032	1.73		PASS
			2	5785.0	5785.009656	1.67		PASS
			3	5785.0	5785.010794	1.87		PASS
		165	0	5825.0	5825.010857	1.86		PASS
			1	5825.0	5825.010294	1.77		PASS
			2	5825.0	5825.010644	1.83		PASS
			3	5825.0	5825.010732	1.84		PASS
	40M	151	0	5755.0	5755.011657	2.03		PASS
			1	5755.0	5755.011594	2.01		PASS
			2	5755.0	5755.011894	2.07		PASS
			3	5755.0	5755.011919	2.07		PASS
		159	0	5795.0	5795.010006	1.73		PASS
			1	5795.0	5795.011969	2.07		PASS
			2	5795.0	5795.011357	1.96		PASS
			3	5795.0	5795.012194	2.1		PASS
	80M	155	0	5775.0	5775.015794	2.73		PASS
			1	5775.0	5775.016632	2.88		PASS
			2	5775.0	5775.015944	2.76		PASS
			3	5775.0	5775.016644	2.88		PASS
HT/NV	20M	149	0	5745.0	5745.010782	1.88		PASS
			1	5745.0	5745.010632	1.85		PASS
			2	5745.0	5745.010794	1.88		PASS
			3	5745.0	5745.009781	1.7		PASS
		157	0	5785.0	5785.011019	1.9		PASS
			1	5785.0	5785.010294	1.78		PASS
			2	5785.0	5785.010744	1.86		PASS
			3	5785.0	5785.010532	1.82		PASS
		165	0	5825.0	5825.010757	1.85		PASS

CTC Laboratories, Inc.


1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



			1	5825.0	5825.011007	1.89	PASS	
			2	5825.0	5825.010932	1.88	PASS	
			3	5825.0	5825.010882	1.87	PASS	
	40M	151	0	5755.0	5755.011544	2.01	PASS	
			1	5755.0	5755.011807	2.05	PASS	
			2	5755.0	5755.011644	2.02	PASS	
			3	5755.0	5755.012232	2.13	PASS	
	80M	155	0	5775.0	5775.016832	2.91	PASS	
			1	5775.0	5775.016719	2.9	PASS	
			2	5775.0	5775.016682	2.89	PASS	
3			5775.0	5775.016494	2.86	PASS		
0°C/NV	20M	149	0	5745.0	5745.009894	1.72	PASS	
			1	5745.0	5745.011219	1.95	PASS	
			2	5745.0	5745.011194	1.95	PASS	
			3	5745.0	5745.011207	1.95	PASS	
		157	0	5785.0	5785.010157	1.76	PASS	
			1	5785.0	5785.010319	1.78	PASS	
			2	5785.0	5785.010107	1.75	PASS	
			3	5785.0	5785.009806	1.7	PASS	
		165	0	5825.0	5825.011257	1.93	PASS	
			1	5825.0	5825.011057	1.9	PASS	
			2	5825.0	5825.011257	1.93	PASS	
			3	5825.0	5825.010994	1.89	PASS	
		40M	151	0	5755.0	5755.011232	1.95	PASS
				1	5755.0	5755.011557	2.01	PASS
				2	5755.0	5755.011094	1.93	PASS
				3	5755.0	5755.012282	2.13	PASS
	159		0	5795.0	5795.012607	2.18	PASS	
			1	5795.0	5795.012357	2.13	PASS	
			2	5795.0	5795.012582	2.17	PASS	
			3	5795.0	5795.013269	2.29	PASS	
	80M	155	0	5775.0	5775.016294	2.82	PASS	
			1	5775.0	5775.016457	2.85	PASS	
			2	5775.0	5775.016607	2.88	PASS	
			3	5775.0	5775.016582	2.87	PASS	
	10°C/NV	20M	149	0	5745.0	5745.010544	1.84	PASS
				1	5745.0	5745.011057	1.92	PASS
				2	5745.0	5745.010194	1.77	PASS
				3	5745.0	5745.009694	1.69	PASS
			157	0	5785.0	5785.010094	1.74	PASS
				1	5785.0	5785.009919	1.71	PASS
				2	5785.0	5785.010707	1.85	PASS
				3	5785.0	5785.010419	1.8	PASS
			165	0	5825.0	5825.011669	2.0	PASS
				1	5825.0	5825.010919	1.87	PASS
				2	5825.0	5825.010207	1.75	PASS
3				5825.0	5825.009769	1.68	PASS	
40M		151	0	5755.0	5755.011869	2.06	PASS	
			1	5755.0	5755.012194	2.12	PASS	
			2	5755.0	5755.012369	2.15	PASS	
			3	5755.0	5755.012857	2.23	PASS	
		159	0	5795.0	5795.012657	2.18	PASS	
			1	5795.0	5795.013707	2.37	PASS	
			2	5795.0	5795.012869	2.22	PASS	
			3	5795.0	5795.013569	2.34	PASS	
80M		155	0	5775.0	5775.015807	2.74	PASS	
			1	5775.0	5775.016282	2.82	PASS	
			2	5775.0	5775.016394	2.84	PASS	
			3	5775.0	5775.016194	2.8	PASS	
20°C/NV	20M	149	0	5745.0	5745.009756	1.7	PASS	
			1	5745.0	5745.010044	1.75	PASS	
			2	5745.0	5745.010057	1.75	PASS	
			3	5745.0	5745.010632	1.85	PASS	
		157	0	5785.0	5785.010494	1.81	PASS	
			1	5785.0	5785.011082	1.92	PASS	
			2	5785.0	5785.011757	2.03	PASS	
							PASS	

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn