



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11AC20MIMO	5500	Type6	24	1	333.3	9	0.3333	300	5389	1
		Type6	24	1	333.3	9	0.3333	300	5678	1
		Type6	24	1	333.3	9	0.3333	300	5647	1
		Type6	24	1	333.3	9	0.3333	300	5328	1
		Type6	24	1	333.3	9	0.3333	300	5335	1
		Type6	24	1	333.3	9	0.3333	300	5549	1
		Type6	24	1	333.3	9	0.3333	300	5590	1
		Type6	24	1	333.3	9	0.3333	300	5488	1
		Type6	24	1	333.3	9	0.3333	300	5700	1
		Type6	24	1	333.3	9	0.3333	300	5403	1
		Type6	24	1	333.3	9	0.3333	300	5527	1
		Type6	24	1	333.3	9	0.3333	300	5588	1
		Type6	24	1	333.3	9	0.3333	300	5604	1
		Type6	24	1	333.3	9	0.3333	300	5703	1
		Type6	24	1	333.3	9	0.3333	300	5309	1
		Type6	24	1	333.3	9	0.3333	300	5571	1
		Type6	24	1	333.3	9	0.3333	300	5364	1
		Type6	24	1	333.3	9	0.3333	300	5503	1
		Type6	24	1	333.3	9	0.3333	300	5274	1
		Type6	24	1	333.3	9	0.3333	300	5666	1
		Type6	24	1	333.3	9	0.3333	300	5365	1
		Type6	24	1	333.3	9	0.3333	300	5261	1
		Type6	24	1	333.3	9	0.3333	300	5469	1
		Type6	24	1	333.3	9	0.3333	300	5414	1
		Type6	24	1	333.3	9	0.3333	300	5535	1
		Type6	24	1	333.3	9	0.3333	300	5468	1
		Type6	24	1	333.3	9	0.3333	300	5552	1
		Type6	24	1	333.3	9	0.3333	300	5672	1
		Type6	24	1	333.3	9	0.3333	300	5447	1
		Type6	24	1	333.3	9	0.3333	300	5676	1
		Type6	24	1	333.3	9	0.3333	300	5472	1
		Type6	24	1	333.3	9	0.3333	300	5316	1
		Type6	24	1	333.3	9	0.3333	300	5381	1
		Type6	24	1	333.3	9	0.3333	300	5721	1
		Type6	24	1	333.3	9	0.3333	300	5660	1
		Type6	24	1	333.3	9	0.3333	300	5574	1
		Type6	24	1	333.3	9	0.3333	300	5517	1
		Type6	24	1	333.3	9	0.3333	300	5508	1
		Type6	24	1	333.3	9	0.3333	300	5614	1
		Type6	24	1	333.3	9	0.3333	300	5668	1
		Type6	24	1	333.3	9	0.3333	300	5582	1
		Type6	24	1	333.3	9	0.3333	300	5617	1
		Type6	24	1	333.3	9	0.3333	300	5367	1
		Type6	24	1	333.3	9	0.3333	300	5251	1
		Type6	24	1	333.3	9	0.3333	300	5351	1
		Type6	24	1	333.3	9	0.3333	300	5383	1
		Type6	24	1	333.3	9	0.3333	300	5505	1
		Type6	24	1	333.3	9	0.3333	300	5477	1
		Type6	24	1	333.3	9	0.3333	300	5428	1
		Type6	24	1	333.3	9	0.3333	300	5417	1
		Type6	24	1	333.3	9	0.3333	300	5258	1
		Type6	24	1	333.3	9	0.3333	300	5636	1
		Type6	24	1	333.3	9	0.3333	300	5543	1
		Type6	24	1	333.3	9	0.3333	300	5458	1
		Type6	24	1	333.3	9	0.3333	300	5479	1
		Type6	24	1	333.3	9	0.3333	300	5623	1
		Type6	24	1	333.3	9	0.3333	300	5400	1
		Type6	24	1	333.3	9	0.3333	300	5444	1
		Type6	24	1	333.3	9	0.3333	300	5586	1
		Type6	24	1	333.3	9	0.3333	300	5372	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	24	1	333.3	9	0.3333	300	5677	1
		Type6	24	1	333.3	9	0.3333	300	5341	1
		Type6	24	1	333.3	9	0.3333	300	5575	1
		Type6	24	1	333.3	9	0.3333	300	5290	1
		Type6	24	1	333.3	9	0.3333	300	5432	1
		Type6	24	1	333.3	9	0.3333	300	5565	1
		Type6	24	1	333.3	9	0.3333	300	5470	1
		Type6	24	1	333.3	9	0.3333	300	5349	1
		Type6	24	1	333.3	9	0.3333	300	5627	1
		Type6	24	1	333.3	9	0.3333	300	5347	1
		Type6	24	1	333.3	9	0.3333	300	5345	1
		Type6	24	1	333.3	9	0.3333	300	5301	1
		Type6	24	1	333.3	9	0.3333	300	5653	1
		Type6	24	1	333.3	9	0.3333	300	5299	1
		Type6	24	1	333.3	9	0.3333	300	5405	1
		Type6	24	1	333.3	9	0.3333	300	5448	1
		Type6	24	1	333.3	9	0.3333	300	5382	1
		Type6	24	1	333.3	9	0.3333	300	5528	1
		Type6	24	1	333.3	9	0.3333	300	5687	1
		Type6	24	1	333.3	9	0.3333	300	5695	1
		Type6	24	1	333.3	9	0.3333	300	5537	1
		Type6	24	1	333.3	9	0.3333	300	5717	1
		Type6	24	1	333.3	9	0.3333	300	5642	1
		Type6	24	1	333.3	9	0.3333	300	5370	1
		Type6	24	1	333.3	9	0.3333	300	5628	1
		Type6	24	1	333.3	9	0.3333	300	5331	1
		Type6	24	1	333.3	9	0.3333	300	5600	1
		Type6	24	1	333.3	9	0.3333	300	5270	1
		Type6	24	1	333.3	9	0.3333	300	5639	1
		Type6	24	1	333.3	9	0.3333	300	5612	1
		Type6	24	1	333.3	9	0.3333	300	5515	1
		Type6	24	1	333.3	9	0.3333	300	5376	1
		Type6	24	1	333.3	9	0.3333	300	5667	1
		Type6	24	1	333.3	9	0.3333	300	5269	1
		Type6	24	1	333.3	9	0.3333	300	5252	1
		Type6	24	1	333.3	9	0.3333	300	5393	1
		Type6	24	1	333.3	9	0.3333	300	5321	1
		Type6	24	1	333.3	9	0.3333	300	5325	1
		Type6	24	1	333.3	9	0.3333	300	5359	1
		Type6	24	1	333.3	9	0.3333	300	5698	1
11AC40MIMO	5510	Type6	24	1	333.3	9	0.3333	300	5698	1
		Type6	24	1	333.3	9	0.3333	300	5543	1
		Type6	24	1	333.3	9	0.3333	300	5458	1
		Type6	24	1	333.3	9	0.3333	300	5479	1
		Type6	24	1	333.3	9	0.3333	300	5623	1
		Type6	24	1	333.3	9	0.3333	300	5400	1
		Type6	24	1	333.3	9	0.3333	300	5444	1
		Type6	24	1	333.3	9	0.3333	300	5472	1
		Type6	24	1	333.3	9	0.3333	300	5642	1
		Type6	24	1	333.3	9	0.3333	300	5381	1
		Type6	24	1	333.3	9	0.3333	300	5721	1
		Type6	24	1	333.3	9	0.3333	300	5477	1
		Type6	24	1	333.3	9	0.3333	300	5299	1
		Type6	24	1	333.3	9	0.3333	300	5258	1
		Type6	24	1	333.3	9	0.3333	300	5301	1
		Type6	24	1	333.3	9	0.3333	300	5586	1
		Type6	24	1	333.3	9	0.3333	300	5677	1
		Type6	24	1	333.3	9	0.3333	300	5252	1
		Type6	24	1	333.3	9	0.3333	300	5269	1
		Type6	24	1	333.3	9	0.3333	300	5667	1
		Type6	24	1	333.3	9	0.3333	300	5376	1
		Type6	24	1	333.3	9	0.3333	300	5515	1
		Type6	24	1	333.3	9	0.3333	300	5612	1
		Type6	24	1	333.3	9	0.3333	300	5639	1
		Type6	24	1	333.3	9	0.3333	300	5270	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	24	1	333.3	9	0.3333	300	5636	1
Type6	24	1	333.3	9	0.3333	300	5470	1
Type6	24	1	333.3	9	0.3333	300	5678	1
Type6	24	1	333.3	9	0.3333	300	5325	1
Type6	24	1	333.3	9	0.3333	300	5321	1
Type6	24	1	333.3	9	0.3333	300	5359	1
Type6	24	1	333.3	9	0.3333	300	5469	1
Type6	24	1	333.3	9	0.3333	300	5468	1
Type6	24	1	333.3	9	0.3333	300	5552	1
Type6	24	1	333.3	9	0.3333	300	5672	1
Type6	24	1	333.3	9	0.3333	300	5447	1
Type6	24	1	333.3	9	0.3333	300	5676	1
Type6	24	1	333.3	9	0.3333	300	5628	1
Type6	24	1	333.3	9	0.3333	300	5574	1
Type6	24	1	333.3	9	0.3333	300	5565	1
Type6	24	1	333.3	9	0.3333	300	5535	1
Type6	24	1	333.3	9	0.3333	300	5349	1
Type6	24	1	333.3	9	0.3333	300	5627	1
Type6	24	1	333.3	9	0.3333	300	5347	1
Type6	24	1	333.3	9	0.3333	300	5345	1
Type6	24	1	333.3	9	0.3333	300	5316	1
Type6	24	1	333.3	9	0.3333	300	5290	1
Type6	24	1	333.3	9	0.3333	300	5575	1
Type6	24	1	333.3	9	0.3333	300	5341	1
Type6	24	1	333.3	9	0.3333	300	5428	1
Type6	24	1	333.3	9	0.3333	300	5372	1
Type6	24	1	333.3	9	0.3333	300	5653	1
Type6	24	1	333.3	9	0.3333	300	5432	1
Type6	24	1	333.3	9	0.3333	300	5527	1
Type6	24	1	333.3	9	0.3333	300	5600	1
Type6	24	1	333.3	9	0.3333	300	5588	1
Type6	24	1	333.3	9	0.3333	300	5414	1
Type6	24	1	333.3	9	0.3333	300	5403	1
Type6	24	1	333.3	9	0.3333	300	5700	1
Type6	24	1	333.3	9	0.3333	300	5488	1
Type6	24	1	333.3	9	0.3333	300	5590	1
Type6	24	1	333.3	9	0.3333	300	5549	1
Type6	24	1	333.3	9	0.3333	300	5335	1
Type6	24	1	333.3	9	0.3333	300	5328	1
Type6	24	1	333.3	9	0.3333	300	5703	1
Type6	24	1	333.3	9	0.3333	300	5660	1
Type6	24	1	333.3	9	0.3333	300	5309	1
Type6	24	1	333.3	9	0.3333	300	5604	1
Type6	24	1	333.3	9	0.3333	300	5505	1
Type6	24	1	333.3	9	0.3333	300	5383	1
Type6	24	1	333.3	9	0.3333	300	5351	1
Type6	24	1	333.3	9	0.3333	300	5251	1
Type6	24	1	333.3	9	0.3333	300	5367	1
Type6	24	1	333.3	9	0.3333	300	5617	1
Type6	24	1	333.3	9	0.3333	300	5582	1
Type6	24	1	333.3	9	0.3333	300	5668	1
Type6	24	1	333.3	9	0.3333	300	5614	1
Type6	24	1	333.3	9	0.3333	300	5508	1
Type6	24	1	333.3	9	0.3333	300	5647	1
Type6	24	1	333.3	9	0.3333	300	5405	1
Type6	24	1	333.3	9	0.3333	300	5695	1
Type6	24	1	333.3	9	0.3333	300	5687	1
Type6	24	1	333.3	9	0.3333	300	5528	1
Type6	24	1	333.3	9	0.3333	300	5382	1
Type6	24	1	333.3	9	0.3333	300	5448	1
Type6	24	1	333.3	9	0.3333	300	5717	1
Type6	24	1	333.3	9	0.3333	300	5389	1
Type6	24	1	333.3	9	0.3333	300	5393	1
Type6	24	1	333.3	9	0.3333	300	5537	1
Type6	24	1	333.3	9	0.3333	300	5370	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		Type6	24	1	333.3	9	0.3333	300	5517	1
		Type6	24	1	333.3	9	0.3333	300	5417	1
		Type6	24	1	333.3	9	0.3333	300	5261	1
		Type6	24	1	333.3	9	0.3333	300	5365	1
		Type6	24	1	333.3	9	0.3333	300	5666	1
		Type6	24	1	333.3	9	0.3333	300	5274	1
		Type6	24	1	333.3	9	0.3333	300	5503	1
		Type6	24	1	333.3	9	0.3333	300	5364	1
		Type6	24	1	333.3	9	0.3333	300	5571	1
11AC80MIMO	5530	Type6	24	1	333.3	9	0.3333	300	5331	1
		Type6	24	1	333.3	9	0.3333	300	5472	1
		Type6	24	1	333.3	9	0.3333	300	5653	1
		Type6	24	1	333.3	9	0.3333	300	5721	1
		Type6	24	1	333.3	9	0.3333	300	5698	1
		Type6	24	1	333.3	9	0.3333	300	5299	1
		Type6	24	1	333.3	9	0.3333	300	5381	1
		Type6	24	1	333.3	9	0.3333	300	5677	1
		Type6	24	1	333.3	9	0.3333	300	5301	1
		Type6	24	1	333.3	9	0.3333	300	5444	1
		Type6	24	1	333.3	9	0.3333	300	5400	1
		Type6	24	1	333.3	9	0.3333	300	5623	1
		Type6	24	1	333.3	9	0.3333	300	5479	1
		Type6	24	1	333.3	9	0.3333	300	5458	1
		Type6	24	1	333.3	9	0.3333	300	5543	1
		Type6	24	1	333.3	9	0.3333	300	5636	1
		Type6	24	1	333.3	9	0.3333	300	5258	1
		Type6	24	1	333.3	9	0.3333	300	5331	1
		Type6	24	1	333.3	9	0.3333	300	5586	1
		Type6	24	1	333.3	9	0.3333	300	5341	1
		Type6	24	1	333.3	9	0.3333	300	5252	1
		Type6	24	1	333.3	9	0.3333	300	5269	1
		Type6	24	1	333.3	9	0.3333	300	5667	1
		Type6	24	1	333.3	9	0.3333	300	5376	1
		Type6	24	1	333.3	9	0.3333	300	5515	1
		Type6	24	1	333.3	9	0.3333	300	5612	1
		Type6	24	1	333.3	9	0.3333	300	5639	1
		Type6	24	1	333.3	9	0.3333	300	5270	1
		Type6	24	1	333.3	9	0.3333	300	5393	1
		Type6	24	1	333.3	9	0.3333	300	5642	1
		Type6	24	1	333.3	9	0.3333	300	5432	1
		Type6	24	1	333.3	9	0.3333	300	5678	1
		Type6	24	1	333.3	9	0.3333	300	5325	1
		Type6	24	1	333.3	9	0.3333	300	5321	1
		Type6	24	1	333.3	9	0.3333	300	5359	1
		Type6	24	1	333.3	9	0.3333	300	5469	1
		Type6	24	1	333.3	9	0.3333	300	5468	1
		Type6	24	1	333.3	9	0.3333	300	5552	1
		Type6	24	1	333.3	9	0.3333	300	5672	1
		Type6	24	1	333.3	9	0.3333	300	5447	1
		Type6	24	1	333.3	9	0.3333	300	5372	1
		Type6	24	1	333.3	9	0.3333	300	5628	1
		Type6	24	1	333.3	9	0.3333	300	5428	1
		Type6	24	1	333.3	9	0.3333	300	5565	1
		Type6	24	1	333.3	9	0.3333	300	5470	1
		Type6	24	1	333.3	9	0.3333	300	5349	1
		Type6	24	1	333.3	9	0.3333	300	5627	1
		Type6	24	1	333.3	9	0.3333	300	5347	1
		Type6	24	1	333.3	9	0.3333	300	5345	1
		Type6	24	1	333.3	9	0.3333	300	5316	1
		Type6	24	1	333.3	9	0.3333	300	5290	1
		Type6	24	1	333.3	9	0.3333	300	5575	1
		Type6	24	1	333.3	9	0.3333	300	5370	1
		Type6	24	1	333.3	9	0.3333	300	5676	1
		Type6	24	1	333.3	9	0.3333	300	5351	1
		Type6	24	1	333.3	9	0.3333	300	5488	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	24	1	333.3	9	0.3333	300	5590	1
Type6	24	1	333.3	9	0.3333	300	5549	1
Type6	24	1	333.3	9	0.3333	300	5335	1
Type6	24	1	333.3	9	0.3333	300	5328	1
Type6	24	1	333.3	9	0.3333	300	5647	1
Type6	24	1	333.3	9	0.3333	300	5660	1
Type6	24	1	333.3	9	0.3333	300	5527	1
Type6	24	1	333.3	9	0.3333	300	5604	1
Type6	24	1	333.3	9	0.3333	300	5600	1
Type6	24	1	333.3	9	0.3333	300	5383	1
Type6	24	1	333.3	9	0.3333	300	5414	1
Type6	24	1	333.3	9	0.3333	300	5251	1
Type6	24	1	333.3	9	0.3333	300	5367	1
Type6	24	1	333.3	9	0.3333	300	5617	1
Type6	24	1	333.3	9	0.3333	300	5582	1
Type6	24	1	333.3	9	0.3333	300	5668	1
Type6	24	1	333.3	9	0.3333	300	5614	1
Type6	24	1	333.3	9	0.3333	300	5508	1
Type6	24	1	333.3	9	0.3333	300	5535	1
Type6	24	1	333.3	9	0.3333	300	5574	1
Type6	24	1	333.3	9	0.3333	300	5505	1
Type6	24	1	333.3	9	0.3333	300	5365	1
Type6	24	1	333.3	9	0.3333	300	5717	1
Type6	24	1	333.3	9	0.3333	300	5537	1
Type6	24	1	333.3	9	0.3333	300	5695	1
Type6	24	1	333.3	9	0.3333	300	5687	1
Type6	24	1	333.3	9	0.3333	300	5528	1
Type6	24	1	333.3	9	0.3333	300	5382	1
Type6	24	1	333.3	9	0.3333	300	5448	1
Type6	24	1	333.3	9	0.3333	300	5405	1
Type6	24	1	333.3	9	0.3333	300	5517	1
Type6	24	1	333.3	9	0.3333	300	5700	1
Type6	24	1	333.3	9	0.3333	300	5261	1
Type6	24	1	333.3	9	0.3333	300	5403	1
Type6	24	1	333.3	9	0.3333	300	5666	1
Type6	24	1	333.3	9	0.3333	300	5274	1
Type6	24	1	333.3	9	0.3333	300	5503	1
Type6	24	1	333.3	9	0.3333	300	5364	1
Type6	24	1	333.3	9	0.3333	300	5571	1
Type6	24	1	333.3	9	0.3333	300	5309	1
Type6	24	1	333.3	9	0.3333	300	5703	1
Type6	24	1	333.3	9	0.3333	300	5389	1
Type6	24	1	333.3	9	0.3333	300	5588	1
Type6	24	1	333.3	9	0.3333	300	5477	1
Type6	24	1	333.3	9	0.3333	300	5417	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11AC20MIMO	5500	Type6	25	1	333.3	9	0.3333	300	5292	1
		Type6	25	1	333.3	9	0.3333	300	5459	1
		Type6	25	1	333.3	9	0.3333	300	5351	1
		Type6	25	1	333.3	9	0.3333	300	5588	1
		Type6	25	1	333.3	9	0.3333	300	5417	1
		Type6	25	1	333.3	9	0.3333	300	5308	1
		Type6	25	1	333.3	9	0.3333	300	5586	1
		Type6	25	1	333.3	9	0.3333	300	5498	1
		Type6	25	1	333.3	9	0.3333	300	5318	1
		Type6	25	1	333.3	9	0.3333	300	5289	1
		Type6	25	1	333.3	9	0.3333	300	5321	1
		Type6	25	1	333.3	9	0.3333	300	5364	1
		Type6	25	1	333.3	9	0.3333	300	5453	1
		Type6	25	1	333.3	9	0.3333	300	5706	1
		Type6	25	1	333.3	9	0.3333	300	5426	1
		Type6	25	1	333.3	9	0.3333	300	5448	1
		Type6	25	1	333.3	9	0.3333	300	5662	1
		Type6	25	1	333.3	9	0.3333	300	5257	1
		Type6	25	1	333.3	9	0.3333	300	5656	1
		Type6	25	1	333.3	9	0.3333	300	5663	1
		Type6	25	1	333.3	9	0.3333	300	5505	1
		Type6	25	1	333.3	9	0.3333	300	5674	1
		Type6	25	1	333.3	9	0.3333	300	5607	1
		Type6	25	1	333.3	9	0.3333	300	5522	1
		Type6	25	1	333.3	9	0.3333	300	5610	1
		Type6	25	1	333.3	9	0.3333	300	5683	1
		Type6	25	1	333.3	9	0.3333	300	5546	1
		Type6	25	1	333.3	9	0.3333	300	5695	1
		Type6	25	1	333.3	9	0.3333	300	5407	1
		Type6	25	1	333.3	9	0.3333	300	5382	1
		Type6	25	1	333.3	9	0.3333	300	5711	1
		Type6	25	1	333.3	9	0.3333	300	5400	1
		Type6	25	1	333.3	9	0.3333	300	5542	1
		Type6	25	1	333.3	9	0.3333	300	5563	1
		Type6	25	1	333.3	9	0.3333	300	5535	1
		Type6	25	1	333.3	9	0.3333	300	5596	1
		Type6	25	1	333.3	9	0.3333	300	5514	1
		Type6	25	1	333.3	9	0.3333	300	5671	1
		Type6	25	1	333.3	9	0.3333	300	5346	1
		Type6	25	1	333.3	9	0.3333	300	5599	1
		Type6	25	1	333.3	9	0.3333	300	5371	1
		Type6	25	1	333.3	9	0.3333	300	5658	1
		Type6	25	1	333.3	9	0.3333	300	5562	1
		Type6	25	1	333.3	9	0.3333	300	5638	1
		Type6	25	1	333.3	9	0.3333	300	5339	1
		Type6	25	1	333.3	9	0.3333	300	5381	1
		Type6	25	1	333.3	9	0.3333	300	5486	1
		Type6	25	1	333.3	9	0.3333	300	5616	1
		Type6	25	1	333.3	9	0.3333	300	5652	1
		Type6	25	1	333.3	9	0.3333	300	5657	1
		Type6	25	1	333.3	9	0.3333	300	5383	1
		Type6	25	1	333.3	9	0.3333	300	5280	1
		Type6	25	1	333.3	9	0.3333	300	5250	1
		Type6	25	1	333.3	9	0.3333	300	5261	1
		Type6	25	1	333.3	9	0.3333	300	5485	1
		Type6	25	1	333.3	9	0.3333	300	5519	1
		Type6	25	1	333.3	9	0.3333	300	5502	1
		Type6	25	1	333.3	9	0.3333	300	5578	1
		Type6	25	1	333.3	9	0.3333	300	5541	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	25	1	333.3	9	0.3333	300	5604	1
		Type6	25	1	333.3	9	0.3333	300	5462	1
		Type6	25	1	333.3	9	0.3333	300	5613	1
		Type6	25	1	333.3	9	0.3333	300	5700	1
		Type6	25	1	333.3	9	0.3333	300	5435	1
		Type6	25	1	333.3	9	0.3333	300	5595	1
		Type6	25	1	333.3	9	0.3333	300	5299	1
		Type6	25	1	333.3	9	0.3333	300	5281	1
		Type6	25	1	333.3	9	0.3333	300	5385	1
		Type6	25	1	333.3	9	0.3333	300	5635	1
		Type6	25	1	333.3	9	0.3333	300	5331	1
		Type6	25	1	333.3	9	0.3333	300	5609	1
		Type6	25	1	333.3	9	0.3333	300	5525	1
		Type6	25	1	333.3	9	0.3333	300	5581	1
		Type6	25	1	333.3	9	0.3333	300	5457	1
		Type6	25	1	333.3	9	0.3333	300	5334	1
		Type6	25	1	333.3	9	0.3333	300	5428	1
		Type6	25	1	333.3	9	0.3333	300	5465	1
		Type6	25	1	333.3	9	0.3333	300	5489	1
		Type6	25	1	333.3	9	0.3333	300	5265	1
		Type6	25	1	333.3	9	0.3333	300	5437	1
		Type6	25	1	333.3	9	0.3333	300	5404	1
		Type6	25	1	333.3	9	0.3333	300	5396	1
		Type6	25	1	333.3	9	0.3333	300	5576	1
		Type6	25	1	333.3	9	0.3333	300	5564	1
		Type6	25	1	333.3	9	0.3333	300	5350	1
		Type6	25	1	333.3	9	0.3333	300	5324	1
		Type6	25	1	333.3	9	0.3333	300	5368	1
		Type6	25	1	333.3	9	0.3333	300	5625	1
		Type6	25	1	333.3	9	0.3333	300	5571	1
		Type6	25	1	333.3	9	0.3333	300	5399	1
		Type6	25	1	333.3	9	0.3333	300	5329	1
		Type6	25	1	333.3	9	0.3333	300	5557	1
		Type6	25	1	333.3	9	0.3333	300	5347	1
		Type6	25	1	333.3	9	0.3333	300	5677	1
		Type6	25	1	333.3	9	0.3333	300	5271	1
		Type6	25	1	333.3	9	0.3333	300	5373	1
		Type6	25	1	333.3	9	0.3333	300	5655	1
		Type6	25	1	333.3	9	0.3333	300	5550	1
		Type6	25	1	333.3	9	0.3333	300	5263	1
		Type6	25	1	333.3	9	0.3333	300	5634	1
11AC40MIMO	5510	Type6	25	1	333.3	9	0.3333	300	5634	1
		Type6	25	1	333.3	9	0.3333	300	5250	1
		Type6	25	1	333.3	9	0.3333	300	5261	1
		Type6	25	1	333.3	9	0.3333	300	5485	1
		Type6	25	1	333.3	9	0.3333	300	5519	1
		Type6	25	1	333.3	9	0.3333	300	5502	1
		Type6	25	1	333.3	9	0.3333	300	5578	1
		Type6	25	1	333.3	9	0.3333	300	5711	1
		Type6	25	1	333.3	9	0.3333	300	5576	1
		Type6	25	1	333.3	9	0.3333	300	5542	1
		Type6	25	1	333.3	9	0.3333	300	5563	1
		Type6	25	1	333.3	9	0.3333	300	5616	1
		Type6	25	1	333.3	9	0.3333	300	5457	1
		Type6	25	1	333.3	9	0.3333	300	5383	1
		Type6	25	1	333.3	9	0.3333	300	5525	1
		Type6	25	1	333.3	9	0.3333	300	5541	1
		Type6	25	1	333.3	9	0.3333	300	5462	1
		Type6	25	1	333.3	9	0.3333	300	5271	1
		Type6	25	1	333.3	9	0.3333	300	5677	1
		Type6	25	1	333.3	9	0.3333	300	5347	1
		Type6	25	1	333.3	9	0.3333	300	5557	1
		Type6	25	1	333.3	9	0.3333	300	5329	1
		Type6	25	1	333.3	9	0.3333	300	5399	1
		Type6	25	1	333.3	9	0.3333	300	5571	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	25	1	333.3	9	0.3333	300	5625	1
Type6	25	1	333.3	9	0.3333	300	5280	1
Type6	25	1	333.3	9	0.3333	300	5281	1
Type6	25	1	333.3	9	0.3333	300	5459	1
Type6	25	1	333.3	9	0.3333	300	5550	1
Type6	25	1	333.3	9	0.3333	300	5655	1
Type6	25	1	333.3	9	0.3333	300	5263	1
Type6	25	1	333.3	9	0.3333	300	5607	1
Type6	25	1	333.3	9	0.3333	300	5683	1
Type6	25	1	333.3	9	0.3333	300	5546	1
Type6	25	1	333.3	9	0.3333	300	5695	1
Type6	25	1	333.3	9	0.3333	300	5407	1
Type6	25	1	333.3	9	0.3333	300	5382	1
Type6	25	1	333.3	9	0.3333	300	5350	1
Type6	25	1	333.3	9	0.3333	300	5596	1
Type6	25	1	333.3	9	0.3333	300	5299	1
Type6	25	1	333.3	9	0.3333	300	5610	1
Type6	25	1	333.3	9	0.3333	300	5385	1
Type6	25	1	333.3	9	0.3333	300	5635	1
Type6	25	1	333.3	9	0.3333	300	5331	1
Type6	25	1	333.3	9	0.3333	300	5609	1
Type6	25	1	333.3	9	0.3333	300	5400	1
Type6	25	1	333.3	9	0.3333	300	5435	1
Type6	25	1	333.3	9	0.3333	300	5700	1
Type6	25	1	333.3	9	0.3333	300	5613	1
Type6	25	1	333.3	9	0.3333	300	5652	1
Type6	25	1	333.3	9	0.3333	300	5604	1
Type6	25	1	333.3	9	0.3333	300	5581	1
Type6	25	1	333.3	9	0.3333	300	5595	1
Type6	25	1	333.3	9	0.3333	300	5321	1
Type6	25	1	333.3	9	0.3333	300	5368	1
Type6	25	1	333.3	9	0.3333	300	5364	1
Type6	25	1	333.3	9	0.3333	300	5522	1
Type6	25	1	333.3	9	0.3333	300	5289	1
Type6	25	1	333.3	9	0.3333	300	5318	1
Type6	25	1	333.3	9	0.3333	300	5498	1
Type6	25	1	333.3	9	0.3333	300	5586	1
Type6	25	1	333.3	9	0.3333	300	5308	1
Type6	25	1	333.3	9	0.3333	300	5417	1
Type6	25	1	333.3	9	0.3333	300	5588	1
Type6	25	1	333.3	9	0.3333	300	5706	1
Type6	25	1	333.3	9	0.3333	300	5535	1
Type6	25	1	333.3	9	0.3333	300	5426	1
Type6	25	1	333.3	9	0.3333	300	5453	1
Type6	25	1	333.3	9	0.3333	300	5486	1
Type6	25	1	333.3	9	0.3333	300	5381	1
Type6	25	1	333.3	9	0.3333	300	5339	1
Type6	25	1	333.3	9	0.3333	300	5638	1
Type6	25	1	333.3	9	0.3333	300	5562	1
Type6	25	1	333.3	9	0.3333	300	5658	1
Type6	25	1	333.3	9	0.3333	300	5371	1
Type6	25	1	333.3	9	0.3333	300	5599	1
Type6	25	1	333.3	9	0.3333	300	5346	1
Type6	25	1	333.3	9	0.3333	300	5671	1
Type6	25	1	333.3	9	0.3333	300	5351	1
Type6	25	1	333.3	9	0.3333	300	5334	1
Type6	25	1	333.3	9	0.3333	300	5437	1
Type6	25	1	333.3	9	0.3333	300	5265	1
Type6	25	1	333.3	9	0.3333	300	5489	1
Type6	25	1	333.3	9	0.3333	300	5465	1
Type6	25	1	333.3	9	0.3333	300	5428	1
Type6	25	1	333.3	9	0.3333	300	5396	1
Type6	25	1	333.3	9	0.3333	300	5292	1
Type6	25	1	333.3	9	0.3333	300	5373	1
Type6	25	1	333.3	9	0.3333	300	5404	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	25	1	333.3	9	0.3333	300	5564	1
		Type6	25	1	333.3	9	0.3333	300	5514	1
		Type6	25	1	333.3	9	0.3333	300	5657	1
		Type6	25	1	333.3	9	0.3333	300	5674	1
		Type6	25	1	333.3	9	0.3333	300	5505	1
		Type6	25	1	333.3	9	0.3333	300	5663	1
		Type6	25	1	333.3	9	0.3333	300	5656	1
		Type6	25	1	333.3	9	0.3333	300	5257	1
		Type6	25	1	333.3	9	0.3333	300	5662	1
		Type6	25	1	333.3	9	0.3333	300	5448	1
11AC80MIMO	5530	Type6	25	1	333.3	9	0.3333	300	5324	1
		Type6	25	1	333.3	9	0.3333	300	5711	1
		Type6	25	1	333.3	9	0.3333	300	5581	1
		Type6	25	1	333.3	9	0.3333	300	5563	1
		Type6	25	1	333.3	9	0.3333	300	5634	1
		Type6	25	1	333.3	9	0.3333	300	5457	1
		Type6	25	1	333.3	9	0.3333	300	5542	1
		Type6	25	1	333.3	9	0.3333	300	5462	1
		Type6	25	1	333.3	9	0.3333	300	5525	1
		Type6	25	1	333.3	9	0.3333	300	5578	1
		Type6	25	1	333.3	9	0.3333	300	5502	1
		Type6	25	1	333.3	9	0.3333	300	5519	1
		Type6	25	1	333.3	9	0.3333	300	5485	1
		Type6	25	1	333.3	9	0.3333	300	5261	1
		Type6	25	1	333.3	9	0.3333	300	5250	1
		Type6	25	1	333.3	9	0.3333	300	5280	1
		Type6	25	1	333.3	9	0.3333	300	5383	1
		Type6	25	1	333.3	9	0.3333	300	5324	1
		Type6	25	1	333.3	9	0.3333	300	5541	1
		Type6	25	1	333.3	9	0.3333	300	5613	1
		Type6	25	1	333.3	9	0.3333	300	5271	1
		Type6	25	1	333.3	9	0.3333	300	5677	1
		Type6	25	1	333.3	9	0.3333	300	5347	1
		Type6	25	1	333.3	9	0.3333	300	5557	1
		Type6	25	1	333.3	9	0.3333	300	5329	1
		Type6	25	1	333.3	9	0.3333	300	5399	1
		Type6	25	1	333.3	9	0.3333	300	5571	1
		Type6	25	1	333.3	9	0.3333	300	5625	1
		Type6	25	1	333.3	9	0.3333	300	5373	1
		Type6	25	1	333.3	9	0.3333	300	5576	1
		Type6	25	1	333.3	9	0.3333	300	5595	1
		Type6	25	1	333.3	9	0.3333	300	5459	1
		Type6	25	1	333.3	9	0.3333	300	5550	1
		Type6	25	1	333.3	9	0.3333	300	5655	1
		Type6	25	1	333.3	9	0.3333	300	5263	1
		Type6	25	1	333.3	9	0.3333	300	5607	1
		Type6	25	1	333.3	9	0.3333	300	5683	1
		Type6	25	1	333.3	9	0.3333	300	5546	1
		Type6	25	1	333.3	9	0.3333	300	5695	1
		Type6	25	1	333.3	9	0.3333	300	5407	1
		Type6	25	1	333.3	9	0.3333	300	5604	1
		Type6	25	1	333.3	9	0.3333	300	5350	1
		Type6	25	1	333.3	9	0.3333	300	5652	1
		Type6	25	1	333.3	9	0.3333	300	5299	1
		Type6	25	1	333.3	9	0.3333	300	5281	1
		Type6	25	1	333.3	9	0.3333	300	5385	1
		Type6	25	1	333.3	9	0.3333	300	5635	1
		Type6	25	1	333.3	9	0.3333	300	5331	1
		Type6	25	1	333.3	9	0.3333	300	5609	1
		Type6	25	1	333.3	9	0.3333	300	5400	1
		Type6	25	1	333.3	9	0.3333	300	5435	1
		Type6	25	1	333.3	9	0.3333	300	5700	1
		Type6	25	1	333.3	9	0.3333	300	5564	1
		Type6	25	1	333.3	9	0.3333	300	5382	1
		Type6	25	1	333.3	9	0.3333	300	5339	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	25	1	333.3	9	0.3333	300	5498	1
Type6	25	1	333.3	9	0.3333	300	5586	1
Type6	25	1	333.3	9	0.3333	300	5308	1
Type6	25	1	333.3	9	0.3333	300	5417	1
Type6	25	1	333.3	9	0.3333	300	5588	1
Type6	25	1	333.3	9	0.3333	300	5351	1
Type6	25	1	333.3	9	0.3333	300	5535	1
Type6	25	1	333.3	9	0.3333	300	5321	1
Type6	25	1	333.3	9	0.3333	300	5453	1
Type6	25	1	333.3	9	0.3333	300	5368	1
Type6	25	1	333.3	9	0.3333	300	5381	1
Type6	25	1	333.3	9	0.3333	300	5522	1
Type6	25	1	333.3	9	0.3333	300	5638	1
Type6	25	1	333.3	9	0.3333	300	5562	1
Type6	25	1	333.3	9	0.3333	300	5658	1
Type6	25	1	333.3	9	0.3333	300	5371	1
Type6	25	1	333.3	9	0.3333	300	5599	1
Type6	25	1	333.3	9	0.3333	300	5346	1
Type6	25	1	333.3	9	0.3333	300	5671	1
Type6	25	1	333.3	9	0.3333	300	5610	1
Type6	25	1	333.3	9	0.3333	300	5596	1
Type6	25	1	333.3	9	0.3333	300	5486	1
Type6	25	1	333.3	9	0.3333	300	5505	1
Type6	25	1	333.3	9	0.3333	300	5396	1
Type6	25	1	333.3	9	0.3333	300	5404	1
Type6	25	1	333.3	9	0.3333	300	5437	1
Type6	25	1	333.3	9	0.3333	300	5265	1
Type6	25	1	333.3	9	0.3333	300	5489	1
Type6	25	1	333.3	9	0.3333	300	5465	1
Type6	25	1	333.3	9	0.3333	300	5428	1
Type6	25	1	333.3	9	0.3333	300	5334	1
Type6	25	1	333.3	9	0.3333	300	5514	1
Type6	25	1	333.3	9	0.3333	300	5318	1
Type6	25	1	333.3	9	0.3333	300	5674	1
Type6	25	1	333.3	9	0.3333	300	5289	1
Type6	25	1	333.3	9	0.3333	300	5663	1
Type6	25	1	333.3	9	0.3333	300	5656	1
Type6	25	1	333.3	9	0.3333	300	5257	1
Type6	25	1	333.3	9	0.3333	300	5662	1
Type6	25	1	333.3	9	0.3333	300	5448	1
Type6	25	1	333.3	9	0.3333	300	5426	1
Type6	25	1	333.3	9	0.3333	300	5706	1
Type6	25	1	333.3	9	0.3333	300	5292	1
Type6	25	1	333.3	9	0.3333	300	5364	1
Type6	25	1	333.3	9	0.3333	300	5616	1
Type6	25	1	333.3	9	0.3333	300	5657	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11AC20MIMO	5500	Type6	26	1	333.3	9	0.3333	300	5656	0
		Type6	26	1	333.3	9	0.3333	300	5537	0
		Type6	26	1	333.3	9	0.3333	300	5420	0
		Type6	26	1	333.3	9	0.3333	300	5626	0
		Type6	26	1	333.3	9	0.3333	300	5409	0
		Type6	26	1	333.3	9	0.3333	300	5281	0
		Type6	26	1	333.3	9	0.3333	300	5377	0
		Type6	26	1	333.3	9	0.3333	300	5350	0
		Type6	26	1	333.3	9	0.3333	300	5424	0
		Type6	26	1	333.3	9	0.3333	300	5393	0
		Type6	26	1	333.3	9	0.3333	300	5610	0
		Type6	26	1	333.3	9	0.3333	300	5406	0
		Type6	26	1	333.3	9	0.3333	300	5498	0
		Type6	26	1	333.3	9	0.3333	300	5328	0
		Type6	26	1	333.3	9	0.3333	300	5315	0
		Type6	26	1	333.3	9	0.3333	300	5721	0
		Type6	26	1	333.3	9	0.3333	300	5587	0
		Type6	26	1	333.3	9	0.3333	300	5278	0
		Type6	26	1	333.3	9	0.3333	300	5528	0
		Type6	26	1	333.3	9	0.3333	300	5431	0
		Type6	26	1	333.3	9	0.3333	300	5674	0
		Type6	26	1	333.3	9	0.3333	300	5441	0
		Type6	26	1	333.3	9	0.3333	300	5707	0
		Type6	26	1	333.3	9	0.3333	300	5556	0
		Type6	26	1	333.3	9	0.3333	300	5685	0
		Type6	26	1	333.3	9	0.3333	300	5485	0
		Type6	26	1	333.3	9	0.3333	300	5679	0
		Type6	26	1	333.3	9	0.3333	300	5645	0
		Type6	26	1	333.3	9	0.3333	300	5368	0
		Type6	26	1	333.3	9	0.3333	300	5624	0
		Type6	26	1	333.3	9	0.3333	300	5475	0
		Type6	26	1	333.3	9	0.3333	300	5723	0
		Type6	26	1	333.3	9	0.3333	300	5703	0
		Type6	26	1	333.3	9	0.3333	300	5308	0
		Type6	26	1	333.3	9	0.3333	300	5446	0
		Type6	26	1	333.3	9	0.3333	300	5521	0
		Type6	26	1	333.3	9	0.3333	300	5515	0
		Type6	26	1	333.3	9	0.3333	300	5359	0
		Type6	26	1	333.3	9	0.3333	300	5650	0
		Type6	26	1	333.3	9	0.3333	300	5433	0
		Type6	26	1	333.3	9	0.3333	300	5257	0
		Type6	26	1	333.3	9	0.3333	300	5699	0
		Type6	26	1	333.3	9	0.3333	300	5282	0
		Type6	26	1	333.3	9	0.3333	300	5659	0
		Type6	26	1	333.3	9	0.3333	300	5427	0
		Type6	26	1	333.3	9	0.3333	300	5508	0
		Type6	26	1	333.3	9	0.3333	300	5589	0
		Type6	26	1	333.3	9	0.3333	300	5658	0
		Type6	26	1	333.3	9	0.3333	300	5698	0
		Type6	26	1	333.3	9	0.3333	300	5531	0
		Type6	26	1	333.3	9	0.3333	300	5311	0
		Type6	26	1	333.3	9	0.3333	300	5414	0
		Type6	26	1	333.3	9	0.3333	300	5661	0
		Type6	26	1	333.3	9	0.3333	300	5352	0
		Type6	26	1	333.3	9	0.3333	300	5711	0
		Type6	26	1	333.3	9	0.3333	300	5361	0
		Type6	26	1	333.3	9	0.3333	300	5334	0
		Type6	26	1	333.3	9	0.3333	300	5398	0
		Type6	26	1	333.3	9	0.3333	300	5662	0
		Type6	26	1	333.3	9	0.3333	300	5289	0
		Type6	26	1	333.3	9	0.3333	300	5663	0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	26	1	333.3	9	0.3333	300	5668	0
		Type6	26	1	333.3	9	0.3333	300	5585	0
		Type6	26	1	333.3	9	0.3333	300	5429	0
		Type6	26	1	333.3	9	0.3333	300	5597	0
		Type6	26	1	333.3	9	0.3333	300	5331	0
		Type6	26	1	333.3	9	0.3333	300	5329	0
		Type6	26	1	333.3	9	0.3333	300	5300	0
		Type6	26	1	333.3	9	0.3333	300	5595	0
		Type6	26	1	333.3	9	0.3333	300	5629	0
		Type6	26	1	333.3	9	0.3333	300	5481	0
		Type6	26	1	333.3	9	0.3333	300	5461	0
		Type6	26	1	333.3	9	0.3333	300	5639	0
		Type6	26	1	333.3	9	0.3333	300	5712	0
		Type6	26	1	333.3	9	0.3333	300	5422	0
		Type6	26	1	333.3	9	0.3333	300	5608	0
		Type6	26	1	333.3	9	0.3333	300	5263	0
		Type6	26	1	333.3	9	0.3333	300	5408	0
		Type6	26	1	333.3	9	0.3333	300	5548	0
		Type6	26	1	333.3	9	0.3333	300	5547	0
		Type6	26	1	333.3	9	0.3333	300	5318	0
		Type6	26	1	333.3	9	0.3333	300	5324	0
		Type6	26	1	333.3	9	0.3333	300	5577	0
		Type6	26	1	333.3	9	0.3333	300	5572	0
		Type6	26	1	333.3	9	0.3333	300	5598	0
		Type6	26	1	333.3	9	0.3333	300	5542	0
		Type6	26	1	333.3	9	0.3333	300	5671	0
		Type6	26	1	333.3	9	0.3333	300	5294	0
		Type6	26	1	333.3	9	0.3333	300	5558	0
		Type6	26	1	333.3	9	0.3333	300	5347	0
		Type6	26	1	333.3	9	0.3333	300	5494	0
		Type6	26	1	333.3	9	0.3333	300	5502	0
		Type6	26	1	333.3	9	0.3333	300	5654	0
		Type6	26	1	333.3	9	0.3333	300	5600	0
		Type6	26	1	333.3	9	0.3333	300	5692	0
		Type6	26	1	333.3	9	0.3333	300	5280	0
		Type6	26	1	333.3	9	0.3333	300	5591	0
		Type6	26	1	333.3	9	0.3333	300	5636	0
		Type6	26	1	333.3	9	0.3333	300	5563	0
		Type6	26	1	333.3	9	0.3333	300	5570	0
11AC40MIMO	5510	Type6	26	1	333.3	9	0.3333	300	5570	1
		Type6	26	1	333.3	9	0.3333	300	5661	1
		Type6	26	1	333.3	9	0.3333	300	5352	1
		Type6	26	1	333.3	9	0.3333	300	5711	1
		Type6	26	1	333.3	9	0.3333	300	5361	1
		Type6	26	1	333.3	9	0.3333	300	5334	1
		Type6	26	1	333.3	9	0.3333	300	5398	1
		Type6	26	1	333.3	9	0.3333	300	5475	1
		Type6	26	1	333.3	9	0.3333	300	5577	1
		Type6	26	1	333.3	9	0.3333	300	5703	1
		Type6	26	1	333.3	9	0.3333	300	5308	1
		Type6	26	1	333.3	9	0.3333	300	5658	1
		Type6	26	1	333.3	9	0.3333	300	5712	1
		Type6	26	1	333.3	9	0.3333	300	5311	1
		Type6	26	1	333.3	9	0.3333	300	5461	1
		Type6	26	1	333.3	9	0.3333	300	5662	1
		Type6	26	1	333.3	9	0.3333	300	5663	1
		Type6	26	1	333.3	9	0.3333	300	5692	1
		Type6	26	1	333.3	9	0.3333	300	5600	1
		Type6	26	1	333.3	9	0.3333	300	5654	1
		Type6	26	1	333.3	9	0.3333	300	5502	1
		Type6	26	1	333.3	9	0.3333	300	5494	1
		Type6	26	1	333.3	9	0.3333	300	5347	1
		Type6	26	1	333.3	9	0.3333	300	5558	1
		Type6	26	1	333.3	9	0.3333	300	5294	1
		Type6	26	1	333.3	9	0.3333	300	5414	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	26	1	333.3	9	0.3333	300	5329	1
Type6	26	1	333.3	9	0.3333	300	5537	1
Type6	26	1	333.3	9	0.3333	300	5636	1
Type6	26	1	333.3	9	0.3333	300	5591	1
Type6	26	1	333.3	9	0.3333	300	5563	1
Type6	26	1	333.3	9	0.3333	300	5707	1
Type6	26	1	333.3	9	0.3333	300	5485	1
Type6	26	1	333.3	9	0.3333	300	5679	1
Type6	26	1	333.3	9	0.3333	300	5645	1
Type6	26	1	333.3	9	0.3333	300	5368	1
Type6	26	1	333.3	9	0.3333	300	5624	1
Type6	26	1	333.3	9	0.3333	300	5598	1
Type6	26	1	333.3	9	0.3333	300	5521	1
Type6	26	1	333.3	9	0.3333	300	5331	1
Type6	26	1	333.3	9	0.3333	300	5685	1
Type6	26	1	333.3	9	0.3333	300	5300	1
Type6	26	1	333.3	9	0.3333	300	5595	1
Type6	26	1	333.3	9	0.3333	300	5629	1
Type6	26	1	333.3	9	0.3333	300	5481	1
Type6	26	1	333.3	9	0.3333	300	5723	1
Type6	26	1	333.3	9	0.3333	300	5429	1
Type6	26	1	333.3	9	0.3333	300	5585	1
Type6	26	1	333.3	9	0.3333	300	5668	1
Type6	26	1	333.3	9	0.3333	300	5698	1
Type6	26	1	333.3	9	0.3333	300	5289	1
Type6	26	1	333.3	9	0.3333	300	5639	1
Type6	26	1	333.3	9	0.3333	300	5597	1
Type6	26	1	333.3	9	0.3333	300	5610	1
Type6	26	1	333.3	9	0.3333	300	5671	1
Type6	26	1	333.3	9	0.3333	300	5406	1
Type6	26	1	333.3	9	0.3333	300	5556	1
Type6	26	1	333.3	9	0.3333	300	5393	1
Type6	26	1	333.3	9	0.3333	300	5424	1
Type6	26	1	333.3	9	0.3333	300	5350	1
Type6	26	1	333.3	9	0.3333	300	5377	1
Type6	26	1	333.3	9	0.3333	300	5281	1
Type6	26	1	333.3	9	0.3333	300	5409	1
Type6	26	1	333.3	9	0.3333	300	5626	1
Type6	26	1	333.3	9	0.3333	300	5328	1
Type6	26	1	333.3	9	0.3333	300	5446	1
Type6	26	1	333.3	9	0.3333	300	5315	1
Type6	26	1	333.3	9	0.3333	300	5498	1
Type6	26	1	333.3	9	0.3333	300	5589	1
Type6	26	1	333.3	9	0.3333	300	5508	1
Type6	26	1	333.3	9	0.3333	300	5427	1
Type6	26	1	333.3	9	0.3333	300	5659	1
Type6	26	1	333.3	9	0.3333	300	5282	1
Type6	26	1	333.3	9	0.3333	300	5699	1
Type6	26	1	333.3	9	0.3333	300	5257	1
Type6	26	1	333.3	9	0.3333	300	5433	1
Type6	26	1	333.3	9	0.3333	300	5650	1
Type6	26	1	333.3	9	0.3333	300	5359	1
Type6	26	1	333.3	9	0.3333	300	5420	1
Type6	26	1	333.3	9	0.3333	300	5422	1
Type6	26	1	333.3	9	0.3333	300	5547	1
Type6	26	1	333.3	9	0.3333	300	5548	1
Type6	26	1	333.3	9	0.3333	300	5408	1
Type6	26	1	333.3	9	0.3333	300	5263	1
Type6	26	1	333.3	9	0.3333	300	5608	1
Type6	26	1	333.3	9	0.3333	300	5324	1
Type6	26	1	333.3	9	0.3333	300	5656	1
Type6	26	1	333.3	9	0.3333	300	5280	1
Type6	26	1	333.3	9	0.3333	300	5318	1
Type6	26	1	333.3	9	0.3333	300	5572	1
Type6	26	1	333.3	9	0.3333	300	5515	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	26	1	333.3	9	0.3333	300	5531	1
		Type6	26	1	333.3	9	0.3333	300	5441	1
		Type6	26	1	333.3	9	0.3333	300	5674	1
		Type6	26	1	333.3	9	0.3333	300	5431	1
		Type6	26	1	333.3	9	0.3333	300	5528	1
		Type6	26	1	333.3	9	0.3333	300	5278	1
		Type6	26	1	333.3	9	0.3333	300	5587	1
		Type6	26	1	333.3	9	0.3333	300	5721	1
		Type6	26	1	333.3	9	0.3333	300	5542	1
11AC80MIMO	5530	Type6	26	1	333.3	9	0.3333	300	5475	1
		Type6	26	1	333.3	9	0.3333	300	5639	1
		Type6	26	1	333.3	9	0.3333	300	5308	1
		Type6	26	1	333.3	9	0.3333	300	5570	1
		Type6	26	1	333.3	9	0.3333	300	5712	1
		Type6	26	1	333.3	9	0.3333	300	5703	1
		Type6	26	1	333.3	9	0.3333	300	5663	1
		Type6	26	1	333.3	9	0.3333	300	5461	1
		Type6	26	1	333.3	9	0.3333	300	5398	1
		Type6	26	1	333.3	9	0.3333	300	5334	1
		Type6	26	1	333.3	9	0.3333	300	5361	1
		Type6	26	1	333.3	9	0.3333	300	5711	1
		Type6	26	1	333.3	9	0.3333	300	5352	1
		Type6	26	1	333.3	9	0.3333	300	5661	1
		Type6	26	1	333.3	9	0.3333	300	5414	1
		Type6	26	1	333.3	9	0.3333	300	5311	1
		Type6	26	1	333.3	9	0.3333	300	5542	1
		Type6	26	1	333.3	9	0.3333	300	5662	1
		Type6	26	1	333.3	9	0.3333	300	5668	1
		Type6	26	1	333.3	9	0.3333	300	5692	1
		Type6	26	1	333.3	9	0.3333	300	5600	1
		Type6	26	1	333.3	9	0.3333	300	5654	1
		Type6	26	1	333.3	9	0.3333	300	5502	1
		Type6	26	1	333.3	9	0.3333	300	5494	1
		Type6	26	1	333.3	9	0.3333	300	5347	1
		Type6	26	1	333.3	9	0.3333	300	5558	1
		Type6	26	1	333.3	9	0.3333	300	5294	1
		Type6	26	1	333.3	9	0.3333	300	5280	1
		Type6	26	1	333.3	9	0.3333	300	5577	1
		Type6	26	1	333.3	9	0.3333	300	5597	1
		Type6	26	1	333.3	9	0.3333	300	5537	1
		Type6	26	1	333.3	9	0.3333	300	5636	1
		Type6	26	1	333.3	9	0.3333	300	5591	1
		Type6	26	1	333.3	9	0.3333	300	5563	1
		Type6	26	1	333.3	9	0.3333	300	5707	1
		Type6	26	1	333.3	9	0.3333	300	5485	1
		Type6	26	1	333.3	9	0.3333	300	5679	1
		Type6	26	1	333.3	9	0.3333	300	5645	1
		Type6	26	1	333.3	9	0.3333	300	5368	1
		Type6	26	1	333.3	9	0.3333	300	5289	1
		Type6	26	1	333.3	9	0.3333	300	5598	1
		Type6	26	1	333.3	9	0.3333	300	5698	1
		Type6	26	1	333.3	9	0.3333	300	5331	1
		Type6	26	1	333.3	9	0.3333	300	5329	1
		Type6	26	1	333.3	9	0.3333	300	5300	1
		Type6	26	1	333.3	9	0.3333	300	5595	1
		Type6	26	1	333.3	9	0.3333	300	5629	1
		Type6	26	1	333.3	9	0.3333	300	5481	1
		Type6	26	1	333.3	9	0.3333	300	5723	1
		Type6	26	1	333.3	9	0.3333	300	5429	1
		Type6	26	1	333.3	9	0.3333	300	5585	1
		Type6	26	1	333.3	9	0.3333	300	5572	1
		Type6	26	1	333.3	9	0.3333	300	5624	1
		Type6	26	1	333.3	9	0.3333	300	5427	1
		Type6	26	1	333.3	9	0.3333	300	5350	1
		Type6	26	1	333.3	9	0.3333	300	5377	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	26	1	333.3	9	0.3333	300	5281	1
Type6	26	1	333.3	9	0.3333	300	5409	1
Type6	26	1	333.3	9	0.3333	300	5626	1
Type6	26	1	333.3	9	0.3333	300	5420	1
Type6	26	1	333.3	9	0.3333	300	5446	1
Type6	26	1	333.3	9	0.3333	300	5610	1
Type6	26	1	333.3	9	0.3333	300	5498	1
Type6	26	1	333.3	9	0.3333	300	5671	1
Type6	26	1	333.3	9	0.3333	300	5508	1
Type6	26	1	333.3	9	0.3333	300	5556	1
Type6	26	1	333.3	9	0.3333	300	5659	1
Type6	26	1	333.3	9	0.3333	300	5282	1
Type6	26	1	333.3	9	0.3333	300	5699	1
Type6	26	1	333.3	9	0.3333	300	5257	1
Type6	26	1	333.3	9	0.3333	300	5433	1
Type6	26	1	333.3	9	0.3333	300	5650	1
Type6	26	1	333.3	9	0.3333	300	5359	1
Type6	26	1	333.3	9	0.3333	300	5685	1
Type6	26	1	333.3	9	0.3333	300	5521	1
Type6	26	1	333.3	9	0.3333	300	5589	1
Type6	26	1	333.3	9	0.3333	300	5674	1
Type6	26	1	333.3	9	0.3333	300	5324	1
Type6	26	1	333.3	9	0.3333	300	5318	1
Type6	26	1	333.3	9	0.3333	300	5547	1
Type6	26	1	333.3	9	0.3333	300	5548	1
Type6	26	1	333.3	9	0.3333	300	5408	1
Type6	26	1	333.3	9	0.3333	300	5263	1
Type6	26	1	333.3	9	0.3333	300	5608	1
Type6	26	1	333.3	9	0.3333	300	5422	1
Type6	26	1	333.3	9	0.3333	300	5515	1
Type6	26	1	333.3	9	0.3333	300	5424	1
Type6	26	1	333.3	9	0.3333	300	5441	1
Type6	26	1	333.3	9	0.3333	300	5393	1
Type6	26	1	333.3	9	0.3333	300	5431	1
Type6	26	1	333.3	9	0.3333	300	5528	1
Type6	26	1	333.3	9	0.3333	300	5278	1
Type6	26	1	333.3	9	0.3333	300	5587	1
Type6	26	1	333.3	9	0.3333	300	5721	1
Type6	26	1	333.3	9	0.3333	300	5315	1
Type6	26	1	333.3	9	0.3333	300	5328	1
Type6	26	1	333.3	9	0.3333	300	5656	1
Type6	26	1	333.3	9	0.3333	300	5406	1
Type6	26	1	333.3	9	0.3333	300	5658	1
Type6	26	1	333.3	9	0.3333	300	5531	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11AC20MIMO	5500	Type6	27	1	333.3	9	0.3333	300	5564	0
		Type6	27	1	333.3	9	0.3333	300	5325	0
		Type6	27	1	333.3	9	0.3333	300	5567	0
		Type6	27	1	333.3	9	0.3333	300	5498	0
		Type6	27	1	333.3	9	0.3333	300	5254	0
		Type6	27	1	333.3	9	0.3333	300	5299	0
		Type6	27	1	333.3	9	0.3333	300	5627	0
		Type6	27	1	333.3	9	0.3333	300	5594	0
		Type6	27	1	333.3	9	0.3333	300	5590	0
		Type6	27	1	333.3	9	0.3333	300	5448	0
		Type6	27	1	333.3	9	0.3333	300	5454	0
		Type6	27	1	333.3	9	0.3333	300	5661	0
		Type6	27	1	333.3	9	0.3333	300	5327	0
		Type6	27	1	333.3	9	0.3333	300	5541	0
		Type6	27	1	333.3	9	0.3333	300	5629	0
		Type6	27	1	333.3	9	0.3333	300	5369	0
		Type6	27	1	333.3	9	0.3333	300	5324	0
		Type6	27	1	333.3	9	0.3333	300	5584	0
		Type6	27	1	333.3	9	0.3333	300	5588	0
		Type6	27	1	333.3	9	0.3333	300	5280	0
		Type6	27	1	333.3	9	0.3333	300	5614	0
		Type6	27	1	333.3	9	0.3333	300	5453	0
		Type6	27	1	333.3	9	0.3333	300	5537	0
		Type6	27	1	333.3	9	0.3333	300	5642	0
		Type6	27	1	333.3	9	0.3333	300	5285	0
		Type6	27	1	333.3	9	0.3333	300	5519	0
		Type6	27	1	333.3	9	0.3333	300	5380	0
		Type6	27	1	333.3	9	0.3333	300	5281	0
		Type6	27	1	333.3	9	0.3333	300	5318	0
		Type6	27	1	333.3	9	0.3333	300	5580	0
		Type6	27	1	333.3	9	0.3333	300	5714	0
		Type6	27	1	333.3	9	0.3333	300	5709	0
		Type6	27	1	333.3	9	0.3333	300	5389	0
		Type6	27	1	333.3	9	0.3333	300	5625	0
		Type6	27	1	333.3	9	0.3333	300	5586	0
		Type6	27	1	333.3	9	0.3333	300	5543	0
		Type6	27	1	333.3	9	0.3333	300	5605	0
		Type6	27	1	333.3	9	0.3333	300	5522	0
		Type6	27	1	333.3	9	0.3333	300	5382	0
		Type6	27	1	333.3	9	0.3333	300	5364	0
		Type6	27	1	333.3	9	0.3333	300	5521	0
		Type6	27	1	333.3	9	0.3333	300	5265	0
		Type6	27	1	333.3	9	0.3333	300	5477	0
		Type6	27	1	333.3	9	0.3333	300	5680	0
		Type6	27	1	333.3	9	0.3333	300	5418	0
		Type6	27	1	333.3	9	0.3333	300	5635	0
		Type6	27	1	333.3	9	0.3333	300	5692	0
		Type6	27	1	333.3	9	0.3333	300	5700	0
		Type6	27	1	333.3	9	0.3333	300	5262	0
		Type6	27	1	333.3	9	0.3333	300	5565	0
		Type6	27	1	333.3	9	0.3333	300	5464	0
		Type6	27	1	333.3	9	0.3333	300	5697	0
		Type6	27	1	333.3	9	0.3333	300	5658	0
		Type6	27	1	333.3	9	0.3333	300	5374	0
		Type6	27	1	333.3	9	0.3333	300	5420	0
		Type6	27	1	333.3	9	0.3333	300	5258	0
		Type6	27	1	333.3	9	0.3333	300	5721	0
		Type6	27	1	333.3	9	0.3333	300	5566	0
		Type6	27	1	333.3	9	0.3333	300	5618	0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



		Type6	27	1	333.3	9	0.3333	300	5358	0
		Type6	27	1	333.3	9	0.3333	300	5516	0
		Type6	27	1	333.3	9	0.3333	300	5696	0
		Type6	27	1	333.3	9	0.3333	300	5297	0
		Type6	27	1	333.3	9	0.3333	300	5621	0
		Type6	27	1	333.3	9	0.3333	300	5475	0
		Type6	27	1	333.3	9	0.3333	300	5491	0
		Type6	27	1	333.3	9	0.3333	300	5368	0
		Type6	27	1	333.3	9	0.3333	300	5616	0
		Type6	27	1	333.3	9	0.3333	300	5304	0
		Type6	27	1	333.3	9	0.3333	300	5672	0
		Type6	27	1	333.3	9	0.3333	300	5439	0
		Type6	27	1	333.3	9	0.3333	300	5681	0
		Type6	27	1	333.3	9	0.3333	300	5482	0
		Type6	27	1	333.3	9	0.3333	300	5492	0
		Type6	27	1	333.3	9	0.3333	300	5570	0
		Type6	27	1	333.3	9	0.3333	300	5291	0
		Type6	27	1	333.3	9	0.3333	300	5631	0
		Type6	27	1	333.3	9	0.3333	300	5371	0
		Type6	27	1	333.3	9	0.3333	300	5589	0
		Type6	27	1	333.3	9	0.3333	300	5534	0
		Type6	27	1	333.3	9	0.3333	300	5273	0
		Type6	27	1	333.3	9	0.3333	300	5690	0
		Type6	27	1	333.3	9	0.3333	300	5684	0
		Type6	27	1	333.3	9	0.3333	300	5355	0
		Type6	27	1	333.3	9	0.3333	300	5341	0
		Type6	27	1	333.3	9	0.3333	300	5707	0
		Type6	27	1	333.3	9	0.3333	300	5641	0
		Type6	27	1	333.3	9	0.3333	300	5513	0
		Type6	27	1	333.3	9	0.3333	300	5657	0
		Type6	27	1	333.3	9	0.3333	300	5659	0
		Type6	27	1	333.3	9	0.3333	300	5544	0
		Type6	27	1	333.3	9	0.3333	300	5486	0
		Type6	27	1	333.3	9	0.3333	300	5426	0
		Type6	27	1	333.3	9	0.3333	300	5638	0
		Type6	27	1	333.3	9	0.3333	300	5611	0
		Type6	27	1	333.3	9	0.3333	300	5494	0
		Type6	27	1	333.3	9	0.3333	300	5645	0
		Type6	27	1	333.3	9	0.3333	300	5524	0
		Type6	27	1	333.3	9	0.3333	300	5362	0
		Type6	27	1	333.3	9	0.3333	300	5506	0
11AC40MIMO	5510	Type6	27	1	333.3	9	0.3333	300	5506	0
		Type6	27	1	333.3	9	0.3333	300	5658	0
		Type6	27	1	333.3	9	0.3333	300	5374	0
		Type6	27	1	333.3	9	0.3333	300	5420	0
		Type6	27	1	333.3	9	0.3333	300	5258	0
		Type6	27	1	333.3	9	0.3333	300	5721	0
		Type6	27	1	333.3	9	0.3333	300	5566	0
		Type6	27	1	333.3	9	0.3333	300	5714	0
		Type6	27	1	333.3	9	0.3333	300	5684	0
		Type6	27	1	333.3	9	0.3333	300	5389	0
		Type6	27	1	333.3	9	0.3333	300	5625	0
		Type6	27	1	333.3	9	0.3333	300	5700	0
		Type6	27	1	333.3	9	0.3333	300	5492	0
		Type6	27	1	333.3	9	0.3333	300	5464	0
		Type6	27	1	333.3	9	0.3333	300	5681	0
		Type6	27	1	333.3	9	0.3333	300	5618	0
		Type6	27	1	333.3	9	0.3333	300	5516	0
		Type6	27	1	333.3	9	0.3333	300	5611	0
		Type6	27	1	333.3	9	0.3333	300	5638	0
		Type6	27	1	333.3	9	0.3333	300	5426	0
		Type6	27	1	333.3	9	0.3333	300	5486	0
		Type6	27	1	333.3	9	0.3333	300	5544	0
		Type6	27	1	333.3	9	0.3333	300	5659	0
		Type6	27	1	333.3	9	0.3333	300	5657	0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>



Type6	27	1	333.3	9	0.3333	300	5513	0
Type6	27	1	333.3	9	0.3333	300	5697	0
Type6	27	1	333.3	9	0.3333	300	5368	0
Type6	27	1	333.3	9	0.3333	300	5325	0
Type6	27	1	333.3	9	0.3333	300	5524	0
Type6	27	1	333.3	9	0.3333	300	5645	0
Type6	27	1	333.3	9	0.3333	300	5362	0
Type6	27	1	333.3	9	0.3333	300	5537	0
Type6	27	1	333.3	9	0.3333	300	5519	0
Type6	27	1	333.3	9	0.3333	300	5380	0
Type6	27	1	333.3	9	0.3333	300	5281	0
Type6	27	1	333.3	9	0.3333	300	5318	0
Type6	27	1	333.3	9	0.3333	300	5580	0
Type6	27	1	333.3	9	0.3333	300	5341	0
Type6	27	1	333.3	9	0.3333	300	5543	0
Type6	27	1	333.3	9	0.3333	300	5491	0
Type6	27	1	333.3	9	0.3333	300	5285	0
Type6	27	1	333.3	9	0.3333	300	5616	0
Type6	27	1	333.3	9	0.3333	300	5304	0
Type6	27	1	333.3	9	0.3333	300	5672	0
Type6	27	1	333.3	9	0.3333	300	5439	0
Type6	27	1	333.3	9	0.3333	300	5709	0
Type6	27	1	333.3	9	0.3333	300	5621	0
Type6	27	1	333.3	9	0.3333	300	5297	0
Type6	27	1	333.3	9	0.3333	300	5696	0
Type6	27	1	333.3	9	0.3333	300	5262	0
Type6	27	1	333.3	9	0.3333	300	5358	0
Type6	27	1	333.3	9	0.3333	300	5482	0
Type6	27	1	333.3	9	0.3333	300	5475	0
Type6	27	1	333.3	9	0.3333	300	5454	0
Type6	27	1	333.3	9	0.3333	300	5641	0
Type6	27	1	333.3	9	0.3333	300	5661	0
Type6	27	1	333.3	9	0.3333	300	5642	0
Type6	27	1	333.3	9	0.3333	300	5448	0
Type6	27	1	333.3	9	0.3333	300	5590	0
Type6	27	1	333.3	9	0.3333	300	5594	0
Type6	27	1	333.3	9	0.3333	300	5627	0
Type6	27	1	333.3	9	0.3333	300	5299	0
Type6	27	1	333.3	9	0.3333	300	5254	0
Type6	27	1	333.3	9	0.3333	300	5498	0
Type6	27	1	333.3	9	0.3333	300	5541	0
Type6	27	1	333.3	9	0.3333	300	5586	0
Type6	27	1	333.3	9	0.3333	300	5629	0
Type6	27	1	333.3	9	0.3333	300	5327	0
Type6	27	1	333.3	9	0.3333	300	5692	0
Type6	27	1	333.3	9	0.3333	300	5635	0
Type6	27	1	333.3	9	0.3333	300	5418	0
Type6	27	1	333.3	9	0.3333	300	5680	0
Type6	27	1	333.3	9	0.3333	300	5477	0
Type6	27	1	333.3	9	0.3333	300	5265	0
Type6	27	1	333.3	9	0.3333	300	5521	0
Type6	27	1	333.3	9	0.3333	300	5364	0
Type6	27	1	333.3	9	0.3333	300	5382	0
Type6	27	1	333.3	9	0.3333	300	5522	0
Type6	27	1	333.3	9	0.3333	300	5567	0
Type6	27	1	333.3	9	0.3333	300	5570	0
Type6	27	1	333.3	9	0.3333	300	5534	0
Type6	27	1	333.3	9	0.3333	300	5589	0
Type6	27	1	333.3	9	0.3333	300	5371	0
Type6	27	1	333.3	9	0.3333	300	5631	0
Type6	27	1	333.3	9	0.3333	300	5291	0
Type6	27	1	333.3	9	0.3333	300	5690	0
Type6	27	1	333.3	9	0.3333	300	5564	0
Type6	27	1	333.3	9	0.3333	300	5494	0
Type6	27	1	333.3	9	0.3333	300	5273	0

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://lyz.cnca.cn>