



	160M	122	1	5530.0	5529.984431	-2.82	PASS	
			0	5610.0	5609.984218	-2.81	PASS	
			1	5610.0	5609.984243	-2.81	PASS	
		50	0	5250.0	5249.985368	-2.79	PASS	
			1	5250.0	5249.985393	-2.78	PASS	
		114	0	5570.0	5569.984343	-2.81	PASS	
	1		5570.0	5569.984406	-2.8	PASS		
	0		5180.0	5179.982406	-3.4	PASS		
	0°C/NV	20M	36	1	5180.0	5179.982493	-3.38	PASS
				0	5200.0	5199.983081	-3.25	PASS
			40	1	5200.0	5199.983043	-3.26	PASS
				0	5240.0	5239.983256	-3.2	PASS
48			1	5240.0	5239.983293	-3.19	PASS	
			0	5260.0	5259.983456	-3.15	PASS	
52			1	5260.0	5259.983518	-3.13	PASS	
			0	5280.0	5279.983918	-3.05	PASS	
56			1	5280.0	5279.983993	-3.03	PASS	
			0	5320.0	5319.984156	-2.98	PASS	
64			1	5320.0	5319.984193	-2.97	PASS	
			0	5500.0	5499.984081	-2.89	PASS	
100			1	5500.0	5499.984118	-2.89	PASS	
			0	5580.0	5579.984018	-2.86	PASS	
116			1	5580.0	5579.984118	-2.85	PASS	
			0	5700.0	5699.983806	-2.84	PASS	
140			1	5700.0	5699.983806	-2.84	PASS	
			0	5190.0	5189.985406	-2.81	PASS	
40M		38	1	5190.0	5189.985393	-2.81	PASS	
			0	5230.0	5229.985181	-2.83	PASS	
			46	1	5230.0	5229.985218	-2.83	PASS
				0	5270.0	5269.985031	-2.84	PASS
			54	1	5270.0	5269.985093	-2.83	PASS
				0	5310.0	5309.984893	-2.84	PASS
		62	1	5310.0	5309.984943	-2.84	PASS	
			0	5510.0	5509.984531	-2.81	PASS	
		102	1	5510.0	5509.984456	-2.82	PASS	
			0	5550.0	5549.984393	-2.81	PASS	
		110	1	5550.0	5549.984493	-2.79	PASS	
			0	5210.0	5209.985431	-2.8	PASS	
		80M	42	1	5210.0	5209.985443	-2.79	PASS
				0	5290.0	5289.985118	-2.81	PASS
			58	1	5290.0	5289.985131	-2.81	PASS
				0	5530.0	5529.984331	-2.83	PASS
			106	1	5530.0	5529.984468	-2.81	PASS
				0	5610.0	5609.984256	-2.81	PASS
122	1	5610.0	5609.984243	-2.81	PASS			
	0	5250.0	5249.985418	-2.78	PASS			
160M	50	1	5250.0	5249.985406	-2.78	PASS		
		0	5570.0	5569.984418	-2.8	PASS		
	114	1	5570.0	5569.984393	-2.8	PASS		
		0	5180.0	5179.982493	-3.38	PASS		
	36	1	5180.0	5179.982581	-3.36	PASS		
		0	5200.0	5199.983131	-3.24	PASS		
10°C/NV	20M	40	1	5200.0	5199.983106	-3.25	PASS	
			0	5240.0	5239.983268	-3.19	PASS	
		48	1	5240.0	5239.983356	-3.18	PASS	
			0	5260.0	5259.983481	-3.14	PASS	
		52	1	5260.0	5259.983543	-3.13	PASS	
			0	5280.0	5279.983931	-3.04	PASS	
		56	1	5280.0	5279.983943	-3.04	PASS	
			0	5320.0	5319.984193	-2.97	PASS	
		64	1	5320.0	5319.984268	-2.96	PASS	
			0	5500.0	5499.984156	-2.88	PASS	
		100	1	5500.0	5499.984093	-2.89	PASS	
			0	5580.0	5579.984218	-2.83	PASS	
		116	1	5580.0	5579.984118	-2.85	PASS	
			0	5700.0	5699.983831	-2.84	PASS	

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



20°C/NV	40M	38	1	5700.0	5699.983893	-2.83	PASS	
			0	5190.0	5189.985431	-2.81	PASS	
		46	1	5190.0	5189.985418	-2.81	PASS	
			0	5230.0	5229.985218	-2.83	PASS	
		54	1	5230.0	5229.985218	-2.83	PASS	
			0	5270.0	5269.985043	-2.84	PASS	
		62	1	5270.0	5269.985068	-2.83	PASS	
			0	5310.0	5309.984906	-2.84	PASS	
		102	1	5310.0	5309.984968	-2.83	PASS	
			0	5510.0	5509.984431	-2.83	PASS	
		110	1	5510.0	5509.984456	-2.82	PASS	
			0	5550.0	5549.984456	-2.8	PASS	
	110	1	5550.0	5549.984406	-2.81	PASS		
		80M	42	0	5210.0	5209.985431	-2.8	PASS
	1			5210.0	5209.985468	-2.79	PASS	
	58		0	5290.0	5289.985218	-2.79	PASS	
			1	5290.0	5289.985156	-2.81	PASS	
	106		0	5530.0	5529.984393	-2.82	PASS	
			1	5530.0	5529.984456	-2.81	PASS	
	122	0	5610.0	5609.984231	-2.81	PASS		
		1	5610.0	5609.984256	-2.81	PASS		
	160M	50	0	5250.0	5249.985443	-2.77	PASS	
			1	5250.0	5249.985381	-2.78	PASS	
		114	0	5570.0	5569.984418	-2.8	PASS	
			1	5570.0	5569.984381	-2.8	PASS	
	20M	36	0	5180.0	5179.982556	-3.37	PASS	
			1	5180.0	5179.982581	-3.36	PASS	
			40	0	5200.0	5199.983131	-3.24	PASS
				1	5200.0	5199.983156	-3.24	PASS
			48	0	5240.0	5239.983343	-3.18	PASS
				1	5240.0	5239.983356	-3.18	PASS
		52	0	5260.0	5259.983468	-3.14	PASS	
			1	5260.0	5259.983518	-3.13	PASS	
		56	0	5280.0	5279.983993	-3.03	PASS	
			1	5280.0	5279.984006	-3.03	PASS	
		64	0	5320.0	5319.984231	-2.96	PASS	
1			5320.0	5319.984206	-2.97	PASS		
100		0	5500.0	5499.984168	-2.88	PASS		
		1	5500.0	5499.984181	-2.88	PASS		
116		0	5580.0	5579.984118	-2.85	PASS		
		1	5580.0	5579.984093	-2.85	PASS		
140		0	5700.0	5699.983943	-2.82	PASS		
		1	5700.0	5699.983868	-2.83	PASS		
40M		38	0	5190.0	5189.985431	-2.81	PASS	
			1	5190.0	5189.985381	-2.82	PASS	
		46	0	5230.0	5229.985181	-2.83	PASS	
			1	5230.0	5229.985193	-2.83	PASS	
		54	0	5270.0	5269.985081	-2.83	PASS	
			1	5270.0	5269.985018	-2.84	PASS	
	62	0	5310.0	5309.984943	-2.84	PASS		
		1	5310.0	5309.984893	-2.84	PASS		
	102	0	5510.0	5509.984543	-2.81	PASS		
		1	5510.0	5509.984493	-2.81	PASS		
	110	0	5550.0	5549.984406	-2.81	PASS		
		1	5550.0	5549.984481	-2.8	PASS		
80M	42	0	5210.0	5209.985443	-2.79	PASS		
		1	5210.0	5209.985418	-2.8	PASS		
	58	0	5290.0	5289.985143	-2.81	PASS		
		1	5290.0	5289.985143	-2.81	PASS		
	106	0	5530.0	5529.984431	-2.82	PASS		
		1	5530.0	5529.984431	-2.82	PASS		
122	0	5610.0	5609.984268	-2.8	PASS			
	1	5610.0	5609.984256	-2.81	PASS			
160M	50	0	5250.0	5249.985393	-2.78	PASS		
		1	5250.0	5249.985393	-2.78	PASS		
	114	0	5570.0	5569.984418	-2.8	PASS		

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



30°C/NV	20M	36	1	5570.0	5569.984356	-2.81	PASS	
			0	5180.0	5179.982631	-3.35	PASS	
		40	1	5180.0	5179.982643	-3.35	PASS	
			0	5200.0	5199.983168	-3.24	PASS	
		48	1	5200.0	5199.983231	-3.22	PASS	
			0	5240.0	5239.983393	-3.17	PASS	
		52	1	5240.0	5239.983456	-3.16	PASS	
			0	5260.0	5259.983556	-3.13	PASS	
		56	1	5260.0	5259.983568	-3.12	PASS	
			0	5280.0	5279.984031	-3.02	PASS	
		64	1	5280.0	5279.984156	-3.0	PASS	
			0	5320.0	5319.984231	-2.96	PASS	
	100	1	5320.0	5319.984456	-2.92	PASS		
		0	5500.0	5499.984193	-2.87	PASS		
	116	1	5500.0	5499.984231	-2.87	PASS		
		0	5580.0	5579.984068	-2.86	PASS		
	140	1	5580.0	5579.984131	-2.84	PASS		
		0	5700.0	5699.983856	-2.83	PASS		
	140	1	5700.0	5699.983931	-2.82	PASS		
		40M	38	0	5190.0	5189.985393	-2.81	PASS
	1			5190.0	5189.985468	-2.8	PASS	
	46		0	5230.0	5229.985193	-2.83	PASS	
			1	5230.0	5229.985193	-2.83	PASS	
	54		0	5270.0	5269.985043	-2.84	PASS	
			1	5270.0	5269.985006	-2.85	PASS	
	62	0	5310.0	5309.984931	-2.84	PASS		
		1	5310.0	5309.984906	-2.84	PASS		
	102	0	5510.0	5509.984518	-2.81	PASS		
		1	5510.0	5509.984493	-2.81	PASS		
	110	0	5550.0	5549.984393	-2.81	PASS		
		1	5550.0	5549.984431	-2.81	PASS		
	80M	42	0	5210.0	5209.985431	-2.8	PASS	
			1	5210.0	5209.985468	-2.79	PASS	
		58	0	5290.0	5289.985143	-2.81	PASS	
			1	5290.0	5289.985168	-2.8	PASS	
		106	0	5530.0	5529.984393	-2.82	PASS	
			1	5530.0	5529.984418	-2.82	PASS	
	122	0	5610.0	5609.984281	-2.8	PASS		
		1	5610.0	5609.984281	-2.8	PASS		
	160M	50	0	5250.0	5249.985381	-2.78	PASS	
			1	5250.0	5249.985431	-2.78	PASS	
		114	0	5570.0	5569.984468	-2.79	PASS	
			1	5570.0	5569.984418	-2.8	PASS	
	40°C/NV	20M	36	0	5180.0	5179.982718	-3.34	PASS
				1	5180.0	5179.982793	-3.32	PASS
			40	0	5200.0	5199.983206	-3.23	PASS
				1	5200.0	5199.983231	-3.22	PASS
			48	0	5240.0	5239.983368	-3.17	PASS
1				5240.0	5239.983393	-3.17	PASS	
52			0	5260.0	5259.983593	-3.12	PASS	
			1	5260.0	5259.983618	-3.11	PASS	
56			0	5280.0	5279.984118	-3.01	PASS	
			1	5280.0	5279.984118	-3.01	PASS	
64			0	5320.0	5319.984431	-2.93	PASS	
			1	5320.0	5319.984456	-2.92	PASS	
100		0	5500.0	5499.984193	-2.87	PASS		
		1	5500.0	5499.984243	-2.86	PASS		
116		0	5580.0	5579.984156	-2.84	PASS		
		1	5580.0	5579.984093	-2.85	PASS		
140		0	5700.0	5699.983856	-2.83	PASS		
		1	5700.0	5699.983881	-2.83	PASS		
40M		38	0	5190.0	5189.985443	-2.8	PASS	
			1	5190.0	5189.985368	-2.82	PASS	
		46	0	5230.0	5229.985193	-2.83	PASS	
			1	5230.0	5229.985268	-2.82	PASS	
		54	0	5270.0	5269.985031	-2.84	PASS	
			0	5270.0	5269.985031	-2.84	PASS	

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		62	1	5270.0	5269.985056	-2.84	PASS	
			0	5310.0	5309.984906	-2.84	PASS	
		102	1	5310.0	5309.984956	-2.83	PASS	
			0	5510.0	5509.984481	-2.82	PASS	
		110	1	5510.0	5509.984506	-2.81	PASS	
			0	5550.0	5549.984393	-2.81	PASS	
	80M	42	1	5550.0	5549.984431	-2.81	PASS	
			0	5210.0	5209.985406	-2.8	PASS	
		58	1	5210.0	5209.985518	-2.78	PASS	
			0	5290.0	5289.985218	-2.79	PASS	
		106	1	5290.0	5289.985181	-2.8	PASS	
			0	5530.0	5529.984493	-2.8	PASS	
	160M	50	1	5530.0	5529.984531	-2.8	PASS	
			0	5610.0	5609.984268	-2.8	PASS	
		114	1	5610.0	5609.984306	-2.8	PASS	
			0	5250.0	5249.985393	-2.78	PASS	
		114	1	5250.0	5249.985393	-2.78	PASS	
			0	5570.0	5569.984393	-2.8	PASS	
	45°C/NV	20M	36	1	5570.0	5569.984481	-2.79	PASS
				0	5180.0	5179.982718	-3.34	PASS
40			1	5180.0	5179.982793	-3.32	PASS	
			0	5200.0	5199.983206	-3.23	PASS	
48			1	5200.0	5199.983231	-3.22	PASS	
			0	5240.0	5239.983368	-3.17	PASS	
52			1	5240.0	5239.983393	-3.17	PASS	
			0	5260.0	5259.983593	-3.12	PASS	
56			1	5260.0	5259.983618	-3.11	PASS	
			0	5280.0	5279.984118	-3.01	PASS	
64			1	5280.0	5279.984118	-3.01	PASS	
			0	5320.0	5319.984431	-2.93	PASS	
40M		100	1	5320.0	5319.984456	-2.92	PASS	
			0	5500.0	5499.984193	-2.87	PASS	
		116	1	5500.0	5499.984243	-2.86	PASS	
			0	5580.0	5579.984156	-2.84	PASS	
		140	1	5580.0	5579.984093	-2.85	PASS	
			0	5700.0	5699.983856	-2.83	PASS	
80M		38	1	5700.0	5699.983881	-2.83	PASS	
			0	5190.0	5189.985443	-2.8	PASS	
		46	1	5190.0	5189.985368	-2.82	PASS	
			0	5230.0	5229.985193	-2.83	PASS	
		54	1	5230.0	5229.985268	-2.82	PASS	
			0	5270.0	5269.985031	-2.84	PASS	
		62	1	5270.0	5269.985056	-2.84	PASS	
			0	5310.0	5309.984906	-2.84	PASS	
		102	1	5310.0	5309.984956	-2.83	PASS	
			0	5510.0	5509.984481	-2.82	PASS	
		110	1	5510.0	5509.984506	-2.81	PASS	
			0	5550.0	5549.984393	-2.81	PASS	
160M		42	1	5550.0	5549.984431	-2.81	PASS	
			0	5210.0	5209.985406	-2.8	PASS	
		58	1	5210.0	5209.985518	-2.78	PASS	
			0	5290.0	5289.985218	-2.79	PASS	
		106	1	5290.0	5289.985181	-2.8	PASS	
			0	5530.0	5529.984493	-2.8	PASS	
160M		50	1	5530.0	5529.984531	-2.8	PASS	
			0	5610.0	5609.984268	-2.8	PASS	
		114	1	5610.0	5609.984306	-2.8	PASS	
			0	5250.0	5249.985393	-2.78	PASS	
		114	1	5250.0	5249.985393	-2.78	PASS	
			0	5570.0	5569.984393	-2.8	PASS	
114		1	5570.0	5569.984481	-2.79	PASS		
		0	5570.0	5569.984481	-2.79	PASS		



Condition	Mode	Ch.	Antenna	Center Frequency (MHz)	Calculated Value of Center Frequency(MHz)	Result (ppm)	Limit (ppm)	State
NT/NV	20M	149	0	5745.0	5744.983881	-2.81	±20	PASS
			1	5745.0	5744.983881	-2.81		PASS
		157	0	5785.0	5784.983706	-2.82		PASS
			1	5785.0	5784.983656	-2.83		PASS
		165	0	5825.0	5824.983618	-2.81		PASS
			1	5825.0	5824.983543	-2.83		PASS
	40M	151	0	5755.0	5754.983818	-2.81		PASS
			1	5755.0	5754.983793	-2.82		PASS
		159	0	5795.0	5794.983768	-2.8		PASS
	1		5795.0	5794.983806	-2.79	PASS		
	80M	155	0	5775.0	5774.983856	-2.8		PASS
			1	5775.0	5774.983881	-2.79		PASS
LT/NV	20M	149	0	5745.0	5744.983818	-2.82	±20	PASS
			1	5745.0	5744.983818	-2.82		PASS
		157	0	5785.0	5784.983656	-2.83		PASS
			1	5785.0	5784.983743	-2.81		PASS
		165	0	5825.0	5824.983556	-2.82		PASS
			1	5825.0	5824.983543	-2.83		PASS
	40M	151	0	5755.0	5754.983818	-2.81		PASS
			1	5755.0	5754.983856	-2.81		PASS
		159	0	5795.0	5794.983756	-2.8		PASS
	1		5795.0	5794.983731	-2.81	PASS		
	80M	155	0	5775.0	5774.983831	-2.8		PASS
			1	5775.0	5774.983856	-2.8		PASS
HT/NV	20M	149	0	5745.0	5744.983868	-2.81	±20	PASS
			1	5745.0	5744.983856	-2.81		PASS
		157	0	5785.0	5784.983656	-2.83		PASS
			1	5785.0	5784.983656	-2.83		PASS
		165	0	5825.0	5824.983618	-2.81		PASS
			1	5825.0	5824.983618	-2.81		PASS
	40M	151	0	5755.0	5754.983831	-2.81		PASS
			1	5755.0	5754.983793	-2.82		PASS
		159	0	5795.0	5794.983768	-2.8		PASS
	1		5795.0	5794.983756	-2.8	PASS		
	80M	155	0	5775.0	5774.983818	-2.8		PASS
			1	5775.0	5774.983843	-2.8		PASS
0°C/NV	20M	149	0	5745.0	5744.983881	-2.81	±20	PASS
			1	5745.0	5744.983856	-2.81		PASS
		157	0	5785.0	5784.983656	-2.83		PASS
			1	5785.0	5784.983731	-2.81		PASS
		165	0	5825.0	5824.983568	-2.82		PASS
			1	5825.0	5824.983531	-2.83		PASS
	40M	151	0	5755.0	5754.983843	-2.81		PASS
			1	5755.0	5754.983818	-2.81		PASS
		159	0	5795.0	5794.983768	-2.8		PASS
	1		5795.0	5794.983793	-2.8	PASS		
	80M	155	0	5775.0	5774.983843	-2.8		PASS
			1	5775.0	5774.983843	-2.8		PASS
10°C/NV	20M	149	0	5745.0	5744.983831	-2.81	±20	PASS
			1	5745.0	5744.983843	-2.81		PASS
		157	0	5785.0	5784.983668	-2.82		PASS
			1	5785.0	5784.983668	-2.82		PASS
		165	0	5825.0	5824.983593	-2.82		PASS
			1	5825.0	5824.983581	-2.82		PASS
	40M	151	0	5755.0	5754.983856	-2.81		PASS
			1	5755.0	5754.983918	-2.79		PASS
		159	0	5795.0	5794.983743	-2.81		PASS
	1		5795.0	5794.983756	-2.8	PASS		
	80M	155	0	5775.0	5774.983856	-2.8		PASS
			1	5775.0	5774.983856	-2.8		PASS
20°C/NV	20M	149	0	5745.0	5744.983793	-2.82	±20	PASS
			1	5745.0	5744.983793	-2.82		PASS

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



		157	0	5785.0	5784.983681	-2.82	PASS	
			1	5785.0	5784.983718	-2.81	PASS	
		165	0	5825.0	5824.983531	-2.83	PASS	
			1	5825.0	5824.983518	-2.83	PASS	
		40M	151	0	5755.0	5754.983831	-2.81	PASS
				1	5755.0	5754.983881	-2.8	PASS
	159		0	5795.0	5794.983731	-2.81	PASS	
			1	5795.0	5794.983706	-2.81	PASS	
	80M	155	0	5775.0	5774.983856	-2.8	PASS	
			1	5775.0	5774.983893	-2.79	PASS	
	30°C/NV	20M	149	0	5745.0	5744.983818	-2.82	PASS
				1	5745.0	5744.983843	-2.81	PASS
157			0	5785.0	5784.983668	-2.82	PASS	
			1	5785.0	5784.983643	-2.83	PASS	
165			0	5825.0	5824.983543	-2.83	PASS	
			1	5825.0	5824.983581	-2.82	PASS	
40M		151	0	5755.0	5754.983818	-2.81	PASS	
			1	5755.0	5754.983856	-2.81	PASS	
		159	0	5795.0	5794.983731	-2.81	PASS	
			1	5795.0	5794.983706	-2.81	PASS	
80M		155	0	5775.0	5774.983881	-2.79	PASS	
			1	5775.0	5774.983881	-2.79	PASS	
40°C/NV	20M	149	0	5745.0	5744.983806	-2.82	PASS	
			1	5745.0	5744.983843	-2.81	PASS	
		157	0	5785.0	5784.983693	-2.82	PASS	
			1	5785.0	5784.983706	-2.82	PASS	
		165	0	5825.0	5824.983593	-2.82	PASS	
			1	5825.0	5824.983593	-2.82	PASS	
	40M	151	0	5755.0	5754.983856	-2.81	PASS	
			1	5755.0	5754.983881	-2.8	PASS	
		159	0	5795.0	5794.983756	-2.8	PASS	
			1	5795.0	5794.983756	-2.8	PASS	
	80M	155	0	5775.0	5774.983831	-2.8	PASS	
			1	5775.0	5774.983918	-2.78	PASS	
45°C/NV	20M	149	0	5745.0	5744.983806	-2.82	PASS	
			1	5745.0	5744.983843	-2.81	PASS	
		157	0	5785.0	5784.983693	-2.82	PASS	
			1	5785.0	5784.983706	-2.82	PASS	
		165	0	5825.0	5824.983593	-2.82	PASS	
			1	5825.0	5824.983593	-2.82	PASS	
	40M	151	0	5755.0	5754.983856	-2.81	PASS	
			1	5755.0	5754.983881	-2.8	PASS	
		159	0	5795.0	5794.983756	-2.8	PASS	
			1	5795.0	5794.983756	-2.8	PASS	
	80M	155	0	5775.0	5774.983831	-2.8	PASS	
			1	5775.0	5774.983918	-2.78	PASS	



Appendix E: Duty Cycle

Test Result

Mode	Channel	RU & Index	Antenna	On Time (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Factor (dB)	1/T Minimum VBW (kHz)	Final Setting for VBW (kHz)
IEEE 802.11a	36	N/A	1	1.397	1.453	96.15	0.1705	0.72	1
			2	1.397	1.453	96.15	0.1705	0.72	1
	40		1	1.397	1.453	96.15	0.1705	0.72	1
			2	1.397	1.453	96.15	0.1705	0.72	1
	48		1	1.397	1.454	96.11	0.1723	0.72	1
			2	1.397	1.454	96.11	0.1723	0.72	1
	52		1	1.397	1.453	96.15	0.1705	0.72	1
			2	1.397	1.453	96.15	0.1705	0.72	1
	56		1	1.397	1.453	96.15	0.1705	0.72	1
			2	1.397	1.453	96.15	0.1705	0.72	1
	64		1	1.397	1.453	96.15	0.1705	0.72	1
			2	1.397	1.453	96.16	0.1701	0.72	1
	100		1	1.397	1.453	96.16	0.1701	0.72	1
			2	1.397	1.453	96.15	0.1705	0.72	1
116	1	1.397	1.453	96.16	0.1701	0.72	1		
	2	1.397	1.453	96.16	0.1701	0.72	1		
140	1	1.397	1.453	96.15	0.1705	0.72	1		
	2	1.397	1.453	96.15	0.1705	0.72	1		
IEEE 802.11n_20	36	1	0.665	0.721	92.19	0.3532	1.50	2	
		2	0.665	0.721	92.22	0.3517	1.50	2	
	40	1	0.665	0.721	92.19	0.3532	1.50	2	
		2	0.665	0.721	92.20	0.3527	1.50	2	
	48	1	0.665	0.721	92.15	0.355	1.50	2	
		2	0.665	0.721	92.15	0.355	1.50	2	
	52	1	0.665	0.721	92.17	0.3541	1.50	2	
		2	0.665	0.721	92.20	0.3527	1.50	2	
	56	1	0.665	0.721	92.19	0.3532	1.50	2	
		2	0.665	0.721	92.19	0.3532	1.50	2	
	64	1	0.665	0.721	92.19	0.3532	1.50	2	
		2	0.665	0.721	92.22	0.3517	1.50	2	
	100	1	0.665	0.721	92.19	0.3532	1.50	2	
		2	0.665	0.721	92.19	0.3532	1.50	2	
116	1	0.665	0.721	92.19	0.3532	1.50	2		
	2	0.665	0.721	92.20	0.3527	1.50	2		
140	1	0.665	0.721	92.20	0.3527	1.50	2		
	2	0.665	0.721	92.20	0.3527	1.50	2		
IEEE 802.11n_40	38	1	0.336	0.393	85.60	0.6753	2.98	3	
		2	0.337	0.393	85.62	0.6742	2.97	3	
	46	1	0.337	0.393	85.64	0.6732	2.97	3	
		2	0.337	0.393	85.66	0.6722	2.97	3	
	54	1	0.337	0.393	85.66	0.6722	2.97	3	
		2	0.337	0.393	85.62	0.6742	2.97	3	
	62	1	0.337	0.393	85.64	0.6732	2.97	3	
		2	0.337	0.393	85.64	0.6732	2.97	3	
	102	1	0.337	0.393	85.62	0.6742	2.97	3	
		2	0.337	0.393	85.63	0.6737	2.97	3	
110	1	0.336	0.393	85.61	0.6748	2.98	3		
	2	0.336	0.393	85.60	0.6753	2.98	3		
134	1	0.337	0.393	85.62	0.6742	2.97	3		
	2	0.337	0.393	85.63	0.6737	2.97	3		
IEEE 802.11ac_20	36	1	0.481	0.537	89.53	0.4803	2.08	3	
		2	0.481	0.537	89.53	0.4803	2.08	3	
	40	1	0.481	0.537	89.50	0.4818	2.08	3	
		2	0.481	0.537	89.50	0.4818	2.08	3	
	48	1	0.481	0.537	89.41	0.4861	2.08	3	
		2	0.481	0.537	89.45	0.4842	2.08	3	




	52		1	0.481	0.537	89.49	0.4823	2.08	3		
			2	0.480	0.537	89.47	0.4832	2.08	3		
	56		1	0.481	0.537	89.50	0.4818	2.08	3		
			2	0.481	0.537	89.50	0.4818	2.08	3		
	64		1	0.481	0.537	89.50	0.4818	2.08	3		
			2	0.481	0.537	89.50	0.4818	2.08	3		
	100		1	0.481	0.537	89.49	0.4823	2.08	3		
			2	0.481	0.537	89.50	0.4818	2.08	3		
	116		1	0.481	0.537	89.50	0.4818	2.08	3		
			2	0.481	0.537	89.51	0.4813	2.08	3		
	140		1	0.481	0.537	89.50	0.4818	2.08	3		
			2	0.481	0.537	89.52	0.4808	2.08	3		
	IEEE 802.11ac_40		38		1	0.261	0.317	82.19	0.8518	3.83	4
					2	0.261	0.317	82.19	0.8518	3.83	4
46		1	0.260		0.317	82.18	0.8523	3.85	4		
		2	0.260		0.317	82.15	0.8539	3.85	4		
54		1	0.260		0.317	82.17	0.8529	3.85	4		
		2	0.260		0.317	82.14	0.8545	3.85	4		
62		1	0.261		0.317	82.19	0.8518	3.83	4		
		2	0.261		0.317	82.19	0.8518	3.83	4		
102		1	0.261		0.317	82.20	0.8513	3.83	4		
		2	0.260		0.317	82.17	0.8529	3.85	4		
110		1	0.260		0.317	82.15	0.8539	3.85	4		
		2	0.261		0.317	82.18	0.8523	3.83	4		
134		1	0.260		0.317	82.17	0.8529	3.85	4		
		2	0.261		0.317	82.19	0.8518	3.83	4		
IEEE 802.11ac_80	42		1	0.148	0.205	72.43	1.4008	6.76	7		
			2	0.149	0.205	72.57	1.3924	6.71	7		
	58		1	0.149	0.205	72.52	1.3954	6.71	7		
			2	0.148	0.205	72.38	1.4038	6.76	7		
	106		1	0.148	0.205	72.46	1.399	6.76	7		
			2	0.148	0.205	72.44	1.4002	6.76	7		
122	1	0.148	0.205	72.47	1.3984	6.76	7				
	2	0.148	0.205	72.42	1.4014	6.76	7				
IEEE 802.11ac_160	50		1	0.100	0.150	66.75	1.7555	10.00	10		
			2	0.101	0.151	66.85	1.749	9.90	10		
	114		1	0.101	0.151	66.93	1.7438	9.90	10		
			2	0.101	0.151	66.72	1.7574	9.90	10		
IEEE 802.11ax_20	36		1	0.429	0.486	88.38	0.5365	2.33	3		
			2	0.429	0.486	88.38	0.5365	2.33	3		
	40		1	0.429	0.486	88.37	0.537	2.33	3		
			2	0.430	0.486	88.43	0.534	2.33	3		
	48		1	0.429	0.486	88.37	0.537	2.33	3		
			2	0.429	0.486	88.35	0.5379	2.33	3		
	52		1	0.429	0.486	88.38	0.5365	2.33	3		
			2	0.429	0.486	88.38	0.5365	2.33	3		
	56		1	0.429	0.486	88.38	0.5365	2.33	3		
			2	0.429	0.486	88.40	0.5355	2.33	3		
	64		1	0.429	0.486	88.35	0.5379	2.33	3		
			2	0.429	0.486	88.39	0.536	2.33	3		
	100		1	0.429	0.486	88.37	0.537	2.33	3		
			2	0.429	0.486	88.38	0.5365	2.33	3		
116	1	0.429	0.486	88.37	0.537	2.33	3				
	2	0.429	0.486	88.39	0.536	2.33	3				
140	1	0.429	0.486	88.38	0.5365	2.33	3				
	2	0.429	0.486	88.39	0.536	2.33	3				
IEEE 802.11ax_40	38		1	0.270	0.327	82.68	0.826	3.70	4		
			2	0.270	0.327	82.69	0.8255	3.70	4		
	46		1	0.270	0.327	82.69	0.8255	3.70	4		
			2	0.270	0.327	82.71	0.8244	3.70	4		
	54		1	0.270	0.327	82.66	0.827	3.70	4		
			2	0.270	0.327	82.71	0.8244	3.70	4		
	62		1	0.270	0.327	82.68	0.826	3.70	4		
			2	0.270	0.327	82.69	0.8255	3.70	4		
	102		1	0.270	0.327	82.66	0.827	3.70	4		
			2	0.270	0.327	82.69	0.8255	3.70	4		




	110		1	0.270	0.327	82.68	0.826	3.70	4
			2	0.270	0.327	82.68	0.826	3.70	4
	134		1	0.270	0.327	82.68	0.826	3.70	4
			2	0.270	0.327	82.71	0.8244	3.70	4
IEEE 802.11ax_80	42	996RU67	1	0.412	0.468	87.90	0.5601	2.43	3
			2	0.412	0.468	87.93	0.5586	2.43	3
	58		1	0.412	0.468	87.92	0.5591	2.43	3
			2	0.412	0.468	87.92	0.5591	2.43	3
	106		1	0.412	0.468	87.93	0.5586	2.43	3
			2	0.412	0.468	87.92	0.5591	2.43	3
	122		1	0.412	0.468	87.92	0.5591	2.43	3
			2	0.412	0.468	87.92	0.5591	2.43	3
IEEE 802.11ax_160	50	996*2RU68	1	0.258	0.308	83.68	0.7738	3.88	4
			2	0.258	0.308	83.65	0.7753	3.88	4
	114		1	0.258	0.308	83.70	0.7727	3.88	4
			2	0.258	0.309	83.69	0.7733	3.88	4




Test Graphs



IEEE 802.11a_20MHz_Channel 36



IEEE 802.11a_20MHz_Channel 36




IEEE 802.11a_20MHz_Channel 40


CTC Laboratories, Inc.
 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
 Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : yz.cnca.cn



IEEE 802.11a 20MHz Channel 40




IEEE 802.11a 20MHz Channel 48




IEEE 802.11a 20MHz Channel 48







IEEE 802.11a 20MHz Channel 52




IEEE 802.11a 20MHz Channel 52



IEEE 802.11a 20MHz Channel 56




IEEE 802.11a 20MHz Channel 56




IEEE 802.11a 20MHz Channel 64






IEEE 802.11a_20MHz_Channel 64




IEEE 802.11a_20MHz_Channel 100




IEEE 802.11a_20MHz_Channel 100







IEEE 802.11a_20MHz_Channel 116




IEEE 802.11a_20MHz_Channel 116




IEEE 802.11a_20MHz_Channel 140




IEEE 802.11a 20MHz Channel 140




IEEE 802.11n 20MHz Channel 36




IEEE 802.11n 20MHz Channel 36




IEEE 802.11n 20MHz Channel 40




IEEE 802.11n 20MHz Channel 40




IEEE 802.11n 20MHz Channel 48



IEEE 802.11n 20MHz Channel 48




IEEE 802.11n 20MHz Channel 52




IEEE 802.11n 20MHz Channel 52






IEEE 802.11n 20MHz Channel 56




IEEE 802.11n 20MHz Channel 56




IEEE 802.11n 20MHz Channel 64







IEEE 802.11n_20MHz Channel 64




IEEE 802.11n_20MHz Channel 100




IEEE 802.11n_20MHz Channel 100



IEEE 802.11n 20MHz Channel 116




IEEE 802.11n 20MHz Channel 116




IEEE 802.11n 20MHz Channel 140







IEEE 802.11n 20MHz Channel 140




IEEE 802.11n 40MHz Channel 38




IEEE 802.11n 40MHz Channel 38



IEEE 802.11n 40MHz Channel 46




IEEE 802.11n 40MHz Channel 46




IEEE 802.11n 40MHz Channel 54






IEEE 802.11n 40MHz Channel 54




IEEE 802.11n 40MHz Channel 62




IEEE 802.11n 40MHz Channel 62







IEEE 802.11n 40MHz Channel 102




IEEE 802.11n 40MHz Channel 102




IEEE 802.11n 40MHz Channel 110




IEEE 802.11n 40MHz Channel 110




IEEE 802.11n 40MHz Channel 134




IEEE 802.11n_40MHz_Channel 134



IEEE 802.11ac 20MHz Channel 36




IEEE 802.11ac 20MHz Channel 36




IEEE 802.11ac 20MHz Channel 40







IEEE 802.11ac 20MHz Channel 40




IEEE 802.11ac 20MHz Channel 48




IEEE 802.11ac 20MHz Channel 48




IEEE 802.11ac 20MHz Channel 52




IEEE 802.11ac 20MHz Channel 52




IEEE 802.11ac 20MHz Channel 56



IEEE 802.11ac 20MHz Channel 56




IEEE 802.11ac 20MHz Channel 64




IEEE 802.11ac 20MHz Channel 64






IEEE 802.11ac 20MHz Channel 100




IEEE 802.11ac 20MHz Channel 100




IEEE 802.11ac 20MHz Channel 116







IEEE 802.11ac 20MHz Channel 116




IEEE 802.11ac 20MHz Channel 140




IEEE 802.11ac 20MHz Channel 140



IEEE 802.11ac 40MHz Channel 38




IEEE 802.11ac 40MHz Channel 38




IEEE 802.11ac 40MHz Channel 46






IEEE 802.11ac 40MHz Channel 46




IEEE 802.11ac 40MHz Channel 54




IEEE 802.11ac 40MHz Channel 54






IEEE 802.11ac 40MHz Channel 62




IEEE 802.11ac 40MHz Channel 62




IEEE 802.11ac 40MHz Channel 102







IEEE 802.11ac 40MHz Channel 102




IEEE 802.11ac 40MHz Channel 110




IEEE 802.11ac 40MHz Channel 110




IEEE 802.11ac 40MHz Channel 134




IEEE 802.11ac 40MHz Channel 134




IEEE 802.11ac 80MHz Channel 42



IEEE 802.11ac 80MHz Channel 42



IEEE 802.11ac 80MHz Channel 58



IEEE 802.11ac 80MHz Channel 58