



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11AX20MIMO	5500	Type6	28	1	333.3	9	0.3333	300	5311	1
		Type6	28	1	333.3	9	0.3333	300	5410	1
		Type6	28	1	333.3	9	0.3333	300	5593	1
		Type6	28	1	333.3	9	0.3333	300	5576	1
		Type6	28	1	333.3	9	0.3333	300	5353	1
		Type6	28	1	333.3	9	0.3333	300	5552	1
		Type6	28	1	333.3	9	0.3333	300	5560	1
		Type6	28	1	333.3	9	0.3333	300	5687	1
		Type6	28	1	333.3	9	0.3333	300	5681	1
		Type6	28	1	333.3	9	0.3333	300	5252	1
		Type6	28	1	333.3	9	0.3333	300	5415	1
		Type6	28	1	333.3	9	0.3333	300	5464	1
		Type6	28	1	333.3	9	0.3333	300	5349	1
		Type6	28	1	333.3	9	0.3333	300	5350	1
		Type6	28	1	333.3	9	0.3333	300	5387	1
		Type6	28	1	333.3	9	0.3333	300	5460	1
		Type6	28	1	333.3	9	0.3333	300	5463	1
		Type6	28	1	333.3	9	0.3333	300	5564	1
		Type6	28	1	333.3	9	0.3333	300	5670	1
		Type6	28	1	333.3	9	0.3333	300	5299	1
		Type6	28	1	333.3	9	0.3333	300	5317	1
		Type6	28	1	333.3	9	0.3333	300	5342	1
		Type6	28	1	333.3	9	0.3333	300	5266	1
		Type6	28	1	333.3	9	0.3333	300	5449	1
		Type6	28	1	333.3	9	0.3333	300	5489	1
		Type6	28	1	333.3	9	0.3333	300	5294	1
		Type6	28	1	333.3	9	0.3333	300	5272	1
		Type6	28	1	333.3	9	0.3333	300	5374	1
		Type6	28	1	333.3	9	0.3333	300	5412	1
		Type6	28	1	333.3	9	0.3333	300	5497	1
		Type6	28	1	333.3	9	0.3333	300	5534	1
		Type6	28	1	333.3	9	0.3333	300	5292	1
		Type6	28	1	333.3	9	0.3333	300	5457	1
		Type6	28	1	333.3	9	0.3333	300	5389	1
		Type6	28	1	333.3	9	0.3333	300	5621	1
		Type6	28	1	333.3	9	0.3333	300	5378	1
		Type6	28	1	333.3	9	0.3333	300	5597	1
		Type6	28	1	333.3	9	0.3333	300	5341	1
		Type6	28	1	333.3	9	0.3333	300	5683	1
		Type6	28	1	333.3	9	0.3333	300	5721	1
		Type6	28	1	333.3	9	0.3333	300	5385	1
		Type6	28	1	333.3	9	0.3333	300	5518	1
		Type6	28	1	333.3	9	0.3333	300	5371	1
		Type6	28	1	333.3	9	0.3333	300	5361	1
		Type6	28	1	333.3	9	0.3333	300	5547	1
		Type6	28	1	333.3	9	0.3333	300	5382	1
		Type6	28	1	333.3	9	0.3333	300	5366	1
		Type6	28	1	333.3	9	0.3333	300	5605	1
		Type6	28	1	333.3	9	0.3333	300	5379	1
		Type6	28	1	333.3	9	0.3333	300	5612	1
Type6	28	1	333.3	9	0.3333	300	5310	1		
Type6	28	1	333.3	9	0.3333	300	5490	1		
Type6	28	1	333.3	9	0.3333	300	5508	1		
Type6	28	1	333.3	9	0.3333	300	5655	1		
Type6	28	1	333.3	9	0.3333	300	5462	1		
Type6	28	1	333.3	9	0.3333	300	5519	1		
Type6	28	1	333.3	9	0.3333	300	5491	1		
Type6	28	1	333.3	9	0.3333	300	5320	1		
Type6	28	1	333.3	9	0.3333	300	5287	1		
Type6	28	1	333.3	9	0.3333	300	5506	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



		Type6	28	1	333.3	9	0.3333	300	5701	1
		Type6	28	1	333.3	9	0.3333	300	5702	1
		Type6	28	1	333.3	9	0.3333	300	5306	1
		Type6	28	1	333.3	9	0.3333	300	5539	1
		Type6	28	1	333.3	9	0.3333	300	5295	1
		Type6	28	1	333.3	9	0.3333	300	5589	1
		Type6	28	1	333.3	9	0.3333	300	5588	1
		Type6	28	1	333.3	9	0.3333	300	5360	1
		Type6	28	1	333.3	9	0.3333	300	5565	1
		Type6	28	1	333.3	9	0.3333	300	5267	1
		Type6	28	1	333.3	9	0.3333	300	5370	1
		Type6	28	1	333.3	9	0.3333	300	5550	1
		Type6	28	1	333.3	9	0.3333	300	5476	1
		Type6	28	1	333.3	9	0.3333	300	5478	1
		Type6	28	1	333.3	9	0.3333	300	5507	1
		Type6	28	1	333.3	9	0.3333	300	5672	1
		Type6	28	1	333.3	9	0.3333	300	5663	1
		Type6	28	1	333.3	9	0.3333	300	5424	1
		Type6	28	1	333.3	9	0.3333	300	5336	1
		Type6	28	1	333.3	9	0.3333	300	5271	1
		Type6	28	1	333.3	9	0.3333	300	5499	1
		Type6	28	1	333.3	9	0.3333	300	5602	1
		Type6	28	1	333.3	9	0.3333	300	5330	1
		Type6	28	1	333.3	9	0.3333	300	5391	1
		Type6	28	1	333.3	9	0.3333	300	5319	1
		Type6	28	1	333.3	9	0.3333	300	5594	1
		Type6	28	1	333.3	9	0.3333	300	5502	1
		Type6	28	1	333.3	9	0.3333	300	5262	1
		Type6	28	1	333.3	9	0.3333	300	5624	1
		Type6	28	1	333.3	9	0.3333	300	5626	1
		Type6	28	1	333.3	9	0.3333	300	5692	1
		Type6	28	1	333.3	9	0.3333	300	5698	1
		Type6	28	1	333.3	9	0.3333	300	5531	1
		Type6	28	1	333.3	9	0.3333	300	5717	1
		Type6	28	1	333.3	9	0.3333	300	5401	1
		Type6	28	1	333.3	9	0.3333	300	5716	1
Type6	28	1	333.3	9	0.3333	300	5264	1		
Type6	28	1	333.3	9	0.3333	300	5293	1		
Type6	28	1	333.3	9	0.3333	300	5557	1		
Type6	28	1	333.3	9	0.3333	300	5355	1		
11AX40MIMO	5510	Type6	28	1	333.3	9	0.3333	300	5349	1
		Type6	28	1	333.3	9	0.3333	300	5489	1
		Type6	28	1	333.3	9	0.3333	300	5415	1
		Type6	28	1	333.3	9	0.3333	300	5252	1
		Type6	28	1	333.3	9	0.3333	300	5681	1
		Type6	28	1	333.3	9	0.3333	300	5687	1
		Type6	28	1	333.3	9	0.3333	300	5560	1
		Type6	28	1	333.3	9	0.3333	300	5552	1
		Type6	28	1	333.3	9	0.3333	300	5311	1
		Type6	28	1	333.3	9	0.3333	300	5576	1
		Type6	28	1	333.3	9	0.3333	300	5317	1
		Type6	28	1	333.3	9	0.3333	300	5353	1
		Type6	28	1	333.3	9	0.3333	300	5387	1
		Type6	28	1	333.3	9	0.3333	300	5460	1
		Type6	28	1	333.3	9	0.3333	300	5463	1
		Type6	28	1	333.3	9	0.3333	300	5564	1
		Type6	28	1	333.3	9	0.3333	300	5410	1
		Type6	28	1	333.3	9	0.3333	300	5299	1
		Type6	28	1	333.3	9	0.3333	300	5342	1
		Type6	28	1	333.3	9	0.3333	300	5266	1
Type6	28	1	333.3	9	0.3333	300	5449	1		
Type6	28	1	333.3	9	0.3333	300	5593	1		
Type6	28	1	333.3	9	0.3333	300	5721	1		
Type6	28	1	333.3	9	0.3333	300	5670	1		
Type6	28	1	333.3	9	0.3333	300	5412	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



Type6	28	1	333.3	9	0.3333	300	5497	1
Type6	28	1	333.3	9	0.3333	300	5534	1
Type6	28	1	333.3	9	0.3333	300	5292	1
Type6	28	1	333.3	9	0.3333	300	5457	1
Type6	28	1	333.3	9	0.3333	300	5389	1
Type6	28	1	333.3	9	0.3333	300	5621	1
Type6	28	1	333.3	9	0.3333	300	5378	1
Type6	28	1	333.3	9	0.3333	300	5612	1
Type6	28	1	333.3	9	0.3333	300	5341	1
Type6	28	1	333.3	9	0.3333	300	5294	1
Type6	28	1	333.3	9	0.3333	300	5518	1
Type6	28	1	333.3	9	0.3333	300	5385	1
Type6	28	1	333.3	9	0.3333	300	5683	1
Type6	28	1	333.3	9	0.3333	300	5371	1
Type6	28	1	333.3	9	0.3333	300	5361	1
Type6	28	1	333.3	9	0.3333	300	5547	1
Type6	28	1	333.3	9	0.3333	300	5382	1
Type6	28	1	333.3	9	0.3333	300	5366	1
Type6	28	1	333.3	9	0.3333	300	5605	1
Type6	28	1	333.3	9	0.3333	300	5379	1
Type6	28	1	333.3	9	0.3333	300	5350	1
Type6	28	1	333.3	9	0.3333	300	5507	1
Type6	28	1	333.3	9	0.3333	300	5464	1
Type6	28	1	333.3	9	0.3333	300	5476	1
Type6	28	1	333.3	9	0.3333	300	5589	1
Type6	28	1	333.3	9	0.3333	300	5655	1
Type6	28	1	333.3	9	0.3333	300	5462	1
Type6	28	1	333.3	9	0.3333	300	5519	1
Type6	28	1	333.3	9	0.3333	300	5491	1
Type6	28	1	333.3	9	0.3333	300	5320	1
Type6	28	1	333.3	9	0.3333	300	5287	1
Type6	28	1	333.3	9	0.3333	300	5506	1
Type6	28	1	333.3	9	0.3333	300	5701	1
Type6	28	1	333.3	9	0.3333	300	5672	1
Type6	28	1	333.3	9	0.3333	300	5306	1
Type6	28	1	333.3	9	0.3333	300	5478	1
Type6	28	1	333.3	9	0.3333	300	5295	1
Type6	28	1	333.3	9	0.3333	300	5702	1
Type6	28	1	333.3	9	0.3333	300	5588	1
Type6	28	1	333.3	9	0.3333	300	5360	1
Type6	28	1	333.3	9	0.3333	300	5565	1
Type6	28	1	333.3	9	0.3333	300	5267	1
Type6	28	1	333.3	9	0.3333	300	5370	1
Type6	28	1	333.3	9	0.3333	300	5550	1
Type6	28	1	333.3	9	0.3333	300	5539	1
Type6	28	1	333.3	9	0.3333	300	5374	1
Type6	28	1	333.3	9	0.3333	300	5272	1
Type6	28	1	333.3	9	0.3333	300	5597	1
Type6	28	1	333.3	9	0.3333	300	5310	1
Type6	28	1	333.3	9	0.3333	300	5557	1
Type6	28	1	333.3	9	0.3333	300	5663	1
Type6	28	1	333.3	9	0.3333	300	5336	1
Type6	28	1	333.3	9	0.3333	300	5271	1
Type6	28	1	333.3	9	0.3333	300	5499	1
Type6	28	1	333.3	9	0.3333	300	5602	1
Type6	28	1	333.3	9	0.3333	300	5330	1
Type6	28	1	333.3	9	0.3333	300	5391	1
Type6	28	1	333.3	9	0.3333	300	5319	1
Type6	28	1	333.3	9	0.3333	300	5594	1
Type6	28	1	333.3	9	0.3333	300	5502	1
Type6	28	1	333.3	9	0.3333	300	5508	1
Type6	28	1	333.3	9	0.3333	300	5692	1
Type6	28	1	333.3	9	0.3333	300	5490	1
Type6	28	1	333.3	9	0.3333	300	5293	1
Type6	28	1	333.3	9	0.3333	300	5264	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



		Type6	28	1	333.3	9	0.3333	300	5716	1
		Type6	28	1	333.3	9	0.3333	300	5401	1
		Type6	28	1	333.3	9	0.3333	300	5717	1
		Type6	28	1	333.3	9	0.3333	300	5624	1
		Type6	28	1	333.3	9	0.3333	300	5698	1
		Type6	28	1	333.3	9	0.3333	300	5355	1
		Type6	28	1	333.3	9	0.3333	300	5626	1
		Type6	28	1	333.3	9	0.3333	300	5531	1
		Type6	28	1	333.3	9	0.3333	300	5424	1
		Type6	28	1	333.3	9	0.3333	300	5262	1
		Type6	28	1	333.3	9	0.3333	300	5311	1
		Type6	28	1	333.3	9	0.3333	300	5410	1
		Type6	28	1	333.3	9	0.3333	300	5593	1
		Type6	28	1	333.3	9	0.3333	300	5576	1
		Type6	28	1	333.3	9	0.3333	300	5353	1
		Type6	28	1	333.3	9	0.3333	300	5552	1
		Type6	28	1	333.3	9	0.3333	300	5560	1
		Type6	28	1	333.3	9	0.3333	300	5687	1
		Type6	28	1	333.3	9	0.3333	300	5681	1
		Type6	28	1	333.3	9	0.3333	300	5252	1
		Type6	28	1	333.3	9	0.3333	300	5415	1
		Type6	28	1	333.3	9	0.3333	300	5464	1
		Type6	28	1	333.3	9	0.3333	300	5349	1
		Type6	28	1	333.3	9	0.3333	300	5350	1
		Type6	28	1	333.3	9	0.3333	300	5387	1
		Type6	28	1	333.3	9	0.3333	300	5460	1
		Type6	28	1	333.3	9	0.3333	300	5463	1
		Type6	28	1	333.3	9	0.3333	300	5564	1
		Type6	28	1	333.3	9	0.3333	300	5670	1
		Type6	28	1	333.3	9	0.3333	300	5299	1
		Type6	28	1	333.3	9	0.3333	300	5317	1
		Type6	28	1	333.3	9	0.3333	300	5342	1
		Type6	28	1	333.3	9	0.3333	300	5266	1
		Type6	28	1	333.3	9	0.3333	300	5449	1
		Type6	28	1	333.3	9	0.3333	300	5489	1
		Type6	28	1	333.3	9	0.3333	300	5294	1
		Type6	28	1	333.3	9	0.3333	300	5272	1
		Type6	28	1	333.3	9	0.3333	300	5374	1
		Type6	28	1	333.3	9	0.3333	300	5412	1
		Type6	28	1	333.3	9	0.3333	300	5497	1
		Type6	28	1	333.3	9	0.3333	300	5534	1
		Type6	28	1	333.3	9	0.3333	300	5292	1
		Type6	28	1	333.3	9	0.3333	300	5457	1
		Type6	28	1	333.3	9	0.3333	300	5389	1
		Type6	28	1	333.3	9	0.3333	300	5621	1
		Type6	28	1	333.3	9	0.3333	300	5378	1
		Type6	28	1	333.3	9	0.3333	300	5597	1
		Type6	28	1	333.3	9	0.3333	300	5341	1
		Type6	28	1	333.3	9	0.3333	300	5683	1
		Type6	28	1	333.3	9	0.3333	300	5721	1
		Type6	28	1	333.3	9	0.3333	300	5385	1
		Type6	28	1	333.3	9	0.3333	300	5518	1
		Type6	28	1	333.3	9	0.3333	300	5371	1
		Type6	28	1	333.3	9	0.3333	300	5361	1
		Type6	28	1	333.3	9	0.3333	300	5547	1
		Type6	28	1	333.3	9	0.3333	300	5382	1
		Type6	28	1	333.3	9	0.3333	300	5366	1
		Type6	28	1	333.3	9	0.3333	300	5605	1
		Type6	28	1	333.3	9	0.3333	300	5379	1
		Type6	28	1	333.3	9	0.3333	300	5612	1
		Type6	28	1	333.3	9	0.3333	300	5295	1
		Type6	28	1	333.3	9	0.3333	300	5490	1
		Type6	28	1	333.3	9	0.3333	300	5508	1
		Type6	28	1	333.3	9	0.3333	300	5655	1
		Type6	28	1	333.3	9	0.3333	300	5462	1

11AX80MIMO

5530

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



		Type6	28	1	333.3	9	0.3333	300	5519	1
		Type6	28	1	333.3	9	0.3333	300	5491	1
		Type6	28	1	333.3	9	0.3333	300	5320	1
		Type6	28	1	333.3	9	0.3333	300	5287	1
		Type6	28	1	333.3	9	0.3333	300	5506	1
		Type6	28	1	333.3	9	0.3333	300	5539	1
		Type6	28	1	333.3	9	0.3333	300	5702	1
		Type6	28	1	333.3	9	0.3333	300	5310	1
		Type6	28	1	333.3	9	0.3333	300	5701	1
		Type6	28	1	333.3	9	0.3333	300	5589	1
		Type6	28	1	333.3	9	0.3333	300	5588	1
		Type6	28	1	333.3	9	0.3333	300	5360	1
		Type6	28	1	333.3	9	0.3333	300	5565	1
		Type6	28	1	333.3	9	0.3333	300	5267	1
		Type6	28	1	333.3	9	0.3333	300	5370	1
		Type6	28	1	333.3	9	0.3333	300	5550	1
		Type6	28	1	333.3	9	0.3333	300	5476	1
		Type6	28	1	333.3	9	0.3333	300	5507	1
		Type6	28	1	333.3	9	0.3333	300	5478	1
		Type6	28	1	333.3	9	0.3333	300	5672	1
		Type6	28	1	333.3	9	0.3333	300	5336	1
		Type6	28	1	333.3	9	0.3333	300	5424	1
		Type6	28	1	333.3	9	0.3333	300	5306	1
		Type6	28	1	333.3	9	0.3333	300	5663	1
		Type6	28	1	333.3	9	0.3333	300	5271	1
		Type6	28	1	333.3	9	0.3333	300	5499	1
		Type6	28	1	333.3	9	0.3333	300	5602	1
		Type6	28	1	333.3	9	0.3333	300	5330	1
		Type6	28	1	333.3	9	0.3333	300	5391	1
		Type6	28	1	333.3	9	0.3333	300	5319	1
		Type6	28	1	333.3	9	0.3333	300	5594	1
		Type6	28	1	333.3	9	0.3333	300	5502	1
		Type6	28	1	333.3	9	0.3333	300	5262	1
		Type6	28	1	333.3	9	0.3333	300	5355	1
		Type6	28	1	333.3	9	0.3333	300	5626	1
		Type6	28	1	333.3	9	0.3333	300	5698	1
		Type6	28	1	333.3	9	0.3333	300	5624	1
		Type6	28	1	333.3	9	0.3333	300	5717	1
		Type6	28	1	333.3	9	0.3333	300	5401	1
		Type6	28	1	333.3	9	0.3333	300	5264	1
Type6	28	1	333.3	9	0.3333	300	5293	1		
Type6	28	1	333.3	9	0.3333	300	5557	1		
Type6	28	1	333.3	9	0.3333	300	5692	1		
Type6	28	1	333.3	9	0.3333	300	5716	1		
Type6	28	1	333.3	9	0.3333	300	5531	1		
11AX160MIMO	5570	Type6	28	1	333.3	9	0.3333	300	5593	1
		Type6	28	1	333.3	9	0.3333	300	5415	1
		Type6	28	1	333.3	9	0.3333	300	5252	1
		Type6	28	1	333.3	9	0.3333	300	5681	1
		Type6	28	1	333.3	9	0.3333	300	5687	1
		Type6	28	1	333.3	9	0.3333	300	5560	1
		Type6	28	1	333.3	9	0.3333	300	5552	1
		Type6	28	1	333.3	9	0.3333	300	5576	1
		Type6	28	1	333.3	9	0.3333	300	5489	1
		Type6	28	1	333.3	9	0.3333	300	5670	1
		Type6	28	1	333.3	9	0.3333	300	5683	1
		Type6	28	1	333.3	9	0.3333	300	5353	1
		Type6	28	1	333.3	9	0.3333	300	5349	1
		Type6	28	1	333.3	9	0.3333	300	5311	1
		Type6	28	1	333.3	9	0.3333	300	5387	1
		Type6	28	1	333.3	9	0.3333	300	5460	1
		Type6	28	1	333.3	9	0.3333	300	5266	1
Type6	28	1	333.3	9	0.3333	300	5564	1		
Type6	28	1	333.3	9	0.3333	300	5464	1		
Type6	28	1	333.3	9	0.3333	300	5299	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



Type6	28	1	333.3	9	0.3333	300	5317	1
Type6	28	1	333.3	9	0.3333	300	5342	1
Type6	28	1	333.3	9	0.3333	300	5449	1
Type6	28	1	333.3	9	0.3333	300	5463	1
Type6	28	1	333.3	9	0.3333	300	5721	1
Type6	28	1	333.3	9	0.3333	300	5410	1
Type6	28	1	333.3	9	0.3333	300	5374	1
Type6	28	1	333.3	9	0.3333	300	5497	1
Type6	28	1	333.3	9	0.3333	300	5534	1
Type6	28	1	333.3	9	0.3333	300	5292	1
Type6	28	1	333.3	9	0.3333	300	5457	1
Type6	28	1	333.3	9	0.3333	300	5389	1
Type6	28	1	333.3	9	0.3333	300	5621	1
Type6	28	1	333.3	9	0.3333	300	5378	1
Type6	28	1	333.3	9	0.3333	300	5612	1
Type6	28	1	333.3	9	0.3333	300	5412	1
Type6	28	1	333.3	9	0.3333	300	5294	1
Type6	28	1	333.3	9	0.3333	300	5507	1
Type6	28	1	333.3	9	0.3333	300	5385	1
Type6	28	1	333.3	9	0.3333	300	5518	1
Type6	28	1	333.3	9	0.3333	300	5371	1
Type6	28	1	333.3	9	0.3333	300	5361	1
Type6	28	1	333.3	9	0.3333	300	5547	1
Type6	28	1	333.3	9	0.3333	300	5382	1
Type6	28	1	333.3	9	0.3333	300	5366	1
Type6	28	1	333.3	9	0.3333	300	5605	1
Type6	28	1	333.3	9	0.3333	300	5379	1
Type6	28	1	333.3	9	0.3333	300	5350	1
Type6	28	1	333.3	9	0.3333	300	5341	1
Type6	28	1	333.3	9	0.3333	300	5295	1
Type6	28	1	333.3	9	0.3333	300	5508	1
Type6	28	1	333.3	9	0.3333	300	5655	1
Type6	28	1	333.3	9	0.3333	300	5462	1
Type6	28	1	333.3	9	0.3333	300	5519	1
Type6	28	1	333.3	9	0.3333	300	5491	1
Type6	28	1	333.3	9	0.3333	300	5320	1
Type6	28	1	333.3	9	0.3333	300	5287	1
Type6	28	1	333.3	9	0.3333	300	5506	1
Type6	28	1	333.3	9	0.3333	300	5701	1
Type6	28	1	333.3	9	0.3333	300	5672	1
Type6	28	1	333.3	9	0.3333	300	5478	1
Type6	28	1	333.3	9	0.3333	300	5310	1
Type6	28	1	333.3	9	0.3333	300	5531	1
Type6	28	1	333.3	9	0.3333	300	5589	1
Type6	28	1	333.3	9	0.3333	300	5588	1
Type6	28	1	333.3	9	0.3333	300	5360	1
Type6	28	1	333.3	9	0.3333	300	5565	1
Type6	28	1	333.3	9	0.3333	300	5267	1
Type6	28	1	333.3	9	0.3333	300	5370	1
Type6	28	1	333.3	9	0.3333	300	5550	1
Type6	28	1	333.3	9	0.3333	300	5539	1
Type6	28	1	333.3	9	0.3333	300	5272	1
Type6	28	1	333.3	9	0.3333	300	5597	1
Type6	28	1	333.3	9	0.3333	300	5306	1
Type6	28	1	333.3	9	0.3333	300	5692	1
Type6	28	1	333.3	9	0.3333	300	5424	1
Type6	28	1	333.3	9	0.3333	300	5663	1
Type6	28	1	333.3	9	0.3333	300	5336	1
Type6	28	1	333.3	9	0.3333	300	5271	1
Type6	28	1	333.3	9	0.3333	300	5499	1
Type6	28	1	333.3	9	0.3333	300	5602	1
Type6	28	1	333.3	9	0.3333	300	5330	1
Type6	28	1	333.3	9	0.3333	300	5391	1
Type6	28	1	333.3	9	0.3333	300	5319	1
Type6	28	1	333.3	9	0.3333	300	5594	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



Type6	28	1	333.3	9	0.3333	300	5490	1
Type6	28	1	333.3	9	0.3333	300	5262	1
Type6	28	1	333.3	9	0.3333	300	5702	1
Type6	28	1	333.3	9	0.3333	300	5557	1
Type6	28	1	333.3	9	0.3333	300	5293	1
Type6	28	1	333.3	9	0.3333	300	5264	1
Type6	28	1	333.3	9	0.3333	300	5716	1
Type6	28	1	333.3	9	0.3333	300	5401	1
Type6	28	1	333.3	9	0.3333	300	5717	1
Type6	28	1	333.3	9	0.3333	300	5624	1
Type6	28	1	333.3	9	0.3333	300	5698	1
Type6	28	1	333.3	9	0.3333	300	5355	1
Type6	28	1	333.3	9	0.3333	300	5626	1
Type6	28	1	333.3	9	0.3333	300	5476	1
Type6	28	1	333.3	9	0.3333	300	5502	1



TestMode	Channel	Radar Type	Trial ID	Pulse width (μs)	PRI (μs)	Pulses per Hop	Hop Rate (kHz)	Hop Sequence Length(ms)	Center Frequency (MHz)	Detection (1: Yes; 0: No)
11AX20MIMO	5500	Type6	29	1	333.3	9	0.3333	300	5650	1
		Type6	29	1	333.3	9	0.3333	300	5625	1
		Type6	29	1	333.3	9	0.3333	300	5259	1
		Type6	29	1	333.3	9	0.3333	300	5467	1
		Type6	29	1	333.3	9	0.3333	300	5291	1
		Type6	29	1	333.3	9	0.3333	300	5665	1
		Type6	29	1	333.3	9	0.3333	300	5545	1
		Type6	29	1	333.3	9	0.3333	300	5371	1
		Type6	29	1	333.3	9	0.3333	300	5660	1
		Type6	29	1	333.3	9	0.3333	300	5491	1
		Type6	29	1	333.3	9	0.3333	300	5509	1
		Type6	29	1	333.3	9	0.3333	300	5486	1
		Type6	29	1	333.3	9	0.3333	300	5627	1
		Type6	29	1	333.3	9	0.3333	300	5528	1
		Type6	29	1	333.3	9	0.3333	300	5434	1
		Type6	29	1	333.3	9	0.3333	300	5514	1
		Type6	29	1	333.3	9	0.3333	300	5343	1
		Type6	29	1	333.3	9	0.3333	300	5358	1
		Type6	29	1	333.3	9	0.3333	300	5279	1
		Type6	29	1	333.3	9	0.3333	300	5653	1
		Type6	29	1	333.3	9	0.3333	300	5621	1
		Type6	29	1	333.3	9	0.3333	300	5518	1
		Type6	29	1	333.3	9	0.3333	300	5431	1
		Type6	29	1	333.3	9	0.3333	300	5317	1
		Type6	29	1	333.3	9	0.3333	300	5413	1
		Type6	29	1	333.3	9	0.3333	300	5540	1
		Type6	29	1	333.3	9	0.3333	300	5430	1
		Type6	29	1	333.3	9	0.3333	300	5398	1
		Type6	29	1	333.3	9	0.3333	300	5487	1
		Type6	29	1	333.3	9	0.3333	300	5377	1
		Type6	29	1	333.3	9	0.3333	300	5427	1
		Type6	29	1	333.3	9	0.3333	300	5640	1
		Type6	29	1	333.3	9	0.3333	300	5462	1
		Type6	29	1	333.3	9	0.3333	300	5256	1
		Type6	29	1	333.3	9	0.3333	300	5446	1
		Type6	29	1	333.3	9	0.3333	300	5503	1
		Type6	29	1	333.3	9	0.3333	300	5307	1
		Type6	29	1	333.3	9	0.3333	300	5386	1
		Type6	29	1	333.3	9	0.3333	300	5338	1
		Type6	29	1	333.3	9	0.3333	300	5422	1
Type6	29	1	333.3	9	0.3333	300	5581	1		
Type6	29	1	333.3	9	0.3333	300	5681	1		
Type6	29	1	333.3	9	0.3333	300	5695	1		
Type6	29	1	333.3	9	0.3333	300	5612	1		
Type6	29	1	333.3	9	0.3333	300	5309	1		
Type6	29	1	333.3	9	0.3333	300	5549	1		
Type6	29	1	333.3	9	0.3333	300	5299	1		
Type6	29	1	333.3	9	0.3333	300	5481	1		
Type6	29	1	333.3	9	0.3333	300	5613	1		
Type6	29	1	333.3	9	0.3333	300	5699	1		
Type6	29	1	333.3	9	0.3333	300	5574	1		
Type6	29	1	333.3	9	0.3333	300	5675	1		
Type6	29	1	333.3	9	0.3333	300	5579	1		
Type6	29	1	333.3	9	0.3333	300	5546	1		
Type6	29	1	333.3	9	0.3333	300	5346	1		
Type6	29	1	333.3	9	0.3333	300	5373	1		
Type6	29	1	333.3	9	0.3333	300	5536	1		
Type6	29	1	333.3	9	0.3333	300	5326	1		
Type6	29	1	333.3	9	0.3333	300	5414	1		
Type6	29	1	333.3	9	0.3333	300	5594	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



		Type6	29	1	333.3	9	0.3333	300	5722	1
		Type6	29	1	333.3	9	0.3333	300	5419	1
		Type6	29	1	333.3	9	0.3333	300	5444	1
		Type6	29	1	333.3	9	0.3333	300	5475	1
		Type6	29	1	333.3	9	0.3333	300	5604	1
		Type6	29	1	333.3	9	0.3333	300	5321	1
		Type6	29	1	333.3	9	0.3333	300	5276	1
		Type6	29	1	333.3	9	0.3333	300	5435	1
		Type6	29	1	333.3	9	0.3333	300	5490	1
		Type6	29	1	333.3	9	0.3333	300	5406	1
		Type6	29	1	333.3	9	0.3333	300	5687	1
		Type6	29	1	333.3	9	0.3333	300	5711	1
		Type6	29	1	333.3	9	0.3333	300	5286	1
		Type6	29	1	333.3	9	0.3333	300	5717	1
		Type6	29	1	333.3	9	0.3333	300	5428	1
		Type6	29	1	333.3	9	0.3333	300	5295	1
		Type6	29	1	333.3	9	0.3333	300	5477	1
		Type6	29	1	333.3	9	0.3333	300	5266	1
		Type6	29	1	333.3	9	0.3333	300	5624	1
		Type6	29	1	333.3	9	0.3333	300	5251	1
		Type6	29	1	333.3	9	0.3333	300	5331	1
		Type6	29	1	333.3	9	0.3333	300	5599	1
		Type6	29	1	333.3	9	0.3333	300	5570	1
		Type6	29	1	333.3	9	0.3333	300	5329	1
		Type6	29	1	333.3	9	0.3333	300	5402	1
		Type6	29	1	333.3	9	0.3333	300	5433	1
		Type6	29	1	333.3	9	0.3333	300	5513	1
		Type6	29	1	333.3	9	0.3333	300	5512	1
		Type6	29	1	333.3	9	0.3333	300	5629	1
		Type6	29	1	333.3	9	0.3333	300	5558	1
		Type6	29	1	333.3	9	0.3333	300	5488	1
		Type6	29	1	333.3	9	0.3333	300	5658	1
		Type6	29	1	333.3	9	0.3333	300	5478	1
		Type6	29	1	333.3	9	0.3333	300	5420	1
		Type6	29	1	333.3	9	0.3333	300	5674	1
		Type6	29	1	333.3	9	0.3333	300	5519	1
Type6	29	1	333.3	9	0.3333	300	5559	1		
Type6	29	1	333.3	9	0.3333	300	5432	1		
Type6	29	1	333.3	9	0.3333	300	5648	1		
Type6	29	1	333.3	9	0.3333	300	5327	1		
11AX40MIMO	5510	Type6	29	1	333.3	9	0.3333	300	5627	1
		Type6	29	1	333.3	9	0.3333	300	5413	1
		Type6	29	1	333.3	9	0.3333	300	5509	1
		Type6	29	1	333.3	9	0.3333	300	5491	1
		Type6	29	1	333.3	9	0.3333	300	5660	1
		Type6	29	1	333.3	9	0.3333	300	5371	1
		Type6	29	1	333.3	9	0.3333	300	5545	1
		Type6	29	1	333.3	9	0.3333	300	5665	1
		Type6	29	1	333.3	9	0.3333	300	5650	1
		Type6	29	1	333.3	9	0.3333	300	5467	1
		Type6	29	1	333.3	9	0.3333	300	5621	1
		Type6	29	1	333.3	9	0.3333	300	5291	1
		Type6	29	1	333.3	9	0.3333	300	5434	1
		Type6	29	1	333.3	9	0.3333	300	5514	1
		Type6	29	1	333.3	9	0.3333	300	5343	1
		Type6	29	1	333.3	9	0.3333	300	5358	1
		Type6	29	1	333.3	9	0.3333	300	5625	1
		Type6	29	1	333.3	9	0.3333	300	5653	1
		Type6	29	1	333.3	9	0.3333	300	5518	1
		Type6	29	1	333.3	9	0.3333	300	5431	1
Type6	29	1	333.3	9	0.3333	300	5317	1		
Type6	29	1	333.3	9	0.3333	300	5259	1		
Type6	29	1	333.3	9	0.3333	300	5422	1		
Type6	29	1	333.3	9	0.3333	300	5279	1		
Type6	29	1	333.3	9	0.3333	300	5487	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



Type6	29	1	333.3	9	0.3333	300	5377	1
Type6	29	1	333.3	9	0.3333	300	5427	1
Type6	29	1	333.3	9	0.3333	300	5640	1
Type6	29	1	333.3	9	0.3333	300	5462	1
Type6	29	1	333.3	9	0.3333	300	5256	1
Type6	29	1	333.3	9	0.3333	300	5446	1
Type6	29	1	333.3	9	0.3333	300	5503	1
Type6	29	1	333.3	9	0.3333	300	5699	1
Type6	29	1	333.3	9	0.3333	300	5386	1
Type6	29	1	333.3	9	0.3333	300	5540	1
Type6	29	1	333.3	9	0.3333	300	5681	1
Type6	29	1	333.3	9	0.3333	300	5581	1
Type6	29	1	333.3	9	0.3333	300	5338	1
Type6	29	1	333.3	9	0.3333	300	5695	1
Type6	29	1	333.3	9	0.3333	300	5612	1
Type6	29	1	333.3	9	0.3333	300	5309	1
Type6	29	1	333.3	9	0.3333	300	5549	1
Type6	29	1	333.3	9	0.3333	300	5299	1
Type6	29	1	333.3	9	0.3333	300	5481	1
Type6	29	1	333.3	9	0.3333	300	5613	1
Type6	29	1	333.3	9	0.3333	300	5528	1
Type6	29	1	333.3	9	0.3333	300	5428	1
Type6	29	1	333.3	9	0.3333	300	5486	1
Type6	29	1	333.3	9	0.3333	300	5286	1
Type6	29	1	333.3	9	0.3333	300	5321	1
Type6	29	1	333.3	9	0.3333	300	5546	1
Type6	29	1	333.3	9	0.3333	300	5346	1
Type6	29	1	333.3	9	0.3333	300	5373	1
Type6	29	1	333.3	9	0.3333	300	5536	1
Type6	29	1	333.3	9	0.3333	300	5326	1
Type6	29	1	333.3	9	0.3333	300	5414	1
Type6	29	1	333.3	9	0.3333	300	5594	1
Type6	29	1	333.3	9	0.3333	300	5722	1
Type6	29	1	333.3	9	0.3333	300	5295	1
Type6	29	1	333.3	9	0.3333	300	5444	1
Type6	29	1	333.3	9	0.3333	300	5717	1
Type6	29	1	333.3	9	0.3333	300	5604	1
Type6	29	1	333.3	9	0.3333	300	5419	1
Type6	29	1	333.3	9	0.3333	300	5276	1
Type6	29	1	333.3	9	0.3333	300	5435	1
Type6	29	1	333.3	9	0.3333	300	5490	1
Type6	29	1	333.3	9	0.3333	300	5406	1
Type6	29	1	333.3	9	0.3333	300	5687	1
Type6	29	1	333.3	9	0.3333	300	5711	1
Type6	29	1	333.3	9	0.3333	300	5475	1
Type6	29	1	333.3	9	0.3333	300	5398	1
Type6	29	1	333.3	9	0.3333	300	5430	1
Type6	29	1	333.3	9	0.3333	300	5307	1
Type6	29	1	333.3	9	0.3333	300	5574	1
Type6	29	1	333.3	9	0.3333	300	5648	1
Type6	29	1	333.3	9	0.3333	300	5477	1
Type6	29	1	333.3	9	0.3333	300	5624	1
Type6	29	1	333.3	9	0.3333	300	5251	1
Type6	29	1	333.3	9	0.3333	300	5331	1
Type6	29	1	333.3	9	0.3333	300	5599	1
Type6	29	1	333.3	9	0.3333	300	5570	1
Type6	29	1	333.3	9	0.3333	300	5329	1
Type6	29	1	333.3	9	0.3333	300	5402	1
Type6	29	1	333.3	9	0.3333	300	5433	1
Type6	29	1	333.3	9	0.3333	300	5513	1
Type6	29	1	333.3	9	0.3333	300	5579	1
Type6	29	1	333.3	9	0.3333	300	5488	1
Type6	29	1	333.3	9	0.3333	300	5675	1
Type6	29	1	333.3	9	0.3333	300	5432	1
Type6	29	1	333.3	9	0.3333	300	5559	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



		Type6	29	1	333.3	9	0.3333	300	5519	1
		Type6	29	1	333.3	9	0.3333	300	5674	1
		Type6	29	1	333.3	9	0.3333	300	5420	1
		Type6	29	1	333.3	9	0.3333	300	5629	1
		Type6	29	1	333.3	9	0.3333	300	5658	1
		Type6	29	1	333.3	9	0.3333	300	5327	1
		Type6	29	1	333.3	9	0.3333	300	5558	1
		Type6	29	1	333.3	9	0.3333	300	5478	1
		Type6	29	1	333.3	9	0.3333	300	5266	1
		Type6	29	1	333.3	9	0.3333	300	5512	1
11AX80MIMO	5530	Type6	29	1	333.3	9	0.3333	300	5650	1
		Type6	29	1	333.3	9	0.3333	300	5625	1
		Type6	29	1	333.3	9	0.3333	300	5259	1
		Type6	29	1	333.3	9	0.3333	300	5467	1
		Type6	29	1	333.3	9	0.3333	300	5291	1
		Type6	29	1	333.3	9	0.3333	300	5665	1
		Type6	29	1	333.3	9	0.3333	300	5545	1
		Type6	29	1	333.3	9	0.3333	300	5371	1
		Type6	29	1	333.3	9	0.3333	300	5660	1
		Type6	29	1	333.3	9	0.3333	300	5491	1
		Type6	29	1	333.3	9	0.3333	300	5509	1
		Type6	29	1	333.3	9	0.3333	300	5486	1
		Type6	29	1	333.3	9	0.3333	300	5627	1
		Type6	29	1	333.3	9	0.3333	300	5528	1
		Type6	29	1	333.3	9	0.3333	300	5434	1
		Type6	29	1	333.3	9	0.3333	300	5514	1
		Type6	29	1	333.3	9	0.3333	300	5343	1
		Type6	29	1	333.3	9	0.3333	300	5358	1
		Type6	29	1	333.3	9	0.3333	300	5279	1
		Type6	29	1	333.3	9	0.3333	300	5653	1
		Type6	29	1	333.3	9	0.3333	300	5621	1
		Type6	29	1	333.3	9	0.3333	300	5518	1
		Type6	29	1	333.3	9	0.3333	300	5431	1
		Type6	29	1	333.3	9	0.3333	300	5317	1
		Type6	29	1	333.3	9	0.3333	300	5413	1
		Type6	29	1	333.3	9	0.3333	300	5540	1
		Type6	29	1	333.3	9	0.3333	300	5430	1
		Type6	29	1	333.3	9	0.3333	300	5398	1
		Type6	29	1	333.3	9	0.3333	300	5487	1
		Type6	29	1	333.3	9	0.3333	300	5377	1
		Type6	29	1	333.3	9	0.3333	300	5427	1
		Type6	29	1	333.3	9	0.3333	300	5640	1
		Type6	29	1	333.3	9	0.3333	300	5462	1
		Type6	29	1	333.3	9	0.3333	300	5256	1
		Type6	29	1	333.3	9	0.3333	300	5446	1
		Type6	29	1	333.3	9	0.3333	300	5503	1
		Type6	29	1	333.3	9	0.3333	300	5307	1
		Type6	29	1	333.3	9	0.3333	300	5386	1
		Type6	29	1	333.3	9	0.3333	300	5338	1
		Type6	29	1	333.3	9	0.3333	300	5422	1
Type6	29	1	333.3	9	0.3333	300	5581	1		
Type6	29	1	333.3	9	0.3333	300	5681	1		
Type6	29	1	333.3	9	0.3333	300	5695	1		
Type6	29	1	333.3	9	0.3333	300	5612	1		
Type6	29	1	333.3	9	0.3333	300	5309	1		
Type6	29	1	333.3	9	0.3333	300	5549	1		
Type6	29	1	333.3	9	0.3333	300	5299	1		
Type6	29	1	333.3	9	0.3333	300	5481	1		
Type6	29	1	333.3	9	0.3333	300	5613	1		
Type6	29	1	333.3	9	0.3333	300	5699	1		
Type6	29	1	333.3	9	0.3333	300	5604	1		
Type6	29	1	333.3	9	0.3333	300	5675	1		
Type6	29	1	333.3	9	0.3333	300	5579	1		
Type6	29	1	333.3	9	0.3333	300	5546	1		
Type6	29	1	333.3	9	0.3333	300	5346	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



		Type6	29	1	333.3	9	0.3333	300	5373	1
		Type6	29	1	333.3	9	0.3333	300	5536	1
		Type6	29	1	333.3	9	0.3333	300	5326	1
		Type6	29	1	333.3	9	0.3333	300	5414	1
		Type6	29	1	333.3	9	0.3333	300	5594	1
		Type6	29	1	333.3	9	0.3333	300	5475	1
		Type6	29	1	333.3	9	0.3333	300	5419	1
		Type6	29	1	333.3	9	0.3333	300	5574	1
		Type6	29	1	333.3	9	0.3333	300	5722	1
		Type6	29	1	333.3	9	0.3333	300	5321	1
		Type6	29	1	333.3	9	0.3333	300	5276	1
		Type6	29	1	333.3	9	0.3333	300	5435	1
		Type6	29	1	333.3	9	0.3333	300	5490	1
		Type6	29	1	333.3	9	0.3333	300	5406	1
		Type6	29	1	333.3	9	0.3333	300	5687	1
		Type6	29	1	333.3	9	0.3333	300	5711	1
		Type6	29	1	333.3	9	0.3333	300	5286	1
		Type6	29	1	333.3	9	0.3333	300	5428	1
		Type6	29	1	333.3	9	0.3333	300	5717	1
		Type6	29	1	333.3	9	0.3333	300	5295	1
		Type6	29	1	333.3	9	0.3333	300	5624	1
		Type6	29	1	333.3	9	0.3333	300	5266	1
		Type6	29	1	333.3	9	0.3333	300	5444	1
		Type6	29	1	333.3	9	0.3333	300	5477	1
		Type6	29	1	333.3	9	0.3333	300	5251	1
		Type6	29	1	333.3	9	0.3333	300	5331	1
		Type6	29	1	333.3	9	0.3333	300	5599	1
		Type6	29	1	333.3	9	0.3333	300	5570	1
		Type6	29	1	333.3	9	0.3333	300	5329	1
		Type6	29	1	333.3	9	0.3333	300	5402	1
		Type6	29	1	333.3	9	0.3333	300	5433	1
		Type6	29	1	333.3	9	0.3333	300	5513	1
		Type6	29	1	333.3	9	0.3333	300	5512	1
		Type6	29	1	333.3	9	0.3333	300	5327	1
		Type6	29	1	333.3	9	0.3333	300	5558	1
		Type6	29	1	333.3	9	0.3333	300	5658	1
		Type6	29	1	333.3	9	0.3333	300	5629	1
		Type6	29	1	333.3	9	0.3333	300	5420	1
		Type6	29	1	333.3	9	0.3333	300	5674	1
		Type6	29	1	333.3	9	0.3333	300	5559	1
Type6	29	1	333.3	9	0.3333	300	5432	1		
Type6	29	1	333.3	9	0.3333	300	5648	1		
Type6	29	1	333.3	9	0.3333	300	5488	1		
Type6	29	1	333.3	9	0.3333	300	5519	1		
Type6	29	1	333.3	9	0.3333	300	5478	1		
11AX160MIMO	5570	Type6	29	1	333.3	9	0.3333	300	5259	1
		Type6	29	1	333.3	9	0.3333	300	5509	1
		Type6	29	1	333.3	9	0.3333	300	5491	1
		Type6	29	1	333.3	9	0.3333	300	5660	1
		Type6	29	1	333.3	9	0.3333	300	5371	1
		Type6	29	1	333.3	9	0.3333	300	5545	1
		Type6	29	1	333.3	9	0.3333	300	5665	1
		Type6	29	1	333.3	9	0.3333	300	5467	1
		Type6	29	1	333.3	9	0.3333	300	5413	1
		Type6	29	1	333.3	9	0.3333	300	5279	1
		Type6	29	1	333.3	9	0.3333	300	5338	1
		Type6	29	1	333.3	9	0.3333	300	5291	1
		Type6	29	1	333.3	9	0.3333	300	5627	1
		Type6	29	1	333.3	9	0.3333	300	5650	1
		Type6	29	1	333.3	9	0.3333	300	5434	1
		Type6	29	1	333.3	9	0.3333	300	5514	1
		Type6	29	1	333.3	9	0.3333	300	5431	1
Type6	29	1	333.3	9	0.3333	300	5358	1		
Type6	29	1	333.3	9	0.3333	300	5486	1		
Type6	29	1	333.3	9	0.3333	300	5653	1		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



Type6	29	1	333.3	9	0.3333	300	5621	1
Type6	29	1	333.3	9	0.3333	300	5518	1
Type6	29	1	333.3	9	0.3333	300	5317	1
Type6	29	1	333.3	9	0.3333	300	5343	1
Type6	29	1	333.3	9	0.3333	300	5422	1
Type6	29	1	333.3	9	0.3333	300	5625	1
Type6	29	1	333.3	9	0.3333	300	5398	1
Type6	29	1	333.3	9	0.3333	300	5377	1
Type6	29	1	333.3	9	0.3333	300	5427	1
Type6	29	1	333.3	9	0.3333	300	5640	1
Type6	29	1	333.3	9	0.3333	300	5462	1
Type6	29	1	333.3	9	0.3333	300	5256	1
Type6	29	1	333.3	9	0.3333	300	5446	1
Type6	29	1	333.3	9	0.3333	300	5503	1
Type6	29	1	333.3	9	0.3333	300	5699	1
Type6	29	1	333.3	9	0.3333	300	5487	1
Type6	29	1	333.3	9	0.3333	300	5540	1
Type6	29	1	333.3	9	0.3333	300	5428	1
Type6	29	1	333.3	9	0.3333	300	5581	1
Type6	29	1	333.3	9	0.3333	300	5681	1
Type6	29	1	333.3	9	0.3333	300	5695	1
Type6	29	1	333.3	9	0.3333	300	5612	1
Type6	29	1	333.3	9	0.3333	300	5309	1
Type6	29	1	333.3	9	0.3333	300	5549	1
Type6	29	1	333.3	9	0.3333	300	5299	1
Type6	29	1	333.3	9	0.3333	300	5481	1
Type6	29	1	333.3	9	0.3333	300	5613	1
Type6	29	1	333.3	9	0.3333	300	5528	1
Type6	29	1	333.3	9	0.3333	300	5386	1
Type6	29	1	333.3	9	0.3333	300	5604	1
Type6	29	1	333.3	9	0.3333	300	5579	1
Type6	29	1	333.3	9	0.3333	300	5546	1
Type6	29	1	333.3	9	0.3333	300	5346	1
Type6	29	1	333.3	9	0.3333	300	5373	1
Type6	29	1	333.3	9	0.3333	300	5536	1
Type6	29	1	333.3	9	0.3333	300	5326	1
Type6	29	1	333.3	9	0.3333	300	5414	1
Type6	29	1	333.3	9	0.3333	300	5594	1
Type6	29	1	333.3	9	0.3333	300	5722	1
Type6	29	1	333.3	9	0.3333	300	5295	1
Type6	29	1	333.3	9	0.3333	300	5717	1
Type6	29	1	333.3	9	0.3333	300	5574	1
Type6	29	1	333.3	9	0.3333	300	5478	1
Type6	29	1	333.3	9	0.3333	300	5321	1
Type6	29	1	333.3	9	0.3333	300	5276	1
Type6	29	1	333.3	9	0.3333	300	5435	1
Type6	29	1	333.3	9	0.3333	300	5490	1
Type6	29	1	333.3	9	0.3333	300	5406	1
Type6	29	1	333.3	9	0.3333	300	5687	1
Type6	29	1	333.3	9	0.3333	300	5711	1
Type6	29	1	333.3	9	0.3333	300	5475	1
Type6	29	1	333.3	9	0.3333	300	5430	1
Type6	29	1	333.3	9	0.3333	300	5307	1
Type6	29	1	333.3	9	0.3333	300	5444	1
Type6	29	1	333.3	9	0.3333	300	5488	1
Type6	29	1	333.3	9	0.3333	300	5266	1
Type6	29	1	333.3	9	0.3333	300	5477	1
Type6	29	1	333.3	9	0.3333	300	5624	1
Type6	29	1	333.3	9	0.3333	300	5251	1
Type6	29	1	333.3	9	0.3333	300	5331	1
Type6	29	1	333.3	9	0.3333	300	5599	1
Type6	29	1	333.3	9	0.3333	300	5570	1
Type6	29	1	333.3	9	0.3333	300	5329	1
Type6	29	1	333.3	9	0.3333	300	5402	1
Type6	29	1	333.3	9	0.3333	300	5433	1

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



Type6	29	1	333.3	9	0.3333	300	5675	1
Type6	29	1	333.3	9	0.3333	300	5512	1
Type6	29	1	333.3	9	0.3333	300	5419	1
Type6	29	1	333.3	9	0.3333	300	5648	1
Type6	29	1	333.3	9	0.3333	300	5432	1
Type6	29	1	333.3	9	0.3333	300	5559	1
Type6	29	1	333.3	9	0.3333	300	5519	1
Type6	29	1	333.3	9	0.3333	300	5674	1
Type6	29	1	333.3	9	0.3333	300	5420	1
Type6	29	1	333.3	9	0.3333	300	5629	1
Type6	29	1	333.3	9	0.3333	300	5658	1
Type6	29	1	333.3	9	0.3333	300	5327	1
Type6	29	1	333.3	9	0.3333	300	5558	1
Type6	29	1	333.3	9	0.3333	300	5286	1
Type6	29	1	333.3	9	0.3333	300	5513	1

EUT TEST PHOTOS

