




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785



11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825






11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795






11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775








3.5. Peak Output Power

Limit

FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

Test Item	Limit	Frequency Range (MHz)
Conducted Output Power	Fixed: 1 Watt (30dBm) Mobile and Portable: 250mW (24dBm)	5150~5250
	250mW (24dBm)	5250~5350
	250mW (24dBm)	5500~5700
	1 Watt (30dBm)	5725~5850

Test Configuration



Test Procedure

The measurement is according to section 3 of KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

Test Mode

Please refer to the clause 2.4.

**Test Result**

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	14.57	≤23.98	PASS
	Ant2	5180	16.29	≤23.98	PASS
	Ant1	5200	14.65	≤23.98	PASS
	Ant2	5200	16.38	≤23.98	PASS
	Ant1	5240	14.99	≤23.98	PASS
	Ant2	5240	16.76	≤23.98	PASS
	Ant1	5260	15.10	≤23.66	PASS
	Ant2	5260	16.48	≤23.66	PASS
	Ant1	5280	15.29	≤23.68	PASS
	Ant2	5280	16.69	≤23.68	PASS
	Ant1	5320	15.72	≤23.83	PASS
	Ant2	5320	14.30	≤23.68	PASS
	Ant1	5500	17.74	≤23.81	PASS
	Ant2	5500	14.21	≤23.64	PASS
	Ant1	5580	17.99	≤23.98	PASS
	Ant2	5580	14.64	≤23.64	PASS
	Ant1	5700	17.04	≤23.98	PASS
	Ant2	5700	14.61	≤23.69	PASS
	Ant1	5745	16.66	≤30	PASS
	Ant2	5745	15.62	≤30	PASS
Ant1	5785	15.95	≤30	PASS	
Ant2	5785	16.25	≤30	PASS	
Ant1	5825	14.78	≤30	PASS	
Ant2	5825	16.89	≤30	PASS	
11N20MIMO	Ant1	5180	9.68	≤22.77	PASS
	Ant2	5180	8.21	≤22.77	PASS
	total	5180	12.0	≤22.77	PASS
	Ant1	5200	9.79	≤22.77	PASS
	Ant2	5200	11.30	≤22.77	PASS
	total	5200	13.6	≤22.77	PASS
	Ant1	5240	10.13	≤22.77	PASS
	Ant2	5240	11.70	≤22.77	PASS
	total	5240	14.0	≤22.77	PASS
	Ant1	5260	10.27	≤22.77	PASS
	Ant2	5260	11.44	≤22.77	PASS
	total	5260	13.9	≤22.77	PASS
	Ant1	5280	10.46	≤22.77	PASS
	Ant2	5280	11.60	≤22.77	PASS
	total	5280	14.1	≤22.77	PASS
	Ant1	5320	11.26	≤22.77	PASS
	Ant2	5320	10.41	≤22.77	PASS
	total	5320	13.9	≤22.77	PASS
	Ant1	5500	12.63	≤22.77	PASS
	Ant2	5500	10.16	≤22.77	PASS
	total	5500	14.6	≤22.77	PASS
	Ant1	5580	12.74	≤22.77	PASS
	Ant2	5580	10.51	≤22.77	PASS
	total	5580	14.8	≤22.77	PASS
	Ant1	5700	11.72	≤22.77	PASS
	Ant2	5700	10.56	≤22.77	PASS
	total	5700	14.2	≤22.77	PASS
	Ant1	5745	12.37	≤28.79	PASS
	Ant2	5745	11.59	≤28.79	PASS
	total	5745	15.0	≤28.79	PASS
	Ant1	5785	12.58	≤28.79	PASS
	Ant2	5785	12.23	≤28.79	PASS
total	5785	15.4	≤28.79	PASS	
Ant1	5825	12.05	≤28.79	PASS	
Ant2	5825	13.02	≤28.79	PASS	
total	5825	15.6	≤28.79	PASS	
11N40MIMO	Ant1	5190	9.36	≤22.77	PASS
	Ant2	5190	10.92	≤22.77	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



	total	5190	13.2	≤22.77	PASS
	Ant1	5230	9.66	≤22.77	PASS
	Ant2	5230	11.27	≤22.77	PASS
	total	5230	13.5	≤22.77	PASS
	Ant1	5270	10.10	≤22.77	PASS
	Ant2	5270	11.16	≤22.77	PASS
	total	5270	13.7	≤22.77	PASS
	Ant1	5310	10.47	≤22.77	PASS
	Ant2	5310	11.34	≤22.77	PASS
	total	5310	13.9	≤22.77	PASS
	Ant1	5510	12.97	≤22.77	PASS
	Ant2	5510	10.66	≤22.77	PASS
	total	5510	15.0	≤22.77	PASS
	Ant1	5550	12.44	≤22.77	PASS
	Ant2	5550	10.17	≤22.77	PASS
	total	5550	14.5	≤22.77	PASS
	Ant1	5670	11.63	≤22.77	PASS
	Ant2	5670	10.21	≤22.77	PASS
	total	5670	14.0	≤22.77	PASS
	Ant1	5755	12.35	≤28.79	PASS
	Ant2	5755	11.56	≤28.79	PASS
	total	5755	15.0	≤28.79	PASS
	Ant1	5795	13.46	≤28.79	PASS
	Ant2	5795	13.06	≤28.79	PASS
	total	5795	16.3	≤28.79	PASS
11AC20MIMO	Ant1	5180	10.26	≤22.77	PASS
	Ant2	5180	11.78	≤22.77	PASS
	total	5180	14.1	≤22.77	PASS
	Ant1	5200	10.45	≤22.77	PASS
	Ant2	5200	11.92	≤22.77	PASS
	total	5200	14.3	≤22.77	PASS
	Ant1	5240	10.83	≤22.77	PASS
	Ant2	5240	12.34	≤22.77	PASS
	total	5240	14.7	≤22.77	PASS
	Ant1	5260	11.00	≤22.77	PASS
	Ant2	5260	11.94	≤22.77	PASS
	total	5260	14.5	≤22.77	PASS
	Ant1	5280	11.11	≤22.77	PASS
	Ant2	5280	12.06	≤22.77	PASS
	total	5280	14.6	≤22.77	PASS
	Ant1	5320	11.50	≤22.77	PASS
	Ant2	5320	12.12	≤22.77	PASS
	total	5320	14.8	≤22.77	PASS
	Ant1	5500	13.00	≤22.77	PASS
	Ant2	5500	10.56	≤22.77	PASS
	total	5500	15.0	≤22.77	PASS
	Ant1	5580	13.20	≤22.77	PASS
	Ant2	5580	10.92	≤22.77	PASS
	total	5580	15.2	≤22.77	PASS
	Ant1	5700	12.00	≤22.77	PASS
	Ant2	5700	10.90	≤22.77	PASS
	total	5700	14.5	≤22.77	PASS
	Ant1	5745	12.26	≤28.79	PASS
	Ant2	5745	11.46	≤28.79	PASS
	total	5745	14.9	≤28.79	PASS
	Ant1	5785	12.46	≤28.79	PASS
	Ant2	5785	12.17	≤28.79	PASS
total	5785	15.3	≤28.79	PASS	
Ant1	5825	12.67	≤28.79	PASS	
Ant2	5825	12.88	≤28.79	PASS	
total	5825	15.8	≤28.79	PASS	
11AC40MIMO	Ant1	5190	10.04	≤22.77	PASS
	Ant2	5190	11.82	≤22.77	PASS
	total	5190	14.0	≤22.77	PASS
	Ant1	5230	10.58	≤22.77	PASS
	Ant2	5230	12.19	≤22.77	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



	total	5230	14.5	≤22.77	PASS
	Ant1	5270	10.94	≤22.77	PASS
	Ant2	5270	11.62	≤22.77	PASS
	total	5270	14.3	≤22.77	PASS
	Ant1	5310	11.20	≤22.77	PASS
	Ant2	5310	11.96	≤22.77	PASS
	total	5310	14.6	≤22.77	PASS
	Ant1	5510	13.35	≤22.77	PASS
	Ant2	5510	10.94	≤22.77	PASS
	total	5510	15.3	≤22.77	PASS
	Ant1	5550	12.49	≤22.77	PASS
	Ant2	5550	10.02	≤22.77	PASS
	total	5550	14.4	≤22.77	PASS
	Ant1	5670	11.59	≤22.77	PASS
	Ant2	5670	10.20	≤22.77	PASS
	total	5670	14.0	≤22.77	PASS
	Ant1	5755	11.60	≤28.79	PASS
	Ant2	5755	11.58	≤28.79	PASS
	total	5755	14.6	≤28.79	PASS
	11AC80MIMO	Ant1	5795	11.40	≤28.79
Ant2		5795	12.00	≤28.79	PASS
total		5795	14.7	≤28.79	PASS
Ant1		5210	9.09	≤22.77	PASS
Ant2		5210	10.47	≤22.77	PASS
total		5210	12.8	≤22.77	PASS
Ant1		5290	9.65	≤22.77	PASS
Ant2		5290	10.64	≤22.77	PASS
total		5290	13.2	≤22.77	PASS
Ant1		5530	12.51	≤22.77	PASS
Ant2		5530	10.02	≤22.77	PASS
total		5530	14.5	≤22.77	PASS
Ant1		5610	11.80	≤22.77	PASS
Ant2		5610	9.67	≤22.77	PASS
total	5610	13.9	≤22.77	PASS	
Ant1	5775	12.48	≤28.79	PASS	
Ant2	5775	11.70	≤28.79	PASS	
total	5775	15.1	≤28.79	PASS	



3.6. Power Spectral Density

Limit

FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

For the 5.15~5.25GHz band:

- Outdoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{Tx} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{Tx} - 6)$.
- Indoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{Tx} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{Tx} - 6)$.
- Point-to-point AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{Tx} > 23\text{dBi}$, then $\text{PSD} = 17 - (G_{Tx} - 23)$.
- Client devices
The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{Tx} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{Tx} - 6)$.

For the 5.25~5.35GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{Tx} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{Tx} - 6)$.

For the 5.47~5.725GHz band:


The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{Tx} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{Tx} - 6)$.

For the 5.725~5.85GHz band:

- Point-to-multipoint systems (P2M)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.
If $G_{Tx} > 6\text{dBi}$, then $\text{PSD} = 30 - (G_{Tx} - 6)$.
- Point-to-point systems (P2P)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.

Note: G_{Tx} : EUT Antenna gain.

Test Configuration



Test Procedure

The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement is according to KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

- (1) The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
- (2) Set analyzer center frequency to transmitting frequency.
- (3) Set the span to encompass the entire emissions bandwidth (EBW) (alternatively, the entire 99% OBW) of the signal.
- (4) RBW=1MHz for devices operating in the bands 5.15-5.25 GHz, 5.25-5.35 GHz, and 5.47-5.725 GHz
RBW=500kHz for devices operating in the band 5.725-5.85 GHz.



- (5) Set the VBW to: ≥ 3 RBW
- (6) Detector: AVG
- (7) Trace: Max Hold and View
- (7) Sweep time: auto
- (8) Trace average at least 100 traces in power averaging.
- (9) Use the peak marker function to determine the maximum amplitude level within the RBW. Apply correction to the result if different RBW is used.

NOTE: The EUT was set to continuously transmitting in each mode and low, middle and high channel for the test.

Test Mode

Please refer to the clause 2.4.

**Test Result**

TestMode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	3.61	≤11	PASS
	Ant2	5180	5.51	≤11	PASS
	Ant1	5200	4.13	≤11	PASS
	Ant2	5200	5.82	≤11	PASS
	Ant1	5240	4.21	≤11	PASS
	Ant2	5240	5.6	≤11	PASS
	Ant1	5260	4.38	≤11	PASS
	Ant2	5260	5.62	≤11	PASS
	Ant1	5280	4.41	≤11	PASS
	Ant2	5280	5.78	≤11	PASS
	Ant1	5320	5.16	≤11	PASS
	Ant2	5320	3.75	≤11	PASS
	Ant1	5500	6.91	≤11	PASS
	Ant2	5500	3.52	≤11	PASS
	Ant1	5580	7.27	≤11	PASS
	Ant2	5580	3.95	≤11	PASS
	Ant1	5700	6.3	≤11	PASS
	Ant2	5700	4.18	≤11	PASS
	Ant1	5745	1.31	≤30	PASS
	Ant2	5745	0.68	≤30	PASS
Ant1	5785	0.54	≤30	PASS	
Ant2	5785	1.49	≤30	PASS	
Ant1	5825	-0.24	≤30	PASS	
Ant2	5825	2.19	≤30	PASS	
11N20MIMO	Ant1	5180	-1.58	≤9.79	PASS
	Ant2	5180	-2.75	≤9.79	PASS
	total	5180	0.88	≤9.79	PASS
	Ant1	5200	-1.16	≤9.79	PASS
	Ant2	5200	0.72	≤9.79	PASS
	total	5200	2.89	≤9.79	PASS
	Ant1	5240	-0.89	≤9.79	PASS
	Ant2	5240	0.49	≤9.79	PASS
	total	5240	2.86	≤9.79	PASS
	Ant1	5260	-0.88	≤9.79	PASS
	Ant2	5260	0.43	≤9.79	PASS
	total	5260	2.83	≤9.79	PASS
	Ant1	5280	-0.09	≤9.79	PASS
	Ant2	5280	0.95	≤9.79	PASS
	total	5280	3.47	≤9.79	PASS
	Ant1	5320	0.38	≤9.79	PASS
	Ant2	5320	-0.76	≤9.79	PASS
	total	5320	2.86	≤9.79	PASS
	Ant1	5500	1.54	≤9.79	PASS
	Ant2	5500	-0.87	≤9.79	PASS
	total	5500	3.51	≤9.79	PASS
	Ant1	5580	2.02	≤9.79	PASS
	Ant2	5580	-0.67	≤9.79	PASS
	total	5580	3.89	≤9.79	PASS
	Ant1	5700	0.91	≤9.79	PASS
	Ant2	5700	-0.56	≤9.79	PASS
	total	5700	3.25	≤9.79	PASS
	Ant1	5745	-1.19	≤28.79	PASS
	Ant2	5745	-1.46	≤28.79	PASS
	total	5745	1.69	≤28.79	PASS
	Ant1	5785	-0.83	≤28.79	PASS
	Ant2	5785	-1.17	≤28.79	PASS
total	5785	2.01	≤28.79	PASS	
Ant1	5825	-0.56	≤28.79	PASS	
Ant2	5825	-0.40	≤28.79	PASS	
total	5825	2.53	≤28.79	PASS	
11N40MIMO	Ant1	5190	-4	≤9.79	PASS
	Ant2	5190	-2.2	≤9.79	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and

Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



	total	5190	0.00	≤9.79	PASS
	Ant1	5230	-3.48	≤9.79	PASS
	Ant2	5230	-2	≤9.79	PASS
	total	5230	0.33	≤9.79	PASS
	Ant1	5270	-3.07	≤9.79	PASS
	Ant2	5270	-1.9	≤9.79	PASS
	total	5270	0.56	≤9.79	PASS
	Ant1	5310	-2.85	≤9.79	PASS
	Ant2	5310	-2.21	≤9.79	PASS
	total	5310	0.49	≤9.79	PASS
	Ant1	5510	-0.68	≤9.79	PASS
	Ant2	5510	-2.82	≤9.79	PASS
	total	5510	1.39	≤9.79	PASS
	Ant1	5550	-0.78	≤9.79	PASS
	Ant2	5550	-3.36	≤9.79	PASS
	total	5550	1.13	≤9.79	PASS
	Ant1	5670	-1.93	≤9.79	PASS
	Ant2	5670	-2.98	≤9.79	PASS
	total	5670	0.59	≤9.79	PASS
	Ant1	5755	-3.66	≤28.79	PASS
	Ant2	5755	-4.60	≤28.79	PASS
	total	5755	-1.09	≤28.79	PASS
	Ant1	5795	-3.55	≤28.79	PASS
	Ant2	5795	-4.01	≤28.79	PASS
	total	5795	-0.76	≤28.79	PASS
11AC20MIMO	Ant1	5180	-0.39	≤9.79	PASS
	Ant2	5180	0.8	≤9.79	PASS
	total	5180	3.26	≤9.79	PASS
	Ant1	5200	-0.29	≤9.79	PASS
	Ant2	5200	1.06	≤9.79	PASS
	total	5200	3.45	≤9.79	PASS
	Ant1	5240	0.02	≤9.79	PASS
	Ant2	5240	1.48	≤9.79	PASS
	total	5240	3.82	≤9.79	PASS
	Ant1	5260	-0.04	≤9.79	PASS
	Ant2	5260	0.62	≤9.79	PASS
	total	5260	3.31	≤9.79	PASS
	Ant1	5280	-0.08	≤9.79	PASS
	Ant2	5280	0.86	≤9.79	PASS
	total	5280	3.43	≤9.79	PASS
	Ant1	5320	0.29	≤9.79	PASS
	Ant2	5320	1.05	≤9.79	PASS
	total	5320	3.70	≤9.79	PASS
	Ant1	5500	1.75	≤9.79	PASS
	Ant2	5500	-0.47	≤9.79	PASS
	total	5500	3.79	≤9.79	PASS
	Ant1	5580	2.08	≤9.79	PASS
	Ant2	5580	-0.31	≤9.79	PASS
	total	5580	4.06	≤9.79	PASS
	Ant1	5700	0.78	≤9.79	PASS
	Ant2	5700	-0.1	≤9.79	PASS
	total	5700	3.37	≤9.79	PASS
	Ant1	5745	-2.79	≤28.79	PASS
	Ant2	5745	-2.82	≤28.79	PASS
	total	5745	0.21	≤28.79	PASS
	Ant1	5785	-3.12	≤28.79	PASS
	Ant2	5785	-2.63	≤28.79	PASS
	total	5785	0.14	≤28.79	PASS
Ant1	5825	-1.35	≤28.79	PASS	
Ant2	5825	-1.41	≤28.79	PASS	
total	5825	1.63	≤28.79	PASS	
11AC40MIMO	Ant1	5190	-3.25	≤9.79	PASS
	Ant2	5190	-1.45	≤9.79	PASS
	total	5190	0.75	≤9.79	PASS
	Ant1	5230	-2.67	≤9.79	PASS
	Ant2	5230	-1.28	≤9.79	PASS

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn






For anti-fake verification, please visit the official website of Certification and


Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



	total	5230	1.09	≤9.79	PASS
	Ant1	5270	-2.43	≤9.79	PASS
	Ant2	5270	-2.01	≤9.79	PASS
	total	5270	0.80	≤9.79	PASS
	Ant1	5310	-2.41	≤9.79	PASS
	Ant2	5310	-1.62	≤9.79	PASS
	total	5310	1.01	≤9.79	PASS
	Ant1	5510	-0.32	≤9.79	PASS
	Ant2	5510	-2.6	≤9.79	PASS
	total	5510	1.70	≤9.79	PASS
	Ant1	5550	-1.1	≤9.79	PASS
	Ant2	5550	-3.11	≤9.79	PASS
	total	5550	1.02	≤9.79	PASS
	Ant1	5670	-1.57	≤9.79	PASS
	Ant2	5670	-3.09	≤9.79	PASS
	total	5670	0.75	≤9.79	PASS
	Ant1	5755	-3.92	≤28.79	PASS
	Ant2	5755	-3.92	≤28.79	PASS
	total	5755	-0.91	≤28.79	PASS
	Ant1	5795	-3.87	≤28.79	PASS
	Ant2	5795	-5.11	≤28.79	PASS
	total	5795	-1.44	≤28.79	PASS
11AC80MIMO	Ant1	5210	-7.15	≤9.79	PASS
	Ant2	5210	-5.88	≤9.79	PASS
	total	5210	-3.46	≤9.79	PASS
	Ant1	5290	-6.89	≤9.79	PASS
	Ant2	5290	-5.65	≤9.79	PASS
	total	5290	-3.22	≤9.79	PASS
	Ant1	5530	-4.45	≤9.79	PASS
	Ant2	5530	-6.06	≤9.79	PASS
	total	5530	-2.17	≤9.79	PASS
	Ant1	5610	-4.49	≤9.79	PASS
	Ant2	5610	-6.01	≤9.79	PASS
	total	5610	-2.17	≤9.79	PASS
	Ant1	5775	-6.81	≤28.79	PASS
Ant2	5775	-7.91	≤28.79	PASS	
total	5775	-4.31	≤28.79	PASS	




11A_Ant2_5200




Date: 30 JUN 2023 09:16:27

11A_Ant1_5240



Date: 29 JUN 2023 21:27:14


11A_Ant2_5240




Date: 30 JUN 2023 09:17:35

11A_Ant1_5260






11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280





11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500






Date: 29 JUN 2023 21:34:20

11A_Ant2_5500



Date: 30 JUN 2023 09:25:57


11A_Ant1_5580




Date: 29 JUN 2023 21:35:33

11A_Ant2_5580






11A_Ant1_5700



11A_Ant2_5700



11A_Ant1_5745



Date: 1.JUL.2023 17:48:13

11A_Ant2_5745



Date: 1.JUL.2023 17:49:25

11A_Ant1_5785




Date: 1.JUL.2023 17:51:55

11A_Ant2_5785





11A_Ant1_5825




11A_Ant2_5825



11N20MIMO_Ant1_5180






11N20MIMO_Ant2_5180



11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200







11N20MIMO_Ant1_5240



11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




Date: 30 JUN 2023 09:55:19

11N20MIMO_Ant2_5260



Date: 30 JUN 2023 09:56:52

11N20MIMO_Ant1_5280



Date: 30 JUN 2023 09:58:39


11N20MIMO_Ant2_5280






Date: 30 JUN 2023 10:00:03

11N20MIMO_Ant1_5320



Date: 30 JUN 2023 10:01:17

11N20MIMO_Ant2_5320



Date: 30 JUN 2023 10:02:41


11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500



11N20MIMO_Ant1_5580




11N20MIMO_Ant2_5580




Date: 30 JUN 2023 10:08:11

11N20MIMO_Ant1_5700



Date: 30 JUN 2023 10:09:43


11N20MIMO_Ant2_5700



Date: 30 JUN 2023 10:10:58


11N20MIMO_Ant1_5745






Date: 1.JUL.2023 17:56:44

11N20MIMO_Ant2_5745



Date: 1.JUL.2023 17:55:47

11N20MIMO_Ant1_5785



Date: 1.JUL.2023 17:58:02

11N20MIMO_Ant2_5785

