


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 333 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 334 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 335 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 336 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 337 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 338 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 339 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 340 of 358







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 341 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 342 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 343 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 344 of 358

5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

				Ant1			
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
				102	5180.060	5150 to 5250	Pass
			20	120	5180.020	5150 to 5250	Pass
				138	5180.020	5150 to 5250	Pass
			-30	120	5179.980	5150 to 5250	Pass
			-20	120	5180.000	5150 to 5250	Pass
		5180	-10	120	5180.000	5150 to 5250	Pass
			0	120	5180.040	5150 to 5250	Pass
			10	120	5180.060	5150 to 5250	Pass
			30	120	5180.020	5150 to 5250	Pass
			40	120	5180.020	5150 to 5250	Pass
			50	120	5180.060	5150 to 5250	Pass
				102	5200.020	5150 to 5250	Pass
			20	120	5200.040	5150 to 5250	Pass
				138	5200.040	5150 to 5250	Pass
802.11a	SISO		-30	120	5200.040	5150 to 5250	Pass
002.11a	3130		-20	120	5200.040	5150 to 5250	Pass
		5200	-10	120	5200.020	5150 to 5250	Pass
			0	120	5200.020	5150 to 5250	Pass
			10	120	5200.040	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5200.040	5150 to 5250	Pass
			50	120	5200.000	5150 to 5250	Pass
				102	5240.020	5150 to 5250	Pass
			20	120	5240.000	5150 to 5250	Pass
				138	5240.040	5150 to 5250	Pass
		5240	-30	120	5240.020	5150 to 5250	Pass
		5240	-20	120	5240.040	5150 to 5250	Pass
			-10	120	5240.020	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 345 of 358

				•		
		30	120	5240.000	5150 to 5250	Pass
		40	120	5240.040	5150 to 5250	Pass
		50	120	5240.020	5150 to 5250	Pass
			102	5260.040	5250 to 5350	Pass
		20	120	5260.040	5250 to 5350	Pass
			138	5260.040	5250 to 5350	Pass
		-30	120	5260.060	5250 to 5350	Pass
		-20	120	5260.020	5250 to 5350	Pass
	5260	-10	120	5260.040	5250 to 5350	Pass
		0	120	5260.060	5250 to 5350	Pass
		10	120	5260.020	5250 to 5350	Pass
		30	120	5260.060	5250 to 5350	Pass
		40	120	5260.060	5250 to 5350	Pass
		50	120	5260.020	5250 to 5350	Pass
			102	5300.020	5250 to 5350	Pass
		20	120	5300.060	5250 to 5350	Pass
			138	5300.000	5250 to 5350	Pass
		-30	120	5299.980	5250 to 5350	Pass
		-20	120	5300.040	5250 to 5350	Pass
	5300	-10	120	5300.060	5250 to 5350	Pass
		0	120	5300.000	5250 to 5350	Pass
		10	120	5300.040	5250 to 5350	Pass
		30	120	5300.040	5250 to 5350	Pass
		40	120	5300.040	5250 to 5350	Pass
		50	120	5300.060	5250 to 5350	Pass
			102	5320.040	5250 to 5350	Pass
		20	120	5320.020	5250 to 5350	Pass
			138	5320.040	5250 to 5350	Pass
		-30	120	5320.040	5250 to 5350	Pass
		-20	120	5320.040	5250 to 5350	Pass
	5320	-10	120	5320.060	5250 to 5350	Pass
		0	120	5320.040	5250 to 5350	Pass
		10	120	5320.040	5250 to 5350	Pass
		30	120	5320.020	5250 to 5350	Pass
		40	120	5320.040	5250 to 5350	Pass
		50	120	5320.040	5250 to 5350	Pass
			102	5500.040	5470 to 5725	Pass
			400	5500 000	E 470 to E70E	Door
	5500	20	120	5500.020	5470 to 5725	Pass
	5500	20	120	5500.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 346 of 358

-20				3		
0 120 5500.020 5470 to 5725 Pass 10 120 5500.040 5470 to 5725 Pass 30 120 5500.040 5470 to 5725 Pass 40 120 5500.000 5470 to 5725 Pass 50 120 5580.000 5470 to 5725 Pass 102 5580.000 5470 to 5725 Pass 138 5580.000 5470 to 5725 Pass -30 120 5580.000 5470 to 5725 Pass -20 120 5580.000 5470 to 5725 Pass -30 120 5580.000 5470 to 5725 Pass -20 120 5580.040 5470 to 5725 Pass -20 120 5700.060 5470 to 5725 Pass -30 120 5700.020 5470 to 5725 Pass -30 120 5700.020 5470 to 5725 Pass -20 5700.040 5470 to 5725 Pass -20 5740.040 5725 to 5850 Pass -20 5745.040 5725 to 58		-20	120	5500.020	5470 to 5725	Pass
10		-10	120	5500.020	5470 to 5725	Pass
30		0	120	5500.020	5470 to 5725	Pass
40		10	120	5500.040	5470 to 5725	Pass
102 5580.000 5470 to 5725 Pass		30	120	5500.040	5470 to 5725	Pass
102 5580.020 5470 to 5725 Pass		40	120	5500.020	5470 to 5725	Pass
120		50	120	5500.000	5470 to 5725	Pass
138			102	5580.020	5470 to 5725	Pass
120 5580.040 5470 to 5725 Pass -20 120 5580.000 5470 to 5725 Pass -20 120 5580.040 5470 to 5725 Pass -20 120 5580.080 5470 to 5725 Pass -20 120 5700.060 5470 to 5725 Pass -20 120 5700.060 5470 to 5725 Pass -20 120 5700.060 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5745.060 5725 to 5850 Pass -20 120 5745.040 572		20	120	5580.000	5470 to 5725	Pass
120			138	5580.000	5470 to 5725	Pass
10		-30	120	5580.040	5470 to 5725	Pass
0 120 5580.000 5470 to 5725 Pass 10 120 5580.040 5470 to 5725 Pass 30 120 5580.040 5470 to 5725 Pass 40 120 5580.040 5470 to 5725 Pass 50 120 5580.080 5470 to 5725 Pass 102 5700.060 5470 to 5725 Pass 20 120 5700.060 5470 to 5725 Pass -30 120 5700.060 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass 5700 -10 120 5700.020 5470 to 5725 Pass 5700 -10 120 5700.020 5470 to 5725 Pass 5700 -10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 <td< td=""><td></td><td>-20</td><td>120</td><td>5580.000</td><td>5470 to 5725</td><td>Pass</td></td<>		-20	120	5580.000	5470 to 5725	Pass
10	5580	-10	120	5580.060	5470 to 5725	Pass
30		0	120	5580.000	5470 to 5725	Pass
40		10	120	5580.040	5470 to 5725	Pass
100		30	120	5580.040	5470 to 5725	Pass
102 5700.060 5470 to 5725 Pass		40	120	5580.040	5470 to 5725	Pass
120		50	120	5580.080	5470 to 5725	Pass
138 5700.040 5470 to 5725 Pass			102	5700.060	5470 to 5725	Pass
-30		20	120	5700.060	5470 to 5725	Pass
-20			138	5700.040	5470 to 5725	Pass
5700 -10 120 5700.020 5470 to 5725 Pass 0 120 5700.040 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5700.020 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.020 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass 5745 -10 120 5745.040 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 10 5745.040 5725 to 5850		-30	120	5700.020	5470 to 5725	Pass
0 120 5700.040 5470 to 5725 Pass 10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5700.020 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 20 120 5745.060 5725 to 5850 Pass 138 5745.020 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass 5745 -10 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 30 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850		-20	120	5700.080	5470 to 5725	Pass
10 120 5700.020 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass 40 120 5700.020 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 50 120 5745.060 5725 to 5850 Pass 20 120 5745.020 5725 to 5850 Pass 138 5745.080 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass 5745 -10 120 5745.040 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 30 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 40 120 5745.020 5725 to 5850 Pass	5700	-10	120	5700.020	5470 to 5725	Pass
30 120 5700.020 5470 to 5725 Pass 40 120 5700.020 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 102 5745.060 5725 to 5850 Pass 20 120 5745.020 5725 to 5850 Pass 138 5745.080 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass		0	120	5700.040	5470 to 5725	Pass
40 120 5700.020 5470 to 5725 Pass 50 120 5700.040 5470 to 5725 Pass 102 5745.060 5725 to 5850 Pass 20 120 5745.020 5725 to 5850 Pass 138 5745.080 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass 0 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 30 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass		10	120	5700.020	5470 to 5725	Pass
50 120 5700.040 5470 to 5725 Pass 102 5745.060 5725 to 5850 Pass 20 120 5745.020 5725 to 5850 Pass 138 5745.080 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -10 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 30 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass		30	120	5700.020	5470 to 5725	Pass
102 5745.060 5725 to 5850 Pass		40	120	5700.020	5470 to 5725	Pass
120 5745.020 5725 to 5850 Pass		50	120	5700.040	5470 to 5725	Pass
138 5745.080 5725 to 5850 Pass -30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -10 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 30 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass			102	5745.060	5725 to 5850	Pass
-30 120 5745.040 5725 to 5850 Pass -20 120 5745.040 5725 to 5850 Pass -10 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 10 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass		20	120	5745.020	5725 to 5850	Pass
-20 120 5745.040 5725 to 5850 Pass -10 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.040 5725 to 5850 Pass 30 120 5745.060 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass			138	5745.080	5725 to 5850	Pass
5745 -10 120 5745.020 5725 to 5850 Pass 0 120 5745.040 5725 to 5850 Pass 10 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.020 5725 to 5850 Pass 40 5725 to 5850 Pass		-20 5745 -10	120	5745.040	5725 to 5850	Pass
0 120 5745.040 5725 to 5850 Pass 10 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass			120	5745.040	5725 to 5850	Pass
10 120 5745.060 5725 to 5850 Pass 30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass	5745		120	5745.020	5725 to 5850	Pass
30 120 5745.020 5725 to 5850 Pass 40 120 5745.080 5725 to 5850 Pass			120	5745.040	5725 to 5850	Pass
40 120 5745.080 5725 to 5850 Pass		10	120	5745.060	5725 to 5850	Pass
		30	120	5745.020	5725 to 5850	Pass
50 120 5745.020 5725 to 5850 Pass		40	120	5745.080	5725 to 5850	Pass
		50	120	5745.020	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 347 of 358

				102	5785.080	5725 to 5850	Pass
			20	120	5785.040	5725 to 5850	Pass
				138	5785.020	5725 to 5850	Pass
			-30	120	5785.020	5725 to 5850	Pass
			-20	120	5785.060	5725 to 5850	Pass
		5785	-10	120	5785.000	5725 to 5850	Pass
			0	120	5785.020	5725 to 5850	Pass
			10	120	5785.060	5725 to 5850	Pass
			30	120	5785.060	5725 to 5850	Pass
			40	120	5785.020	5725 to 5850	Pass
			50	120	5785.020	5725 to 5850	Pass
				102	5825.060	5725 to 5850	Pass
			20	120	5825.060	5725 to 5850	Pass
				138	5825.060	5725 to 5850	Pass
			-30	120	5825.020	5725 to 5850	Pass
			-20	120	5825.060	5725 to 5850	Pass
		5825	-10	120	5825.000	5725 to 5850	Pass
			0	120	5825.060	5725 to 5850	Pass
			10	120	5825.020	5725 to 5850	Pass
			30	120	5825.080	5725 to 5850	Pass
			40	120	5825.000	5725 to 5850	Pass
			50	120	5825.060	5725 to 5850	Pass
				102	5179.960	5150 to 5250	Pass
			20	120	5180.000	5150 to 5250	Pass
				138	5180.060	5150 to 5250	Pass
			-30	120	5180.000	5150 to 5250	Pass
			-20	120	5179.980	5150 to 5250	Pass
		5180	-10	120	5180.020	5150 to 5250	Pass
			0	120	5180.000	5150 to 5250	Pass
			10	120	5180.020	5150 to 5250	Pass
802.11n			30 40 50	120	5180.020	5150 to 5250	Pass
(HT20)	MIMO			120	5180.000	5150 to 5250	Pass
				120	5180.020	5150 to 5250	Pass
		20	102	5199.960	5150 to 5250	Pass	
			120	5200.000	5150 to 5250	Pass	
				138	5200.020	5150 to 5250	Pass
		5200	-30	120	5200.020	5150 to 5250	Pass
			-20	120	5200.040	5150 to 5250	Pass
		-10	-10	120	5200.060	5150 to 5250	Pass
			0	120	5200.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 348 of 358

10							
Head			10	120	5200.020	5150 to 5250	Pass
S0			30	120	5200.000	5150 to 5250	Pass
102 5240,020 5150 to 5250 Pass			40	120	5200.020	5150 to 5250	Pass
120			50	120	5200.020	5150 to 5250	Pass
138				102	5240.020	5150 to 5250	Pass
120			20	120	5240.000	5150 to 5250	Pass
120				138	5239.980	5150 to 5250	Pass
10			-30	120	5240.060	5150 to 5250	Pass
0 120 5240.040 5150 to 5250 Pass 10 120 5240.020 5150 to 5250 Pass 30 120 5240.000 5150 to 5250 Pass 40 120 5240.040 5150 to 5250 Pass 50 120 5240.040 5150 to 5250 Pass 50 120 5240.040 5150 to 5250 Pass 20 120 5260.040 5250 to 5350 Pass 138 5260.040 5250 to 5350 Pass 138 5260.040 5250 to 5350 Pass 20 120 5260.000 5250 to 5350 Pass 20 120 5260.000 5250 to 5350 Pass 20 120 5260.000 5250 to 5350 Pass 30 120 5260.000 5250 to 5350 Pass 30 120 5260.040 5250 to 5350 Pass 30 120 5260.040 5250 to 5350 Pass 30 120 5260.040 5250 to 5350 Pass 40 120 5260.040 5250 to 5350 Pass 50 120 5300.040 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 5300 120 5300.040 5250 to 5350 Pass 5300 120 5300.040 5250 to 5350 Pass 5300 520 150 5350 Pass			-20	120	5240.040	5150 to 5250	Pass
10		5240	-10	120	5240.000	5150 to 5250	Pass
30			0	120	5240.040	5150 to 5250	Pass
40			10	120	5240.020	5150 to 5250	Pass
S0			30	120	5240.000	5150 to 5250	Pass
102 5260.040 5250 to 5350 Pass			40	120	5240.040	5150 to 5250	Pass
120 5260.020 5250 to 5350 Pass			50	120	5240.040	5150 to 5250	Pass
138 5260.040 5250 to 5350 Pass				102	5260.040	5250 to 5350	Pass
120 5260.040 5250 to 5350 Pass -20			20	120	5260.020	5250 to 5350	Pass
10				138	5260.040	5250 to 5350	Pass
S260			-30	120	5260.040	5250 to 5350	Pass
0 120 5260.000 5250 to 5350 Pass 10 120 5260.040 5250 to 5350 Pass 30 120 5260.060 5250 to 5350 Pass 40 120 5260.020 5250 to 5350 Pass 50 120 5260.040 5250 to 5350 Pass 102 5299.980 5250 to 5350 Pass 20 120 5300.000 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.040 5250 to 5350 Pass -20 120 5300.040 5250 to 5350 Pass 5300 -10 120 5300.040 5250 to 5350 Pass 40 120 <			-20	120	5260.000	5250 to 5350	Pass
10 120 5260.040 5250 to 5350 Pass 30 120 5260.060 5250 to 5350 Pass 40 120 5260.020 5250 to 5350 Pass 50 120 5260.040 5250 to 5350 Pass 50 120 5299.980 5250 to 5350 Pass 20 120 5300.000 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.040 5250 to 5350 Pass -20 120 5300.040 5250 to 5350 Pass 5300 -10 120 5300.040 5250 to 5350 Pass 0 120 5300.040 5250 to 5350 Pass 10 120 5300.040 5250 to 5350 Pass 30 120 5300.020 5250 to 5350 Pass 10 120 5300.020 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.040 5250 to 5350 Pass		5260	-10	120	5260.000	5250 to 5350	Pass
30			0	120	5260.000	5250 to 5350	Pass
40 120 5260.020 5250 to 5350 Pass 50 120 5260.040 5250 to 5350 Pass 102 5299.980 5250 to 5350 Pass 20 120 5300.000 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.040 5250 to 5350 Pass -20 120 5300.040 5250 to 5350 Pass 0 120 5300.040 5250 to 5350 Pass 10 120 5300.040 5250 to 5350 Pass 10 120 5300.020 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 50 120 5300.020 5250 to 5350 Pass			10	120	5260.040	5250 to 5350	Pass
50 120 5260.040 5250 to 5350 Pass 20 102 5299.980 5250 to 5350 Pass 20 120 5300.000 5250 to 5350 Pass 138 5300.000 5250 to 5350 Pass -30 120 5300.040 5250 to 5350 Pass -20 120 5300.040 5250 to 5350 Pass 0 120 5300.040 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 50 120 5300.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			30	120	5260.060	5250 to 5350	Pass
102 5299.980 5250 to 5350 Pass			40	120	5260.020	5250 to 5350	Pass
120 5300.000 5250 to 5350 Pass 138			50	120	5260.040	5250 to 5350	Pass
5300 138 5300.000 5250 to 5350 Pass -30 120 5300.040 5250 to 5350 Pass -20 120 5300.060 5250 to 5350 Pass 5300 -10 120 5300.040 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass				102	5299.980	5250 to 5350	Pass
-30			20	120	5300.000	5250 to 5350	Pass
-20 120 5300.060 5250 to 5350 Pass 5300 -10 120 5300.040 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass				138	5300.000	5250 to 5350	Pass
5300 -10 120 5300.040 5250 to 5350 Pass 0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			-30	120	5300.040	5250 to 5350	Pass
0 120 5300.020 5250 to 5350 Pass 10 120 5299.980 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			-20	120	5300.060	5250 to 5350	Pass
10 120 5299.980 5250 to 5350 Pass 30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass		5300	-10	120	5300.040	5250 to 5350	Pass
30 120 5299.980 5250 to 5350 Pass 40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			0	120	5300.020	5250 to 5350	Pass
40 120 5300.040 5250 to 5350 Pass 50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			10	120	5299.980	5250 to 5350	Pass
50 120 5300.060 5250 to 5350 Pass 102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			120	5299.980	5250 to 5350	Pass	
102 5320.020 5250 to 5350 Pass 5320 20 120 5320.020 5250 to 5350 Pass			40	120	5300.040	5250 to 5350	Pass
5320 20 120 5320.020 5250 to 5350 Pass			50	120	5300.060	5250 to 5350	Pass
				102	5320.020	5250 to 5350	Pass
138 5319.980 5250 to 5350 Pass		5320	20	120	5320.020	5250 to 5350	Pass
	 			138	5319.980	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 349 of 358

-30				<u> </u>		
-10		-30	120	5320.020	5250 to 5350	Pass
0 120 5320.000 5250 to 5350 Pass 10 120 5320.020 5250 to 5350 Pass 30 120 5320.040 5250 to 5350 Pass 40 120 5319.980 5250 to 5350 Pass 50 120 5320.000 5250 to 5350 Pass 50 120 5500.020 5470 to 5725 Pass 138 5500.020 5470 to 5725 Pass -30 120 5500.020 5470 to 5725 Pass -20 120 5499.980 5470 to 5725 Pass -20 120 5499.980 5470 to 5725 Pass 5500 110 120 5500.020 5470 to 5725 Pass 0 120 5500.020 5470 to 5725 Pass 130 120 5500.020 5470 to 5725 Pass 130 120 5500.020 5470 to 5725 Pass 140 120 5500.020 5470 to 5725 Pass 30 120 5500.020 5470 to 5725 Pass 140 120 5500.020 5470 to 5725 Pass 150 120 5500.020 5470 to 5725 Pass 160 120 5500.020 5470 to 5725 Pass 170 120 5500.020 5470 to 5725 Pass 180 550 120 5580.000 5470 to 5725 Pass 180 550 120 5580.000 5470 to 5725 Pass 180 120 5599.980 5470 to 5725 Pass 180 120 5699.980 5470 to 5725 Pass		-20	120	5319.980	5250 to 5350	Pass
10		-10	120	5320.020	5250 to 5350	Pass
30		0	120	5320.000	5250 to 5350	Pass
40		10	120	5320.020	5250 to 5350	Pass
So		30	120	5320.040	5250 to 5350	Pass
102 5499.980 5470 to 5725 Pass		40	120	5319.980	5250 to 5350	Pass
120		50	120	5320.000	5250 to 5350	Pass
138			102	5499.980	5470 to 5725	Pass
120 5500.020 5470 to 5725 Pass -20		20	120	5500.020	5470 to 5725	Pass
120			138	5500.020	5470 to 5725	Pass
S500		-30	120	5500.020	5470 to 5725	Pass
0 120 5500.060 5470 to 5725 Pass 10 120 5500.020 5470 to 5725 Pass 30 120 5500.020 5470 to 5725 Pass 40 120 5500.020 5470 to 5725 Pass 50 120 5500.020 5470 to 5725 Pass 102 5579.980 5470 to 5725 Pass 20 120 5580.060 5470 to 5725 Pass 138 5580.020 5470 to 5725 Pass -30 120 5579.980 5470 to 5725 Pass -20 120 5580.020 5470 to 5725 Pass -20 120 5580.020 5470 to 5725 Pass 5580 -10 120 5580.020 5470 to 5725 Pass 5580 -10 120 5580.020 5470 to 5725 Pass 40 120 5580.020 5470 to 5725 Pass 40 120 5580.020 5470 to 5725 <td></td> <td>-20</td> <td>120</td> <td>5499.980</td> <td>5470 to 5725</td> <td>Pass</td>		-20	120	5499.980	5470 to 5725	Pass
10	5500	-10	120	5500.020	5470 to 5725	Pass
30		0	120	5500.060	5470 to 5725	Pass
40		10	120	5500.020	5470 to 5725	Pass
120		30	120	5500.020	5470 to 5725	Pass
102 5579.980 5470 to 5725 Pass		40	120	5500.020	5470 to 5725	Pass
120		50	120	5500.020	5470 to 5725	Pass
138 5580.020 5470 to 5725 Pass -30			102	5579.980	5470 to 5725	Pass
120 5579.980 5470 to 5725 Pass -20 120 5580.020 5470 to 5725 Pass -20 120 5580.040 5470 to 5725 Pass -20 120 5580.040 5470 to 5725 Pass -20 120 5580.000 5470 to 5725 Pass -20 120 5580.020 5470 to 5725 Pass -20 120 5580.020 5470 to 5725 Pass -20 120 5580.020 5470 to 5725 Pass -20 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5700.000 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass		20	120	5580.060	5470 to 5725	Pass
10			138	5580.020	5470 to 5725	Pass
5580 -10 120 5580.040 5470 to 5725 Pass 0 120 5580.000 5470 to 5725 Pass 10 120 5580.020 5470 to 5725 Pass 30 120 5580.000 5470 to 5725 Pass 40 120 5579.980 5470 to 5725 Pass 50 120 5580.020 5470 to 5725 Pass 20 120 5700.020 5470 to 5725 Pass 138 5699.980 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5700.000 5470 to 5725		-30	120	5579.980	5470 to 5725	Pass
0 120 5580.000 5470 to 5725 Pass 10 120 5580.020 5470 to 5725 Pass 30 120 5580.000 5470 to 5725 Pass 40 120 5579.980 5470 to 5725 Pass 50 120 5580.020 5470 to 5725 Pass 102 5700.020 5470 to 5725 Pass 138 5699.980 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.040 5470 to 5725 Pass -10 120 5700.020 5470 to 5725 Pass 0 120 5700.020 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		-20	120	5580.020	5470 to 5725	Pass
10 120 5580.020 5470 to 5725 Pass 30 120 5580.000 5470 to 5725 Pass 40 120 5579.980 5470 to 5725 Pass 50 120 5580.020 5470 to 5725 Pass 50 120 5580.020 5470 to 5725 Pass 102 5700.020 5470 to 5725 Pass 138 5699.980 5470 to 5725 Pass 130 120 5700.040 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5700.000 5470 to 5725 Pass 10 120 5700.000 5470 to 5725 Pass 30 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass	5580	-10	120	5580.040	5470 to 5725	Pass
30		0	120	5580.000	5470 to 5725	Pass
40 120 5579.980 5470 to 5725 Pass 50 120 5580.020 5470 to 5725 Pass 102 5700.020 5470 to 5725 Pass 20 120 5700.040 5470 to 5725 Pass 138 5699.980 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass 0 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		10	120	5580.020	5470 to 5725	Pass
50 120 5580.020 5470 to 5725 Pass 102 5700.020 5470 to 5725 Pass 20 120 5700.040 5470 to 5725 Pass 138 5699.980 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		30	120	5580.000	5470 to 5725	Pass
5700 102 5700.020 5470 to 5725 Pass 120 5700.040 5470 to 5725 Pass 138 5699.980 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		40	120	5579.980	5470 to 5725	Pass
5700 120 5700.040 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass 0 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		50	120	5580.020	5470 to 5725	Pass
138 5699.980 5470 to 5725 Pass -30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass			102	5700.020	5470 to 5725	Pass
-30 120 5700.040 5470 to 5725 Pass -20 120 5700.020 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		20	120	5700.040	5470 to 5725	Pass
5700 120 5700.020 5470 to 5725 Pass -10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass		-20	138	5699.980	5470 to 5725	Pass
-10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass			120	5700.040	5470 to 5725	Pass
-10 120 5699.980 5470 to 5725 Pass 0 120 5700.000 5470 to 5725 Pass 10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass	5700		120	5700.020	5470 to 5725	Pass
10 120 5699.980 5470 to 5725 Pass 30 120 5700.020 5470 to 5725 Pass	5/00	-10	120	5699.980	5470 to 5725	Pass
30 120 5700.020 5470 to 5725 Pass		0	120	5700.000	5470 to 5725	Pass
		10	120	5699.980	5470 to 5725	Pass
40 120 5700.020 5470 to 5725 Pass		30	120	5700.020	5470 to 5725	Pass
		40	120	5700.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 350 of 358

S0								
120 5744,980 5725 to 5850 Pass				50	120	5700.060	5470 to 5725	Pass
138 5744,980 5725 to 5850 Pass					102	5745.040	5725 to 5850	Pass
S745				20	120	5744.980	5725 to 5850	Pass
100					138	5744.980	5725 to 5850	Pass
S745				-30	120	5745.020	5725 to 5850	Pass
0 120 5745.020 5725 to 5850 Pass 10 120 5745.060 5725 to 5850 Pass 30 120 5745.060 5725 to 5850 Pass 40 120 5745.000 5725 to 5850 Pass 50 120 5745.060 5725 to 5850 Pass 102 5785.040 5725 to 5850 Pass 102 5785.040 5725 to 5850 Pass 20 120 5784.980 5725 to 5850 Pass 138 5785.020 5725 to 5850 Pass 20 120 5784.980 5725 to 5850 Pass 20 120 5785.020 5725 to 5850 Pass 20 120 5785.020 5725 to 5850 Pass 20 120 5785.000 5725 to 5850 Pass 30 120 5785.000 5725 to 5850 Pass 40 120 5785.000 5725 to 5850 Pass 30 120 5785.000 5725 to 5850 Pass 40 120 5784.980 5725 to 5850 Pass 50 120 5785.000 5725 to 5850 Pass 40 120 5785.000 5725 to 5850 Pass 40 120 5785.000 5725 to 5850 Pass 40 120 5824.980 5725 to 5850 Pass 40 120 5825.000 5725 to 5850 Pass 50 120 5825.000 5725 to 5850 Pass 40 120 5825.000 5725 to 5850 Pass 50 120 5825.000 5725 to 5850 Pass				-20	120	5745.040	5725 to 5850	Pass
10			5745	-10	120	5745.040	5725 to 5850	Pass
MIMO 120 5745.020 5725 to 5850 Pass				0	120	5745.020	5725 to 5850	Pass
Horizon Hori				10	120	5745.060	5725 to 5850	Pass
SO				30	120	5745.020	5725 to 5850	Pass
102 5785.040 5725 to 5850 Pass				40	120	5745.000	5725 to 5850	Pass
10				50	120	5745.060	5725 to 5850	Pass
138 5785.020 5725 to 5850 Pass					102	5785.040	5725 to 5850	Pass
S785				20	120	5784.980	5725 to 5850	Pass
10					138	5785.020	5725 to 5850	Pass
S785				-30	120	5784.960	5725 to 5850	Pass
Name				-20	120	5785.020	5725 to 5850	Pass
10			5785	-10	120	5784.980	5725 to 5850	Pass
MIMO				0	120	5785.000	5725 to 5850	Pass
Ho				10	120	5785.000	5725 to 5850	Pass
Society				30	120	5785.080	5725 to 5850	Pass
Name				40	120	5784.980	5725 to 5850	Pass
Name				50	120	5785.000	5725 to 5850	Pass
138 5824.980 5725 to 5850 Pass					102	5824.980	5725 to 5850	Pass
HT40 MIMO S190 S190 S150 to 5250 Pass Pass				20	120	5824.980	5725 to 5850	Pass
Second					138	5824.980	5725 to 5850	Pass
S825				-30	120	5824.960	5725 to 5850	Pass
0				-20	120	5825.020	5725 to 5850	Pass
10			5825	-10	120	5825.000	5725 to 5850	Pass
30				0	120	5825.000	5725 to 5850	Pass
MIMO				10	120	5824.980	5725 to 5850	Pass
802.11n (HT40) MIMO 50 120 5825.040 5725 to 5850 Pass 102 5190.040 5150 to 5250 Pass 20 120 5190.040 5150 to 5250 Pass 138 5190.040 5150 to 5250 Pass -20 120 5190.000 5150 to 5250 Pass -20 120 5190.080 5150 to 5250 Pass				30	120	5825.020	5725 to 5850	Pass
802.11n (HT40) MIMO 5190 102 5190.040 5150 to 5250 Pass 120 5190.040 5150 to 5250 Pass 138 5190.040 5150 to 5250 Pass 138 5190.040 5150 to 5250 Pass -30 120 5190.000 5150 to 5250 Pass -20 120 5190.080 5150 to 5250 Pass				40	120	5825.020	5725 to 5850	Pass
802.11n (HT40) MIMO 5190 20 120 5190.040 5150 to 5250 Pass 138 5190.040 5150 to 5250 Pass -30 120 5190.000 5150 to 5250 Pass -20 120 5190.080 5150 to 5250 Pass				50	120	5825.040	5725 to 5850	Pass
802.11n (HT40) MIMO 5190 138 5190.040 5150 to 5250 Pass -30 120 5190.000 5150 to 5250 Pass -20 120 5190.080 5150 to 5250 Pass					102	5190.040	5150 to 5250	Pass
(HT40) MIMO 5190 -30 120 5190.000 5150 to 5250 Pass -20 120 5190.080 5150 to 5250 Pass				20	120	5190.040	5150 to 5250	Pass
(HT40)	802.11n		5400		138	5190.040	5150 to 5250	Pass
-20 120 5190.080 5150 to 5250 Pass		MIMO	5190	-30	120			
				-20	120			
				-10	120	5190.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 351 of 358

0							
30			0	120	5190.040	5150 to 5250	Pass
40			10	120	5190.080	5150 to 5250	Pass
50			30	120	5190.040	5150 to 5250	Pass
102 5230.040 5150 to 5250 Pass			40	120	5190.080	5150 to 5250	Pass
20			50	120	5190.000	5150 to 5250	Pass
138				102	5230.040	5150 to 5250	Pass
-30			20	120	5230.040	5150 to 5250	Pass
5230 -10 120 5230.040 5150 to 5250 Pass 0 120 5230.040 5150 to 5250 Pass 0 120 5230.040 5150 to 5250 Pass 10 120 5230.040 5150 to 5250 Pass 30 120 5230.080 5150 to 5250 Pass 40 120 5230.080 5150 to 5250 Pass 50 120 5230.080 5150 to 5250 Pass 50 120 5230.080 5150 to 5350 Pass 20 120 5270.080 5250 to 5350 Pass 20 120 5270.080 5250 to 5350 Pass -30 120 5270.080 5250 to 5350 Pass -20 120 5270.160 5250 to 5350 Pass 5270 -10 120 5270.120 5250 to 5350 Pass 10 120 5270.120 5250 to 5350 Pass 30 120 5270				138	5230.080	5150 to 5250	Pass
10			-30	120	5230.000	5150 to 5250	Pass
0 120 5230.040 5150 to 5250 Pass 10 120 5230.040 5150 to 5250 Pass 30 120 5230.080 5150 to 5250 Pass 40 120 5230.080 5150 to 5250 Pass 50 120 5230.120 5150 to 5250 Pass 102 5270.080 5250 to 5350 Pass 20 120 5270.080 5250 to 5350 Pass 33 5270.080 5250 to 5350 Pass 34 5270.080 5250 to 5350 Pass 35 5270 120 5270.080 5250 to 5350 Pass 36 5270.080 5250 to 5350 Pass 37 5270 10 120 5270.160 5250 to 5350 Pass 38 5270.080 5250 to 5350 Pass 39 120 5270.160 5250 to 5350 Pass 30 120 5270.180 5250 to 5350 Pass 30 120 5270.180 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 40 120 5270.160 5250 to 5350 Pass 40 120 5270.160 5250 to 5350 Pass 50 120 5270.080 5250 to 5350 Pass 40 120 5310.080 5250 to 5350 Pass 40 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.080 5250 to 5350 Pass 40 120 5310.080 5250 to 5350 Pass 40 120 5310.080 5250 to 5350 Pass 40 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.080 5250 to 5350 Pass 40 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.040 5250 to 5350 Pass 550 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass			-20	120	5230.040	5150 to 5250	Pass
10		5230	-10	120	5230.040	5150 to 5250	Pass
30			0	120	5230.040	5150 to 5250	Pass
40			10	120	5230.040	5150 to 5250	Pass
50 120 5230.120 5150 to 5250 Pass 102 5270.080 5250 to 5350 Pass 20 120 5270.080 5250 to 5350 Pass 138 5270.080 5250 to 5350 Pass -30 120 5270.080 5250 to 5350 Pass -20 120 5270.160 5250 to 5350 Pass 5270 -10 120 5270.160 5250 to 5350 Pass 0 120 5270.160 5250 to 5350 Pass 10 120 5270.120 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5270.160 5250 to 5350 Pass 50 120 5270.160 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass			30	120	5230.080	5150 to 5250	Pass
102 5270.080 5250 to 5350 Pass			40	120	5230.080	5150 to 5250	Pass
120			50	120	5230.120	5150 to 5250	Pass
138 5270.080 5250 to 5350 Pass				102	5270.080	5250 to 5350	Pass
120 5270.080 5250 to 5350 Pass			20	120	5270.080	5250 to 5350	Pass
120				138	5270.080	5250 to 5350	Pass
5270 -10 120 5270.160 5250 to 5350 Pass 0 120 5270.120 5250 to 5350 Pass 10 120 5270.080 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5270.160 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass 30 120 5310.080 5250 to 5350 Pass -30 120 5310.080 5250 to 5350 Pass -20 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.040 5250 to 5350 Pass 5310 -10 120 5310.040 5250 to 5350 Pass <t< td=""><td></td><td></td><td>-30</td><td>120</td><td>5270.080</td><td>5250 to 5350</td><td>Pass</td></t<>			-30	120	5270.080	5250 to 5350	Pass
0 120 5270.120 5250 to 5350 Pass 10 120 5270.080 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5270.160 5250 to 5350 Pass 102 5310.080 5250 to 5350 Pass 138 5310.000 5250 to 5350 Pass 138 5310.000 5250 to 5350 Pass 138 5310.080 5250 to 5350 Pass 138 5310.080 5250 to 5350 Pass 138 5310.080 5250 to 5350 Pass 139 120 5310.080 5250 to 5350 Pass 140 120 5310.080 5250 to 5350 Pass 1510 120 5310.040 5250 to 5350 Pass 1510 120 5310.040 5250 to 5350 Pass 1510 5310 5310.040 5250 to 5350 Pass 1510 5510 5310 5310.040 5250 to 5350 Pass			-20	120	5270.160	5250 to 5350	Pass
10 120 5270.080 5250 to 5350 Pass 30 120 5270.080 5250 to 5350 Pass 40 120 5270.080 5250 to 5350 Pass 50 120 5270.160 5250 to 5350 Pass 102 5310.080 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass 138 5310.000 5250 to 5350 Pass -30 120 5310.080 5250 to 5350 Pass -20 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.080 5250 to 5350 Pass 0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.040 5250 to 5350 Pass 50 120 5310.000 5250 to 5350 Pass 50 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass		5270	-10	120	5270.160	5250 to 5350	Pass
30			0	120	5270.120	5250 to 5350	Pass
40 120 5270.080 5250 to 5350 Pass 50 120 5270.160 5250 to 5350 Pass 102 5310.080 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass 138 5310.000 5250 to 5350 Pass -30 120 5310.080 5250 to 5350 Pass -20 120 5310.080 5250 to 5350 Pass -20 120 5310.040 5250 to 5350 Pass 0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.040 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass			10	120	5270.080	5250 to 5350	Pass
50 120 5270.160 5250 to 5350 Pass 102 5310.080 5250 to 5350 Pass 20 120 5310.080 5250 to 5350 Pass 138 5310.000 5250 to 5350 Pass -30 120 5310.080 5250 to 5350 Pass -20 120 5310.080 5250 to 5350 Pass -20 120 5310.040 5250 to 5350 Pass 0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.040 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 5510 20 5510.120 5470 to 5725 Pass			30	120	5270.080	5250 to 5350	Pass
102 5310.080 5250 to 5350 Pass			40	120	5270.080	5250 to 5350	Pass
20			50	120	5270.160	5250 to 5350	Pass
138 5310.000 5250 to 5350 Pass -30 120 5310.080 5250 to 5350 Pass -20 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.040 5250 to 5350 Pass 0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 5510 20 5310.120 5470 to 5725 Pass				102	5310.080	5250 to 5350	Pass
-30			20	120	5310.080	5250 to 5350	Pass
-20 120 5310.080 5250 to 5350 Pass 5310 -10 120 5310.040 5250 to 5350 Pass 0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 510 20 5510.120 5470 to 5725 Pass				138	5310.000	5250 to 5350	Pass
5310 -10 120 5310.040 5250 to 5350 Pass 0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 50 102 5310.040 5250 to 5350 Pass			-30	120	5310.080	5250 to 5350	Pass
0 120 5310.040 5250 to 5350 Pass 10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass			-20	120	5310.080	5250 to 5350	Pass
10 120 5310.040 5250 to 5350 Pass 30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass		5310	-10	120	5310.040	5250 to 5350	Pass
30 120 5310.000 5250 to 5350 Pass 40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass		10 30	120	5310.040	5250 to 5350	Pass	
40 120 5310.000 5250 to 5350 Pass 50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass			120	5310.040	5250 to 5350	Pass	
50 120 5310.040 5250 to 5350 Pass 102 5510.120 5470 to 5725 Pass			120	5310.000	5250 to 5350	Pass	
5510 20 102 5510.120 5470 to 5725 Pass			40	120	5310.000	5250 to 5350	Pass
5510 20			50	120	5310.040	5250 to 5350	Pass
120 5510.080 5470 to 5725 Pass		FF40	20	102	5510.120	5470 to 5725	Pass
		5510	∠∪	120	5510.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 352 of 358

138 5510.080 5470 to 5725 Pass -30 120 5510.080 5470 to 5725 Pass -20 120 5510.040 5470 to 5725 Pass -10 120 5510.040 5470 to 5725 Pass -10 120 5510.040 5470 to 5725 Pass -10 120 5510.000 5470 to 5725 Pass -10 120 5510.000 5470 to 5725 Pass -10 120 5510.120 5470 to 5725 Pass -10 120 5510.120 5470 to 5725 Pass -10 120 5510.120 5470 to 5725 Pass -10 120 5510.040 5470 to 5725 Pass -10 120 5550.040 5470 to 5725 Pass -10 120 5550.040 5470 to 5725 Pass -10 120 5550.040 5470 to 5725 Pass -10 120 5550.080 5470 to 5725 Pass -10 120 5550.040 5470 to 5725 Pass -10 120 5560.080 5470 to 5725 Pass -10 120 5670.080 5470 to 5725 Pass -10 120 5675.080 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass -10 120 5755.040 572	 					
-20			138	5510.080	5470 to 5725	Pass
-10 120 5510.040 5470 to 5725 Pass 0 120 5510.020 5470 to 5725 Pass 140 120 5510.020 5470 to 5725 Pass 140 120 5510.020 5470 to 5725 Pass 150.020 5470 to 5725 Pass 150.020 5470 to 5725 Pass 150.020 5510.120 5470 to 5725 Pass 150.020 5510.040 5470 to 5725 Pass 160.040 5470 to 5725 to 5850 Pass 160.040 57		-30	120	5510.080	5470 to 5725	Pass
0 120 5510.120 5470 to 5725 Pass 10 120 5510.000 5470 to 5725 Pass 30 120 5510.120 5470 to 5725 Pass 40 120 5510.120 5470 to 5725 Pass 50 120 5510.040 5470 to 5725 Pass 102 5550.040 5470 to 5725 Pass 20 120 5550.040 5470 to 5725 Pass 138 5550.080 5470 to 5725 Pass 20 120 5550.080 5470 to 5725 Pass 30 120 5550.000 5470 to 5725 Pass 40 120 5550.040 5470 to 5725 Pass 50 120 5550.040 5470 to 5725 Pass 40 120 5550.040 5470 to 5725 Pass 40 120 5670.080 5470 to 5725 Pass 40 120 5670.080 5470 to 5725 Pass 40 120 5670.040 5470 to 5725 Pass 40 120 5670.080 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 to 5850 Pass 5755		-20	120	5510.040	5470 to 5725	Pass
10		-10	120	5510.040	5470 to 5725	Pass
30		0	120	5510.120	5470 to 5725	Pass
40		10	120	5510.000	5470 to 5725	Pass
102 5550.040 5470 to 5725 Pass		30	120	5510.120	5470 to 5725	Pass
102 5550.040 5470 to 5725 Pass		40	120	5510.120	5470 to 5725	Pass
120 5550.040 5470 to 5725 Pass		50	120	5510.040	5470 to 5725	Pass
138			102	5550.040	5470 to 5725	Pass
120		20	120	5550.040	5470 to 5725	Pass
120			138	5550.080	5470 to 5725	Pass
5550 -10 120 5550.080 5470 to 5725 Pass 0 120 5550.000 5470 to 5725 Pass 10 120 5550.000 5470 to 5725 Pass 30 120 5550.040 5470 to 5725 Pass 40 120 5550.040 5470 to 5725 Pass 50 120 5550.040 5470 to 5725 Pass 20 120 5670.080 5470 to 5725 Pass 20 120 5670.080 5470 to 5725 Pass 30 120 5670.080 5470 to 5725 Pass -30 120 5670.040 5470 to 5725 Pass -20 120 5670.080 5470 to 5725 Pass -20 120 5670.080 5470 to 5725 Pass 5670 -10 120 5670.080 5470 to 5725 Pass 10 120 5670.080 5470 to 5725 Pass 10 120 56		-30	120	5550.080	5470 to 5725	Pass
0 120 5550.000 5470 to 5725 Pass 10 120 5550.120 5470 to 5725 Pass 30 120 5550.040 5470 to 5725 Pass 40 120 5550.040 5470 to 5725 Pass 50 120 5550.040 5470 to 5725 Pass 50 120 5670.080 5470 to 5725 Pass 20 120 5670.040 5470 to 5725 Pass 138 5670.040 5470 to 5725 Pass 20 120 5670.080 5470 to 5725 Pass 30 120 5670.080 5470 to 5725 Pass 30 120 5670.080 5470 to 5725 Pass 40 120 5670.040 5470 to 5725 Pass 40 120 5670.040 5470 to 5725 Pass 50 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass		-20	120	5550.000	5470 to 5725	Pass
10	5550	-10	120	5550.080	5470 to 5725	Pass
30		0	120	5550.000	5470 to 5725	Pass
40		10	120	5550.120	5470 to 5725	Pass
102 5550.040 5470 to 5725 Pass		30	120	5550.040	5470 to 5725	Pass
102 5670.080 5470 to 5725 Pass		40	120	5550.160	5470 to 5725	Pass
120 5670.040 5470 to 5725 Pass		50	120	5550.040	5470 to 5725	Pass
138 5670.040 5470 to 5725 Pass			102	5670.080	5470 to 5725	Pass
120 5670.080 5470 to 5725 Pass -20 120 5670.040 5470 to 5725 Pass -20 120 5670.080 5470 to 5725 Pass -20 120 5670.040 5470 to 5725 Pass -20 120 5670.040 5470 to 5725 Pass -20 120 5670.040 5470 to 5725 Pass -20 120 5755.080 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass		20	120	5670.040	5470 to 5725	Pass
120			138	5670.040	5470 to 5725	Pass
5670 -10 120 5670.080 5470 to 5725 Pass 0 120 5670.080 5470 to 5725 Pass 10 120 5670.040 5470 to 5725 Pass 30 120 5670.040 5470 to 5725 Pass 40 120 5670.000 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 20 120 5670.040 5470 to 5725 Pass 20 120 5755.080 5725 to 5850 Pass 138 5755.040 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		-30	120	5670.080	5470 to 5725	Pass
0 120 5670.080 5470 to 5725 Pass 10 120 5670.040 5470 to 5725 Pass 30 120 5670.040 5470 to 5725 Pass 40 120 5670.000 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 102 5755.080 5725 to 5850 Pass 20 120 5755.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		-20	120	5670.040	5470 to 5725	Pass
10 120 5670.040 5470 to 5725 Pass 30 120 5670.040 5470 to 5725 Pass 40 120 5670.000 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 102 5755.080 5725 to 5850 Pass 20 120 5755.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass	5670	-10	120	5670.080	5470 to 5725	Pass
30 120 5670.040 5470 to 5725 Pass 40 120 5670.000 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 102 5755.080 5725 to 5850 Pass 20 120 5755.040 5725 to 5850 Pass 138 5755.040 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		0	120	5670.080	5470 to 5725	Pass
40 120 5670.000 5470 to 5725 Pass 50 120 5670.040 5470 to 5725 Pass 102 5755.080 5725 to 5850 Pass 20 120 5755.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		10	120	5670.040	5470 to 5725	Pass
50 120 5670.040 5470 to 5725 Pass 102 5755.080 5725 to 5850 Pass 20 120 5755.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass -10 120 5755.040 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		30	120	5670.040	5470 to 5725	Pass
20 102 5755.080 5725 to 5850 Pass 120 5755.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		40	120	5670.000	5470 to 5725	Pass
20 120 5755.040 5725 to 5850 Pass 138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass		50	120	5670.040	5470 to 5725	Pass
138 5755.080 5725 to 5850 Pass -30 120 5755.040 5725 to 5850 Pass 5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass			102	5755.080	5725 to 5850	Pass
-30 120 5755.040 5725 to 5850 Pass -20 120 5755.040 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass			120	5755.040	5725 to 5850	Pass
5755 -20 120 5755.040 5725 to 5850 Pass -10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass			138	5755.080	5725 to 5850	Pass
-10 120 5755.080 5725 to 5850 Pass 0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass			120	5755.040	5725 to 5850	Pass
0 120 5755.040 5725 to 5850 Pass 10 120 5755.040 5725 to 5850 Pass	5755	-20	120	5755.040	5725 to 5850	Pass
10 120 5755.040 5725 to 5850 Pass		-10	120	5755.080	5725 to 5850	Pass
		0	120	5755.040	5725 to 5850	Pass
30 120 5755.080 5725 to 5850 Pass		10	120	5755.040	5725 to 5850	Pass
		30	120	5755.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 353 of 358

					ı ago:		
			40	120	5755.040	5725 to 5850	Pass
			50	120	5755.000	5725 to 5850	Pass
				102	5795.040	5725 to 5850	Pass
			20	120	5795.080	5725 to 5850	Pass
				138	5795.040	5725 to 5850	Pass
			-30	120	5795.000	5725 to 5850	Pass
			-20	120	5795.040	5725 to 5850	Pass
		5795	-10	120	5795.040	5725 to 5850	Pass
			0	120	5795.040	5725 to 5850	Pass
			10	120	5795.080	5725 to 5850	Pass
			30	120	5795.040	5725 to 5850	Pass
			40	120	5795.080	5725 to 5850	Pass
			50	120	5795.000	5725 to 5850	Pass
				102	5210.075	5150 to 5250	Pass
			20	120	5210.000	5150 to 5250	Pass
				138	5210.075	5150 to 5250	Pass
			-30	120	5210.000	5150 to 5250	Pass
			-20	120	5210.075	5150 to 5250	Pass
		5210	-10	120	5210.075	5150 to 5250	Pass
			0	120	5210.075	5150 to 5250	Pass
			10	120	5210.075	5150 to 5250	Pass
			30	120	5210.075	5150 to 5250	Pass
			40	120	5210.075	5150 to 5250	Pass
			50	120	5210.075	5150 to 5250	Pass
				102	5290.075	5250 to 5350	Pass
			20	120	5290.075	5250 to 5350	Pass
802.11ac	MIMO			138	5290.150	5250 to 5350	Pass
(VHT80)			-30	120	5290.075	5250 to 5350	Pass
			-20	120	5290.150	5250 to 5350	Pass
		5290	-10	120	5290.075	5250 to 5350	Pass
			0	120	5290.075	5250 to 5350	Pass
			10	120	5290.075	5250 to 5350	Pass
		30	120	5290.075	5250 to 5350	Pass	
			40	120	5290.075	5250 to 5350	Pass
			50	120	5290.150	5250 to 5350	Pass
				102	5530.000	5470 to 5725	Pass
			20	120	5530.150	5470 to 5725	Pass
		5530		138	5530.075	5470 to 5725	Pass
			-30	120	5530.075	5470 to 5725	Pass
			-20	120	5530.075	5470 to 5725	Pass
L	1			1 -	<u> </u>	1 -	_



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 354 of 358

		-10	120	5530.075	5470 to 5725	Pass
		0	120	5530.075	5470 to 5725	Pass
		10	120	5530.075	5470 to 5725	Pass
		30	120	5530.075	5470 to 5725	Pass
		40	120	5530.000	5470 to 5725	Pass
		50	120	5530.075	5470 to 5725	Pass
			102	5610.000	5470 to 5725	Pass
		20	120	5610.075	5470 to 5725	Pass
			138	5610.075	5470 to 5725	Pass
		-30	120	5610.075	5470 to 5725	Pass
		-20	120	5610.075	5470 to 5725	Pass
	5610	-10	120	5610.075	5470 to 5725	Pass
		0	120	5610.075	5470 to 5725	Pass
		10	120	5610.075	5470 to 5725	Pass
		30	120	5610.075	5470 to 5725	Pass
		40	120	5610.075	5470 to 5725	Pass
		50	120	5610.075	5470 to 5725	Pass
			102	5775.000	5725 to 5850	Pass
		20	120	5775.000	5725 to 5850	Pass
			138	5775.075	5725 to 5850	Pass
		-30	120	5775.000	5725 to 5850	Pass
		-20	120	5775.000	5725 to 5850	Pass
	5775	-10	120	5775.075	5725 to 5850	Pass
		0	120	5775.075	5725 to 5850	Pass
		10	120	5775.000	5725 to 5850	Pass
		30	120	5775.000	5725 to 5850	Pass
		40	120	5775.000	5725 to 5850	Pass
		50	120	5775.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 355 of 358

6.DFS

Test Result:

BW/Channel	Test Item	Result
	Channel Availability Check Time	N/A
	Minimum Off-Channel CAC Time	N/A
	Maximum Off-Channel CAC Time	N/A
00MH-/F000MH-	In-Service Monitoring	N/A
80MHz/5290MHz	Channel Move Time	Pass
	Channel Closing Transmission Time	Pass
	Non-Occupancy Period	N/A
	Uniform Spreading	N/A

The test plots was shown in the report below.

Remark: Channel loading of Timing plots is greater than 17%.

This is the master device used to test DFS FCC ID: Q87-WRT3200ACM



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn





SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 356 of 358

5290MHz







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240100037705

Page: 357 of 358





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/1 Report No.: SZCR240100037705

> Page: 358 of 358

Radar



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn