



Test Result

Ant 0+Ant 1:

Condition	Mode	Ch.	Antenna	Center Frequency (MHz)	Calculated Value of Center Frequency(MHz)	Result (ppm)	Limit (ppm)	State
NT/NV	20M	36	0	5180.0	5180.000144	0.03	20	PASS
			1	5180.0	5179.998231	-0.34		PASS
			2	5180.0	5179.997981	-0.39		PASS
		40	0	5200.0	5199.996656	-0.64		PASS
			1	5200.0	5199.996581	-0.66		PASS
			2	5200.0	5199.996631	-0.65		PASS
		48	0	5240.0	5239.996619	-0.65		PASS
			1	5240.0	5239.996369	-0.69		PASS
			2	5240.0	5239.996269	-0.71		PASS
		52	0	5260.0	5259.985736	-2.71		PASS
			1	5260.0	5259.987738	-2.33		PASS
			2	5260.0	5259.993243	-1.28		PASS
		56	0	5280.0	5280.005255	1.0		PASS
			1	5280.0	5280.006757	1.28		PASS
			2	5280.0	5280.007758	1.47		PASS
		64	0	5320.0	5320.009259	1.74		PASS
			1	5320.0	5320.010761	2.02		PASS
			2	5320.0	5320.010260	1.93		PASS
		100	0	5500.0	5499.995746	-0.77		PASS
			1	5500.0	5499.996246	-0.68		PASS
			2	5500.0	5499.995746	-0.77		PASS
	116	0	5580.0	5579.987237	-2.29	PASS		
		1	5580.0	5579.987738	-2.2	PASS		
		2	5580.0	5579.987738	-2.2	PASS		
	140	0	5700.0	5699.990240	-1.71	PASS		
		1	5700.0	5699.990240	-1.71	PASS		
		2	5700.0	5699.990240	-1.71	PASS		
	40M	38	0	5190.0	5189.996544	-0.67		PASS
			1	5190.0	5189.996556	-0.66		PASS
			2	5190.0	5189.996581	-0.66		PASS
		46	0	5230.0	5229.996594	-0.65		PASS
			1	5230.0	5229.996306	-0.71		PASS
			2	5230.0	5229.996256	-0.72		PASS
		54	0	5270.0	5270.002252	0.43		PASS
			1	5270.0	5270.003253	0.62		PASS
			2	5270.0	5270.003754	0.71		PASS
		62	0	5310.0	5310.008258	1.56		PASS
			1	5310.0	5310.009760	1.84		PASS
			2	5310.0	5310.009760	1.84		PASS
		102	0	5510.0	5509.996747	-0.59		PASS
			1	5510.0	5509.996246	-0.68		PASS
			2	5510.0	5509.995746	-0.77		PASS
		110	0	5550.0	5549.995245	-0.86		PASS
			1	5550.0	5549.994244	-1.04		PASS
			2	5550.0	5549.994244	-1.04		PASS
		134	0	5670.0	5669.990240	-1.72		PASS
			1	5670.0	5669.990240	-1.72		PASS
			2	5670.0	5669.990240	-1.72		PASS
	80M	42	0	5210.0	5210.000081	0.02		PASS
			1	5210.0	5209.998431	-0.3		PASS
			2	5210.0	5209.997844	-0.41		PASS
		58	0	5290.0	5290.007257	1.37		PASS
			1	5290.0	5290.008759	1.66		PASS
			2	5290.0	5290.008759	1.66		PASS
106		0	5530.0	5529.992743	-1.31	PASS		
		1	5530.0	5529.993243	-1.22	PASS		
		2	5530.0	5529.993243	-1.22	PASS		
122		0	5610.0	5609.989239	-1.92	PASS		
		1	5610.0	5609.989239	-1.92	PASS		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



			2	5610.0	5609.989239	-1.92	PASS		
	160M	50	0	5250.0	5249.996606	-0.65	PASS		
			1	5250.0	5249.996281	-0.71	PASS		
			2	5250.0	5249.996219	-0.72	PASS		
		114	0	5570.0	5569.994244	-1.03	PASS		
			1	5570.0	5569.992743	-1.3	PASS		
			2	5570.0	5569.991241	-1.57	PASS		
LT/NV	20M	36	0	5180.0	5179.997869	-0.41	PASS		
				1	5180.0	5179.997247	-0.53	PASS	
				2	5180.0	5179.997247	-0.53	PASS	
			40	0	5200.0	5199.996606	-0.65	PASS	
				1	5200.0	5199.996619	-0.65	PASS	
				2	5200.0	5199.996544	-0.66	PASS	
			48	0	5240.0	5239.996294	-0.71	PASS	
				1	5240.0	5239.996281	-0.71	PASS	
				2	5240.0	5239.996256	-0.71	PASS	
			52	0	5260.0	5259.995245	-0.9	PASS	
				1	5260.0	5259.995746	-0.81	PASS	
				2	5260.0	5259.995746	-0.81	PASS	
			56	0	5280.0	5280.007758	1.47	PASS	
				1	5280.0	5280.008258	1.56	PASS	
				2	5280.0	5280.008258	1.56	PASS	
			64	0	5320.0	5320.010761	2.02	PASS	
				1	5320.0	5320.010761	2.02	PASS	
				2	5320.0	5320.010761	2.02	PASS	
			100	0	5500.0	5499.995746	-0.77	PASS	
				1	5500.0	5499.995746	-0.77	PASS	
				2	5500.0	5499.995746	-0.77	PASS	
			116	0	5580.0	5579.987738	-2.2	PASS	
				1	5580.0	5579.988238	-2.11	PASS	
				2	5580.0	5579.988238	-2.11	PASS	
		140	0	5700.0	5699.990240	-1.71	PASS		
			1	5700.0	5699.990240	-1.71	PASS		
			2	5700.0	5699.990240	-1.71	PASS		
		40M	38	0	5190.0	5189.996556	-0.66	PASS	
				1	5190.0	5189.996631	-0.65	PASS	
				2	5190.0	5189.996556	-0.66	PASS	
			46	0	5230.0	5229.996194	-0.73	PASS	
				1	5230.0	5229.996231	-0.72	PASS	
				2	5230.0	5229.996194	-0.73	PASS	
			54	0	5270.0	5270.005255	1.0	PASS	
				1	5270.0	5270.005255	1.0	PASS	
				2	5270.0	5270.005756	1.09	PASS	
			62	0	5310.0	5310.010260	1.93	PASS	
				1	5310.0	5310.010260	1.93	PASS	
				2	5310.0	5310.010761	2.03	PASS	
			102	0	5510.0	5509.995746	-0.77	PASS	
				1	5510.0	5509.995245	-0.86	PASS	
				2	5510.0	5509.995245	-0.86	PASS	
			110	0	5550.0	5549.994244	-1.04	PASS	
				1	5550.0	5549.994244	-1.04	PASS	
				2	5550.0	5549.994244	-1.04	PASS	
			134	0	5670.0	5669.990240	-1.72	PASS	
				1	5670.0	5669.990240	-1.72	PASS	
				2	5670.0	5669.990240	-1.72	PASS	
			80M	42	0	5210.0	5209.997419	-0.5	PASS
					1	5210.0	5209.996931	-0.59	PASS
					2	5210.0	5209.996756	-0.62	PASS
		58		0	5290.0	5290.008759	1.66	PASS	
				1	5290.0	5290.008759	1.66	PASS	
				2	5290.0	5290.009259	1.75	PASS	
	106	0		5530.0	5529.993243	-1.22	PASS		
		1		5530.0	5529.993744	-1.13	PASS		
		2		5530.0	5529.993744	-1.13	PASS		
		122		0	5610.0	5609.989740	-1.83	PASS	

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



			1	5610.0	5609.989740	-1.83	PASS			
			2	5610.0	5609.989740	-1.83	PASS			
	160M	50	0	5250.0	5249.996631	-0.64	PASS			
				1	5250.0	5249.994219	-1.1	PASS		
				2	5250.0	5249.992169	-1.49	PASS		
			114	0	5570.0	5569.989740	-1.84	PASS		
				1	5570.0	5569.989239	-1.93	PASS		
				2	5570.0	5569.988739	-2.02	PASS		
HT/NV	20M	36	0	5180.0	5179.997247	-0.53	PASS			
					1	5180.0	5179.997247	-0.53	PASS	
					2	5180.0	5179.997247	-0.53	PASS	
				40	0	5200.0	5199.996581	-0.66	PASS	
					1	5200.0	5199.996644	-0.65	PASS	
					2	5200.0	5199.996694	-0.64	PASS	
				48	0	5240.0	5239.996256	-0.71	PASS	
					1	5240.0	5239.996281	-0.71	PASS	
					2	5240.0	5239.996256	-0.71	PASS	
				52	0	5260.0	5259.996246	-0.71	PASS	
					1	5260.0	5259.996747	-0.62	PASS	
					2	5260.0	5259.997247	-0.52	PASS	
				56	0	5280.0	5280.008258	1.56	PASS	
					1	5280.0	5280.008258	1.56	PASS	
					2	5280.0	5280.008258	1.56	PASS	
				64	0	5320.0	5320.010761	2.02	PASS	
					1	5320.0	5320.011261	2.12	PASS	
					2	5320.0	5320.011261	2.12	PASS	
				100	0	5500.0	5499.995746	-0.77	PASS	
					1	5500.0	5499.995746	-0.77	PASS	
					2	5500.0	5499.995746	-0.77	PASS	
				116	0	5580.0	5579.988238	-2.11	PASS	
					1	5580.0	5579.988238	-2.11	PASS	
					2	5580.0	5579.988238	-2.11	PASS	
				140	0	5700.0	5699.990240	-1.71	PASS	
					1	5700.0	5699.990240	-1.71	PASS	
					2	5700.0	5699.990240	-1.71	PASS	
			40M	38	0	5190.0	5189.996544	-0.67	PASS	
						1	5190.0	5189.996581	-0.66	PASS
						2	5190.0	5189.996594	-0.66	PASS
					46	0	5230.0	5229.996169	-0.73	PASS
						1	5230.0	5229.996169	-0.73	PASS
						2	5230.0	5229.996131	-0.74	PASS
					54	0	5270.0	5270.005756	1.09	PASS
						1	5270.0	5270.005756	1.09	PASS
						2	5270.0	5270.006256	1.19	PASS
				62	0	5310.0	5310.010761	2.03	PASS	
					1	5310.0	5310.010761	2.03	PASS	
					2	5310.0	5310.010761	2.03	PASS	
				102	0	5510.0	5509.995245	-0.86	PASS	
					1	5510.0	5509.995746	-0.77	PASS	
					2	5510.0	5509.995746	-0.77	PASS	
				110	0	5550.0	5549.994244	-1.04	PASS	
					1	5550.0	5549.994244	-1.04	PASS	
					2	5550.0	5549.994244	-1.04	PASS	
				134	0	5670.0	5669.990240	-1.72	PASS	
					1	5670.0	5669.990240	-1.72	PASS	
					2	5670.0	5669.990240	-1.72	PASS	
		80M		42	0	5210.0	5209.996619	-0.65	PASS	
						1	5210.0	5209.996469	-0.68	PASS
						2	5210.0	5209.996419	-0.69	PASS
				58	0	5290.0	5290.009259	1.75	PASS	
					1	5290.0	5290.009259	1.75	PASS	
					2	5290.0	5290.009259	1.75	PASS	
			106	0	5530.0	5529.993744	-1.13	PASS		
				1	5530.0	5529.993744	-1.13	PASS		
				2	5530.0	5529.993744	-1.13	PASS		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



0°C/NV	160M	122	0	5610.0	5609.989740	-1.83	PASS
			1	5610.0	5609.989740	-1.83	PASS
			2	5610.0	5609.989740	-1.83	PASS
		50	0	5250.0	5249.991469	-1.63	PASS
			1	5250.0	5249.991206	-1.68	PASS
			2	5250.0	5249.990931	-1.73	PASS
		114	0	5570.0	5569.988238	-2.11	PASS
			1	5570.0	5569.987738	-2.2	PASS
			2	5570.0	5569.987738	-2.2	PASS
	20M	36	0	5180.0	5179.997247	-0.53	PASS
			1	5180.0	5179.997247	-0.53	PASS
			2	5180.0	5179.997247	-0.53	PASS
		40	0	5200.0	5199.996694	-0.64	PASS
			1	5200.0	5199.996856	-0.6	PASS
			2	5200.0	5199.996806	-0.61	PASS
		48	0	5240.0	5239.996244	-0.72	PASS
			1	5240.0	5239.996244	-0.72	PASS
			2	5240.0	5239.996256	-0.71	PASS
		52	0	5260.0	5259.997748	-0.43	PASS
			1	5260.0	5259.997748	-0.43	PASS
			2	5260.0	5259.998248	-0.33	PASS
		56	0	5280.0	5280.008258	1.56	PASS
			1	5280.0	5280.008258	1.56	PASS
			2	5280.0	5280.008759	1.66	PASS
		64	0	5320.0	5320.011261	2.12	PASS
			1	5320.0	5320.011261	2.12	PASS
			2	5320.0	5320.011261	2.12	PASS
100		0	5500.0	5499.995746	-0.77	PASS	
		1	5500.0	5499.995746	-0.77	PASS	
		2	5500.0	5499.995746	-0.77	PASS	
116		0	5580.0	5579.988238	-2.11	PASS	
		1	5580.0	5579.988739	-2.02	PASS	
		2	5580.0	5579.988739	-2.02	PASS	
140		0	5700.0	5699.990240	-1.71	PASS	
		1	5700.0	5699.990240	-1.71	PASS	
		2	5700.0	5699.990240	-1.71	PASS	
40M		38	0	5190.0	5189.996594	-0.66	PASS
			1	5190.0	5189.996606	-0.65	PASS
			2	5190.0	5189.996606	-0.65	PASS
		46	0	5230.0	5229.996094	-0.75	PASS
			1	5230.0	5229.996081	-0.75	PASS
			2	5230.0	5229.996106	-0.74	PASS
		54	0	5270.0	5270.006256	1.19	PASS
			1	5270.0	5270.006256	1.19	PASS
			2	5270.0	5270.006256	1.19	PASS
	62	0	5310.0	5310.010761	2.03	PASS	
		1	5310.0	5310.010761	2.03	PASS	
		2	5310.0	5310.010761	2.03	PASS	
	102	0	5510.0	5509.995746	-0.77	PASS	
		1	5510.0	5509.995746	-0.77	PASS	
		2	5510.0	5509.995746	-0.77	PASS	
	110	0	5550.0	5549.994244	-1.04	PASS	
		1	5550.0	5549.994244	-1.04	PASS	
		2	5550.0	5549.994244	-1.04	PASS	
134	0	5670.0	5669.990240	-1.72	PASS		
	1	5670.0	5669.990240	-1.72	PASS		
	2	5670.0	5669.990240	-1.72	PASS		
80M	42	0	5210.0	5209.996331	-0.7	PASS	
		1	5210.0	5209.996331	-0.7	PASS	
		2	5210.0	5209.996256	-0.72	PASS	
	58	0	5290.0	5290.009259	1.75	PASS	
		1	5290.0	5290.009760	1.84	PASS	
		2	5290.0	5290.009760	1.84	PASS	
	106	0	5530.0	5529.993744	-1.13	PASS	
		1	5530.0	5529.993744	-1.13	PASS	

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



10°C/NV	160M	122	2	5530.0	5529.993744	-1.13	PASS
			0	5610.0	5609.989740	-1.83	PASS
			1	5610.0	5609.989740	-1.83	PASS
		2	5610.0	5609.989740	-1.83	PASS	
		50	0	5250.0	5249.990831	-1.75	PASS
			1	5250.0	5249.990731	-1.77	PASS
	2		5250.0	5249.990694	-1.77	PASS	
	114	0	5570.0	5569.987237	-2.29	PASS	
		1	5570.0	5569.987237	-2.29	PASS	
		2	5570.0	5569.986737	-2.38	PASS	
	20M	36	0	5180.0	5179.997247	-0.53	PASS
			1	5180.0	5179.997247	-0.53	PASS
2			5180.0	5179.996747	-0.63	PASS	
40		0	5200.0	5199.996844	-0.61	PASS	
		1	5200.0	5199.996894	-0.6	PASS	
		2	5200.0	5199.996819	-0.61	PASS	
48		0	5240.0	5239.996306	-0.7	PASS	
		1	5240.0	5239.996256	-0.71	PASS	
		2	5240.0	5239.996344	-0.7	PASS	
52		0	5260.0	5259.998749	-0.24	PASS	
		1	5260.0	5259.999249	-0.14	PASS	
		2	5260.0	5259.999750	-0.05	PASS	
56		0	5280.0	5280.008759	1.66	PASS	
		1	5280.0	5280.008759	1.66	PASS	
		2	5280.0	5280.008759	1.66	PASS	
64		0	5320.0	5320.011261	2.12	PASS	
		1	5320.0	5320.010761	2.02	PASS	
		2	5320.0	5320.010761	2.02	PASS	
100		0	5500.0	5499.995746	-0.77	PASS	
		1	5500.0	5499.995746	-0.77	PASS	
		2	5500.0	5499.995746	-0.77	PASS	
116		0	5580.0	5579.988739	-2.02	PASS	
		1	5580.0	5579.988739	-2.02	PASS	
		2	5580.0	5579.988739	-2.02	PASS	
140		0	5700.0	5699.990240	-1.71	PASS	
		1	5700.0	5699.990240	-1.71	PASS	
		2	5700.0	5699.990240	-1.71	PASS	
40M		38	0	5190.0	5189.996556	-0.66	PASS
			1	5190.0	5189.996619	-0.65	PASS
			2	5190.0	5189.996569	-0.66	PASS
		46	0	5230.0	5229.996106	-0.74	PASS
			1	5230.0	5229.996156	-0.73	PASS
			2	5230.0	5229.996131	-0.74	PASS
		54	0	5270.0	5270.006256	1.19	PASS
			1	5270.0	5270.006757	1.28	PASS
			2	5270.0	5270.006757	1.28	PASS
	62	0	5310.0	5310.010761	2.03	PASS	
		1	5310.0	5310.010761	2.03	PASS	
		2	5310.0	5310.010761	2.03	PASS	
	102	0	5510.0	5509.995746	-0.77	PASS	
		1	5510.0	5509.995746	-0.77	PASS	
		2	5510.0	5509.995746	-0.77	PASS	
	110	0	5550.0	5549.994244	-1.04	PASS	
		1	5550.0	5549.994244	-1.04	PASS	
		2	5550.0	5549.994244	-1.04	PASS	
134	0	5670.0	5669.990240	-1.72	PASS		
	1	5670.0	5669.990240	-1.72	PASS		
	2	5670.0	5669.990240	-1.72	PASS		
80M	42	0	5210.0	5209.996131	-0.74	PASS	
		1	5210.0	5209.996156	-0.74	PASS	
		2	5210.0	5209.996056	-0.76	PASS	
	58	0	5290.0	5290.009760	1.84	PASS	
		1	5290.0	5290.009760	1.84	PASS	
		2	5290.0	5290.010260	1.94	PASS	
	106	0	5530.0	5529.993744	-1.13	PASS	

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		122	1	5530.0	5529.993744	-1.13	PASS
			2	5530.0	5529.993744	-1.13	PASS
			0	5610.0	5609.989740	-1.83	PASS
		50	1	5610.0	5609.989740	-1.83	PASS
			2	5610.0	5609.989740	-1.83	PASS
			0	5250.0	5249.990456	-1.82	PASS
	160M	50	1	5250.0	5249.990394	-1.83	PASS
			2	5250.0	5249.991556	-1.61	PASS
			0	5570.0	5569.986737	-2.38	PASS
		114	1	5570.0	5569.986737	-2.38	PASS
			2	5570.0	5569.986737	-2.38	PASS
			0	5180.0	5179.996747	-0.63	PASS
20°C/NV	20M	36	1	5180.0	5179.996747	-0.63	PASS
			2	5180.0	5179.996747	-0.63	PASS
			0	5200.0	5199.996819	-0.61	PASS
		40	1	5200.0	5199.996794	-0.62	PASS
			2	5200.0	5199.996681	-0.64	PASS
			0	5240.0	5239.996406	-0.69	PASS
		48	1	5240.0	5239.996394	-0.69	PASS
			2	5240.0	5239.996406	-0.69	PASS
			0	5260.0	5259.999750	-0.05	PASS
		52	1	5260.0	5260.000250	0.05	PASS
			2	5260.0	5260.000751	0.14	PASS
			0	5280.0	5280.008759	1.66	PASS
		56	1	5280.0	5280.008759	1.66	PASS
			2	5280.0	5280.009259	1.75	PASS
			0	5320.0	5320.010761	2.02	PASS
		64	1	5320.0	5320.010761	2.02	PASS
			2	5320.0	5319.995245	-0.89	PASS
			0	5500.0	5499.995746	-0.77	PASS
		100	1	5500.0	5499.995746	-0.77	PASS
			2	5500.0	5499.995746	-0.77	PASS
			0	5580.0	5579.988739	-2.02	PASS
		116	1	5580.0	5579.989239	-1.93	PASS
			2	5580.0	5579.989239	-1.93	PASS
			0	5700.0	5699.990240	-1.71	PASS
	140	1	5700.0	5699.990240	-1.71	PASS	
		2	5700.0	5699.990240	-1.71	PASS	
		0	5190.0	5189.996606	-0.65	PASS	
	40M	38	1	5190.0	5189.996656	-0.64	PASS
			2	5190.0	5189.996706	-0.63	PASS
			0	5230.0	5229.996156	-0.73	PASS
		46	1	5230.0	5229.996156	-0.73	PASS
			2	5230.0	5229.996144	-0.74	PASS
			0	5270.0	5270.006757	1.28	PASS
		54	1	5270.0	5270.006757	1.28	PASS
			2	5270.0	5270.007257	1.38	PASS
			0	5310.0	5310.010761	2.03	PASS
		62	1	5310.0	5310.010761	2.03	PASS
			2	5310.0	5310.010761	2.03	PASS
			0	5510.0	5509.995746	-0.77	PASS
		102	1	5510.0	5509.995746	-0.77	PASS
			2	5510.0	5509.996246	-0.68	PASS
			0	5550.0	5549.994244	-1.04	PASS
		110	1	5550.0	5549.994244	-1.04	PASS
			2	5550.0	5549.993744	-1.13	PASS
			0	5670.0	5669.990240	-1.72	PASS
		134	1	5670.0	5669.990240	-1.72	PASS
			2	5670.0	5669.990240	-1.72	PASS
			0	5210.0	5209.996056	-0.76	PASS
80M		42	1	5210.0	5209.996069	-0.75	PASS
			2	5210.0	5209.996106	-0.75	PASS
			0	5290.0	5290.010260	1.94	PASS
	58	1	5290.0	5290.010260	1.94	PASS	
		2	5290.0	5290.010260	1.94	PASS	

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

http://yz.cnca.cn



30°C/NV	160M	106	0	5530.0	5529.993744	-1.13	PASS
			1	5530.0	5529.993744	-1.13	PASS
			2	5530.0	5529.994244	-1.04	PASS
		122	0	5610.0	5609.989740	-1.83	PASS
			1	5610.0	5609.989740	-1.83	PASS
			2	5610.0	5609.990240	-1.74	PASS
		50	0	5250.0	5249.991106	-1.69	PASS
			1	5250.0	5249.991094	-1.7	PASS
			2	5250.0	5249.991094	-1.7	PASS
	114		0	5570.0	5569.986737	-2.38	PASS
			1	5570.0	5569.986737	-2.38	PASS
			2	5570.0	5569.986737	-2.38	PASS
	20M	36	0	5180.0	5179.996747	-0.63	PASS
			1	5180.0	5179.996747	-0.63	PASS
			2	5180.0	5179.996747	-0.63	PASS
		40	0	5200.0	5199.996681	-0.64	PASS
			1	5200.0	5199.996644	-0.65	PASS
			2	5200.0	5199.996569	-0.66	PASS
48		0	5240.0	5239.996394	-0.69	PASS	
		1	5240.0	5239.996406	-0.69	PASS	
		2	5240.0	5239.996431	-0.68	PASS	
52		0	5260.0	5260.000751	0.14	PASS	
		1	5260.0	5260.001251	0.24	PASS	
		2	5260.0	5260.001251	0.24	PASS	
56		0	5280.0	5280.009259	1.75	PASS	
		1	5280.0	5280.009259	1.75	PASS	
		2	5280.0	5280.009259	1.75	PASS	
64		0	5320.0	5319.995245	-0.89	PASS	
		1	5320.0	5319.995245	-0.89	PASS	
		2	5320.0	5319.995245	-0.89	PASS	
100		0	5500.0	5499.995746	-0.77	PASS	
		1	5500.0	5499.995746	-0.77	PASS	
		2	5500.0	5499.995746	-0.77	PASS	
116		0	5580.0	5579.989239	-1.93	PASS	
		1	5580.0	5579.989239	-1.93	PASS	
		2	5580.0	5579.989239	-1.93	PASS	
140		0	5700.0	5699.990240	-1.71	PASS	
		1	5700.0	5699.990240	-1.71	PASS	
		2	5700.0	5699.990240	-1.71	PASS	
40M		38	0	5190.0	5189.996706	-0.63	PASS
			1	5190.0	5189.996656	-0.64	PASS
			2	5190.0	5189.996669	-0.64	PASS
		46	0	5230.0	5229.996144	-0.74	PASS
			1	5230.0	5229.996119	-0.74	PASS
			2	5230.0	5229.996206	-0.73	PASS
		54	0	5270.0	5270.007257	1.38	PASS
			1	5270.0	5270.007257	1.38	PASS
			2	5270.0	5270.007257	1.38	PASS
		62	0	5310.0	5310.010761	2.03	PASS
			1	5310.0	5310.010761	2.03	PASS
			2	5310.0	5310.010761	2.03	PASS
		102	0	5510.0	5509.996246	-0.68	PASS
			1	5510.0	5509.996246	-0.68	PASS
			2	5510.0	5509.995746	-0.77	PASS
		110	0	5550.0	5549.994244	-1.04	PASS
			1	5550.0	5549.994244	-1.04	PASS
			2	5550.0	5549.994244	-1.04	PASS
134		0	5670.0	5669.990240	-1.72	PASS	
		1	5670.0	5669.990240	-1.72	PASS	
		2	5670.0	5669.990240	-1.72	PASS	
80M	42	0	5210.0	5209.996106	-0.75	PASS	
		1	5210.0	5209.996069	-0.75	PASS	
		2	5210.0	5209.996106	-0.75	PASS	
	58	0	5290.0	5290.010260	1.94	PASS	
		1	5290.0	5290.010260	1.94	PASS	
		2	5290.0	5290.010260	1.94	PASS	

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		106	2	5290.0	5290.010260	1.94	PASS
			0	5530.0	5529.993744	-1.13	PASS
			1	5530.0	5529.994244	-1.04	PASS
		122	2	5530.0	5529.994244	-1.04	PASS
			0	5610.0	5609.990240	-1.74	PASS
			1	5610.0	5609.990240	-1.74	PASS
	160M	50	2	5610.0	5609.990240	-1.74	PASS
			0	5250.0	5249.991094	-1.7	PASS
			1	5250.0	5249.991156	-1.68	PASS
		114	2	5250.0	5249.991106	-1.69	PASS
			0	5570.0	5569.986737	-2.38	PASS
			1	5570.0	5569.986737	-2.38	PASS
40°C/NV	20M	36	2	5570.0	5569.986737	-2.38	PASS
			0	5180.0	5179.996747	-0.63	PASS
			1	5180.0	5179.996747	-0.63	PASS
		40	2	5180.0	5179.996747	-0.63	PASS
			0	5200.0	5199.996594	-0.66	PASS
			1	5200.0	5199.996619	-0.65	PASS
		48	2	5200.0	5199.996569	-0.66	PASS
			0	5240.0	5239.996369	-0.69	PASS
			1	5240.0	5239.996344	-0.7	PASS
		52	2	5240.0	5239.996331	-0.7	PASS
			0	5260.0	5260.001752	0.33	PASS
			1	5260.0	5260.001752	0.33	PASS
		56	2	5260.0	5260.002252	0.43	PASS
			0	5280.0	5280.009259	1.75	PASS
			1	5280.0	5280.009259	1.75	PASS
		64	2	5280.0	5280.009259	1.75	PASS
			0	5320.0	5319.995245	-0.89	PASS
			1	5320.0	5319.995245	-0.89	PASS
	100	2	5320.0	5319.989740	-1.93	PASS	
		0	5500.0	5499.995746	-0.77	PASS	
		1	5500.0	5499.995746	-0.77	PASS	
	116	2	5500.0	5499.995746	-0.77	PASS	
		0	5580.0	5579.989239	-1.93	PASS	
		1	5580.0	5579.989239	-1.93	PASS	
	140	2	5580.0	5579.989239	-1.93	PASS	
		0	5700.0	5699.990240	-1.71	PASS	
		1	5700.0	5699.990240	-1.71	PASS	
	40M	38	2	5700.0	5699.990240	-1.71	PASS
			0	5190.0	5189.996619	-0.65	PASS
			1	5190.0	5189.996619	-0.65	PASS
		46	2	5190.0	5189.996694	-0.64	PASS
			0	5230.0	5229.996206	-0.73	PASS
			1	5230.0	5229.996194	-0.73	PASS
		54	2	5230.0	5229.996194	-0.73	PASS
			0	5270.0	5270.007758	1.47	PASS
			1	5270.0	5270.007758	1.47	PASS
62		2	5270.0	5270.007758	1.47	PASS	
		0	5310.0	5310.010761	2.03	PASS	
		1	5310.0	5310.010761	2.03	PASS	
102		2	5310.0	5310.010761	2.03	PASS	
		0	5510.0	5509.996246	-0.68	PASS	
		1	5510.0	5509.996246	-0.68	PASS	
110		2	5510.0	5509.996246	-0.68	PASS	
		0	5550.0	5549.994244	-1.04	PASS	
		1	5550.0	5549.994244	-1.04	PASS	
134	2	5550.0	5549.994244	-1.04	PASS		
	0	5670.0	5669.990240	-1.72	PASS		
	1	5670.0	5669.990240	-1.72	PASS		
80M	42	2	5670.0	5669.990240	-1.72	PASS	
		0	5210.0	5209.996119	-0.74	PASS	
		1	5210.0	5209.996181	-0.73	PASS	
58	2	5210.0	5209.996144	-0.74	PASS		
	0	5290.0	5290.010260	1.94	PASS		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		106	1	5290.0	5290.010260	1.94	PASS	
			2	5290.0	5290.010761	2.03	PASS	
			0	5530.0	5529.994244	-1.04	PASS	
		122	50	1	5530.0	5529.994244	-1.04	PASS
				2	5530.0	5529.994244	-1.04	PASS
				0	5610.0	5609.990240	-1.74	PASS
			114	1	5610.0	5609.990240	-1.74	PASS
				2	5610.0	5609.990240	-1.74	PASS
				0	5250.0	5249.991106	-1.69	PASS
		160M	50	1	5250.0	5249.991094	-1.7	PASS
				2	5250.0	5249.988981	-2.1	PASS
				0	5570.0	5569.986737	-2.38	PASS
			114	1	5570.0	5569.987237	-2.29	PASS
				2	5570.0	5569.987237	-2.29	PASS
				0	5180.0	5179.996747	-0.63	PASS
45°C/NV	20M	36	1	5180.0	5179.996747	-0.63	PASS	
			2	5180.0	5179.996747	-0.63	PASS	
			0	5200.0	5199.996544	-0.66	PASS	
		40	1	5200.0	5199.996544	-0.66	PASS	
			2	5200.0	5199.996506	-0.67	PASS	
			0	5240.0	5239.996319	-0.7	PASS	
		48	1	5240.0	5239.996231	-0.72	PASS	
			2	5240.0	5239.996231	-0.72	PASS	
			0	5260.0	5260.002252	0.43	PASS	
		52	1	5260.0	5260.002753	0.52	PASS	
			2	5260.0	5260.003253	0.62	PASS	
			0	5280.0	5280.009259	1.75	PASS	
		56	1	5280.0	5280.009259	1.75	PASS	
			2	5280.0	5280.009259	1.75	PASS	
			0	5320.0	5319.989740	-1.93	PASS	
		64	1	5320.0	5319.989740	-1.93	PASS	
			2	5320.0	5320.002252	0.42	PASS	
			0	5500.0	5499.995746	-0.77	PASS	
		100	1	5500.0	5499.995746	-0.77	PASS	
			2	5500.0	5499.995746	-0.77	PASS	
			0	5580.0	5579.989740	-1.84	PASS	
		116	1	5580.0	5579.989740	-1.84	PASS	
			2	5580.0	5579.989740	-1.84	PASS	
			0	5700.0	5699.990240	-1.71	PASS	
		140	1	5700.0	5699.990240	-1.71	PASS	
			2	5700.0	5699.990240	-1.71	PASS	
			0	5190.0	5189.996656	-0.64	PASS	
		40M	38	1	5190.0	5189.996669	-0.64	PASS
				2	5190.0	5189.996669	-0.64	PASS
				0	5230.0	5229.996156	-0.73	PASS
			46	1	5230.0	5229.996169	-0.73	PASS
				2	5230.0	5229.996094	-0.75	PASS
				0	5270.0	5270.007758	1.47	PASS
			54	1	5270.0	5270.007758	1.47	PASS
				2	5270.0	5270.007758	1.47	PASS
				0	5310.0	5310.010761	2.03	PASS
			62	1	5310.0	5310.010761	2.03	PASS
				2	5310.0	5310.010761	2.03	PASS
				0	5510.0	5509.996246	-0.68	PASS
			102	1	5510.0	5509.990240	-1.77	PASS
				2	5510.0	5509.991241	-1.59	PASS
				0	5550.0	5549.994244	-1.04	PASS
			110	1	5550.0	5549.994244	-1.04	PASS
				2	5550.0	5549.994244	-1.04	PASS
				0	5670.0	5669.990240	-1.72	PASS
134	1		5670.0	5669.990240	-1.72	PASS		
	2		5670.0	5669.990240	-1.72	PASS		
	0		5210.0	5209.996119	-0.74	PASS		
80M	42	1	5210.0	5209.996081	-0.75	PASS		
		2	5210.0	5209.996106	-0.75	PASS		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		58	0	5290.0	5290.010761	2.03	PASS
			1	5290.0	5290.010761	2.03	
			2	5290.0	5290.010761	2.03	
		106	0	5530.0	5529.993744	-1.13	
			1	5530.0	5529.994244	-1.04	
			2	5530.0	5529.994244	-1.04	
		122	0	5610.0	5609.990240	-1.74	
			1	5610.0	5609.990240	-1.74	
			2	5610.0	5609.990240	-1.74	
	160M	50	0	5250.0	5249.987968	-2.29	
			1	5250.0	5249.987618	-2.36	
			2	5250.0	5249.987306	-2.42	
		114	0	5570.0	5569.987237	-2.29	
			1	5570.0	5569.987237	-2.29	
			2	5570.0	5569.987237	-2.29	

Condition	Mode	Ch.	Antenna	Center Frequency (MHz)	Calculated Value of Center Frequency(MHz)	Result (ppm)	Limit (ppm)	State		
NT/NV	20M	149	0	5745.0	5744.990240	-1.7	Within authorized band	PASS		
			1	5745.0	5744.990240	-1.7		PASS		
			2	5745.0	5744.990240	-1.7		PASS		
		157	0	5785.0	5784.990240	-1.69		PASS		
			1	5785.0	5784.990240	-1.69		PASS		
			2	5785.0	5784.990240	-1.69		PASS		
		165	0	5825.0	5824.990240	-1.68		PASS		
			1	5825.0	5824.994745	-0.9		PASS		
			2	5825.0	5824.996246	-0.64		PASS		
		40M	151	0	5755.0	5754.990240		-1.7	PASS	
				1	5755.0	5754.990240		-1.7	PASS	
				2	5755.0	5754.990240		-1.7	PASS	
	159		0	5795.0	5794.990240	-1.68		PASS		
			1	5795.0	5794.990240	-1.68		PASS		
			2	5795.0	5794.990240	-1.68		PASS		
	80M	155	0	5775.0	5774.990240	-1.69		PASS		
			1	5775.0	5774.990240	-1.69		PASS		
			2	5775.0	5774.990240	-1.69		PASS		
	LT/NV	20M	149	0	5745.0	5744.990240		-1.7	Within authorized band	PASS
				1	5745.0	5744.990240		-1.7		PASS
				2	5745.0	5744.990240		-1.7		PASS
			157	0	5785.0	5784.990240		-1.69		PASS
				1	5785.0	5784.990240		-1.69		PASS
				2	5785.0	5784.990240		-1.69		PASS
165			0	5825.0	5824.997247	-0.47	PASS			
			1	5825.0	5824.997748	-0.39	PASS			
			2	5825.0	5824.997748	-0.39	PASS			
40M			151	0	5755.0	5754.990240	-1.7	PASS		
				1	5755.0	5754.990240	-1.7	PASS		
				2	5755.0	5754.990240	-1.7	PASS		
		159	0	5795.0	5794.990240	-1.68	PASS			
			1	5795.0	5794.990240	-1.68	PASS			
			2	5795.0	5794.990741	-1.6	PASS			
80M		155	0	5775.0	5774.990240	-1.69	PASS			
			1	5775.0	5774.990240	-1.69	PASS			
			2	5775.0	5774.990240	-1.69	PASS			
HT/NV		20M	149	0	5745.0	5744.990240	-1.7	Within authorized band		PASS
				1	5745.0	5744.990240	-1.7			PASS
				2	5745.0	5744.990240	-1.7			PASS
			157	0	5785.0	5784.990240	-1.69			PASS
				1	5785.0	5784.990240	-1.69			PASS
				2	5785.0	5784.990240	-1.69			PASS
	165		0	5825.0	5824.998248	-0.3	PASS			
			1	5825.0	5824.998749	-0.21	PASS			
			2	5825.0	5824.999249	-0.13	PASS			

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



0°C/NV	40M	151	0	5755.0	5754.990240	-1.7	PASS	
			1	5755.0	5754.990240	-1.7	PASS	
			2	5755.0	5754.990240	-1.7	PASS	
		159	0	5795.0	5794.990741	-1.6	PASS	
			1	5795.0	5794.990240	-1.68	PASS	
			2	5795.0	5794.990240	-1.68	PASS	
	80M	155	0	5775.0	5774.990240	-1.69	PASS	
			1	5775.0	5774.990240	-1.69	PASS	
			2	5775.0	5774.990240	-1.69	PASS	
10°C/NV	20M	149	0	5745.0	5744.990240	-1.7	PASS	
			1	5745.0	5744.990240	-1.7	PASS	
			2	5745.0	5744.990240	-1.7	PASS	
		157	0	5785.0	5784.990240	-1.69	PASS	
			1	5785.0	5784.990240	-1.69	PASS	
			2	5785.0	5784.990240	-1.69	PASS	
		165	0	5825.0	5824.999249	-0.13	PASS	
			1	5825.0	5824.999750	-0.04	PASS	
			2	5825.0	5824.999750	-0.04	PASS	
	40M	151	0	5755.0	5754.990240	-1.7	PASS	
			1	5755.0	5754.990240	-1.7	PASS	
			2	5755.0	5754.990240	-1.7	PASS	
			159	0	5795.0	5794.990240	-1.68	PASS
				1	5795.0	5794.990240	-1.68	PASS
				2	5795.0	5794.990240	-1.68	PASS
		80M	155	0	5775.0	5774.990240	-1.69	PASS
				1	5775.0	5774.990240	-1.69	PASS
				2	5775.0	5774.990240	-1.69	PASS
20°C/NV	20M	149	0	5745.0	5744.990240	-1.7	PASS	
			1	5745.0	5744.990240	-1.7	PASS	
			2	5745.0	5744.990240	-1.7	PASS	
		157	0	5785.0	5784.990240	-1.69	PASS	
			1	5785.0	5784.990240	-1.69	PASS	
			2	5785.0	5784.990240	-1.69	PASS	
		165	0	5825.0	5825.000250	0.04	PASS	
			1	5825.0	5825.000250	0.04	PASS	
			2	5825.0	5825.000250	0.04	PASS	
	40M	151	0	5755.0	5754.990240	-1.7	PASS	
			1	5755.0	5754.990240	-1.7	PASS	
			2	5755.0	5754.990240	-1.7	PASS	
			159	0	5795.0	5794.990741	-1.6	PASS
				1	5795.0	5794.990240	-1.68	PASS
				2	5795.0	5794.990741	-1.6	PASS
		80M	155	0	5775.0	5774.990240	-1.69	PASS
				1	5775.0	5774.990240	-1.69	PASS
				2	5775.0	5774.990240	-1.69	PASS
30°C/NV	20M	149	0	5745.0	5744.990240	-1.7	PASS	
			1	5745.0	5744.990240	-1.7	PASS	
			2	5745.0	5744.990240	-1.7	PASS	
		157	0	5785.0	5784.990240	-1.69	PASS	
			1	5785.0	5784.990240	-1.69	PASS	
			2	5785.0	5784.990240	-1.69	PASS	
		165	0	5825.0	5825.000751	0.13	PASS	
			1	5825.0	5825.000751	0.13	PASS	
			2	5825.0	5825.000751	0.13	PASS	
	40M	151	0	5755.0	5754.990240	-1.7	PASS	
			1	5755.0	5754.990240	-1.7	PASS	
			2	5755.0	5754.990240	-1.7	PASS	
			159	0	5795.0	5794.990741	-1.6	PASS
				1	5795.0	5794.990741	-1.6	PASS
				2	5795.0	5794.990741	-1.6	PASS
		80M	155	0	5775.0	5774.990240	-1.69	PASS
				1	5775.0	5774.990240	-1.69	PASS
				2	5775.0	5774.990240	-1.69	PASS
20M	149	0	5745.0	5744.990240	-1.7	PASS		
		1	5745.0	5744.990240	-1.7	PASS		
		2	5745.0	5744.990240	-1.7	PASS		

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



		157	2	5745.0	5744.990240	-1.7	PASS	
			0	5785.0	5784.990240	-1.69	PASS	
			1	5785.0	5784.990240	-1.69	PASS	
		165	2	5785.0	5784.990240	-1.69	PASS	
			0	5825.0	5825.000751	0.13	PASS	
			1	5825.0	5825.001251	0.21	PASS	
	40M	151	2	5825.0	5825.001251	0.21	PASS	
			0	5755.0	5754.990240	-1.7	PASS	
			1	5755.0	5754.990240	-1.7	PASS	
		159	2	5755.0	5754.990240	-1.7	PASS	
			0	5795.0	5794.990741	-1.6	PASS	
			1	5795.0	5794.990741	-1.6	PASS	
	80M	155	2	5795.0	5794.990240	-1.68	PASS	
			0	5775.0	5774.990240	-1.69	PASS	
			1	5775.0	5774.990240	-1.69	PASS	
2		5775.0	5774.990741	-1.6	PASS			
40°C/NV		20M	149	0	5745.0	5744.990240	-1.7	PASS
				1	5745.0	5744.990240	-1.7	PASS
	2			5745.0	5744.990240	-1.7	PASS	
	157		0	5785.0	5784.990240	-1.69	PASS	
			1	5785.0	5784.990240	-1.69	PASS	
			2	5785.0	5784.990240	-1.69	PASS	
	40M	165	2	5785.0	5784.990240	-1.69	PASS	
			0	5825.0	5825.001251	0.21	PASS	
			1	5825.0	5825.001251	0.21	PASS	
		151	2	5825.0	5825.001251	0.21	PASS	
			0	5755.0	5754.990240	-1.7	PASS	
			1	5755.0	5754.990240	-1.7	PASS	
	80M	159	2	5755.0	5754.990741	-1.61	PASS	
			0	5795.0	5794.990741	-1.6	PASS	
			1	5795.0	5794.990741	-1.6	PASS	
155		2	5795.0	5794.990741	-1.6	PASS		
		0	5775.0	5774.990240	-1.69	PASS		
		1	5775.0	5774.990240	-1.69	PASS		
45°C/NV	20M	149	2	5775.0	5774.990240	-1.69	PASS	
			0	5745.0	5744.990240	-1.7	PASS	
			1	5745.0	5744.990240	-1.7	PASS	
		157	2	5745.0	5744.990240	-1.7	PASS	
			0	5785.0	5784.990240	-1.69	PASS	
			1	5785.0	5784.990741	-1.6	PASS	
	40M	165	2	5785.0	5784.990240	-1.69	PASS	
			0	5825.0	5825.001251	0.21	PASS	
			1	5825.0	5825.001752	0.3	PASS	
		151	2	5825.0	5825.001752	0.3	PASS	
			0	5755.0	5754.990741	-1.61	PASS	
			1	5755.0	5754.990741	-1.61	PASS	
	80M	159	2	5755.0	5754.990741	-1.61	PASS	
			0	5795.0	5794.990741	-1.6	PASS	
			1	5795.0	5794.990741	-1.6	PASS	
155		2	5795.0	5794.990741	-1.6	PASS		
		0	5775.0	5774.990240	-1.69	PASS		
		1	5775.0	5774.990240	-1.69	PASS		
2	5775.0	5774.990741	-1.6	PASS				

CTC Laboratories, Inc.

2/F., Building 1 and 1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



中国国家认证认可监督管理委员会

Certification and Accreditation Administration of the People's Republic of China

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China :

<http://yz.cnca.cn>



3.8. Antenna Requirement

Requirement

FCC CFR Title 47 Part 15 Subpart C Section 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Test Result

The directional gain of the antenna is less than 6dBi, please refer to the EUT internal photographs antenna photo.