



Brand / Model : BM-396
Remark : QPBWLD00202200AR
Tested by : AARON
EUT description :

Location: **RF Chamber3**


Date: **2006/7/4**

Time: **17:28:15**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz) : **2450.00**

Antenna Polarity : **Horizontal**

Average Value (dB) : **-4.95**

Maximum Value (dB) : **-1.36**

Maximum Value (degree) : **272**

Minimum Value (dB) : **-23.58**

Minimum Value (degree) : **197**



Brand / Model : BM-396
Remark : QPBWLD00202200AR
Tested by : AARON
EUT description :

Location: **RF Chamber3**


Date: **2006/7/4**

Time: **17:26:19**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz) : **2480.00**

Antenna Polarity : **Horizontal**

Average Value (dB) : **-4.52**

Maximum Value (dB) : **-0.29**

Maximum Value (degree) : **89**

Minimum Value (dB) : **-21.22**

Minimum Value (degree) : **201**



Brand / Model : BM-396
Remark : QPBWLD00202200AR
Tested by : AARON
EUT description :

Location: **RF Chamber3**


Date: **2006/7/4**

Time: **17:23:39**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz) : **2480.00**

Antenna Polarity : **Vertical**

Average Value (dB) : **-12.18**

Maximum Value (dB) : **-9.44**

Maximum Value (degree) : **140**

Minimum Value (dB) : **-19.85**

Minimum Value (degree) : **0**



Hwa Ya Lab : No.19, Hwa Ya 2nd RD, Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (886) 318-3232 Fax (886) 318-5050

Tayuan Lab : 13-1 Lane 19, Wei-San 3rd St, Kwei-San, Taoyuan, Taiwan, R.O.C.

Tel (886) 327-0910 Fax (886) 327-0892

Hsichih Lab: 81-1 Lillbacking, 9th Ln, Wuling Tzuen, Chungli, Hsichih, Taiwan, R.O.C.

Tel (886) 593-5343 Fax (886) 593-5342

Brand / Model : BM-396
Remark : QPBWLD00202200AR
Tested by : AARON
EUT description :

Location: **RF Chamber3**


Date: **2006/7/4**

Time: **17:21:44**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz) : **2450.00**

Antenna Polarity : **Vertical**

Average Value (dB) : **-11.20**

Maximum Value (dB) : **-8.24**

Maximum Value (degree) : **29**

Minimum Value (dB) : **-17.59**

Minimum Value (degree) : **234**



Brand / Model : BM-396
Remark : QPBWLD00202200AR
Tested by : AARON
EUT description :

Location: **RF Chamber3**


Date: **2006/7/4**

Time: **17:18:43**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz) : **2400.00**

Antenna Polarity : **Vertical**

Average Value (dB) : **-11.79**

Maximum Value (dB) : **-10.22**

Maximum Value (degree) : **98**

Minimum Value (dB) : **-15.73**

Minimum Value (degree) : **183**



Brand / Model : BM-396
Remark : QPBWLD00202200AR
Tested by : AARON
EUT description :

Location: **RF Chamber3**


Date: **2006/7/4**

Time: **17:30:05**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz) : **2400.00**

Antenna Polarity : **Horizontal**

Average Value (dB) : **-4.87**

Maximum Value (dB) : **1.23**

Maximum Value (degree) : **99**

Minimum Value (dB) : **-21.68**

Minimum Value (degree) : **200**