

Report No.: TW2411221E

Applicant: Shenzhen SQT Electronics Co., Ltd

Product: Wireless keyboard

Model No.: SK-623AG, SMK-623387AG, Sweet, SMK-625387AG,

SMK-640M2AG, SMK-648M3AG, SMK-691M8AG, SMK-693M2AG, SMK-627387AG, SMK-649387AG,

SMK-648387AG, SMK-693387AG, SK-625AG, SK-627AG, SK-648AG, SK-649AG, SK-693AG, SK-640AG, SK-642AG,

SK-691AG, SK-692AG

Trademark: N/A

Test Standards: FCC Part 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10 & FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Terry Tong

Terry Tang

Manager

Dated: November 26, 2024


Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail: info@timeway-lab.com



Report No.: TW2411221E Page 2 of 57

Date: 2024-11-26



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number: 5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

Report No.: TW2411221E

Date: 2024-11-26



Test Report Conclusion

Content

| 1.0 | General Details | 4 |
|------|-------------------------------------|----|
| 1.1 | Test Lab Details. | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample | 4 |
| 1.5 | Test Duration. | 5 |
| 1.6 | Test Uncertainty. | 5 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment. | 6 |
| 3.0 | Technical Details | 7 |
| 3.1 | Summary of Test Results | 7 |
| 3.2 | Test Standards | 7 |
| 4.0 | EUT Modification. | 7 |
| 5.0 | Power Line Conducted Emission Test. | 8 |
| 5.1 | Schematics of the Test | 8 |
| 5.2 | Test Method and Test Procedure. | 8 |
| 5.3 | Configuration of the EUT | 8 |
| 5.4 | EUT Operating Condition. | 9 |
| 5.5 | Conducted Emission Limit. | 9 |
| 5.6 | Test Result. | 9 |
| 6.0 | Radiated Emission test. | 10 |
| 6.1 | Test Method and Test Procedure. | 10 |
| 6.2 | Configuration of the EUT | 11 |
| 6.3 | EUT Operation Condition. | 11 |
| 6.4 | Radiated Emission Limit | 12 |
| 6.5 | Test Result. | 13 |
| 7.0 | Band Edge. | 21 |
| 7.1 | Test Method and Test Procedure. | 21 |
| 7.2 | Radiated Test Setup. | 21 |
| 7.3 | Configuration of the EUT | 21 |
| 7.4 | EUT Operating Condition. | 21 |
| 7.5 | Band Edge Limit. | 21 |
| 7.6 | Band Edge Test Result. | 22 |
| 8.0 | Antenna Requirement. | 26 |
| 9.0 | 20dB bandwidth measurement. | 27 |
| 10.0 | FCC ID Label | 30 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Report No.: TW2411221E Page 4 of 57

Date: 2024-11-26



11.0 Photo of Test Setup and EUT View. 3

1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 744189 For 3m Anechoic Chamber

1.2 Applicant Details

Applicant: Shenzhen SQT Electronics Co., Ltd

Address: ZhengChengFeng Technology Zone Xinsha Road, ShaYi Village, Sha jing Town, Baoan

Area, Shenzhen, China

1.3 Description of EUT

Product: Wireless keyboard

Manufacturer: Shenzhen SQT Electronics Co., Ltd

Address: ZhengChengFeng Technology Zone Xinsha Road, ShaYi Village, Sha jing

Town, Baoan Area, Shenzhen, China

Trademark: N/A

Model Number: SK-623AG

Additional Model Name SMK-623387AG, Sweet, SMK-625387AG, SMK-640M2AG,

SMK-648M3AG, SMK-691M8AG, SMK-693M2AG, SMK-627387AG,

SMK-649387AG, SMK-648387AG, SMK-693387AG, SK-625AG,

SK-627AG, SK-648AG, SK-649AG, SK-693AG, SK-640AG, SK-642AG,

SK-691AG, SK-692AG

Rating: DC1.5V, 10mA

Battery 1pc 1.5V AA battery

Modulation Type: GFSK

Operation Frequency: 2408-2474MHz

Channel Number: 34
Channel Separation: 2MHz
Hardware Version: VER:01

Software Version: Checksum: A6D4

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2411221E Page 5 of 57

Date: 2024-11-26



Serial No.: SMK623387G240900294

Antenna Designation PCB antenna with gain -0.61dBi Max (Get from the antenna specification)

1.4 Submitted Sample: 3 Samples

1.5 Test Duration

2024-11-22 to 2024-11-26

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty = 5%

Conducted Emissions Uncertainty =3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Report No.: TW2411221E

Date: 2024-11-26



| 2.0 Test Equipment | | | | | | | | |
|--------------------|--------------|------------------|--------------|--------------|------------|--|--|--|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date | | | |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2024-07-12 | 2025-07-11 | | | |
| LISN | LISN R&S EZ | | 100294 | 2024-07-12 | 2025-07-11 | | | |
| LISN | R&S | EZH3-Z5 | 100253 | 2024-07-12 | 2025-07-11 | | | |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2024-07-12 | 2025-07-11 | | | |
| Loop Antenna | EMCO | 6507 | 00078608 | 2022-07-18 | 2025-07-17 | | | |
| Spectrum | R&S | FSIQ26 | 100292 | 2024-07-12 | 2025-07-11 | | | |
| Horn Antenna | A-INFO | LB-180400-KF | J211060660 | 2022-07-18 | 2025-07-17 | | | |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2022-07-18 | 2025-07-17 | | | |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2024-07-12 | 2025-07-11 | | | |
| Power sensor | Anritsu | MA2491A | 32263 | 2024-07-12 | 2025-07-11 | | | |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2022-07-18 | 2025-07-17 | | | |
| 9*6*6 Anechoic | | | N/A | 2022-07-26 | 2025-07-25 | | | |
| EMI Test Receiver | RS | ESVB | 826156/011 | 2024-07-12 | 2025-07-11 | | | |
| EMI Test Receiver | RS | ESCS 30 | 834115/006 | 2024-07-12 | 2025-07-11 | | | |
| Spectrum | HP/Agilent | E4407B | MY50441392 | 2024-07-12 | 2025-07-11 | | | |
| Spectrum | RS | FSP | 1164.4391.38 | 2024-07-12 | 2025-07-11 | | | |
| RF Cable | Zhengdi | ZT26-NJ-NJ-8M/FA | | 2024-07-12 | 2025-07-11 | | | |
| RF Cable | Zhengdi | 7m | | 2024-07-12 | 2025-07-11 | | | |
| Pre-Amplifier | Schwarebeck | BBV9743 | #218 | 2024-07-12 | 2025-07-11 | | | |
| Pre-Amplifier | HP/Agilent | 8449B | 3008A00160 | 2024-07-12 | 2025-07-11 | | | |
| LISN | SCHAFFNER | NNB42 | 00012 | 2024-07-12 | 2025-07-11 | | | |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2024-07-12 | 2025-07-11 | | | |
| LISN | R&S | EZH3-Z5 | 100294 | 2024-07-12 | 2025-07-11 | | | |

2.2 Automation Test Software

For Conducted Emission Test

| Name | Version |
|--------|-------------------|
| EZ-EMC | Ver.EMC-CON 3A1.1 |

For Radiated Emissions

| Name | Version |
|---|---------|
| EMI Test Software BL410-EV18.91 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2411221E Page 7 of 57

Date: 2024-11-26



3.0 Technical Details

3.1 Summary of test results

The EUT has been tested according to the following specifications:

| Standard | Test Type | Result | Notes |
|---|-------------------------------------|--------|----------|
| FCC Part 15, Paragraph 15.203 | Antenna Requirement | Pass | Complies |
| FCC Part 15, Paragraph 15.207 | Conducted Emission Test | N/A | N/A |
| FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit | Field Strength of Fundamental | Pass | Complies |
| FCC Part 15, Paragraph 15.209 | Radiated Emission Test | Pass | Complies |
| FCC Part 15 Subpart C Paragraph 15.249(d) Limit | Band Edge Test | Pass | Complies |

3.2 Test Standards

FCC Part 15 Subpart C, Paragraph 15.249, ANSI C63.4:2014 and ANSI C63.10:2013

4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES


Report No.: TW2411221E

Date: 2024-11-26



5. Power Line Conducted Emission Test

5.1 Schematics of the test




EUT: Equipment Under Test

5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2014. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4-2014.

Test Voltage: N/A

Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.4-2014. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

34 channels are provided to the EUT

A. EUT

| Device | Manufacturer | Model | FCC ID |
|-------------------|--------------------------|------------------------------|-------------|
| Wireless keyboard | Shenzhen SQT Electronics | SK-623AG (see the page 4 for | WOX-SK623AG |
| | Co., Ltd | additional models) | WUA-3K023AU |

The report refers only to the sample tested and does not apply to the bulk.

Page 9 of 57

Report No.: TW2411221E

Date: 2024-11-26



B. Internal Device

| Device | Manufacturer | Model | FCC ID/DOC |
|--------|--------------|-------|------------|
| N/A | | | |

C. Peripherals

| Device | Manufacturer | Model | Rating |
|--------|--------------|-------|--------|
| N/A | | | |

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2014

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency | Limits (dB μ V) | | | | |
|------------------|---------------------|--------------|--|--|--|
| (MHz) | Quasi-peak Level | Ave ag Level | | | |
| 0.15 ~ 0.50 | 66.0~56.0* | 56.0~46.0* | | | |
| $0.50 \sim 5.00$ | 56.0 | 46.0 | | | |
| 5.00 ~ 30.00 | 60.0 | 50.0 | | | |

Notes:

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

5.6 Test Results:

N/A

Note: EUT powered by AA battery, this test item not applicable.

Page 10 of 57

Report No.: TW2411221E

Date: 2024-11-26




6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz (Note: for Fundamental frequency radiated emission measurement, RBW=3MHz, VBW=10MHz). Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




For radiated emissions from 30MHz to1GHz


Report No.: TW2411221E

Date: 2024-11-26





For radiated emissions above 1GHz



- 6.2 Configuration of The EUT
 Same as section 5.3 of this report
- 6.3 EUT Operating Condition

 Same as section 5.4 of this report.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2411221E Page 12 of 57

Date: 2024-11-26



6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

| Ī | Fundamental Frequency | Field Stre | ength of Fundame | ntal (3m) | Field S | trength of Harmo | onics (3m) |
|---|-----------------------|------------|------------------|------------|---------|------------------|------------|
| | (MHz) | mV/m | dBu | uV/m | dBu | V/m | |
| | 2400-2483.5 | 50 | 94 (Average) | 114 (Peak) | 500 | 54 (Average) | 74 (Peak) |

Note:

- 1. RF Field Strength $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
|-----------------------|--------------|-----------------------------------|
| 0.009-0.490 | 3 | 20log(2400/F(kHz)) +40log (300/3) |
| 0.490-1.705 | 3 | 20log(24000/F(kHz)) +40log (30/3) |
| 1.705-30 | 3 | 69.5 |
| 30-80 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note:

- 1. RF Voltage $(dBuV) = 20 \log RF Voltage (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.
- 6. New battery was used during tests.

Report No.: TW2411221E Page 13 of 57

Date: 2024-11-26




6.5 Test result

A Fundamental & Harmonics Radiated Emission Data

Please refer to the following test plots for details: Low Channel-2408MHz

Horizontal




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|-------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2408 | 78.54 | -3.57 | 114.0 | -35.46 | Peak | 88.00 | 100 | Horizontal | Pass |
| 2 | 4815.546 | 52.64 | 3.14 | 74.0 | -21.36 | Peak | 39.00 | 100 | Horizontal | Pass |

Report No.: TW2411221E Page 14 of 57

Date: 2024-11-26



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2408 | 71.16 | -3.57 | 114.0 | -42.84 | Peak | 9.00 | 100 | Vertical | Pass |
| 2 | 4815.546 | 46.91 | 3.14 | 74.0 | -27.09 | Peak | 290.00 | 100 | Vertical | Pass |


Report No.: TW2411221E Page 15 of 57

Date: 2024-11-26



Please refer to the following test plots for details: Middle Channel-2440MHz

Horizontal




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2440 | 79.52 | -3.57 | 114.0 | -34.48 | Peak | 97.00 | 100 | Horizontal | Pass |
| 2 | 4879.280 | 49.48 | 3.20 | 74.0 | -24.52 | Peak | 349.00 | 100 | Horizontal | Pass |

Report No.: TW2411221E Page 16 of 57

Date: 2024-11-26



Vertical



| | No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|---|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| ſ | 1 | 2440 | 72.92 | -3.57 | 114.0 | -41.08 | Peak | 350.00 | 100 | Vertical | Pass |


Report No.: TW2411221E Page 17 of 57

Date: 2024-11-26



Please refer to the following test plots for details: High Channel-2474MHz

Horizontal



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2474 | 79.18 | -3.57 | 114.0 | -34.82 | Peak | 251.00 | 100 | Horizontal | Pass |
| 2 | 4947.263 | 52.40 | 3.33 | 74.0 | -21.60 | Peak | 296.00 | 100 | Horizontal | Pass |


Page 18 of 57

Report No.: TW2411221E

Date: 2024-11-26



Vertical



| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2474 | 72.26 | -3.57 | 114.0 | -41.74 | Peak | 342.00 | 100 | Vertical | Pass |
| 2 | 4947.263 | 50.55 | 3.33 | 74.0 | -23.45 | Peak | 347.00 | 100 | Vertical | Pass |

Note: (2) Emission Level = Reading Level + Antenna Factor + Cable Loss-Amplifier

- (3) Margin=Emission-Limits
- (4) According to section 15.35(b), the peak limit is 20dB higher than the average limit
- (5) For test purpose, keep EUT continuous transmitting
- (5) For emission above 18GHz and Below 30MHz, it is only the floor noise. No necessary to take down.
- (6) the measured PK value less than the AV limit.

Report No.: TW2411221E Page 19 of 57

Date: 2024-11-26




B. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency | Results | Factor | Limit | Margin | Detector | Table | Height | Antenna | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (Degree) | (cm) | | |
| 1 | 54.971 | 28.42 | -5.13 | 40.0 | 11.58 | Peak | 116.00 | 100 | Horizontal | Pass |
| 2 | 109.278 | 26.19 | -5.98 | 43.5 | 17.31 | Peak | 121.00 | 100 | Horizontal | Pass |
| 3 | 227.831 | 34.95 | -6.12 | 46.0 | 11.05 | Peak | 346.00 | 100 | Horizontal | Pass |
| 4 | 239.953 | 36.08 | -5.65 | 46.0 | 9.92 | Peak | 21.00 | 100 | Horizontal | Pass |
| 5 | 263.954 | 33.79 | -5.22 | 46.0 | 12.21 | Peak | 5.00 | 100 | Horizontal | Pass |
| 6 | 595.369 | 35.92 | 1.53 | 46.0 | 10.08 | Peak | 99.00 | 100 | Horizontal | Pass |

Report No.: TW2411221E Page 20 of 57

Date: 2024-11-26




Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Keep Tx transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency | Results | Factor | Limit | Margin | Detector | Table | Height | Antenna | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (Degree) | (cm) | | |
| 1 | 50.365 | 27.61 | -5.13 | 40.0 | 12.39 | Peak | 104.00 | 100 | Vertical | Pass |
| 2 | 105.884 | 26.26 | -6.16 | 43.5 | 17.24 | Peak | 0.00 | 100 | Vertical | Pass |
| 3 | 239.953 | 29.23 | -5.65 | 46.0 | 16.77 | Peak | 315.00 | 100 | Vertical | Pass |
| 4 | 332.079 | 29.86 | -3.18 | 46.0 | 16.14 | Peak | 231.00 | 100 | Vertical | Pass |
| 5 | 459.118 | 32.58 | -0.96 | 46.0 | 13.42 | Peak | 8.00 | 100 | Vertical | Pass |
| 6 | 804.109 | 38.02 | 3.33 | 46.0 | 7.98 | Peak | 163.00 | 100 | Vertical | Pass |

Report No.: TW2411221E Page 21 of 57

Date: 2024-11-26




7. Band Edge

7.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10–2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) Set Spectrum as RBW=1MHz, VBW=3MHz and Peak detector used for PK value. RBW=1MHz, VBW=10Hz and Peak detector used for AV value.
- (3) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (4) The antenna polarization: Vertical polarization and Horizontal polarization.

7. 2 Radiated Test Setup



For the actual test configuration, please refer to the related items – Photos of Testing

7.3 Configuration of the EUT

Same as section 5.3 of this report

7.4 EUT Operating Condition

Same as section 5.4 of this report.

7.5 Band Edge Limit

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Report No.: TW2411221E Page 22 of 57

Date: 2024-11-26



7.6 Test Result

| Product: | Wireless keyboard | Polarity | Horizontal |
|--------------|----------------------|--------------|------------|
| Mode | Keeping Transmitting | Test Voltage | DC1.5V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | | |




| No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|-----|-----------|----------|--------|----------|------------|----------|--------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| 1 | 2408.505 | 77.85 | -3.57 | 74.0 | 3.85 | Peak | 253.00 | 100 | Horizontal | N/A |
| 2 | 2400.000 | 37.83 | -3.57 | 74.0 | -36.17 | Peak | 106.29 | 100 | Horizontal | Pass |
| 3 | 2390.000 | 37.33 | -3.53 | 74.0 | -36.67 | Peak | 71.88 | 100 | Horizontal | Pass |
| 4 | 2395.944 | 50.37 | -3.55 | 74.0 | -23.63 | Peak | 111.00 | 100 | Horizontal | Pass |

Report No.: TW2411221E Page 23 of 57



| Product: | Wireless keyboard | Detector | Vertical |
|--------------|----------------------|--------------|----------|
| Mode | Keeping Transmitting | Test Voltage | DC1.5V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | | |



| | No. | Frequency | Results | Factor | Limit | Over Limit | Detector | Table | Height | ANT | Verdict |
|---|-----|-----------|----------|--------|----------|------------|----------|--------|--------|----------|---------|
| | | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (o) | (cm) | | |
| Ì | 1 | 2408.593 | 70.75 | -3.57 | 74.0 | -3.25 | Peak | 340.00 | 100 | Vertical | Pass |
| | 2 | 2400.000 | 37.50 | -3.57 | 74.0 | -36.50 | Peak | 32.82 | 100 | Vertical | Pass |
| | 3 | 2390.000 | 37.87 | -3.53 | 74.0 | -36.13 | Peak | 114.06 | 100 | Vertical | Pass |
| | 4 | 2395.979 | 44.98 | -3.55 | 74.0 | -29.02 | Peak | 360.00 | 100 | Vertical | Pass |

Report No.: TW2411221E Page 24 of 57



| Product: | | Wireless 1 | keyboard | | Pola | rity | | Horizonta | al |
|---------------------------------------|--|-------------|----------------|-----------------------|--------|--|--|--|-------------------------|
| Mode | K | eeping Tr | ansmitting | | Test V | oltage | | DC1.5V | |
| Temperature | | 24 de | g. C, | | Hum | idity | | 56% RH | |
| Test Result: | | Pa | SS | | - | - | | | |
| Part 15C Class B 1GHz-18GHz 1.0E+2 | :-2 | | | | | | | | |
| 90- 80- 70- | | | M1 | | | | | | |
| 60- | | | | | | | | | |
| 40- | L. WALLER TO THE STATE OF THE S | | | M | M2 | Marine Control of the | Mathedophi washi kulonga ashiff | and the state of t | dilika kal i |
| 50- | Language Control of the Control of t | | | | 1/2 | A STATE OF THE STA | Misting and analysis and the second of the s | agingaspatenteliji.gadi.gadi.ga | |
| 30- 20- | | | | | 2483.5 | Angeles place and his little per | Mathematical distribution of the | agicaga speniga de esperia de la periodo | 2500 |
| 30- 20- 10- 2460 | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | | | Table (o) | Height (cm) | ANT | 2500 |
| 30- 20- 10- 2460 | | | | Frequency (MHz) Over | 2483.5 | Table | Height | | |

Page 25 of 57

Report No.: TW2411221E



| Product: | | 1 | Vireless ke | eyboard | Ι | Detector | | Vertical | | |
|---|--|--|-------------|---------------|------------------------------|---|--|--|--|-----------------------------|
| Mode | | Ke | eping Tran | ansmitting Te | | est Voltage | | DC1.5V | | |
| Temperature | | | 24 deg. C, | | Н | Humidity | | 56% RH | | |
| Test Result: | | | Pass | | | | | | | |
| C Part 1 | 15C Class B 1GHz-18GHz | -2 | | | | | | | | |
| 9 | 10- | | | | | | | | | |
| | | | | | | | | | | |
| 8 | 30- | | | M1 | | | | | | |
| 7 | 70- | | | | | | | | | |
| | 50- | | | | | | | | | |
| 6 | | | | 50- | | | | | | |
| | | | _/_ | | ted u | | | | | |
| | io- | | | | M2 | 2 | | | | |
| | io- | - Annual Marie Control | | | M2 | e Apartiful to the group to still the | ************************ | horoughy his is quiverily, belo its abo | on, this, do the dry pulse, they make, take, | Maringaphog. |
| 5 | io- | and the second s | | | Ma | | المراجعة والمراجعة والمراج | durqueligi iniz di 3,000 quantu, beli-in codu | ranjika distri desinte libbe eta falksi | Marie gas , haye |
| 3 | 10- | - second of the | | | MA | | المراجعة | dergestigs to the state of the state of | vanitik distribute til printe til protestede i | Markey Kay |
| 3 | 10- | and the second s | | | M | : in an industrial transport of the second | Marian a da periodo de com | dennette dei zen den den den den den den den den den d | vanna destrukturinde side enerelyks | Manuser, kaya |
| 5 5 4 4 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 00- | and the second s | | | | | الله المراجعة | horacida his Danascola, habe scala, | ramen da sh. Jeriala ilib a antalas | Mariosayukayu |
| 3: 2: 1: | 00- | - the special of the | | Fr | MZ 2483 requency (MHz) | | A A A A A A A A A A A A A A A A A A A | deractivities in market who have | rmine destroprinte del acertalism | 2500 |
| 50 4 30 2 10 | 00- | Results | Factor | Fr. Limit | , 248: | | Table | Height | ANT | |
| 3 2 1 0. | 00-00-00-00-00-00-00-00-00-00-00-00-00- | Results (dBuV/m) | Factor (dB) | 1 | 2483 requency (MHz) | 3.5 | | | | 2500 |
| 3 2 1 0. | 00- 00- 00- 00- 00- 00- 00- 00- 00- 00- | | | Limit | 2483 requency (MHz) | 3.5 | Table | Height | | 2500 |

Note: 1. The PK emission level less than the AV limit. No necessary to record the AV emission level.

Report No.: TW2411221E Page 26 of 57

Date: 2024-11-26



8.0 Antenna Requirement

Applicable Standard

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB antenna. The antenna gain is -0.61dBi Max. It fulfills the requirement of this section. Test Result: Pass


Page 27 of 57

Report No.: TW2411221E

Date: 2024-11-26



| 9.0 20dB Bandwidth Measurement | | | | | |
|--------------------------------|----------------------|--------------|-------------------|--|--|
| Product: | Wireless mouse | Test Mode: | Keep transmitting | | |
| Mode | Keeping Transmitting | Test Voltage | DC1.5V | | |
| Temperature | 24 deg. C, | Humidity | 56% RH | | |
| Test Result: | Pass | Detector | PK | | |
| 20dB Bandwidth | 2.230MHz | | | | |



Date: 23.NOV.2024 13:09:04


Page 28 of 57

Report No.: TW2411221E

Date: 2024-11-26



| Product: | Wireless mouse | Test Mode: | Keep transmitting |
|----------------|----------------------|--------------|-------------------|
| Mode | Keeping Transmitting | Test Voltage | DC1.5V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |
| 20dB Bandwidth | 2.230MHz | | |



Date: 23.NOV.2024 13:17:31


Page 29 of 57

Report No.: TW2411221E

Date: 2024-11-26



| Product: | Wireless mouse | Test Mode: | Keep transmitting |
|----------------|----------------------|--------------|-------------------|
| Mode | Keeping Transmitting | Test Voltage | DC1.5V |
| Temperature | 24 deg. C, | Humidity | 56% RH |
| Test Result: | Pass | Detector | PK |
| 20dB Bandwidth | 2.220MHz | | |



Date: 23.NOV.2024 13:21:28

Report No.: TW2411221E Page 30 of 57

Date: 2024-11-26



10.0 FCC ID Label

FCC ID: WOX-SK623AG

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Report No.: TW2411221E

Date: 2024-11-26




11.0 Photo of testing

11.1 Conducted test View--

N/A

Radiated emission test view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 32 of 57

Report No.: TW2411221E

Date: 2024-11-26



11.2 Outside View-keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 33 of 57

Report No.: TW2411221E

Date: 2024-11-26





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 34 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 35 of 57 Report No.: TW2411221E



Outside View-keyboard




Page 36 of 57


Report No.: TW2411221E

Date: 2024-11-26



Inside View-keyboard





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 37 of 57

Report No.: TW2411221E

Date: 2024-11-26



Inside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 38 of 57

Report No.: TW2411221E

Date: 2024-11-26







The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 39 of 57

Report No.: TW2411221E

Date: 2024-11-26



Inside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 40 of 57 Report No.: TW2411221E

Date: 2024-11-26



Inside View-keyboard




Page 41 of 57

Report No.: TW2411221E

Date: 2024-11-26



Inside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.


will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Inside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES.

will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 43 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 46 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 48 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 52 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to


Page 53 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2024-11-26



Outside View-keyboard



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 57 of 57

Report No.: TW2411221E

Date: 2024-11-26



Outside View-keyboard



-- End of the Report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.