




<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.21 Radiated emission measurements from 1000 to 2400 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.22 Radiated emission measurements from 1000 to 2400 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.23 Radiated emission measurements from 1000 to 2400 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.24 Radiated emission measurements from 1000 to 2400 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.25 Radiated emission measurements from 1000 to 2400 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2475.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.26 Radiated emission measurements from 1000 to 2400 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2475.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.27 Radiated emission measurements from 1000 to 2400 MHz at the high carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2480.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.28 Radiated emission measurements from 1000 to 2400 MHz at the high carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2480.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.29 Radiated emission measurements from 2400 to 2483.5 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.30 Radiated emission measurements from 2400 to 2483.5 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.31 Radiated emission measurements from 2400 to 2483.5 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.32 Radiated emission measurements from 2400 to 2483.5 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.33 Radiated emission measurements from 2400 to 2483.5 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2475.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.34 Radiated emission measurements from 2400 to 2483.5 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2475.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.35 Radiated emission measurements from 2400 to 2483.5 MHz at the high carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2480.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.36 Radiated emission measurements from 2400 to 2483.5 MHz at the high carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2480.0 MHz  
 EUT TX ANTENNA: #2








<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.37 Radiated emission measurements from 2483.5 to 3000 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.38 Radiated emission measurements from 2483.5 to 3000 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.39 Radiated emission measurements from 3000 to 18000 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.40 Radiated emission measurements from 3000 to 18000 MHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.41 Radiated emission measurements from 2483 to 18000 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.42 Radiated emission measurements from 2483 to 18000 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.43 Radiated emission measurements from 2483 to 18000 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
TEST DISTANCE: 3 m  
ANTENNA POLARIZATION: Vertical and Horizontal  
CARRIER FREQUENCY: 2475.0 MHz  
EUT TX ANTENNA: #1



**Plot 7.2.44 Radiated emission measurements from 2483 to 18000 MHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
TEST DISTANCE: 3 m  
ANTENNA POLARIZATION: Vertical and Horizontal  
CARRIER FREQUENCY: 2475.0 MHz  
EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.45 Radiated emission measurements from 2483 to 18000 MHz at the high carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2480.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.46 Radiated emission measurements from 2483 to 18000 MHz at the high carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2480.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			


**Plot 7.2.47 Radiated emission measurements from 18 to 25 GHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.48 Radiated emission measurements from 18 to 25 GHz at the low carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2405.0 MHz  
 EUT TX ANTENNA: #2






<b>Test specification: Section 15.247(d) / RSS-247 section 5.5, Radiated spurious emissions</b>			
<b>Test procedure:</b> ANSI C63.10 section 11.12.1			
<b>Test mode:</b> Compliance		<b>Verdict: PASS</b>	
<b>Date(s):</b> 16-Dec-19			
<b>Temperature:</b> 22 °C	<b>Relative Humidity:</b> 47 %	<b>Air Pressure:</b> 1020 hPa	<b>Power:</b> 3 VDC
<b>Remarks:</b>			

**Plot 7.2.49 Radiated emission measurements from 18 to 25 GHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #1



**Plot 7.2.50 Radiated emission measurements from 18 to 25 GHz at the mid carrier frequency**

TEST SITE: Semi anechoic chamber  
 TEST DISTANCE: 3 m  
 ANTENNA POLARIZATION: Vertical and Horizontal  
 CARRIER FREQUENCY: 2445.0 MHz  
 EUT TX ANTENNA: #2

