



1 Annex A – Test setup

1.1 List of Pictures


Picture 1: CDC, test setup radiated emission test 9 kHz - 30 MHz (front view).....	2
Picture 2: CDC, test setup radiated emission test 9 kHz - 30 MHz (rear view).....	2
Picture 3: SAC, radiated emission test 30 MHz - 1 GHz (front view).....	3
Picture 4: SAC, radiated emission test 30 MHz - 1 GHz (rear view).....	3
Picture 5: FS-SAC, radiated emission test 1 GHz – 2 GHz (front view)	4
Picture 6: FS-SAC, radiated emission test 1 GHz – 2 GHz (rear view)	4
Picture 7: Test setup AC power line conducted emissions (front view)	5
Picture 8: Test setup AC power line conducted emissions (rear view).....	5
Picture 9: EUT used for the AC powerline conducted emissions re-measurement (radio output terminated with 50 Ω) – bottom side.....	6
Picture 10: EUT used for the AC powerline conducted emissions re-measurement (radio output terminated with 50 Ω) – bottom side, zoomed in on the 50 Ω termination	6
Picture 11: Bandwidth measurements.....	7
Picture 12: Carrier frequency stability test in climate chamber	7
Picture 13: EUT position X	8
Picture 14: EUT position Y	8
Picture 15: EUT position Z.....	9
Picture 16: Power supply.....	9
Picture 17: RS232 cable with DB9 connector	10
Picture 18: RFID tag	10




Picture 1: CDC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 2: CDC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 3: SAC, radiated emission test 30 MHz - 1 GHz (front view)



Picture 4: SAC, radiated emission test 30 MHz - 1 GHz (rear view)




Picture 5: FS-SAC, radiated emission test 1 GHz – 2 GHz (front view)




Picture 6: FS-SAC, radiated emission test 1 GHz – 2 GHz (rear view)




Picture 7: Test setup AC power line conducted emissions (front view)



Picture 8: Test setup AC power line conducted emissions (rear view)



Picture 9: EUT used for the AC powerline conducted emissions re-measurement (radio output terminated with 50 Ω) – bottom side




Picture 10: EUT used for the AC powerline conducted emissions re-measurement (radio output terminated with 50 Ω) – bottom side, zoomed in on the 50 Ω termination




Picture 11: Bandwidth measurements



Picture 12: Carrier frequency stability test in climate chamber



Picture 13: EUT position X



Picture 14: EUT position Y



Picture 15: EUT position Z



Picture 16: Power supply



Picture 17: RS232 cable with DB9 connector



Picture 18: RFID tag