

	Ant1	5200	NV	10	-33000	-6.370656	20	PASS
			NV	20	-32000	-6.177606	20	PASS
			NV	30	-33000	-6.370656	20	PASS
			NV	40	-33000	-6.370656	20	PASS
			NV	50	-32000	-6.177606	20	PASS
	Ant2	5200	NV	-30	-33000	-6.346154	20	PASS
			NV	-20	-32000	-6.153846	20	PASS
			NV	-10	-33000	-6.346154	20	PASS
			NV	0	-33000	-6.346154	20	PASS
			NV	10	-32000	-6.153846	20	PASS
			NV	20	-33000	-6.346154	20	PASS
			NV	30	-33000	-6.346154	20	PASS
			NV	40	-34000	-6.538462	20	PASS
			NV	50	-33000	-6.346154	20	PASS
			NV	-30	-32000	-6.153846	20	PASS
			NV	-20	-34000	-6.538462	20	PASS
			NV	-10	-32000	-6.153846	20	PASS
			NV	0	-33000	-6.346154	20	PASS
	Ant1	5240	NV	-30	-33000	-6.29771	20	PASS
			NV	-20	-34000	-6.48855	20	PASS
			NV	-10	-33000	-6.29771	20	PASS
			NV	0	-33000	-6.29771	20	PASS
			NV	10	-34000	-6.48855	20	PASS
			NV	20	-33000	-6.29771	20	PASS
			NV	30	-32000	-6.10687	20	PASS
			NV	40	-33000	-6.29771	20	PASS
			NV	50	-32000	-6.10687	20	PASS
			Ant2	5240	NV	-30	-33000	-6.29771
NV	-20	-33000			-6.29771	20	PASS	
NV	-10	-34000			-6.48855	20	PASS	
NV	0	-33000			-6.29771	20	PASS	
NV	10	-32000			-6.10687	20	PASS	
NV	20	-32000			-6.10687	20	PASS	
NV	30	-32000			-6.10687	20	PASS	
NV	40	-33000			-6.29771	20	PASS	

Ant1	5745	NV	50	-32000	-6.10687	20	PASS
		NV	-30	-37000	-6.440383	20	PASS
		NV	-20	-37000	-6.440383	20	PASS
		NV	-10	-36000	-6.266319	20	PASS
		NV	0	-37000	-6.440383	20	PASS
		NV	10	-36000	-6.266319	20	PASS
		NV	20	-37000	-6.440383	20	PASS
		NV	30	-36000	-6.266319	20	PASS
		NV	40	-37000	-6.440383	20	PASS
		NV	50	-37000	-6.440383	20	PASS
Ant2	5745	NV	-30	-36000	-6.266319	20	PASS
		NV	-20	-37000	-6.440383	20	PASS
		NV	-10	-36000	-6.266319	20	PASS
		NV	0	-36000	-6.266319	20	PASS
		NV	10	-36000	-6.266319	20	PASS
		NV	20	-36000	-6.266319	20	PASS
		NV	30	-36000	-6.266319	20	PASS
		NV	40	-36000	-6.266319	20	PASS
Ant1	5785	NV	-30	-37000	-6.395851	20	PASS
		NV	-20	-37000	-6.395851	20	PASS
		NV	-10	-37000	-6.395851	20	PASS
		NV	0	-37000	-6.395851	20	PASS
		NV	10	-36000	-6.22299	20	PASS
		NV	20	-37000	-6.395851	20	PASS
		NV	30	-37000	-6.395851	20	PASS
		NV	40	-37000	-6.395851	20	PASS
Ant2	5785	NV	-30	-37000	-6.395851	20	PASS
		NV	-20	-37000	-6.395851	20	PASS
		NV	-10	-37000	-6.395851	20	PASS
		NV	0	-37000	-6.395851	20	PASS
		NV	10	-36000	-6.22299	20	PASS
		NV	20	-36000	-6.22299	20	PASS
		NV	30	-36000	-6.22299	20	PASS
		NV	40	-37000	-6.395851	20	PASS
Ant1	5825	NV	-30	-37000	-6.351931	20	PASS
		NV	-20	-38000	-6.523605	20	PASS
		NV	-10	-38000	-6.523605	20	PASS

			NV	0	-37000	-6.351931	20	PASS			
			NV	10	-38000	-6.523605	20	PASS			
			NV	20	-37000	-6.351931	20	PASS			
			NV	30	-37000	-6.351931	20	PASS			
			NV	40	-37000	-6.351931	20	PASS			
			NV	50	-37000	-6.351931	20	PASS			
	Ant2	5825	NV	-30	-36000	-6.180258	20	PASS			
			NV	-20	-37000	-6.351931	20	PASS			
			NV	-10	-36000	-6.180258	20	PASS			
			NV	0	-36000	-6.180258	20	PASS			
			NV	10	-37000	-6.351931	20	PASS			
			NV	20	-36000	-6.180258	20	PASS			
			NV	30	-37000	-6.351931	20	PASS			
			NV	40	-37000	-6.351931	20	PASS			
			NV	50	-36000	-6.180258	20	PASS			
			11AC40S ISO	Ant1	5190	NV	-30	-33000	-6.358382	20	PASS
						NV	-20	-33000	-6.358382	20	PASS
						NV	-10	-32000	-6.165703	20	PASS
NV	0	-33000				-6.358382	20	PASS			
NV	10	-33000				-6.358382	20	PASS			
NV	20	-33000				-6.358382	20	PASS			
NV	30	-34000				-6.55106	20	PASS			
NV	40	-32000				-6.165703	20	PASS			
NV	50	-33000				-6.358382	20	PASS			
Ant2	5190	NV		-30	-32000	-6.165703	20	PASS			
		NV		-20	-33000	-6.358382	20	PASS			
		NV		-10	-33000	-6.358382	20	PASS			
		NV		0	-32000	-6.165703	20	PASS			
		NV		10	-32000	-6.165703	20	PASS			
		NV		20	-33000	-6.358382	20	PASS			
		NV		30	-32000	-6.165703	20	PASS			
		NV		40	-33000	-6.358382	20	PASS			
		NV		50	-32000	-6.165703	20	PASS			
Ant1	5230	NV	-30	-34000	-6.500956	20	PASS				
		NV	-20	-34000	-6.500956	20	PASS				
		NV	-10	-33000	-6.309751	20	PASS				
		NV	0	-34000	-6.500956	20	PASS				
		NV	10	-34000	-6.500956	20	PASS				
		NV	20	-33000	-6.309751	20	PASS				
		NV	30	-34000	-6.500956	20	PASS				

			NV	40	-33000	-6.309751	20	PASS
			NV	50	-33000	-6.309751	20	PASS
	Ant2	5230	NV	-30	-32000	-6.118547	20	PASS
			NV	-20	-33000	-6.309751	20	PASS
			NV	-10	-33000	-6.309751	20	PASS
			NV	0	-33000	-6.309751	20	PASS
			NV	10	-33000	-6.309751	20	PASS
			NV	20	-33000	-6.309751	20	PASS
			NV	30	-31000	-5.927342	20	PASS
			NV	40	-33000	-6.309751	20	PASS
			NV	50	-33000	-6.309751	20	PASS
			Ant1	5755	NV	-30	-37000	-6.429192
	NV	-20			-37000	-6.429192	20	PASS
	NV	-10			-36000	-6.25543	20	PASS
	NV	0			-36000	-6.25543	20	PASS
	NV	10			-37000	-6.429192	20	PASS
	NV	20			-36000	-6.25543	20	PASS
	NV	30			-36000	-6.25543	20	PASS
	NV	40			-36000	-6.25543	20	PASS
	Ant2	5755	NV	-30	-37000	-6.429192	20	PASS
			NV	-20	-37000	-6.429192	20	PASS
			NV	-10	-36000	-6.25543	20	PASS
			NV	0	-36000	-6.25543	20	PASS
			NV	10	-35000	-6.081668	20	PASS
			NV	20	-36000	-6.25543	20	PASS
			NV	30	-37000	-6.429192	20	PASS
			NV	40	-36000	-6.25543	20	PASS
			NV	50	-35000	-6.081668	20	PASS
	Ant1	5795	NV	-30	-37000	-6.384814	20	PASS
			NV	-20	-37000	-6.384814	20	PASS
NV			-10	-37000	-6.384814	20	PASS	
NV			0	-36000	-6.212252	20	PASS	
NV			10	-37000	-6.384814	20	PASS	
NV			20	-37000	-6.384814	20	PASS	
NV			30	-37000	-6.384814	20	PASS	
NV			40	-37000	-6.384814	20	PASS	
NV			50	-36000	-6.212252	20	PASS	
Ant2	5795	NV	-30	-37000	-6.384814	20	PASS	
		NV	-20	-37000	-6.384814	20	PASS	



			NV	-10	-37000	-6.384814	20	PASS
			NV	0	-36000	-6.212252	20	PASS
			NV	10	-36000	-6.212252	20	PASS
			NV	20	-36000	-6.212252	20	PASS
			NV	30	-36000	-6.212252	20	PASS
			NV	40	-36000	-6.212252	20	PASS
			NV	50	-36000	-6.212252	20	PASS
11AC80S ISO	Ant1	5210	NV	-30	-34000	-6.525912	20	PASS
			NV	-20	-33000	-6.333973	20	PASS
			NV	-10	-33000	-6.333973	20	PASS
			NV	0	-33000	-6.333973	20	PASS
			NV	10	-33000	-6.333973	20	PASS
			NV	20	-33000	-6.333973	20	PASS
			NV	30	-33000	-6.333973	20	PASS
			NV	40	-33000	-6.333973	20	PASS
			NV	50	-33000	-6.333973	20	PASS
	Ant2	5210	NV	-30	-32000	-6.142035	20	PASS
			NV	-20	-33000	-6.333973	20	PASS
			NV	-10	-32000	-6.142035	20	PASS
			NV	0	-33000	-6.333973	20	PASS
			NV	10	-32000	-6.142035	20	PASS
			NV	20	-33000	-6.333973	20	PASS
			NV	30	-32000	-6.142035	20	PASS
			NV	40	-33000	-6.333973	20	PASS
			NV	50	-32000	-6.142035	20	PASS
	Ant1	5775	NV	-30	-38000	-6.580087	20	PASS
			NV	-20	-37000	-6.406926	20	PASS
			NV	-10	-37000	-6.406926	20	PASS
			NV	0	-37000	-6.406926	20	PASS
			NV	10	-37000	-6.406926	20	PASS
			NV	20	-37000	-6.406926	20	PASS
			NV	30	-37000	-6.406926	20	PASS
			NV	40	-37000	-6.406926	20	PASS
			NV	50	-37000	-6.406926	20	PASS
	Ant2	5775	NV	-30	-36000	-6.233766	20	PASS
			NV	-20	-37000	-6.406926	20	PASS
			NV	-10	-37000	-6.406926	20	PASS
NV			0	-37000	-6.406926	20	PASS	
NV			10	-37000	-6.406926	20	PASS	
NV			20	-37000	-6.406926	20	PASS	

		NV	30	-37000	-6.406926	20	PASS
		NV	40	-36000	-6.233766	20	PASS
		NV	50	-37000	-6.406926	20	PASS

## Appendix H: Duty Cycle

### Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	2.03	2.06	98.16	---	PASS
	Ant2	5180	2.03	2.06	98.10	---	PASS
	Ant1	5200	2.03	2.06	98.10	---	PASS
	Ant2	5200	2.03	2.06	98.10	---	PASS
	Ant1	5240	2.03	2.06	98.16	---	PASS
	Ant2	5240	2.03	2.06	98.10	---	PASS
	Ant1	5745	2.03	2.06	98.22	---	PASS
	Ant2	5745	2.03	2.06	98.16	---	PASS
	Ant1	5785	2.03	2.06	98.22	---	PASS
	Ant2	5785	2.03	2.06	98.16	---	PASS
	Ant1	5825	2.03	2.06	98.10	---	PASS
	Ant2	5825	2.03	2.06	98.10	---	PASS
11N20SISO	Ant1	5180	1.89	1.92	98.03	---	PASS
	Ant2	5180	1.89	1.92	98.03	---	PASS
	Ant1	5200	1.88	1.92	97.96	---	PASS
	Ant2	5200	1.88	1.92	97.96	---	PASS
	Ant1	5240	1.88	1.92	98.02	---	PASS
	Ant2	5240	1.88	1.92	97.96	---	PASS
	Ant1	5745	0.96	1.00	96.20	---	PASS
	Ant2	5745	1.89	1.92	98.03	---	PASS
	Ant1	5785	0.96	1.00	96.33	---	PASS
	Ant2	5785	1.89	1.92	98.03	---	PASS
	Ant1	5825	0.96	1.00	96.32	---	PASS
	Ant2	5825	1.88	1.92	97.96	---	PASS
11N40SISO	Ant1	5190	0.93	0.96	96.06	---	PASS
	Ant2	5190	0.49	0.53	92.57	---	PASS
	Ant1	5230	0.93	0.96	96.19	---	PASS
	Ant2	5230	0.93	0.96	96.06	---	PASS
	Ant1	5755	0.93	0.96	96.19	---	PASS
	Ant2	5755	0.93	0.96	96.06	---	PASS
	Ant1	5795	0.93	0.96	96.06	---	PASS
	Ant2	5795	0.93	0.96	96.06	---	PASS
11AC20SIS O	Ant1	5180	1.90	1.94	98.04	---	PASS
	Ant2	5180	1.90	1.94	98.04	---	PASS

	Ant1	5200	1.90	1.94	98.04	---	PASS
	Ant2	5200	1.90	1.94	97.97	---	PASS
	Ant1	5240	1.90	1.94	98.04	---	PASS
	Ant2	5240	1.90	1.94	97.97	---	PASS
	Ant1	5745	1.90	1.94	98.04	---	PASS
	Ant2	5745	1.90	1.94	97.97	---	PASS
	Ant1	5785	1.90	1.94	98.04	---	PASS
	Ant2	5785	1.90	1.94	98.04	---	PASS
	Ant1	5825	1.90	1.94	98.10	---	PASS
	Ant2	5825	1.90	1.94	97.97	---	PASS
11AC40SIS O	Ant1	5190	0.93	0.97	96.09	---	PASS
	Ant2	5190	0.93	0.97	96.09	---	PASS
	Ant1	5230	0.93	0.97	96.09	---	PASS
	Ant2	5230	0.93	0.97	96.09	---	PASS
	Ant1	5755	0.93	0.97	96.09	---	PASS
	Ant2	5755	0.93	0.97	95.96	---	PASS
	Ant1	5795	0.93	0.97	96.22	---	PASS
	Ant2	5795	0.93	0.97	96.09	---	PASS
11AC80SIS O	Ant1	5210	0.45	0.49	92.29	---	PASS
	Ant2	5210	0.45	0.49	92.03	---	PASS
	Ant1	5775	0.45	0.49	92.27	---	PASS
	Ant2	5775	0.45	0.49	92.03	---	PASS



## Test Graphs















