

# MaxiTPMS TS101 A universal TPMS sensor activator

The MaxiTPMS TS101 is a universal TPMS (tire pressure monitoring system) sensor trigger tool to activate TPMS sensors to reset or relearn the sensor ID.

Designed for vehicles with stationary "re-learn mode": most GM, Chrysler and Ford and some Japanese cars, and compatible with all currently known TPMS sensors, TS101 is an easy-to-use and affordable tool for every driver!

#### **Features and Specification**

- Stream on and low battery indicators.
- Radio stream: 125KHz to activate sensors.
- Powered by 9V alkaline battery.
- Internet update guarantees future sensor compatibility.
- Designed to last in rough environments like tire repair shops.
- Extremely easy to use.

#### Specifications

- Weight: 0.166 Kg( battery included)
- Dimensions:151. 7x49. 2x28. 5mm (5. 97"x1. 97"x1. 12")







Place the TS101 90 degrees on the tire sidewall near the sensor.

Push and release the left button (TX indicator flashes blue) to start the cycle.



It takes one to fifty seconds before sensor response.

Push and release the right button to stop the cycle.



**Note:** The cycle stops by itself 50s later.



Low battery, battery indicator flashes red.



Replace the 9V batteries according to correct polarity in the battery compartment.

All rights reserved. Autel Intelligent Technology Co., Ltd.

## **Compliance Information**

## FCC COMPLIANCE FCC ID: WO83017000101

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesired operation.

**Warning**: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE**: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: i. Reorient or relocate the receiving antenna. ii. Increase the separation between the equipment and receiver. iii. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. iv. Consult the dealer or an experienced radio/TV technician for help.

### RF warning statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction  $_{\circ}$ 

The term "IC" before the radio certification number only signifies that IC technical specifications were met.

#### RoHS COMPLIANCE

This device is declared to be in compliance with the European RoHS Directive 2011/65/EU.

## CE COMPLIANCE

This product is declared to conform to the essential requirements of the following Directives and carries the CE mark accordingly: EMC Directive 2004/108/EC R&TTE Directive 1999/5/EC Low Voltage Directive 2006/95/EC