

# PRELIMINARY

## 915 MHz Antenna

P/N 0915AT43A0026

Detail Specification: 01/03/08

Page 1 of 3

### General Specifications

Part Number	0915AT43A0026
Frequency Range	902 - 928
Peak Gain	-1.0 dBi typ. (XZ-total)
Average Gain	-4.0 dBi typ. (XZ-total)
Return Loss	8.5 dB min.
Impedance	50 Ω
Input Power	2W max.

Operating Temperature	-40 to +85°C
Storage Temperature Range	+5~+35°C, Humidity 45~75%RH
Reel Quantity	1,000

No.	Function	Terminal Configuration
1	Feeding Point	
2	NC	


### Mechanical Dimensions

	In	mm	
L	0.276 ± 0.008	7.00 ± 0.20	
W	0.079 ± 0.008	2.00 ± 0.20	
T	0.031 +.004/-0.008	0.80 +0.1/-0.2	
a	0.020 ± 0.012	0.50 ± 0.30	

### Mounting Considerations

Mount these devices with brown mark facing up. Units: mm

\* Line width should be designed to provide 50 Ω impedance matching characteristics.



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.

# PRELIMINARY


915 MHz Antenna

P/N 0915AT43A0026

Detail Specification: 01/03/08

Page 2 of 3

## Mounting Considerations



Johanson Technology, Inc. reserves the right to make design changes without notice.  
All sales are subject to Johanson Technology, Inc. terms and conditions.



# PRELIMINARY


915 MHz Antenna

Detail Specification: 01/03/08

P/N 0915AT43A0026

Page 3 of 3

## Typical Radiation Patterns



Johanson Technology, Inc. reserves the right to make design changes without notice.  
All sales are subject to Johanson Technology, Inc. terms and conditions.



[www.johansontechnology.com](http://www.johansontechnology.com)

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2007 Johanson Technology, Inc. All Rights Reserved