

Annex 5: HW change description v1.2 to Test Report 20-1-0017102T03a-C01-A5



Number of pages: 4 Date of Report: 2021-Jun-04

Testing company: CETECOM GmbH Applicant: SICK AG

Im Teelbruch 116 45219 Essen Germany Tel. + 49 (0) 20 54 / 95 19-0 Fax: + 49 (0) 20 54 / 95 19-150

Test Object / UWB Tag
Tested Device(s): LOCU111-0020

FCC ID: WRMLOCU1 IC: 10066A-LOCU1

Testing has been carried out in accordance with:

Title 47 CFR, Chapter I FCC Regulations, Subchapter A

§15.250

ISED-RegulationsRSS-Gen, Issue 5

RSS-220, Issue 1, Amendment 1

Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".



_	_			_						
	ıa	n	10	of	((าท	ıΤρ	n	t	3

4	LOCI 11 mm LIVA abanca description of 2	1
1	LOCU1xxx HW change description v1.2	.3



1 LOCU1xxx HW change description v1.2



Hardware change description SICK LOCU1xx – UWB TAG






v1r3 -> v1r3.1 change description

Improvements/changes:


- v1r3.1 is a minor revision of v1r3 with improved coin battery holder.
- BOMs for all variants are equal for both v1r3 and v1r3.1 with a single exception: The only
 difference is for LOCU Battery Basic/Advanced assembly variant, where there is additional
 plate for negative battery contact (Keystone 2991).
- Revision label on the bottom side of PCB was changed for all variants.

Details for changes of LOCU Battery Basic/Advanced bottom layer:

 Battery holder: Pad adjustment of negative battery contact-milled grooves for battery holder are shifted in v1r3.1 comparing to v1r3. The pitch of grooves is increased by 0,45 mm.



- red mark v1r3
- green mark v1r3.1
- Negative battery contact: Additional negative battery contact (Keystone 2991) added to v1r3.1:



RF performance is not affected, since antennas are on top side of the PCB, which is shielded by ground plane in the inner layer from the slightly adjusted bottom layer.

Date and place: Nam hurs, d. 16.10.20 i.A. Andreas Guenther

Group Manager Electronics / Identification &

Measuri

Research & Development

ature: 1. N. CO _ SICK AG

End Of Annex 5