

DASY/EASY - Parameters of Probe: ER3DV6 - SN:2476

Other Probe Parameters

Sensor Arrangement	Rectangular
Connector Angle (°)	19
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	10 mm
Tip Diameter	8 mm
Probe Tip to Sensor X Calibration Point	2.5 mm
Probe Tip to Sensor Y Calibration Point	2.5 mm
Probe Tip to Sensor Z Calibration Point	2.5 mm



Appendix E. Product Equality Declaration

BYD PRECISION MFR CO.,LTD

No.3001, Baohe Road, Baolong Industrial, Longgang, Shenzhen, 518116, P. R. China
Tel: 86 010 58018888; Fax: 86 010 58018888 73000

Date: March 15, 2016

Product Equality Declaration

(Declaration of equality of a product variant with a previously assessed original product. To be signed in the name of the company that is responsible for the product variant)

We, BYD, declare on our sole responsibility for that the product -- *Model Name: DSB-0020 (FCC ID: WS5DORO824U)* is in all relevant parts identical to the product-- *Model Name: Doro 824 (FCC ID: WS5DORO824U)*, except for the differences listed below:

1. SW Version differences:

Doro824: 824A_US_CC_00.50.00_USER_160113

DSB-0020: DSB0020_CA_GRA_01.01.00_USER_20160219

2. IMEI label differences:

1) Different model name

2) Different IMEI TAC code

3) DSB-0020 add cUL logo and number

4) DSB-0020 add Wi-Fi MAC address

5) DSB-0020 add Bluetooth MAC.

3. Battery Cover differences:

Doro 824 has "Consumer Cellular" on the battery cover, DSB-0020 removed it.

Sincerely yours,



Contact Person: Tao Zeli

Company: BYD PRECISION MFR CO.,LTD

Tel: : +86-10-58018888-71516

Fax: +86-10-58018888-73000

E-Mail: tao.zeli@byd.com.