

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594 Report No.: SZEM110800310401

Email: sgs_internet_operations@sgs.com Page : 1 of 70

FCC REPORT

Application No: SZEM1108003104RF

Applicant: SKY WING Communication Electronics Co., Ltd. **Manufacturer/Factory:** SKY WING Communication Electronics Co., Ltd.

Product Name: Bluetooth Headset

Operation Frequency: 2402MHz to 2480MHz

FCC ID: WSGSK-BH-M6

Standards: FCC CFR Title 47 Part 15 Subpart C

Date of Receipt: 2011-08-19

Date of Test: 2011-08-19 to 2011-08-30

Date of Issue: 2011-09-16

Test Result : PASS *

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Jack Zhang

EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.

SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110800310401

Page : 2 of 70

2 Contents

1	CC	OVER PAGE	Page 1
•			
2	CC	ONTENTS	2
3	TE	ST SUMMARY	3
4	GE	ENERAL INFORMATION	4
	4.1	CLIENT INFORMATION	4
	4.2	GENERAL DESCRIPTION OF E.U.T.	4
	4.3	E.U.T OPERATION MODE	6
	4.4	DESCRIPTION OF SUPPORT UNITS	
	4.5	TEST FACILITY	
	4.6	TEST LOCATION	
	4.7	OTHER INFORMATION REQUESTED BY THE CUSTOMER	
	4.8	TEST INSTRUMENTS LIST	8
5	TE	ST RESULTS AND MEASUREMENT DATA	10
	5.1	Antenna requirement:	10
	5.2	CONDUCTED EMISSIONS	
	5.3	CONDUCTED PEAK OUTPUT POWER	14
	5.4	20DB OCCUPY BANDWIDTH	20
	5.5	CARRIER FREQUENCIES SEPARATION	26
	5.6	HOPPING CHANNEL NUMBER	
	5.7	DWELL TIME	
	5.8	BAND EDGE	42
	5.9	RF ANTENNA CONDUCTED SPURIOUS EMISSIONS	
	5.10	PSEUDORANDOM FREQUENCY HOPPING SEQUENCE	55
	5.11	RADIATED EMISSION	
	5.1	11.1 Radiated emission below 1GHz	
	•	11.2 Transmitter emission above 1GHz	
	5.1	11.3 Band edge (Radiated Emission)	63-70



Report No.: SZEM110800310401

Page : 3 of 70

3 Test Summary

Test Item	Section in CFR 47	Result
Antenna Requirement	15.203/15.247 (c)	Pass
AC Power Line Conducted Emission	15.207	Pass
Conducted Peak Output Power	15.247 (b)(1)	Pass
20dB Occupied Bandwidth	15.247 (a)(1)	Pass
Carrier Frequencies Separation	15.247 (a)(1)	Pass
Hopping Channel Number	15.247 (b)	Pass
Dwell Time	15.247 (a)(1)	Pass
Pseudorandom Frequency Hopping Sequence	15.247(b)(4)&TCB Exclusion List (7 July 2002)	Pass
Radiated Emission	15.205/15.209	Pass
Band Edge	15.247(d)	Pass

Remark: Pass: The EUT complies with the essential requirements in the standard.

Fail: The EUT does not comply with the essential requirements in the standard.



Report No.: SZEM110800310401

Page : 4 of 70

4 General Information

4.1 Client Information

Applicant:	SKY WING Communication Electronics Co., Ltd.
Address of Applicant:	No.10 Road 63#, Long yan, Humen Town, Dongguan City
Manufacturer:	SKY WING Communication Electronics Co., Ltd.
Address of Manufacturer:	No.10 Road 63#, Long yan, Humen Town, Dongguan City
Factory:	SKY WING Communication Electronics Co., Ltd.
Address of Factory:	No.10 Road 63#, Long yan, Humen Town, Dongguan City

4.2 General Description of E.U.T.

Product Name:	Bluetooth Headset
Model No.:	SK-BH-M6
Operation Frequency:	2402MHz~2480MHz
Channel numbers:	79
Channel separation:	1MHz
Modulation type:	GFSK, π/4DQPSK, 8DPSK
Antenna Type:	Integral
Antenna gain:	1dBi
AC adapter:	AC 100-240V 50/60Hz
	DC 5.0V
EUT power supply:	DC 4.2V "JHY551430"
USB Cable:	100cm



Report No.: SZEM110800310401

Page : 5 of 70

Operation Frequency each of channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2402MHz	21	2422MHz	41	2442MHz	61	2462MHz
2	2403MHz	22	2423MHz	42	2443MHz	62	2463MHz
3	2404MHz	23	2424MHz	43	2444MHz	63	2464MHz
4	2405MHz	24	2425MHz	44	2445MHz	64	2465MHz
5	2406MHz	25	2426MHz	45	2446MHz	65	2466MHz
6	2407MHz	26	2427MHz	46	2447MHz	66	2467MHz
7	2408MHz	27	2428MHz	47	2448MHz	67	2468MHz
8	2409MHz	28	2429MHz	48	2449MHz	68	2469MHz
9	2410MHz	29	2430MHz	49	2450MHz	69	2470MHz
10	2411MHz	30	2431MHz	50	2451MHz	70	2471MHz
11	2412MHz	31	2432MHz	51	2452MHz	71	2472MHz
12	2413MHz	32	2433MHz	52	2453MHz	72	2473MHz
13	2414MHz	33	2434MHz	53	2454MHz	73	2474MHz
14	2415MHz	34	2435MHz	54	2455MHz	74	2475MHz
15	2416MHz	35	2436MHz	55	2456MHz	75	2476MHz
16	2417MHz	36	2437MHz	56	2457MHz	76	2477MHz
17	2418MHz	37	2438MHz	57	2458MHz	77	2478MHz
18	2419MHz	38	2439MHz	58	2459MHz	78	2479MHz
19	2420MHz	39	2440MHz	59	2460MHz	79	2480MHz
20	2421MHz	40	2441MHz	60	2461MHz		

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel for testing see below:

Channel	Frequency
Lowest channel	2402MHz
Middle channel	2441MHz
Highest channel	2480MHz



Report No.: SZEM110800310401

Page : 6 of 70

4.3 E.U.T Operation mode

Operating Environment:	
Temperature:	25.0 °C
Humidity:	50 % RH
Atmospheric Pressure:	1010 mbar
Test mode:	
Bluetooth	Keep the EUT working in continuous transmission mode with 100% duty cycle and measuring in X, Y, Z axis positioning, power supplied by battery
Bluetooth + Charge	Keep the EUT working in continuous transmission mode with 100% duty cycle, power supplied by AC adapter.

4.4 Description of Support Units

The EUT was tested with associated equipment as below:

Description	Manufacturer	Model No.
Adapter	DYS	DYS051000

is

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110800310401

Page : 7 of 70

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

VCCI

The 3m Semi-anechoic chamber and Shielded Room (7.5m x 4.0m x 3.0m) of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-2197 and C-2383 respectively.

Date of Registration: September 29, 2008. Valid until September 28, 2011.

FCC - Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 556682, March 16, 2011

Industry Canada (IC)

The 3m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1.

4.6 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch E&E Lab No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594 No tests were sub-contracted.

4.7 Other Information Requested by the Customer

None.



Report No.: SZEM110800310401

Page : 8 of 70

4.8 Test Instruments list

RE i	RE in Chamber					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2011-06-10	2012-06-10
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEL0023	2011-05-26	2012-05-26
3	EMI Test software	AUDIX	E3	SEL0050	N/A	N/A
4	Coaxial cable	SGS	N/A	SEL0028	2011-05-29	2012-05-29
5	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2010-11-09	2011-11-09
6	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2010-11-09	2011-11-09
7	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEL0076	2010-11-09	2011-11-09
8	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2011-05-26	2012-05-26
9	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2010-10-27	2011-10-27
11	Band filter	Amindeon	82346	SEL0094	2011-05-26	2012-05-26

Con	Conducted Emission						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)	
1	Shielding Room	ZhongYu Electron	GB-88	SEL0042	2011-06-10	2012-06-10	
2	LISN	Rohde & Schwarz	ENV216	SEL0152	2010-10-27	2011-10-26	
3	Two-Line V-Network	ETS-LINDGREN	3816/2	SEL0021	2011-05-26	2012-05-26	
4	EMI Test Receiver	Rohde & Schwarz	ESCI	SEL0022	2011-05-26	2012-05-26	
5	Coaxial Cable	SGS	N/A	SEL0024	2011-05-29	2012-05-29	

RF c	RF conducted						
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)	
1	Spectrum Analyzer	Rohde & Schwarz	FSP 30	SEL0154	2010-10-27	2011-10-27	
2	Coaxial cable	SGS	N/A	SEL0028	2011-05-29	2012-05-29	



Report No.: SZEM110800310401

Page : 9 of 70

	General used equipment							
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)		
1	Humidity/ Temperature Indicator	Shanghai	ZJ1-2B	SEL0102 to SEL0103	2010-11-04	2011-11-04		
2	Humidity/ Temperature Indicator	Shanghai	ZJ1-2B	SEL0101	2011-03-10	2012-03-10		
3	Barometer	ChangChun	DYM3	SEL0088	2011-05-18	2012-05-18		



Report No.: SZEM110800310401

Page : 10 of 70

5 Test results and Measurement Data

5.1 Antenna requirement:

Standard requirement: FCC Part15 C Section 15.203 /247(c)

15.203 requirement:


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(c) (1)(i) requirement:

(i) Systems operating in the 2400-2483.5 MHz band that is used exclusively for fixed. Point-to-point operations may employ transmitting antennas with directional gain greater than 6dBi provided the maximum conducted output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6dBi.

E.U.T Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best gain of the antenna is 1dBi.





Report No.: SZEM110800310401

Page : 11 of 70

5.2 Conducted Emissions

Test Requirement:	FCC Part15 C Section 15.207		
Test Method:	ANSI C63.10: 2009		
Test Frequency Range:	150KHz to 30MHz		
Class / Severity:	Class B		
Receiver setup:	RBW=9KHz, VBW=30KHz		
Limit:	Limit (dBuV)		
	Frequency range (MHz)	Quasi-peak	Average
	0.15-0.5	66 to 56*	56 to 46*
	0.5-5	56	46
	5-30	60	50
Test procedure	* Decreases with the logarithm The E.U.T and simulators are		
	impedance stabilization network(L.I.S.N.). The provide a 50ohm/50uH coupling impedance for the measuring equipment. The peripheral devices are also connected to the main power through a LISN that provides a 50ohm/50uH coupling impedance with 50ohm termination. (Please refers to the block diagram of the test setup and photographs). Both sides of A.C. line are checked for maximum conducted interference. In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10: 2009 on conducted measurement.		
Test setup:	Reference Plane		
	AUX Equipment E.U.T EMI Receiver Remark E.U.T: Equipment Under Test LISN: Line Impedence Stabilization Network Test table height=0.8m		
Test Instruments:	Refer to section 4.8 for details		
Test mode:	Bluetooth + Charge mode		
Test results:	Pass		

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.


Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Report No.: SZEM110800310401

Page : 12 of 70

Live Line:



Notes:


- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Report No.: SZEM110800310401

Page : 13 of 70

Neutral Line:



Notes:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.

SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110800310401

Page : 14 of 70

5.3 Conducted Peak Output Power

Test Requirement:	FCC Part15 C Section 15.247 (b)(1)		
Test Method:	ANSI C63.10:2009		
Limit:	30dBm		
Test setup:			
	Spectrum Analyzer		
	E.U.T		
	Non-Conducted Table		
	Ground Reference Plane		
	Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		
Test Instruments:	Refer to section 4.8 for details		
Test state:	Bluetooth mode		
Test results:	Pass		

Measurement Data


GFSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	8.17	30.00	Pass	
Middle	8.37	30.00	Pass	
Highest	8.34	30.00	Pass	
	π/4DQPSK m	node		
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	7.41	30.00	Pass	
Middle	7.55	30.00	Pass	
Highest	7.29	30.00	Pass	
	8DPSK mode			
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	7.53	30.00	Pass	
Middle	7.76	30.00	Pass	
Highest	7.57	30.00	Pass	




Report No.: SZEM110800310401

Page : 15 of 70

Test plot as follows:









Report No.: SZEM110800310401

Page : 16 of 70









Report No.: SZEM110800310401

Page : 17 of 70









Report No.: SZEM110800310401

Page : 18 of 70








Report No.: SZEM110800310401

Page : 19 of 70



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 20 of 70

5.4 20dB Occupy Bandwidth

Test Requirement:	FCC Part15 C Section 15.247 (a)(1)
Test Method:	ANSI C63.10:2009
Limit:	NA
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane
Test Instruments:	Refer to section 4.8 for details
Test state:	Bluetooth mode
Test results:	Pass

Measurement Data


measurement bata			
To delicate del	20dB Occupy Bandwidth (KHz)		
Test channel	GFSK	π/4DQPSK	8DPSK
Lowest	804	1224	1212
Middle	882	1230	1218
Highest	882	1224	1218




Report No.: SZEM110800310401

Page : 21 of 70

Test plot as follows:









Report No.: SZEM110800310401

Page : 22 of 70









Report No.: SZEM110800310401

Page : 23 of 70









Report No.: SZEM110800310401

Page : 24 of 70








Report No.: SZEM110800310401

Page : 25 of 70





Report No.: SZEM110800310401

Page : 26 of 70

5.5 Carrier Frequencies Separation

Test Requirement:	FCC Part15 C Section 15.247 (a)(1)	
Test Method:	ANSI C63.10:2009	
Test state:	Bluetooth mode	
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
Test Instruments:	Refer to section 4.8 for details	
Limit:	0.025MHz or 2/3 of the 20dB bandwidth (whichever is greater)	
Test results:	Pass	



Report No.: SZEM110800310401

Page : 27 of 70

Measurement Data

GFSK mode			
Test channel	Carrier Frequencies Separation (KHz)	Limit (KHz)	Result
Lowest	1000	≥820	Pass
Middle	1000	≥820	Pass
Highest	1000	≥820	Pass
	π/4DQPSK m	rode	
Test channel	Carrier Frequencies Separation (KHz)	Limit (KHz)	Result
Lowest	1000	≥820	Pass
Middle	1005	≥820	Pass
Highest	1000	≥820	Pass
8DPSK mode			
Test channel	Carrier Frequencies Separation (KHz)	Limit (KHz)	Result
Lowest	1000	≥820	Pass
Middle	1000	≥820	Pass
Highest	1000	≥820	Pass

Note: According to section 5.4,


Mode	20dB bandwidth (KHz) (worse case)	Limit (KHz) (Carrier Frequencies Separation)
GFSK	882	588
π/4DQPSK	1230	820
8DPSK	1218	812




Report No.: SZEM110800310401

Page : 28 of 70

Test plot as follows:









Report No.: SZEM110800310401

Page : 29 of 70









Report No.: SZEM110800310401

Page : 30 of 70









Report No.: SZEM110800310401

Page : 31 of 70








Report No.: SZEM110800310401

Page : 32 of 70



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 33 of 70

5.6 Hopping Channel Number

Test Requirement:	FCC Part15 C Section 15.247 (b)	
Test Method:	ANSI C63.10:2009	
Requirement:	≥75 channels	
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
Test Instruments:	Refer to section 4.8 for details	
Test state:	Bluetooth mode	
Test results:	Pass	

Measurement Data


modear officert Data		
Mode	Hopping channel	Requirement
GFSK	79	≥75
π/4DQPSK	79	≥75
8DPSK	79	≥75




Report No.: SZEM110800310401

Page : 34 of 70

Test plot as follows








Report No.: SZEM110800310401

Page : 35 of 70



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 36 of 70

5.7 Dwell Time

Test Requirement:	FCC Part15 C Section 15.247 (a)(1)	
Test Method:	ANSI C63.10:2009	
Limit:	≤ 0.4 Second	
Test setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
Test Instruments:	Refer to section 4.8 for details	
Test state:	Bluetooth mode	
Test results:	Pass	

Measurement Data

Mode	Packet	Dwell time (second)	Limit (second)
	DH1	0.1696	≤0.4
GFSK	DH3	0.2864	≤0.4
	DH5	0.3219	≤0.4
π/4DQPSK	2-DH1	0.1728	≤0.4
	2-DH3	0.2880	≤0.4
	2-DH5	0.1967	≤0.4
8DPSK	3-DH1	0.1728	≤0.4
	3-DH3	0.2880	≤0.4
	3-DH5	0.3246	≤0.4

Test Result:

The test period: T= 0.4 Second/Channel x 79 Channel = 31.6 s

The lowest channel (2402MHz), middle channel (2441MHz), highest channel (2480MHz) as blow

DH1 time slot=0.530(ms)*(1600/ (2*79))*31.6=0.1696s

DH3 time slot=1.790(ms)*(1600/ (4*79))*31.6=0.2864s


DH5 time slot=3.020(ms)*(1600/ (6*79))*31.6=0.3219s




Report No.: SZEM110800310401

Page : 37 of 70

Test plot as follows









Report No.: SZEM110800310401

Page : 38 of 70









Report No.: SZEM110800310401

Page : 39 of 70







SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110800310401

Page : 40 of 70








Report No.: SZEM110800310401

Page : 41 of 70



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 42 of 70

5.8 Band Edge


Test Requirement:	FCC Part15 C Section 15.247 (d)					
Test Method:	ANSI C63.10:2009					
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.					
Test setup:						
	Spectrum Analyzer E.U.T Non-Conducted Table					
	Ground Reference Plane					
	Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.					
Test Instruments:	Refer to section 4.8 for details					
Test state:	Bluetooth mode					
Test results:	Pass					



Report No.: SZEM110800310401

Page : 43 of 70


Test plot as follows:





Report No.: SZEM110800310401


Page : 44 of 70





Report No.: SZEM110800310401


Page : 45 of 70





Report No.: SZEM110800310401


Page : 46 of 70





Report No.: SZEM110800310401


Page : 47 of 70





Report No.: SZEM110800310401

Page : 48 of 70





Report No.: SZEM110800310401

Page : 49 of 70

5.9 RF Antenna Conducted spurious emissions


Test Requirement:	FCC Part15 C Section 15.247 (d)						
Test Method:	ANSI C63.10:2009						
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.						
Test setup:	Spectrum Analyzer						
	Non-Conducted Table Ground Reference Plane						
	Remark:						
Test Instruments:	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. Refer to section 4.8 for details						
Test results:	Pass						


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 50 of 70









Report No.: SZEM110800310401

Page : 51 of 70









Report No.: SZEM110800310401

Page : 52 of 70









Report No.: SZEM110800310401

Stop 25 GHz

Page : 53 of 70





Start 30 MHz


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

2.497 GHz/



Report No.: SZEM110800310401

Page : 54 of 70





Report No.: SZEM110800310401

Page : 55 of 70

5.10 Pseudorandom Frequency Hopping Sequence

Test Requirement: FCC Part15 C Section 15.247 (a)(1) requirement:


Frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater.

Alternatively. Frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW. The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

EUT Pseudorandom Frequency Hopping Sequence


The pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

- Number of shift register stages: 9
- Length of pseudo-random sequence: $2^9 1 = 511$ bits
- Longest sequence of zeros: 8 (non-inverted signal)



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Each frequency used equally on the average by each transmitter.

The system receivers have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shift frequencies in synchronization with the transmitted signals.



Report No.: SZEM110800310401

Page : 56 of 70


5.11 Radiated Emission

Test Requirement:	FCC Part15 C S	FCC Part15 C Section 15.209 and 15.205							
Test Method:	ANSI C63.10: 2	009							
Test Frequency Range:	30MHz to 25GHz								
Test site:	Measurement Distance: 3m (Semi-Anechoic Chamber)								
Receiver setup:									
Trocorver detapt	Frequency	Detector	RBW	VBW	Remark				
	30MHz-1GHz	Quasi-peak	100KHz	300KHz	Quasi-peak Value				
	Above 1GHz	Peak	1MHz	3MHz	Peak Value				
	710000 10112	Peak	1MHz	10Hz	Average Value				
Limit:		1							
	Freque		Limit (dBuV/		Remark				
	30MHz-8		40.0		Quasi-peak Value				
	88MHz-21		43.5		Quasi-peak Value				
	216MHz-9 960MHz-		46.0 54.0		Quasi-peak Value Quasi-peak Value				
	900IVII 12-	IGHZ	54.0		Average Value				
	Above 1	GHz	74.0		Peak Value				
Test Procedure:	the ground a rotated 360 radiation. b. The EUT was antenna, who tower. c. The antenna ground to do horizontal as the measured. For each sucase and the meters and degrees to fe. The test-red Specified Base of the EUT whave 10dB in the limit specified Base of the EUT whave 10dB in the limit specified Base of the EUT whave 10dB in the limit specified Base of the EUT whave 10dB in the limit specified Base of the EUT whave 10dB in the limit specified Base of the EUT whave 10dB in the limit specified Base of the EUT whave 10dB in the EUT whave 10dB in the EUT whave 10dB in the EUT was antennal to the EUT	at a 3 meter sed degrees to de degrees to de degrees to de de degrees to de degrees to de degrees to de degrees to degrees de degree	emi-anechoice termine the pass away from the total ed from one naximum valuarizations of the total ed from the EUT as was tuned able was turnum reading. Was set to Perece EUT in pealsting could be tred. Otherwipe re-tested to the pass to the ted.	camber. The consition of the consition of the the interference of a varial meter to follow of the file the antennation heights file and from 0 considerable was a set the emissione by one	ence-receiving ble-height antenna ur meters above the ld strength. Both a are set to make ged to its worst rom 1 meter to 4 degrees to 360				
Test Instruments:	Refer to section	4.8 for details							



Report No.: SZEM110800310401

Page : 57 of 70



Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor




Report No.: SZEM110800310401

Page : 58 of 70

5.11.1 Radiated emission below 1GHz

Vertical



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."


SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM110800310401

Page : 59 of 70

Horizontal



	Freq			Preamp Factor	Read Level		Limit Line	Over Limit
	MHz	dB	dB/m	——dB	dBuV	dBuV/m	dBuV/m	dB
1	58.407	0.80	7.39	27.27	33.75	14.67	40.00	-25.33
2	273.234	1.78	12.76	26.47	27.99	16.07	46.00	-29.93
3	341.979	2.04	15.22	26.73	30.66	21.19	46.00	-24.81
4	478.846	2.52	17.80	27.60	35.45	28.18	46.00	-17.82
5	560.693	2.66	18.98	27.60	31.03	25.07	46.00	-20.93
6	752.743	3.07	21.73	27.35	31.39	28.84	46.00	-17.16



Report No.: SZEM110800310401

Page : 60 of 70

5.11.2 Transmitter emission above 1GHz

Worse case r	node:	GFSK	Test	channel:	Lowest	Rema	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
2762.500	4.87	33.07	40.13	48.40	46.21	74.00	-27.79	Vertical
3279.500	5.45	33.29	40.51	48.52	46.75	74.00	-27.25	Vertical
4031.500	6.50	33.89	41.07	48.36	47.68	74.00	-26.32	Vertical
4804.340	7.44	34.70	41.63	60.81	61.32	74.00	-12.68	Vertical
5817.500	7.89	35.40	41.07	50.22	52.44	74.00	-21.56	Vertical
7509.500	9.10	36.00	39.61	48.85	54.34	74.00	-19.66	Vertical
2609.750	4.75	32.86	40.02	47.44	45.03	74.00	-28.97	Horizontal
3714.250	6.05	33.47	40.83	49.78	48.47	74.00	-25.53	Horizontal
4804.350	7.44	34.70	41.63	59.32	59.83	74.00	-14.17	Horizontal
5958.500	7.96	35.64	40.96	51.04	53.68	74.00	-20.32	Horizontal
6957.250	8.43	35.85	40.08	49.45	53.65	74.00	-20.35	Horizontal
8743.250	9.55	36.39	38.54	47.27	54.67	74.00	-19.33	Horizontal

Worse case n	node:	GFSK	Test	channel:	Lowest	Rem	ark:	Average
Frequency (MHz)	Cable loss (dB)	Antenna factors (dB/m)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
2762.500	4.87	33.07	40.13	38.72	36.53	54.00	-17.47	Vertical
3279.500	5.45	33.29	40.51	38.13	36.36	54.00	-17.64	Vertical
4031.500	6.50	33.89	41.07	38.77	38.09	54.00	-15.91	Vertical
4804.340	7.44	34.70	41.63	50.41	50.92	54.00	-3.08	Vertical
5817.500	7.89	35.40	41.07	40.34	42.56	54.00	-11.44	Vertical
7509.500	9.10	36.00	39.61	38.90	44.39	54.00	-9.61	Vertical
2609.750	4.75	32.86	40.02	38.27	35.86	54.00	-18.14	Horizontal
3714.250	6.05	33.47	40.83	39.93	38.62	54.00	-15.38	Horizontal
4804.350	7.44	34.70	41.63	50.31	50.82	54.00	-3.18	Horizontal
5958.500	7.96	35.64	40.96	41.42	44.06	54.00	-9.94	Horizontal
6957.250	8.43	35.85	40.08	39.61	43.81	54.00	-10.19	Horizontal
8743.250	9.55	36.39	38.54	37.84	45.24	54.00	-8.76	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 61 of 70

Worse case	mode:	GFSK	Test	t channel:	Middle	Rem	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
2680.250	4.81	32.96	40.06	48.63	46.34	74.00	-27.66	Vertical
3373.500	5.57	33.25	40.58	48.63	46.87	74.00	-27.13	Vertical
4348.750	6.90	34.78	41.29	48.67	49.06	74.00	-24.94	Vertical
4882.030	7.48	34.59	41.68	60.00	60.39	74.00	-13.61	Vertical
6205.250	8.05	35.94	40.74	49.92	53.17	74.00	-20.83	Vertical
7791.500	9.27	36.00	39.38	49.15	55.04	74.00	-18.96	Vertical
3103.250	5.19	33.36	40.38	48.07	46.24	74.00	-27.76	Horizontal
4172.500	6.68	34.31	41.16	47.97	47.80	74.00	-26.20	Horizontal
4877.500	7.48	34.59	41.68	53.19	53.58	74.00	-20.42	Horizontal
6287.500	8.07	36.04	40.68	50.09	53.52	74.00	-20.48	Horizontal
7568.250	9.17	36.00	39.56	49.74	55.35	74.00	-18.65	Horizontal
9671.500	9.70	37.37	37.75	46.37	55.69	74.00	-18.31	Horizontal

Worse case	mode:	GFSK	Tes	t channel:	Middle	Rem	ark:	Average
Frequency (MHz)	Cable loss (dB)	Antenna factors (dB/m)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
2680.250	4.81	32.96	40.06	36.45	34.16	54.00	-19.84	Vertical
3373.500	5.57	33.25	40.58	38.76	37.00	54.00	-17.00	Vertical
4348.750	6.90	34.78	41.29	39.21	39.60	54.00	-14.40	Vertical
4882.030	7.48	34.59	41.68	50.00	50.39	54.00	-3.61	Vertical
6205.250	8.05	35.94	40.74	40.27	43.52	54.00	-10.48	Vertical
7791.500	9.27	36.00	39.38	39.25	45.14	54.00	-8.86	Vertical
3103.250	5.19	33.36	40.38	38.57	36.74	54.00	-17.26	Horizontal
4172.500	6.68	34.31	41.16	37.56	37.39	54.00	-16.61	Horizontal
4877.500	7.48	34.59	41.68	47.38	47.77	54.00	-6.23	Horizontal
6287.500	8.07	36.04	40.68	40.67	44.10	54.00	-9.90	Horizontal
7568.250	9.17	36.00	39.56	40.19	45.80	54.00	-8.20	Horizontal
9671.500	9.70	37.37	37.75	37.83	47.15	54.00	-6.85	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 62 of 70

Worse case	mode:	GFSK	Test	t channel:	Highest	Rem	ark:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
2104.500	4.40	31.99	39.64	48.09	44.84	74.00	-29.16	Vertical
3138.500	5.24	33.34	40.41	47.99	46.16	74.00	-27.84	Vertical
3949.250	6.38	33.74	41.00	48.21	47.33	74.00	-26.67	Vertical
4960.300	7.53	34.46	41.74	55.69	55.94	74.00	-18.06	Vertical
6616.500	8.19	36.20	40.38	49.43	53.44	74.00	-20.56	Vertical
8273.250	9.41	36.11	38.95	48.68	55.25	74.00	-18.75	Vertical
2210.250	4.47	32.17	39.72	47.60	44.52	74.00	-29.48	Horizontal
2950.500	5.02	33.33	40.27	48.81	46.89	74.00	-27.11	Horizontal
3737.750	6.11	33.49	40.84	48.72	47.48	74.00	-26.52	Horizontal
4642.500	7.25	34.98	41.51	48.36	49.08	74.00	-24.92	Horizontal
6146.500	8.02	35.88	40.79	49.97	53.08	74.00	-20.92	Horizontal
7897.250	9.30	36.00	39.28	48.87	54.89	74.00	-19.11	Horizontal

Worse case	se case mode: GFS		GFSK Test cha		Highest	Rem	nark:	Average
Frequency (MHz)	Cable loss (dB)	Antenna factors (dB/m)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Antenna polarization
2104.500	4.40	31.99	39.64	38.66	35.41	54.00	-18.59	Vertical
3138.500	5.24	33.34	40.41	37.40	35.57	54.00	-18.43	Vertical
3949.250	6.38	33.74	41.00	38.68	37.80	54.00	-16.20	Vertical
4960.300	7.53	34.46	41.74	47.99	48.24	54.00	-5.76	Vertical
6616.500	8.19	36.20	40.38	39.73	43.74	54.00	-10.26	Vertical
8273.250	9.41	36.11	38.95	39.02	45.59	54.00	-8.41	Vertical
2210.250	4.47	32.17	39.72	38.29	35.21	54.00	-18.79	Horizontal
2950.500	5.02	33.33	40.27	38.65	36.73	54.00	-17.27	Horizontal
3737.750	6.11	33.49	40.84	39.46	38.22	54.00	-15.78	Horizontal
4642.500	7.25	34.98	41.51	39.50	40.22	54.00	-13.78	Horizontal
6146.500	8.02	35.88	40.79	39.29	42.40	54.00	-11.60	Horizontal
7897.250	9.30	36.00	39.28	38.45	44.47	54.00	-9.53	Horizontal

Remark: The disturbance above 9GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 63 of 70

5.11.3 Band edge (Radiated Emission)




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 64 of 70




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 65 of 70




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 66 of 70




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 67 of 70




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 68 of 70




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 69 of 70




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM110800310401

Page : 70 of 70



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."