


2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




09/11/2022

EUT Z_2TX
Setting 19.5
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.322G	57.25	74.00	-16.75	25.34	3	Horizontal	220	2.98	-	27.99	3.92	-
AV	2.388G	45.56	54.00	-8.44	13.32	3	Horizontal	220	2.98	-	28.25	3.99	-
PK	2.41G	104.69	Inf	-Inf	72.38	3	Horizontal	220	2.98	-	28.30	4.01	-
AV	2.408G	92.77	Inf	-Inf	60.46	3	Horizontal	220	2.98	-	28.30	4.01	-
PK	2.4904G	58.06	74.00	-15.94	25.51	3	Horizontal	220	2.98	-	28.46	4.09	-
AV	2.4992G	44.95	54.00	-9.05	12.35	3	Horizontal	220	2.98	-	28.50	4.10	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
 Setting 19.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84238G	46.21	74.00	-27.79	38.34	3	Vertical	197	1.03	-	33.05	5.62	30.80
AV	4.84234G	32.33	54.00	-21.67	24.46	3	Vertical	197	1.03	-	33.05	5.62	30.80
PK	7.26116G	49.95	74.00	-24.05	38.73	3	Vertical	151	1.23	-	36.24	6.87	31.89
AV	7.2616G	36.27	54.00	-17.73	25.04	3	Vertical	151	1.23	-	36.25	6.87	31.89

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
 Setting 19.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84708G	45.87	74.00	-28.13	37.96	3	Horizontal	310	1.90	-	33.08	5.62	30.79
AV	4.84528G	32.32	54.00	-21.68	24.42	3	Horizontal	310	1.90	-	33.07	5.62	30.79
PK	7.2661G	49.79	74.00	-24.21	38.55	3	Horizontal	344	2.25	-	36.26	6.87	31.89
AV	7.26606G	36.20	54.00	-17.80	24.96	3	Horizontal	344	2.25	-	36.26	6.87	31.89

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
Setting 19.5
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	64.63	74.00	-9.37	32.39	3	Vertical	193	1.63	-	28.25	3.99	-
AV	2.3872G	50.24	54.00	-3.76	18.00	3	Vertical	193	1.63	-	28.25	3.99	-
PK	2.4466G	118.20	Inf	-Inf	85.85	3	Vertical	193	1.63	-	28.30	4.05	-
AV	2.4454G	106.30	Inf	-Inf	73.95	3	Vertical	193	1.63	-	28.30	4.05	-
PK	2.4838G	66.75	74.00	-7.25	34.23	3	Vertical	193	1.63	-	28.44	4.08	-
AV	2.4835G	53.98	54.00	-0.02	21.47	3	Vertical	193	1.63	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 19.5
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	57.84	74.00	-16.16	25.59	3	Horizontal	16	2.63	-	28.26	3.99	-
AV	2.39G	45.56	54.00	-8.44	13.31	3	Horizontal	16	2.63	-	28.26	3.99	-
PK	2.4388G	106.04	Inf	-Inf	73.70	3	Horizontal	16	2.63	-	28.30	4.04	-
AV	2.4406G	93.46	Inf	-Inf	61.12	3	Horizontal	16	2.63	-	28.30	4.04	-
PK	2.491G	56.56	74.00	-17.44	24.01	3	Horizontal	16	2.63	-	28.46	4.09	-
AV	2.4862G	45.09	54.00	-8.91	12.56	3	Horizontal	16	2.63	-	28.44	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8732G	47.56	74.00	-26.44	42.33	3	Vertical	353	1.80	-	33.59	6.54	34.90
AV	4.878G	34.40	54.00	-19.60	29.14	3	Vertical	353	1.80	-	33.61	6.54	34.89
PK	7.3906G	52.99	74.00	-21.01	42.47	3	Vertical	278	1.00	-	37.00	8.70	35.18
AV	7.4038G	40.18	54.00	-13.82	29.67	3	Vertical	278	1.00	-	36.99	8.71	35.19

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9384G	47.76	74.00	-26.24	42.30	3	Horizontal	360	1.84	-	33.78	6.57	34.89
AV	4.8844G	34.44	54.00	-19.56	29.15	3	Horizontal	360	1.84	-	33.64	6.54	34.89
PK	7.4082G	53.52	74.00	-20.48	43.01	3	Horizontal	242	1.46	-	36.98	8.72	35.19
AV	7.4014G	40.14	54.00	-13.86	29.62	3	Horizontal	242	1.46	-	37.00	8.70	35.18

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Z_2TX
 Setting 19.5
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	57.84	74.00	-16.16	25.59	3	Vertical	195	1.59	-	28.26	3.99	-
AV	2.39G	46.02	54.00	-7.98	13.77	3	Vertical	195	1.59	-	28.26	3.99	-
PK	2.4492G	119.76	Inf	-Inf	87.41	3	Vertical	195	1.59	-	28.30	4.05	-
AV	2.45G	106.62	Inf	-Inf	74.27	3	Vertical	195	1.59	-	28.30	4.05	-
PK	2.4868G	66.25	74.00	-7.75	33.71	3	Vertical	195	1.59	-	28.45	4.09	-
AV	2.4876G	53.08	54.00	-0.92	20.54	3	Vertical	195	1.59	-	28.45	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Z_2TX
 Setting 19.5
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3784G	57.45	74.00	-16.55	25.26	3	Horizontal	10	1.80	-	28.21	3.98	-
AV	2.382G	44.62	54.00	-9.38	12.41	3	Horizontal	10	1.80	-	28.23	3.98	-
PK	2.454G	104.90	Inf	-Inf	72.53	3	Horizontal	10	1.80	-	28.32	4.05	-
AV	2.4532G	93.11	Inf	-Inf	60.75	3	Horizontal	10	1.80	-	28.31	4.05	-
PK	2.4844G	59.04	74.00	-14.96	26.52	3	Horizontal	10	1.80	-	28.44	4.08	-
AV	2.4835G	47.25	54.00	-6.75	14.74	3	Horizontal	10	1.80	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
 Setting 19.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90444G	46.19	74.00	-27.81	38.10	3	Vertical	260	2.82	-	33.21	5.65	30.77
AV	4.90062G	32.25	54.00	-21.75	24.17	3	Vertical	260	2.82	-	33.20	5.65	30.77
PK	7.35264G	50.02	74.00	-23.98	38.64	3	Vertical	122	1.48	-	36.50	6.82	31.94
AV	7.35918G	36.71	54.00	-17.29	25.34	3	Vertical	122	1.48	-	36.50	6.82	31.95

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
 Setting 19.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9075G	46.09	74.00	-27.91	37.99	3	Horizontal	360	2.23	-	33.22	5.65	30.77
AV	4.90456G	32.36	54.00	-21.64	24.27	3	Horizontal	360	2.23	-	33.21	5.65	30.77
PK	7.3595G	50.39	74.00	-23.61	39.02	3	Horizontal	164	2.17	-	36.50	6.82	31.95
AV	7.35178G	36.67	54.00	-17.33	25.29	3	Horizontal	164	2.17	-	36.50	6.82	31.94

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.53	74.00	-8.47	33.95	3	Vertical	156	1.70	-	28.38	3.20	-
AV	2.39G	53.07	54.00	-0.93	21.49	3	Vertical	156	1.70	-	28.38	3.20	-
PK	2.4132G	121.53	Inf	-Inf	89.92	3	Vertical	156	1.70	-	28.40	3.21	-
AV	2.4136G	108.37	Inf	-Inf	76.76	3	Vertical	156	1.70	-	28.40	3.21	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	58.81	74.00	-15.19	27.24	3	Horizontal	224	1.38	-	28.38	3.19	-
AV	2.39G	46.89	54.00	-7.11	15.31	3	Horizontal	224	1.38	-	28.38	3.20	-
PK	2.4088G	112.80	Inf	-Inf	81.20	3	Horizontal	224	1.38	-	28.40	3.20	-
AV	2.4138G	98.90	Inf	-Inf	67.29	3	Horizontal	224	1.38	-	28.40	3.21	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Z_2TX
 Setting 22.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82142G	45.89	74.00	-28.11	38.16	3	Vertical	43	1.70	-	32.93	5.61	30.81
AV	4.82288G	32.27	54.00	-21.73	24.52	3	Vertical	43	1.70	-	32.94	5.61	30.80

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Z_2TX
 Setting 22.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82298G	45.91	74.00	-28.09	38.16	3	Horizontal	59	1.76	-	32.94	5.61	30.80
AV	4.82264G	32.22	54.00	-21.78	24.47	3	Horizontal	59	1.76	-	32.94	5.61	30.80

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT Z_2TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.45	74.00	-8.55	33.88	3	Vertical	166	1.62	-	28.38	3.19	-
AV	2.3898G	52.25	54.00	-1.75	20.68	3	Vertical	166	1.62	-	28.38	3.19	-
PK	2.4134G	122.34	Inf	-Inf	90.73	3	Vertical	166	1.62	-	28.40	3.21	-
AV	2.4126G	109.35	Inf	-Inf	77.74	3	Vertical	166	1.62	-	28.40	3.21	-
PK	2.4842G	57.60	74.00	-16.40	25.82	3	Vertical	166	1.62	-	28.54	3.24	-
AV	2.4835G	46.16	54.00	-7.84	14.39	3	Vertical	166	1.62	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT Z_2TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.46	74.00	-14.54	27.89	3	Horizontal	223	1.35	-	28.38	3.19	-
AV	2.3898G	46.09	54.00	-7.91	14.52	3	Horizontal	223	1.35	-	28.38	3.19	-
PK	2.4106G	112.35	Inf	-Inf	80.74	3	Horizontal	223	1.35	-	28.40	3.21	-
AV	2.4122G	99.96	Inf	-Inf	68.35	3	Horizontal	223	1.35	-	28.40	3.21	-
PK	2.4838G	55.14	74.00	-18.86	23.36	3	Horizontal	223	1.35	-	28.54	3.24	-
AV	2.4846G	44.05	54.00	-9.95	12.27	3	Horizontal	223	1.35	-	28.54	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 27.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.22	74.00	-11.78	30.65	3	Vertical	155	1.80	-	28.38	3.19	-
AV	2.3898G	50.12	54.00	-3.88	18.55	3	Vertical	155	1.80	-	28.38	3.19	-
PK	2.4342G	126.57	Inf	-Inf	94.95	3	Vertical	155	1.80	-	28.40	3.22	-
AV	2.4394G	112.50	Inf	-Inf	80.88	3	Vertical	155	1.80	-	28.40	3.22	-
PK	2.4838G	67.50	74.00	-6.50	35.72	3	Vertical	155	1.80	-	28.54	3.24	-
AV	2.4835G	52.15	54.00	-1.85	20.38	3	Vertical	155	1.80	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 27.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	58.15	74.00	-15.85	26.58	3	Horizontal	223	1.39	-	28.38	3.19	-
AV	2.3898G	46.13	54.00	-7.87	14.56	3	Horizontal	223	1.39	-	28.38	3.19	-
PK	2.4402G	116.60	Inf	-Inf	84.98	3	Horizontal	223	1.39	-	28.40	3.22	-
AV	2.4438G	102.95	Inf	-Inf	71.33	3	Horizontal	223	1.39	-	28.40	3.22	-
PK	2.4842G	58.00	74.00	-16.00	26.22	3	Horizontal	223	1.39	-	28.54	3.24	-
AV	2.4835G	45.86	54.00	-8.14	14.09	3	Horizontal	223	1.39	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 27.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87126G	46.74	74.00	-27.26	38.74	3	Vertical	283	2.54	-	33.14	5.64	30.78
AV	4.87404G	32.71	54.00	-21.29	24.70	3	Vertical	283	2.54	-	33.15	5.64	30.78
PK	7.31168G	49.49	74.00	-24.51	38.15	3	Vertical	238	2.52	-	36.42	6.84	31.92
AV	7.31436G	36.51	54.00	-17.49	25.16	3	Vertical	238	2.52	-	36.43	6.84	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 27.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87048G	46.76	74.00	-27.24	38.76	3	Horizontal	328	1.52	-	33.14	5.64	30.78
AV	4.8724G	32.80	54.00	-21.20	24.80	3	Horizontal	328	1.52	-	33.14	5.64	30.78
PK	7.31462G	49.78	74.00	-24.22	38.43	3	Horizontal	117	2.61	-	36.43	6.84	31.92
AV	7.31462G	36.49	54.00	-17.51	25.14	3	Horizontal	117	2.61	-	36.43	6.84	31.92

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT Z_2TX
 Setting 24.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	56.91	74.00	-17.09	25.34	3	Vertical	167	1.79	-	28.38	3.19	-
AV	2.3898G	45.53	54.00	-8.47	13.96	3	Vertical	167	1.79	-	28.38	3.19	-
PK	2.461G	123.05	Inf	-Inf	91.38	3	Vertical	167	1.79	-	28.44	3.23	-
AV	2.4542G	109.46	Inf	-Inf	77.81	3	Vertical	167	1.79	-	28.42	3.23	-
PK	2.4854G	66.83	74.00	-7.17	35.05	3	Vertical	167	1.79	-	28.54	3.24	-
AV	2.4835G	53.51	54.00	-0.49	21.74	3	Vertical	167	1.79	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT Z_2TX
Setting 24.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	55.40	74.00	-18.60	23.84	3	Horizontal	347	2.81	-	28.37	3.19	-
AV	2.389G	43.63	54.00	-10.37	12.06	3	Horizontal	347	2.81	-	28.38	3.19	-
PK	2.453G	113.51	Inf	-Inf	81.87	3	Horizontal	347	2.81	-	28.41	3.23	-
AV	2.455G	98.96	Inf	-Inf	67.31	3	Horizontal	347	2.81	-	28.42	3.23	-
PK	2.4842G	57.18	74.00	-16.82	25.40	3	Horizontal	347	2.81	-	28.54	3.24	-
AV	2.4835G	45.62	54.00	-8.38	13.85	3	Horizontal	347	2.81	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	121.88	Inf	-Inf	90.23	3	Vertical	166	1.80	-	28.42	3.23	-
AV	2.458G	108.59	Inf	-Inf	76.93	3	Vertical	166	1.80	-	28.43	3.23	-
PK	2.4836G	66.35	74.00	-7.65	34.58	3	Vertical	166	1.80	-	28.53	3.24	-
AV	2.4835G	53.97	54.00	-0.03	22.20	3	Vertical	166	1.80	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	110.36	Inf	-Inf	78.70	3	Horizontal	342	2.82	-	28.43	3.23	-
AV	2.4548G	97.43	Inf	-Inf	65.78	3	Horizontal	342	2.82	-	28.42	3.23	-
PK	2.4836G	57.45	74.00	-16.55	25.68	3	Horizontal	342	2.82	-	28.53	3.24	-
AV	2.4835G	45.77	54.00	-8.23	14.00	3	Horizontal	342	2.82	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92636G	45.73	74.00	-28.27	37.58	3	Vertical	223	1.62	-	33.25	5.66	30.76
AV	4.92436G	32.55	54.00	-21.45	24.40	3	Vertical	223	1.62	-	33.25	5.66	30.76
PK	7.38152G	50.41	74.00	-23.59	39.06	3	Vertical	306	1.53	-	36.50	6.81	31.96
AV	7.38544G	36.95	54.00	-17.05	25.60	3	Vertical	306	1.53	-	36.50	6.81	31.96

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92184G	46.60	74.00	-27.40	38.46	3	Horizontal	84	2.61	-	33.24	5.66	30.76
AV	4.92608G	32.62	54.00	-21.38	24.47	3	Horizontal	84	2.61	-	33.25	5.66	30.76
PK	7.38876G	50.73	74.00	-23.27	39.39	3	Horizontal	155	2.09	-	36.50	6.81	31.97
AV	7.38884G	36.90	54.00	-17.10	25.56	3	Horizontal	155	2.09	-	36.50	6.81	31.97

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	67.27	74.00	-6.73	35.71	3	Vertical	156	1.79	-	28.37	3.19	-
AV	2.39G	53.78	54.00	-0.22	22.20	3	Vertical	156	1.79	-	28.38	3.20	-
PK	2.43G	116.43	Inf	-Inf	84.81	3	Vertical	156	1.79	-	28.40	3.22	-
AV	2.4288G	103.72	Inf	-Inf	72.11	3	Vertical	156	1.79	-	28.40	3.21	-
PK	2.4835G	57.89	74.00	-16.11	26.12	3	Vertical	156	1.79	-	28.53	3.24	-
AV	2.4835G	46.67	54.00	-7.33	14.90	3	Vertical	156	1.79	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	59.06	74.00	-14.94	27.48	3	Horizontal	223	1.38	-	28.38	3.20	-
AV	2.39G	46.74	54.00	-7.26	15.16	3	Horizontal	223	1.38	-	28.38	3.20	-
PK	2.4164G	106.82	Inf	-Inf	75.21	3	Horizontal	223	1.38	-	28.40	3.21	-
AV	2.414G	94.28	Inf	-Inf	62.67	3	Horizontal	223	1.38	-	28.40	3.21	-
PK	2.4888G	55.97	74.00	-18.03	24.17	3	Horizontal	223	1.38	-	28.56	3.24	-
AV	2.4848G	44.05	54.00	-9.95	12.27	3	Horizontal	223	1.38	-	28.54	3.24	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84464G	45.93	74.00	-28.07	38.04	3	Vertical	320	1.60	-	33.07	5.62	30.80
AV	4.84228G	32.41	54.00	-21.59	24.54	3	Vertical	320	1.60	-	33.05	5.62	30.80
PK	7.26186G	49.69	74.00	-24.31	38.46	3	Vertical	9	2.68	-	36.25	6.87	31.89
AV	7.2649G	36.06	54.00	-17.94	24.82	3	Vertical	9	2.68	-	36.26	6.87	31.89

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84796G	46.36	74.00	-27.64	38.44	3	Horizontal	181	1.11	-	33.09	5.62	30.79
AV	4.84256G	32.37	54.00	-21.63	24.49	3	Horizontal	181	1.11	-	33.06	5.62	30.80
PK	7.26116G	50.08	74.00	-23.92	38.86	3	Horizontal	310	2.36	-	36.24	6.87	31.89
AV	7.26236G	35.97	54.00	-18.03	24.74	3	Horizontal	310	2.36	-	36.25	6.87	31.89

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	63.56	74.00	-10.44	31.99	3	Vertical	155	1.80	-	28.38	3.19	-
AV	2.3898G	51.51	54.00	-2.49	19.94	3	Vertical	155	1.80	-	28.38	3.19	-
PK	2.445G	116.50	Inf	-Inf	84.88	3	Vertical	155	1.80	-	28.40	3.22	-
AV	2.4342G	103.73	Inf	-Inf	72.11	3	Vertical	155	1.80	-	28.40	3.22	-
PK	2.4838G	64.79	74.00	-9.21	33.01	3	Vertical	155	1.80	-	28.54	3.24	-
AV	2.4835G	53.35	54.00	-0.65	21.58	3	Vertical	155	1.80	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	56.80	74.00	-17.20	25.23	3	Horizontal	222	1.38	-	28.38	3.19	-
AV	2.3898G	45.59	54.00	-8.41	14.02	3	Horizontal	222	1.38	-	28.38	3.19	-
PK	2.4418G	108.20	Inf	-Inf	76.58	3	Horizontal	222	1.38	-	28.40	3.22	-
AV	2.4462G	94.38	Inf	-Inf	62.76	3	Horizontal	222	1.38	-	28.40	3.22	-
PK	2.4846G	57.77	74.00	-16.23	25.99	3	Horizontal	222	1.38	-	28.54	3.24	-
AV	2.4835G	45.80	54.00	-8.20	14.03	3	Horizontal	222	1.38	-	28.53	3.24	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 20.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87618G	46.57	74.00	-27.43	38.56	3	Vertical	151	2.39	-	33.15	5.64	30.78
AV	4.87366G	32.70	54.00	-21.30	24.69	3	Vertical	151	2.39	-	33.15	5.64	30.78
PK	7.31212G	50.47	74.00	-23.53	39.13	3	Vertical	178	1.34	-	36.42	6.84	31.92
AV	7.31544G	36.80	54.00	-17.20	25.45	3	Vertical	178	1.34	-	36.43	6.84	31.92

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8727G	46.45	74.00	-27.55	38.44	3	Horizontal	224	2.80	-	33.15	5.64	30.78
AV	4.87408G	32.78	54.00	-21.22	24.77	3	Horizontal	224	2.80	-	33.15	5.64	30.78
PK	7.30964G	49.83	74.00	-24.17	38.48	3	Horizontal	73	1.42	-	36.42	6.85	31.92
AV	7.31336G	36.74	54.00	-17.26	25.39	3	Horizontal	73	1.42	-	36.43	6.84	31.92

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	57.95	74.00	-16.05	26.38	3	Vertical	165	1.64	-	28.38	3.19	-
AV	2.39G	45.53	54.00	-8.47	13.95	3	Vertical	165	1.64	-	28.38	3.20	-
PK	2.4472G	116.50	Inf	-Inf	84.88	3	Vertical	165	1.64	-	28.40	3.22	-
AV	2.4492G	103.95	Inf	-Inf	72.33	3	Vertical	165	1.64	-	28.40	3.22	-
PK	2.4835G	66.30	74.00	-7.70	34.53	3	Vertical	165	1.64	-	28.53	3.24	-
AV	2.484G	53.79	54.00	-0.21	22.01	3	Vertical	165	1.64	-	28.54	3.24	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3788G	55.46	74.00	-18.54	23.91	3	Horizontal	340	2.28	-	28.36	3.19	-
AV	2.3888G	43.73	54.00	-10.27	12.16	3	Horizontal	340	2.28	-	28.38	3.19	-
PK	2.4456G	105.88	Inf	-Inf	74.26	3	Horizontal	340	2.28	-	28.40	3.22	-
AV	2.4452G	92.57	Inf	-Inf	60.95	3	Horizontal	340	2.28	-	28.40	3.22	-
PK	2.484G	57.35	74.00	-16.65	25.57	3	Horizontal	340	2.28	-	28.54	3.24	-
AV	2.484G	45.62	54.00	-8.38	13.84	3	Horizontal	340	2.28	-	28.54	3.24	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90696G	45.90	74.00	-28.10	37.81	3	Vertical	31	1.84	-	33.21	5.65	30.77
AV	4.9034G	32.29	54.00	-21.71	24.20	3	Vertical	31	1.84	-	33.21	5.65	30.77
PK	7.35346G	50.94	74.00	-23.06	39.57	3	Vertical	136	2.73	-	36.50	6.82	31.95
AV	7.35862G	36.72	54.00	-17.28	25.35	3	Vertical	136	2.73	-	36.50	6.82	31.95

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
 Setting 20.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90462G	45.86	74.00	-28.14	37.77	3	Horizontal	319	2.96	-	33.21	5.65	30.77
AV	4.9066G	32.29	54.00	-21.71	24.20	3	Horizontal	319	2.96	-	33.21	5.65	30.77
PK	7.35382G	50.19	74.00	-23.81	38.82	3	Horizontal	30	2.04	-	36.50	6.82	31.95
AV	7.35144G	36.70	54.00	-17.30	25.32	3	Horizontal	30	2.04	-	36.50	6.82	31.94

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	56.44	74.00	-17.56	24.19	3	Vertical	198	2.12	-	28.26	3.99	-
AV	2.39G	45.60	54.00	-8.40	13.35	3	Vertical	198	2.12	-	28.26	3.99	-
PK	2.4106G	114.14	Inf	-Inf	81.83	3	Vertical	198	2.12	-	28.30	4.01	-
AV	2.4116G	105.84	Inf	-Inf	73.53	3	Vertical	198	2.12	-	28.30	4.01	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3776G	55.70	74.00	-18.30	23.51	3	Horizontal	130	1.03	-	28.21	3.98	-
AV	2.3852G	44.19	54.00	-9.81	11.96	3	Horizontal	130	1.03	-	28.24	3.99	-
PK	2.411G	101.05	Inf	-Inf	68.74	3	Horizontal	130	1.03	-	28.30	4.01	-
AV	2.4112G	95.61	Inf	-Inf	63.30	3	Horizontal	130	1.03	-	28.30	4.01	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82502G	45.80	74.00	-28.20	40.84	3	Vertical	340	1.80	-	33.35	6.51	34.90
AV	4.83756G	33.08	54.00	-20.92	28.03	3	Vertical	340	1.80	-	33.43	6.52	34.90

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82466G	46.39	74.00	-27.61	41.43	3	Horizontal	229	1.80	-	33.35	6.51	34.90
AV	4.83366G	33.19	54.00	-20.81	28.17	3	Horizontal	229	1.80	-	33.40	6.52	34.90

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
Setting 28
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	56.94	74.00	-17.06	24.69	3	Vertical	189	1.90	-	28.26	3.99	-
AV	2.3894G	45.16	54.00	-8.84	12.91	3	Vertical	189	1.90	-	28.26	3.99	-
PK	2.4438G	121.28	Inf	-Inf	88.94	3	Vertical	189	1.90	-	28.30	4.04	-
AV	2.4378G	116.78	Inf	-Inf	84.44	3	Vertical	189	1.90	-	28.30	4.04	-
PK	2.489G	62.33	74.00	-11.67	29.78	3	Vertical	189	1.90	-	28.46	4.09	-
AV	2.4846G	46.06	54.00	-7.94	13.54	3	Vertical	189	1.90	-	28.44	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3462G	56.04	74.00	-17.96	24.01	3	Horizontal	131	2.80	-	28.08	3.95	-
AV	2.3898G	44.28	54.00	-9.72	12.03	3	Horizontal	131	2.80	-	28.26	3.99	-
PK	2.4366G	103.67	Inf	-Inf	71.33	3	Horizontal	131	2.80	-	28.30	4.04	-
AV	2.4418G	91.40	Inf	-Inf	59.06	3	Horizontal	131	2.80	-	28.30	4.04	-
PK	2.497G	55.79	74.00	-18.21	23.20	3	Horizontal	131	2.80	-	28.49	4.10	-
AV	2.4914G	44.58	54.00	-9.42	12.02	3	Horizontal	131	2.80	-	28.47	4.09	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87748G	46.23	74.00	-27.77	40.97	3	Vertical	4	1.00	-	33.61	6.54	34.89
AV	4.88594G	33.17	54.00	-20.83	27.88	3	Vertical	4	1.00	-	33.64	6.54	34.89
PK	7.326G	52.10	74.00	-21.90	41.60	3	Vertical	178	2.56	-	36.95	8.70	35.15
AV	7.32522G	38.95	54.00	-15.05	28.45	3	Vertical	178	2.56	-	36.95	8.70	35.15

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87634G	46.58	74.00	-27.42	41.32	3	Horizontal	334	1.80	-	33.61	6.54	34.89
AV	4.88354G	33.15	54.00	-20.85	27.87	3	Horizontal	334	1.80	-	33.63	6.54	34.89
PK	7.32312G	52.09	74.00	-21.91	41.59	3	Horizontal	0	1.81	-	36.95	8.70	35.15
AV	7.32312G	38.95	54.00	-15.05	28.45	3	Horizontal	0	1.81	-	36.95	8.70	35.15

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4586G	120.38	Inf	-Inf	87.99	3	Vertical	194	1.80	-	28.33	4.06	-
AV	2.4628G	113.62	Inf	-Inf	81.21	3	Vertical	194	1.80	-	28.35	4.06	-
PK	2.4835G	60.59	74.00	-13.41	28.08	3	Vertical	194	1.80	-	28.43	4.08	-
AV	2.4835G	49.04	54.00	-4.96	16.53	3	Vertical	194	1.80	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4626G	107.03	Inf	-Inf	74.62	3	Horizontal	152	1.80	-	28.35	4.06	-
AV	2.4628G	98.29	Inf	-Inf	65.88	3	Horizontal	152	1.80	-	28.35	4.06	-
PK	2.4872G	58.54	74.00	-15.46	26.00	3	Horizontal	152	1.80	-	28.45	4.09	-
AV	2.4835G	44.76	54.00	-9.24	12.25	3	Horizontal	152	1.80	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 28
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92034G	46.76	74.00	-27.24	41.35	3	Vertical	342	1.80	-	33.74	6.56	34.89
AV	4.92802G	33.68	54.00	-20.32	28.25	3	Vertical	342	1.80	-	33.76	6.56	34.89
PK	7.37808G	52.75	74.00	-21.25	42.22	3	Vertical	49	1.96	-	37.00	8.70	35.17
AV	7.4004G	39.61	54.00	-14.39	29.09	3	Vertical	49	1.96	-	37.00	8.70	35.18

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93612G	47.44	74.00	-26.56	41.99	3	Horizontal	156	2.24	-	33.77	6.57	34.89
AV	4.93468G	33.81	54.00	-20.19	28.36	3	Horizontal	156	2.24	-	33.77	6.57	34.89
PK	7.38942G	53.53	74.00	-20.47	43.01	3	Horizontal	206	1.80	-	37.00	8.70	35.18
AV	7.39992G	39.38	54.00	-14.62	28.86	3	Horizontal	206	1.80	-	37.00	8.70	35.18

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Z_2TX
 Setting 24
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3856G	71.29	74.00	-2.71	39.06	3	Vertical	194	1.80	-	28.24	3.99	-
AV	2.39G	53.17	54.00	-0.83	20.92	3	Vertical	194	1.80	-	28.26	3.99	-
PK	2.4128G	118.68	Inf	-Inf	86.37	3	Vertical	194	1.80	-	28.30	4.01	-
AV	2.4168G	105.89	Inf	-Inf	73.57	3	Vertical	194	1.80	-	28.30	4.02	-
PK	2.4852G	59.25	74.00	-14.75	26.72	3	Vertical	194	1.80	-	28.44	4.09	-
AV	2.4835G	47.30	54.00	-6.70	14.79	3	Vertical	194	1.80	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Z_2TX
Setting 24
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	58.59	74.00	-15.41	26.35	3	Horizontal	218	1.53	-	28.25	3.99	-
AV	2.3896G	45.25	54.00	-8.75	13.00	3	Horizontal	218	1.53	-	28.26	3.99	-
PK	2.4128G	102.89	Inf	-Inf	70.58	3	Horizontal	218	1.53	-	28.30	4.01	-
AV	2.4284G	88.44	Inf	-Inf	56.11	3	Horizontal	218	1.53	-	28.30	4.03	-
PK	2.4835G	56.12	74.00	-17.88	23.61	3	Horizontal	218	1.53	-	28.43	4.08	-
AV	2.4984G	44.53	54.00	-9.47	11.94	3	Horizontal	218	1.53	-	28.49	4.10	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 24
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83128G	46.55	74.00	-27.45	41.54	3	Vertical	29	2.36	-	33.39	6.52	34.90
AV	4.83884G	33.26	54.00	-20.74	28.21	3	Vertical	29	2.36	-	33.43	6.52	34.90
PK	7.2543G	52.06	74.00	-21.94	41.76	3	Vertical	162	1.37	-	36.72	8.70	35.12
AV	7.25886G	38.85	54.00	-15.15	28.53	3	Vertical	162	1.37	-	36.74	8.70	35.12

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84868G	46.57	74.00	-27.43	41.46	3	Horizontal	142	1.14	-	33.49	6.52	34.90
AV	4.84148G	33.28	54.00	-20.72	28.21	3	Horizontal	142	1.14	-	33.45	6.52	34.90
PK	7.2672G	51.51	74.00	-22.49	41.16	3	Horizontal	74	1.80	-	36.77	8.70	35.12
AV	7.25118G	38.97	54.00	-15.03	28.69	3	Horizontal	74	1.80	-	36.70	8.70	35.12

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	58.23	74.00	-15.77	25.98	3	Vertical	193	1.80	-	28.26	3.99	-
AV	2.3896G	47.01	54.00	-6.99	14.76	3	Vertical	193	1.80	-	28.26	3.99	-
PK	2.428G	117.15	Inf	-Inf	84.82	3	Vertical	193	1.80	-	28.30	4.03	-
AV	2.4418G	103.46	Inf	-Inf	71.12	3	Vertical	193	1.80	-	28.30	4.04	-
PK	2.4835G	64.39	74.00	-9.61	31.88	3	Vertical	193	1.80	-	28.43	4.08	-
AV	2.4835G	52.79	54.00	-1.21	20.28	3	Vertical	193	1.80	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3566G	57.08	74.00	-16.92	24.99	3	Horizontal	5	2.80	-	28.13	3.96	-
AV	2.3698G	44.22	54.00	-9.78	12.07	3	Horizontal	5	2.80	-	28.18	3.97	-
PK	2.4286G	98.74	Inf	-Inf	66.41	3	Horizontal	5	2.80	-	28.30	4.03	-
AV	2.4274G	86.57	Inf	-Inf	54.24	3	Horizontal	5	2.80	-	28.30	4.03	-
PK	2.4835G	59.47	74.00	-14.53	26.96	3	Horizontal	5	2.80	-	28.43	4.08	-
AV	2.4835G	44.85	54.00	-9.15	12.34	3	Horizontal	5	2.80	-	28.43	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87762G	46.60	74.00	-27.40	41.34	3	Vertical	115	2.88	-	33.61	6.54	34.89
AV	4.87626G	33.21	54.00	-20.79	27.95	3	Vertical	115	2.88	-	33.61	6.54	34.89
PK	7.3148G	51.56	74.00	-22.44	41.07	3	Vertical	309	1.91	-	36.93	8.70	35.14
AV	7.31292G	38.93	54.00	-15.07	28.44	3	Vertical	309	1.91	-	36.93	8.70	35.14

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87858G	46.37	74.00	-27.63	41.11	3	Horizontal	346	1.29	-	33.61	6.54	34.89
AV	4.87626G	33.10	54.00	-20.90	27.84	3	Horizontal	346	1.29	-	33.61	6.54	34.89
PK	7.3095G	51.95	74.00	-22.05	41.47	3	Horizontal	360	1.26	-	36.92	8.70	35.14
AV	7.30922G	38.78	54.00	-15.22	28.30	3	Horizontal	360	1.26	-	36.92	8.70	35.14

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	56.30	74.00	-17.70	24.06	3	Vertical	194	1.94	-	28.25	3.99	-
AV	2.3888G	44.98	54.00	-9.02	12.73	3	Vertical	194	1.94	-	28.26	3.99	-
PK	2.4544G	115.97	Inf	-Inf	83.60	3	Vertical	194	1.94	-	28.32	4.05	-
AV	2.4528G	104.08	Inf	-Inf	71.72	3	Vertical	194	1.94	-	28.31	4.05	-
PK	2.484G	67.85	74.00	-6.15	35.33	3	Vertical	194	1.94	-	28.44	4.08	-
AV	2.4844G	53.86	54.00	-0.14	21.34	3	Vertical	194	1.94	-	28.44	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Z_2TX
Setting 22
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.352G	56.41	74.00	-17.59	24.35	3	Horizontal	156	2.03	-	28.11	3.95	-
AV	2.3896G	44.23	54.00	-9.77	11.98	3	Horizontal	156	2.03	-	28.26	3.99	-
PK	2.4628G	101.92	Inf	-Inf	69.51	3	Horizontal	156	2.03	-	28.35	4.06	-
AV	2.4628G	97.94	Inf	-Inf	65.53	3	Horizontal	156	2.03	-	28.35	4.06	-
PK	2.484G	56.78	74.00	-17.22	24.26	3	Horizontal	156	2.03	-	28.44	4.08	-
AV	2.484G	45.23	54.00	-8.77	12.71	3	Horizontal	156	2.03	-	28.44	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90284G	47.18	74.00	-26.82	41.81	3	Vertical	359	1.95	-	33.71	6.55	34.89
AV	4.90286G	33.10	54.00	-20.90	27.73	3	Vertical	359	1.95	-	33.71	6.55	34.89
PK	7.35638G	51.98	74.00	-22.02	41.44	3	Vertical	255	2.29	-	37.00	8.70	35.16
AV	7.35808G	38.78	54.00	-15.22	28.24	3	Vertical	255	2.29	-	37.00	8.70	35.16

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_Z_2TX
 Setting 22
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89906G	45.93	74.00	-28.07	40.57	3	Horizontal	112	2.54	-	33.70	6.55	34.89
AV	4.90158G	33.14	54.00	-20.86	27.78	3	Horizontal	112	2.54	-	33.70	6.55	34.89
PK	7.35248G	51.86	74.00	-22.14	41.32	3	Horizontal	145	2.94	-	37.00	8.70	35.16
AV	7.35684G	38.71	54.00	-15.29	28.17	3	Horizontal	145	2.94	-	37.00	8.70	35.16




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.39G	53.94	54.00	-0.06	3	Vertical	142	1.80	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 25
06-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	62.58	74.00	-11.42	29.85	3	Vertical	56	2.43	-	27.64	5.09	-
AV	2.3854G	53.72	54.00	-0.28	20.98	3	Vertical	56	2.43	-	27.66	5.08	-
PK	2.4132G	126.99	Inf	-Inf	94.28	3	Vertical	56	2.43	-	27.60	5.11	-
AV	2.413G	120.69	Inf	-Inf	87.98	3	Vertical	56	2.43	-	27.60	5.11	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 25
06-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3756G	60.59	74.00	-13.41	27.83	3	Horizontal	191	1.80	-	27.70	5.06	-
AV	2.3632G	51.29	54.00	-2.71	18.51	3	Horizontal	191	1.80	-	27.75	5.03	-
PK	2.4126G	112.70	Inf	-Inf	79.99	3	Horizontal	191	1.80	-	27.60	5.11	-
AV	2.4114G	107.34	Inf	-Inf	74.63	3	Horizontal	191	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82688G	46.45	74.00	-27.55	40.86	3	Vertical	179	1.80	-	31.35	6.76	32.52
AV	4.82388G	37.89	54.00	-16.11	32.30	3	Vertical	179	1.80	-	31.35	6.76	32.52

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81668G	46.95	74.00	-27.05	41.38	3	Horizontal	271	1.80	-	31.33	6.76	32.52
AV	4.83008G	36.86	54.00	-17.14	31.26	3	Horizontal	271	1.80	-	31.36	6.76	32.52

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 25
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	62.07	74.00	-11.93	29.88	3	Vertical	142	1.80	-	28.20	3.99	-
AV	2.39G	53.94	54.00	-0.06	21.75	3	Vertical	142	1.80	-	28.20	3.99	-
PK	2.4162G	120.75	Inf	-Inf	88.53	3	Vertical	142	1.80	-	28.20	4.02	-
AV	2.416G	119.15	Inf	-Inf	86.93	3	Vertical	142	1.80	-	28.20	4.02	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 25
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	59.82	74.00	-14.18	27.63	3	Horizontal	188	1.80	-	28.20	3.99	-
AV	2.389G	51.26	54.00	-2.74	19.07	3	Horizontal	188	1.80	-	28.20	3.99	-
PK	2.4162G	109.43	Inf	-Inf	77.21	3	Horizontal	188	1.80	-	28.20	4.02	-
AV	2.416G	108.28	Inf	-Inf	76.06	3	Horizontal	188	1.80	-	28.20	4.02	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 28.5
 03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	61.61	74.00	-12.39	29.42	3	Vertical	161	2.30	-	28.20	3.99	-
AV	2.3878G	53.48	54.00	-0.52	21.29	3	Vertical	161	2.30	-	28.20	3.99	-
PK	2.4378G	122.71	Inf	-Inf	90.47	3	Vertical	161	2.30	-	28.20	4.04	-
AV	2.4378G	120.48	Inf	-Inf	88.24	3	Vertical	161	2.30	-	28.20	4.04	-
PK	2.4854G	61.84	74.00	-12.16	29.34	3	Vertical	161	2.30	-	28.41	4.09	-
AV	2.4858G	53.71	54.00	-0.29	21.21	3	Vertical	161	2.30	-	28.41	4.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 28.5
 03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3382G	59.22	74.00	-14.78	27.15	3	Horizontal	165	1.46	-	28.13	3.94	-
AV	2.3878G	49.37	54.00	-4.63	17.18	3	Horizontal	165	1.46	-	28.20	3.99	-
PK	2.4378G	114.53	Inf	-Inf	82.29	3	Horizontal	165	1.46	-	28.20	4.04	-
AV	2.4378G	112.13	Inf	-Inf	79.89	3	Horizontal	165	1.46	-	28.20	4.04	-
PK	2.4926G	59.20	74.00	-14.80	26.65	3	Horizontal	165	1.46	-	28.46	4.09	-
AV	2.487G	49.59	54.00	-4.41	17.08	3	Horizontal	165	1.46	-	28.42	4.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 28.5
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87412G	46.80	74.00	-27.20	41.62	3	Vertical	51	1.79	-	33.54	6.54	34.90
AV	4.874G	37.58	54.00	-16.42	32.40	3	Vertical	51	1.79	-	33.54	6.54	34.90
PK	7.31016G	56.93	74.00	-17.07	46.55	3	Vertical	209	1.80	-	36.82	8.70	35.14
AV	7.31004G	50.81	54.00	-3.19	40.43	3	Vertical	209	1.80	-	36.82	8.70	35.14

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 28.5
 03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87152G	46.31	74.00	-27.69	41.14	3	Horizontal	234	1.80	-	33.53	6.54	34.90
AV	4.87996G	36.78	54.00	-17.22	31.55	3	Horizontal	234	1.80	-	33.58	6.54	34.89
PK	7.30972G	53.41	74.00	-20.59	43.03	3	Horizontal	193	1.92	-	36.82	8.70	35.14
AV	7.30992G	44.47	54.00	-9.53	34.09	3	Horizontal	193	1.92	-	36.82	8.70	35.14

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	121.51	Inf	-Inf	89.21	3	Vertical	25	2.24	-	28.24	4.06	-
AV	2.458G	120.13	Inf	-Inf	87.82	3	Vertical	25	2.24	-	28.25	4.06	-
PK	2.4848G	61.98	74.00	-12.02	29.49	3	Vertical	25	2.24	-	28.41	4.08	-
AV	2.4858G	53.55	54.00	-0.45	21.05	3	Vertical	25	2.24	-	28.41	4.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4562G	113.41	Inf	-Inf	81.11	3	Horizontal	186	2.20	-	28.24	4.06	-
AV	2.458G	111.79	Inf	-Inf	79.48	3	Horizontal	186	2.20	-	28.25	4.06	-
PK	2.4884G	61.32	74.00	-12.68	28.80	3	Horizontal	186	2.20	-	28.43	4.09	-
AV	2.4852G	52.23	54.00	-1.77	19.73	3	Horizontal	186	2.20	-	28.41	4.09	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 25
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4622G	126.03	Inf	-Inf	93.32	3	Vertical	59	2.36	-	27.60	5.11	-
AV	2.4614G	120.25	Inf	-Inf	87.54	3	Vertical	59	2.36	-	27.60	5.11	-
PK	2.485G	62.59	74.00	-11.41	29.88	3	Vertical	59	2.36	-	27.60	5.11	-
AV	2.4876G	53.01	54.00	-0.99	20.30	3	Vertical	59	2.36	-	27.60	5.11	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 25
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	112.60	Inf	-Inf	79.89	3	Horizontal	195	2.10	-	27.60	5.11	-
AV	2.461G	106.84	Inf	-Inf	74.13	3	Horizontal	195	2.10	-	27.60	5.11	-
PK	2.4894G	61.56	74.00	-12.44	28.85	3	Horizontal	195	2.10	-	27.60	5.11	-
AV	2.4984G	51.59	54.00	-2.41	18.88	3	Horizontal	195	2.10	-	27.60	5.11	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92756G	46.61	74.00	-27.39	40.83	3	Vertical	36	1.80	-	31.46	6.79	32.47
AV	4.91448G	36.94	54.00	-17.06	31.20	3	Vertical	36	1.80	-	31.43	6.79	32.48
PK	7.38504G	55.75	74.00	-18.25	44.58	3	Vertical	353	1.92	-	36.70	8.00	33.53
AV	7.3848G	50.09	54.00	-3.91	38.92	3	Vertical	353	1.92	-	36.70	8.00	33.53

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91404G	46.71	74.00	-27.29	40.97	3	Horizontal	360	1.80	-	31.43	6.79	32.48
AV	4.91516G	37.02	54.00	-16.98	31.28	3	Horizontal	360	1.80	-	31.43	6.79	32.48
PK	7.38904G	53.65	74.00	-20.35	42.50	3	Horizontal	201	2.06	-	36.70	7.99	33.54
AV	7.38712G	44.69	54.00	-9.31	33.54	3	Horizontal	201	2.06	-	36.70	7.99	33.54

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 22
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	64.24	74.00	-9.76	31.51	3	Vertical	257	1.90	-	27.64	5.09	-
AV	2.39G	53.61	54.00	-0.39	20.88	3	Vertical	257	1.90	-	27.64	5.09	-
PK	2.415G	118.48	Inf	-Inf	85.77	3	Vertical	257	1.90	-	27.60	5.11	-
AV	2.415G	109.81	Inf	-Inf	77.10	3	Vertical	257	1.90	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 22
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.363G	60.60	74.00	-13.40	27.82	3	Horizontal	169	2.14	-	27.75	5.03	-
AV	2.3898G	49.53	54.00	-4.47	16.80	3	Horizontal	169	2.14	-	27.64	5.09	-
PK	2.4148G	108.77	Inf	-Inf	76.06	3	Horizontal	169	2.14	-	27.60	5.11	-
AV	2.4146G	99.87	Inf	-Inf	67.16	3	Horizontal	169	2.14	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 22
06-I-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83228G	46.42	74.00	-27.58	40.82	3	Vertical	274	1.80	-	31.36	6.76	32.52			
AV	4.82272G	34.37	54.00	-19.63	28.78	3	Vertical	274	1.80	-	31.35	6.76	32.52			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 22
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8204G	46.16	74.00	-27.84	40.58	3	Horizontal	330	1.80	-	31.34	6.76	32.52
AV	4.83288G	34.28	54.00	-19.72	28.67	3	Horizontal	330	1.80	-	31.37	6.76	32.52

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 24
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.86	74.00	-11.14	30.13	3	Vertical	259	1.88	-	27.64	5.09	-
AV	2.39G	52.55	54.00	-1.45	19.82	3	Vertical	259	1.88	-	27.64	5.09	-
PK	2.4154G	123.51	Inf	-Inf	90.80	3	Vertical	259	1.88	-	27.60	5.11	-
AV	2.4158G	114.77	Inf	-Inf	82.06	3	Vertical	259	1.88	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 24
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.376G	60.94	74.00	-13.06	28.18	3	Horizontal	231	1.52	-	27.70	5.06	-
AV	2.3894G	49.02	54.00	-4.98	16.29	3	Horizontal	231	1.52	-	27.64	5.09	-
PK	2.4178G	111.42	Inf	-Inf	78.71	3	Horizontal	231	1.52	-	27.60	5.11	-
AV	2.4178G	102.80	Inf	-Inf	70.09	3	Horizontal	231	1.52	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 25
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	64.58	74.00	-9.42	31.85	3	Vertical	63	2.61	-	27.65	5.08	-
AV	2.39G	51.79	54.00	-2.21	19.06	3	Vertical	63	2.61	-	27.64	5.09	-
PK	2.442G	124.74	Inf	-Inf	92.03	3	Vertical	63	2.61	-	27.60	5.11	-
AV	2.4416G	116.27	Inf	-Inf	83.56	3	Vertical	63	2.61	-	27.60	5.11	-
PK	2.4854G	66.60	74.00	-7.40	33.89	3	Vertical	63	2.61	-	27.60	5.11	-
AV	2.4858G	53.20	54.00	-0.80	20.49	3	Vertical	63	2.61	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 25
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	59.87	74.00	-14.13	27.14	3	Horizontal	231	1.52	-	27.64	5.09	-
AV	2.389G	49.02	54.00	-4.98	16.29	3	Horizontal	231	1.52	-	27.64	5.09	-
PK	2.4336G	112.01	Inf	-Inf	79.30	3	Horizontal	231	1.52	-	27.60	5.11	-
AV	2.4332G	102.49	Inf	-Inf	69.78	3	Horizontal	231	1.52	-	27.60	5.11	-
PK	2.4868G	60.50	74.00	-13.50	27.79	3	Horizontal	231	1.52	-	27.60	5.11	-
AV	2.4842G	49.51	54.00	-4.49	16.80	3	Horizontal	231	1.52	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 25
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86576G	45.86	74.00	-28.14	40.19	3	Vertical	0	1.76	-	31.40	6.77	32.50
AV	4.87456G	34.39	54.00	-19.61	28.71	3	Vertical	0	1.76	-	31.40	6.78	32.50
PK	7.31466G	54.25	74.00	-19.75	42.92	3	Vertical	152	1.80	-	36.70	8.07	33.44
AV	7.31334G	42.12	54.00	-11.88	30.78	3	Vertical	152	1.80	-	36.70	8.08	33.44

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 25
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8815G	46.93	74.00	-27.07	41.24	3	Horizontal	0	1.80	-	31.40	6.78	32.49
AV	4.87172G	34.20	54.00	-19.80	28.52	3	Horizontal	0	1.80	-	31.40	6.78	32.50
PK	7.31508G	57.14	74.00	-16.86	45.81	3	Horizontal	192	1.80	-	36.70	8.07	33.44
AV	7.31328G	44.22	54.00	-9.78	32.88	3	Horizontal	192	1.80	-	36.70	8.08	33.44

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4554G	124.46	Inf	-Inf	91.75	3	Vertical	270	1.80	-	27.60	5.11	-
AV	2.4602G	115.73	Inf	-Inf	83.02	3	Vertical	270	1.80	-	27.60	5.11	-
PK	2.4838G	66.21	74.00	-7.79	33.50	3	Vertical	270	1.80	-	27.60	5.11	-
AV	2.4848G	53.94	54.00	-0.06	21.23	3	Vertical	270	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4536G	110.83	Inf	-Inf	78.12	3	Horizontal	169	2.37	-	27.60	5.11	-
AV	2.4538G	101.70	Inf	-Inf	68.99	3	Horizontal	169	2.37	-	27.60	5.11	-
PK	2.4942G	61.85	74.00	-12.15	29.14	3	Horizontal	169	2.37	-	27.60	5.11	-
AV	2.4835G	49.50	54.00	-4.50	16.79	3	Horizontal	169	2.37	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.46G	123.01	Inf	-Inf	90.30	3	Vertical	271	1.80	-	27.60	5.11	-
AV	2.4608G	113.75	Inf	-Inf	81.04	3	Vertical	271	1.80	-	27.60	5.11	-
PK	2.4846G	64.98	74.00	-9.02	32.27	3	Vertical	271	1.80	-	27.60	5.11	-
AV	2.4835G	53.45	54.00	-0.55	20.74	3	Vertical	271	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4572G	106.33	Inf	-Inf	73.62	3	Horizontal	59	2.48	-	27.60	5.11	-
AV	2.4572G	98.15	Inf	-Inf	65.44	3	Horizontal	59	2.48	-	27.60	5.11	-
PK	2.4978G	60.97	74.00	-13.03	28.26	3	Horizontal	59	2.48	-	27.60	5.11	-
AV	2.4918G	49.20	54.00	-4.80	16.49	3	Horizontal	59	2.48	-	27.60	5.11	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91332G	47.76	74.00	-26.24	42.42	3	Vertical	4	1.05	-	33.67	6.56	34.89
AV	4.92448G	35.82	54.00	-18.18	30.50	3	Vertical	4	1.05	-	33.65	6.56	34.89
PK	7.40034G	52.87	74.00	-21.13	42.45	3	Vertical	276	1.80	-	36.90	8.70	35.18
AV	7.39728G	41.41	54.00	-12.59	30.99	3	Vertical	276	1.80	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91986G	47.49	74.00	-26.51	42.16	3	Horizontal	183	1.80	-	33.66	6.56	34.89
AV	4.91614G	35.65	54.00	-18.35	30.31	3	Horizontal	183	1.80	-	33.67	6.56	34.89
PK	7.39278G	52.47	74.00	-21.53	42.05	3	Horizontal	48	1.80	-	36.90	8.70	35.18
AV	7.40082G	41.08	54.00	-12.92	30.66	3	Horizontal	48	1.80	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	62.70	74.00	-11.30	29.97	3	Vertical	273	1.80	-	27.64	5.09	-
AV	2.39G	52.28	54.00	-1.72	19.55	3	Vertical	273	1.80	-	27.64	5.09	-
PK	2.4092G	120.32	Inf	-Inf	87.61	3	Vertical	273	1.80	-	27.60	5.11	-
AV	2.4096G	109.07	Inf	-Inf	76.36	3	Vertical	273	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3814G	60.76	74.00	-13.24	28.02	3	Horizontal	170	2.14	-	27.67	5.07	-
AV	2.3896G	48.75	54.00	-5.25	16.02	3	Horizontal	170	2.14	-	27.64	5.09	-
PK	2.4174G	108.15	Inf	-Inf	75.44	3	Horizontal	170	2.14	-	27.60	5.11	-
AV	2.4174G	96.04	Inf	-Inf	63.33	3	Horizontal	170	2.14	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82634G	47.70	74.00	-26.30	42.69	3	Vertical	140	1.79	-	33.40	6.51	34.90
AV	4.82802G	36.35	54.00	-17.65	31.34	3	Vertical	140	1.79	-	33.40	6.51	34.90

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82478G	47.30	74.00	-26.70	42.29	3	Horizontal	195	2.10	-	33.40	6.51	34.90
AV	4.82826G	35.79	54.00	-18.21	30.78	3	Horizontal	195	2.10	-	33.40	6.51	34.90

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	66.14	74.00	-7.86	33.40	3	Vertical	274	1.80	-	27.66	5.08	-
AV	2.3866G	53.90	54.00	-0.10	21.17	3	Vertical	274	1.80	-	27.65	5.08	-
PK	2.414G	124.84	Inf	-Inf	92.13	3	Vertical	274	1.80	-	27.60	5.11	-
AV	2.4144G	112.99	Inf	-Inf	80.28	3	Vertical	274	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.89	74.00	-13.11	28.16	3	Horizontal	166	2.22	-	27.64	5.09	-
AV	2.3892G	48.75	54.00	-5.25	16.02	3	Horizontal	166	2.22	-	27.64	5.09	-
PK	2.421G	112.01	Inf	-Inf	79.30	3	Horizontal	166	2.22	-	27.60	5.11	-
AV	2.4212G	99.58	Inf	-Inf	66.87	3	Horizontal	166	2.22	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
 Setting 24.5
 06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	62.90	74.00	-11.10	30.17	3	Vertical	275	2.04	-	27.65	5.08	-
AV	2.3866G	50.46	54.00	-3.54	17.73	3	Vertical	275	2.04	-	27.65	5.08	-
PK	2.4338G	125.63	Inf	-Inf	92.92	3	Vertical	275	2.04	-	27.60	5.11	-
AV	2.4346G	114.23	Inf	-Inf	81.52	3	Vertical	275	2.04	-	27.60	5.11	-
PK	2.4835G	64.62	74.00	-9.38	31.91	3	Vertical	275	2.04	-	27.60	5.11	-
AV	2.4835G	52.38	54.00	-1.62	19.67	3	Vertical	275	2.04	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3398G	60.27	74.00	-13.73	27.44	3	Horizontal	221	1.81	-	27.86	4.97	-
AV	2.3382G	48.51	54.00	-5.49	15.67	3	Horizontal	221	1.81	-	27.87	4.97	-
PK	2.4398G	109.93	Inf	-Inf	77.22	3	Horizontal	221	1.81	-	27.60	5.11	-
AV	2.4402G	98.76	Inf	-Inf	66.05	3	Horizontal	221	1.81	-	27.60	5.11	-
PK	2.4902G	60.36	74.00	-13.64	27.65	3	Horizontal	221	1.81	-	27.60	5.11	-
AV	2.4835G	48.67	54.00	-5.33	15.96	3	Horizontal	221	1.81	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88276G	47.05	74.00	-26.95	41.80	3	Vertical	34	1.45	-	33.60	6.54	34.89
AV	4.88822G	35.63	54.00	-18.37	30.35	3	Vertical	34	1.45	-	33.63	6.54	34.89
PK	7.32084G	52.68	74.00	-21.32	42.29	3	Vertical	348	1.80	-	36.84	8.70	35.15
AV	7.31352G	40.51	54.00	-13.49	30.12	3	Vertical	348	1.80	-	36.83	8.70	35.14

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86548G	47.31	74.00	-26.69	42.19	3	Horizontal	12	1.80	-	33.49	6.53	34.90
AV	4.8884G	35.57	54.00	-18.43	30.29	3	Horizontal	12	1.80	-	33.63	6.54	34.89
PK	7.31286G	52.85	74.00	-21.15	42.46	3	Horizontal	76	1.80	-	36.83	8.70	35.14
AV	7.3134G	42.71	54.00	-11.29	32.32	3	Horizontal	76	1.80	-	36.83	8.70	35.14

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
 Setting 24.5
 06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4546G	126.48	Inf	-Inf	93.77	3	Vertical	271	1.88	-	27.60	5.11	-
AV	2.454G	114.35	Inf	-Inf	81.64	3	Vertical	271	1.88	-	27.60	5.11	-
PK	2.4835G	67.29	74.00	-6.71	34.58	3	Vertical	271	1.88	-	27.60	5.11	-
AV	2.4835G	53.28	54.00	-0.72	20.57	3	Vertical	271	1.88	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
 Setting 24.5
 06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.452G	112.12	Inf	-Inf	79.41	3	Horizontal	166	2.34	-	27.60	5.11	-
AV	2.4512G	100.18	Inf	-Inf	67.47	3	Horizontal	166	2.34	-	27.60	5.11	-
PK	2.4842G	61.44	74.00	-12.56	28.73	3	Horizontal	166	2.34	-	27.60	5.11	-
AV	2.4835G	48.67	54.00	-5.33	15.96	3	Horizontal	166	2.34	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4598G	124.95	Inf	-Inf	92.24	3	Vertical	270	1.80	-	27.60	5.11	-
AV	2.4594G	113.03	Inf	-Inf	80.32	3	Vertical	270	1.80	-	27.60	5.11	-
PK	2.4862G	65.11	74.00	-8.89	32.40	3	Vertical	270	1.80	-	27.60	5.11	-
AV	2.4846G	53.78	54.00	-0.22	21.07	3	Vertical	270	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4564G	111.76	Inf	-Inf	79.05	3	Horizontal	169	2.10	-	27.60	5.11	-
AV	2.4568G	99.28	Inf	-Inf	66.57	3	Horizontal	169	2.10	-	27.60	5.11	-
PK	2.4835G	61.03	74.00	-12.97	28.32	3	Horizontal	169	2.10	-	27.60	5.11	-
AV	2.4835G	49.23	54.00	-4.77	16.52	3	Horizontal	169	2.10	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91668G	56.30	74.00	-17.70	50.96	3	Vertical	84	1.80	-	33.67	6.56	34.89
AV	4.91644G	42.39	54.00	-11.61	37.05	3	Vertical	84	1.80	-	33.67	6.56	34.89
PK	7.37376G	62.86	74.00	-11.14	52.43	3	Vertical	46	1.80	-	36.90	8.70	35.17
AV	7.38348G	48.20	54.00	-5.80	37.78	3	Vertical	46	1.80	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91716G	54.76	74.00	-19.24	49.42	3	Horizontal	2	1.01	-	33.67	6.56	34.89
AV	4.91596G	41.38	54.00	-12.62	36.04	3	Horizontal	2	1.01	-	33.67	6.56	34.89
PK	7.37844G	58.16	74.00	-15.84	47.73	3	Horizontal	73	2.65	-	36.90	8.70	35.17
AV	7.3851G	45.18	54.00	-8.82	34.76	3	Horizontal	73	2.65	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 20
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	64.22	74.00	-9.78	32.03	3	Vertical	260	2.01	-	28.20	3.99	-
AV	2.39G	53.83	54.00	-0.17	21.64	3	Vertical	260	2.01	-	28.20	3.99	-
PK	2.4292G	116.56	Inf	-Inf	84.33	3	Vertical	260	2.01	-	28.20	4.03	-
AV	2.4192G	105.51	Inf	-Inf	73.29	3	Vertical	260	2.01	-	28.20	4.02	-
PK	2.4835G	60.00	74.00	-14.00	27.52	3	Vertical	260	2.01	-	28.40	4.08	-
AV	2.4876G	48.22	54.00	-5.78	15.70	3	Vertical	260	2.01	-	28.43	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 20
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	60.19	74.00	-13.81	28.00	3	Horizontal	167	1.80	-	28.20	3.99	-
AV	2.3852G	47.85	54.00	-6.15	15.66	3	Horizontal	167	1.80	-	28.20	3.99	-
PK	2.4132G	109.87	Inf	-Inf	77.66	3	Horizontal	167	1.80	-	28.20	4.01	-
AV	2.4136G	97.55	Inf	-Inf	65.34	3	Horizontal	167	1.80	-	28.20	4.01	-
PK	2.494G	60.25	74.00	-13.75	27.70	3	Horizontal	167	1.80	-	28.46	4.09	-
AV	2.4904G	47.98	54.00	-6.02	15.45	3	Horizontal	167	1.80	-	28.44	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 20
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8419G	47.07	74.00	-26.93	42.05	3	Vertical	185	1.32	-	33.40	6.52	34.90
AV	4.84344G	35.08	54.00	-18.92	30.06	3	Vertical	185	1.32	-	33.40	6.52	34.90
PK	7.27058G	51.61	74.00	-22.39	41.35	3	Vertical	310	2.10	-	36.68	8.70	35.12
AV	7.26882G	40.09	54.00	-13.91	29.83	3	Vertical	310	2.10	-	36.68	8.70	35.12

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 20
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8424G	47.05	74.00	-26.95	42.03	3	Horizontal	281	1.08	-	33.40	6.52	34.90
AV	4.8448G	35.15	54.00	-18.85	30.13	3	Horizontal	281	1.08	-	33.40	6.52	34.90
PK	7.26512G	51.76	74.00	-22.24	41.52	3	Horizontal	56	2.08	-	36.66	8.70	35.12
AV	7.26604G	40.05	54.00	-13.95	29.81	3	Horizontal	56	2.08	-	36.66	8.70	35.12

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 22
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	63.97	74.00	-10.03	31.78	3	Vertical	135	1.80	-	28.20	3.99	-
AV	2.3896G	51.95	54.00	-2.05	19.76	3	Vertical	135	1.80	-	28.20	3.99	-
PK	2.4478G	117.21	Inf	-Inf	84.96	3	Vertical	135	1.80	-	28.20	4.05	-
AV	2.4472G	106.35	Inf	-Inf	74.10	3	Vertical	135	1.80	-	28.20	4.05	-
PK	2.4862G	63.19	74.00	-10.81	30.68	3	Vertical	135	1.80	-	28.42	4.09	-
AV	2.4862G	50.96	54.00	-3.04	18.45	3	Vertical	135	1.80	-	28.42	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 22
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	59.89	74.00	-14.11	27.70	3	Horizontal	166	1.48	-	28.20	3.99	-
AV	2.39G	49.35	54.00	-4.65	17.16	3	Horizontal	166	1.48	-	28.20	3.99	-
PK	2.4298G	110.09	Inf	-Inf	77.86	3	Horizontal	166	1.48	-	28.20	4.03	-
AV	2.4382G	98.85	Inf	-Inf	66.61	3	Horizontal	166	1.48	-	28.20	4.04	-
PK	2.4892G	59.39	74.00	-14.61	26.86	3	Horizontal	166	1.48	-	28.44	4.09	-
AV	2.4874G	48.46	54.00	-5.54	15.95	3	Horizontal	166	1.48	-	28.42	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 22
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88792G	47.57	74.00	-26.43	42.29	3	Vertical	100	2.10	-	33.63	6.54	34.89
AV	4.8875G	35.48	54.00	-18.52	30.21	3	Vertical	100	2.10	-	33.62	6.54	34.89
PK	7.3125G	55.23	74.00	-18.77	44.85	3	Vertical	46	1.00	-	36.82	8.70	35.14
AV	7.31262G	43.09	54.00	-10.91	32.70	3	Vertical	46	1.00	-	36.83	8.70	35.14

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 22
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87898G	47.20	74.00	-26.80	41.98	3	Horizontal	144	2.87	-	33.57	6.54	34.89
AV	4.88822G	35.29	54.00	-18.71	30.01	3	Horizontal	144	2.87	-	33.63	6.54	34.89
PK	7.29762G	52.71	74.00	-21.29	42.36	3	Horizontal	335	1.19	-	36.79	8.70	35.14
AV	7.31616G	40.59	54.00	-13.41	30.21	3	Horizontal	335	1.19	-	36.83	8.70	35.15

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 22.5
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	59.18	74.00	-14.82	26.99	3	Vertical	255	1.78	-	28.20	3.99	-
AV	2.39G	47.45	54.00	-6.55	15.26	3	Vertical	255	1.78	-	28.20	3.99	-
PK	2.45G	118.11	Inf	-Inf	85.86	3	Vertical	255	1.78	-	28.20	4.05	-
AV	2.4496G	106.04	Inf	-Inf	73.79	3	Vertical	255	1.78	-	28.20	4.05	-
PK	2.4844G	67.70	74.00	-6.30	35.21	3	Vertical	255	1.78	-	28.41	4.08	-
AV	2.4868G	53.23	54.00	-0.77	20.72	3	Vertical	255	1.78	-	28.42	4.09	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 22.5
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3664G	59.62	74.00	-14.38	27.45	3	Horizontal	166	1.84	-	28.20	3.97	-
AV	2.3576G	46.21	54.00	-7.79	14.05	3	Horizontal	166	1.84	-	28.20	3.96	-
PK	2.4548G	111.30	Inf	-Inf	79.02	3	Horizontal	166	1.84	-	28.23	4.05	-
AV	2.454G	98.34	Inf	-Inf	66.07	3	Horizontal	166	1.84	-	28.22	4.05	-
PK	2.4848G	63.42	74.00	-10.58	30.93	3	Horizontal	166	1.84	-	28.41	4.08	-
AV	2.4835G	50.41	54.00	-3.59	17.93	3	Horizontal	166	1.84	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 22.5
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89218G	47.55	74.00	-26.45	42.24	3	Vertical	49	2.22	-	33.65	6.55	34.89
AV	4.89626G	35.63	54.00	-18.37	30.29	3	Vertical	49	2.22	-	33.68	6.55	34.89
PK	7.36002G	55.44	74.00	-18.56	45.01	3	Vertical	48	1.83	-	36.90	8.70	35.17
AV	7.36488G	43.25	54.00	-10.75	32.82	3	Vertical	48	1.83	-	36.90	8.70	35.17

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
 Setting 22.5
 03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91348G	47.25	74.00	-26.75	41.91	3	Horizontal	185	1.36	-	33.67	6.56	34.89
AV	4.88942G	35.45	54.00	-18.55	30.16	3	Horizontal	185	1.36	-	33.64	6.54	34.89
PK	7.36746G	53.13	74.00	-20.87	42.70	3	Horizontal	325	2.02	-	36.90	8.70	35.17
AV	7.36764G	41.10	54.00	-12.90	30.67	3	Horizontal	325	2.02	-	36.90	8.70	35.17

2.4-2.4835GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 21.5
 06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	64.55	74.00	-9.45	31.82	3	Vertical	273	1.84	-	27.64	5.09	-
AV	2.39G	53.62	54.00	-0.38	20.89	3	Vertical	273	1.84	-	27.64	5.09	-
PK	2.4156G	120.99	Inf	-Inf	88.28	3	Vertical	273	1.84	-	27.60	5.11	-
AV	2.4138G	109.02	Inf	-Inf	76.31	3	Vertical	273	1.84	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 21.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	60.61	74.00	-13.39	27.88	3	Horizontal	224	1.83	-	27.65	5.08	-
AV	2.3894G	48.48	54.00	-5.52	15.75	3	Horizontal	224	1.83	-	27.64	5.09	-
PK	2.416G	105.89	Inf	-Inf	73.18	3	Horizontal	224	1.83	-	27.60	5.11	-
AV	2.4158G	94.29	Inf	-Inf	61.58	3	Horizontal	224	1.83	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 21.5
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82286G	47.26	74.00	-26.74	42.25	3	Vertical	196	1.35	-	33.40	6.51	34.90
AV	4.82746G	35.05	54.00	-18.95	30.04	3	Vertical	196	1.35	-	33.40	6.51	34.90

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 21.5
03-J-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82462G	46.83	74.00	-27.17	41.82	3	Horizontal	233	1.95	-	33.40	6.51	34.90			
AV	4.82846G	35.19	54.00	-18.81	30.18	3	Horizontal	233	1.95	-	33.40	6.51	34.90			

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 25
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	65.54	74.00	-8.46	33.35	3	Vertical	262	2.08	-	28.20	3.99	-
AV	2.3898G	53.83	54.00	-0.17	21.64	3	Vertical	262	2.08	-	28.20	3.99	-
PK	2.4138G	123.40	Inf	-Inf	91.19	3	Vertical	262	2.08	-	28.20	4.01	-
AV	2.4134G	110.24	Inf	-Inf	78.03	3	Vertical	262	2.08	-	28.20	4.01	-
PK	2.4838G	59.61	74.00	-14.39	27.13	3	Vertical	262	2.08	-	28.40	4.08	-
AV	2.4854G	48.45	54.00	-5.55	15.95	3	Vertical	262	2.08	-	28.41	4.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 25
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	59.64	74.00	-14.36	27.45	3	Horizontal	166	1.54	-	28.20	3.99	-
AV	2.3898G	49.35	54.00	-4.65	17.16	3	Horizontal	166	1.54	-	28.20	3.99	-
PK	2.4126G	114.46	Inf	-Inf	82.25	3	Horizontal	166	1.54	-	28.20	4.01	-
AV	2.415G	102.32	Inf	-Inf	70.11	3	Horizontal	166	1.54	-	28.20	4.01	-
PK	2.4838G	59.41	74.00	-14.59	26.93	3	Horizontal	166	1.54	-	28.40	4.08	-
AV	2.4882G	47.97	54.00	-6.03	15.45	3	Horizontal	166	1.54	-	28.43	4.09	-

2.4-2.4835GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 27.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.18	74.00	-8.82	32.45	3	Vertical	276	1.67	-	27.64	5.09	-
AV	2.3898G	53.46	54.00	-0.54	20.73	3	Vertical	276	1.67	-	27.64	5.09	-
PK	2.4406G	126.65	Inf	-Inf	93.94	3	Vertical	276	1.67	-	27.60	5.11	-
AV	2.4386G	114.54	Inf	-Inf	81.83	3	Vertical	276	1.67	-	27.60	5.11	-
PK	2.485G	64.00	74.00	-10.00	31.29	3	Vertical	276	1.67	-	27.60	5.11	-
AV	2.4835G	52.93	54.00	-1.07	20.22	3	Vertical	276	1.67	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 27.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3522G	61.27	74.00	-12.73	28.48	3	Horizontal	226	1.79	-	27.79	5.00	-
AV	2.3378G	48.51	54.00	-5.49	15.67	3	Horizontal	226	1.79	-	27.87	4.97	-
PK	2.441G	111.18	Inf	-Inf	78.47	3	Horizontal	226	1.79	-	27.60	5.11	-
AV	2.439G	99.60	Inf	-Inf	66.89	3	Horizontal	226	1.79	-	27.60	5.11	-
PK	2.485G	61.24	74.00	-12.76	28.53	3	Horizontal	226	1.79	-	27.60	5.11	-
AV	2.485G	48.96	54.00	-5.04	16.25	3	Horizontal	226	1.79	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 27.5
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8812G	47.65	74.00	-26.35	42.41	3	Vertical	281	2.96	-	33.59	6.54	34.89
AV	4.88762G	35.42	54.00	-18.58	30.14	3	Vertical	281	2.96	-	33.63	6.54	34.89
PK	7.3215G	52.16	74.00	-21.84	41.77	3	Vertical	66	2.91	-	36.84	8.70	35.15
AV	7.3242G	40.44	54.00	-13.56	30.04	3	Vertical	66	2.91	-	36.85	8.70	35.15

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 27.5
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86074G	47.49	74.00	-26.51	42.40	3	Horizontal	337	2.07	-	33.46	6.53	34.90
AV	4.88744G	35.34	54.00	-18.66	30.07	3	Horizontal	337	2.07	-	33.62	6.54	34.89
PK	7.29822G	52.41	74.00	-21.59	42.06	3	Horizontal	253	2.69	-	36.79	8.70	35.14
AV	7.3098G	40.40	54.00	-13.60	30.02	3	Horizontal	253	2.69	-	36.82	8.70	35.14

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.454G	124.84	Inf	-Inf	92.13	3	Vertical	271	1.79	-	27.60	5.11	-
AV	2.4586G	111.78	Inf	-Inf	79.07	3	Vertical	271	1.79	-	27.60	5.11	-
PK	2.4836G	65.98	74.00	-8.02	33.27	3	Vertical	271	1.79	-	27.60	5.11	-
AV	2.4835G	53.78	54.00	-0.22	21.07	3	Vertical	271	1.79	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 25
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4554G	109.30	Inf	-Inf	76.59	3	Horizontal	222	1.96	-	27.60	5.11	-
AV	2.4534G	97.67	Inf	-Inf	64.96	3	Horizontal	222	1.96	-	27.60	5.11	-
PK	2.4948G	60.91	74.00	-13.09	28.20	3	Horizontal	222	1.96	-	27.60	5.11	-
AV	2.4835G	48.96	54.00	-5.04	16.25	3	Horizontal	222	1.96	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4564G	122.08	Inf	-Inf	89.37	3	Vertical	274	1.80	-	27.60	5.11	-
AV	2.464G	109.91	Inf	-Inf	77.20	3	Vertical	274	1.80	-	27.60	5.11	-
PK	2.4835G	64.00	74.00	-10.00	31.29	3	Vertical	274	1.80	-	27.60	5.11	-
AV	2.4835G	53.11	54.00	-0.89	20.40	3	Vertical	274	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4576G	106.92	Inf	-Inf	74.21	3	Horizontal	58	2.43	-	27.60	5.11	-
AV	2.455G	94.64	Inf	-Inf	61.93	3	Horizontal	58	2.43	-	27.60	5.11	-
PK	2.4894G	60.73	74.00	-13.27	28.02	3	Horizontal	58	2.43	-	27.60	5.11	-
AV	2.4835G	48.67	54.00	-5.33	15.96	3	Horizontal	58	2.43	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9243G	47.38	74.00	-26.62	42.06	3	Vertical	129	2.40	-	33.65	6.56	34.89
AV	4.92164G	34.98	54.00	-19.02	29.65	3	Vertical	129	2.40	-	33.66	6.56	34.89
PK	7.38254G	52.41	74.00	-21.59	41.99	3	Vertical	188	1.53	-	36.90	8.70	35.18
AV	7.38114G	40.37	54.00	-13.63	29.95	3	Vertical	188	1.53	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92856G	47.14	74.00	-26.86	41.83	3	Horizontal	258	2.62	-	33.64	6.56	34.89
AV	4.92208G	35.05	54.00	-18.95	29.72	3	Horizontal	258	2.62	-	33.66	6.56	34.89
PK	7.39026G	52.35	74.00	-21.65	41.93	3	Horizontal	221	2.96	-	36.90	8.70	35.18
AV	7.38132G	40.37	54.00	-13.63	29.95	3	Horizontal	221	2.96	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 19.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.14	74.00	-8.86	32.41	3	Vertical	273	1.80	-	27.64	5.09	-
AV	2.39G	53.92	54.00	-0.08	21.19	3	Vertical	273	1.80	-	27.64	5.09	-
PK	2.4188G	117.18	Inf	-Inf	84.47	3	Vertical	273	1.80	-	27.60	5.11	-
AV	2.4188G	104.55	Inf	-Inf	71.84	3	Vertical	273	1.80	-	27.60	5.11	-
PK	2.4844G	61.64	74.00	-12.36	28.93	3	Vertical	273	1.80	-	27.60	5.11	-
AV	2.4835G	49.23	54.00	-4.77	16.52	3	Vertical	273	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 19.5
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3292G	60.85	74.00	-13.15	27.98	3	Horizontal	225	1.76	-	27.92	4.95	-
AV	2.3224G	48.61	54.00	-5.39	15.70	3	Horizontal	225	1.76	-	27.97	4.94	-
PK	2.432G	102.48	Inf	-Inf	69.77	3	Horizontal	225	1.76	-	27.60	5.11	-
AV	2.4336G	89.98	Inf	-Inf	57.27	3	Horizontal	225	1.76	-	27.60	5.11	-
PK	2.4972G	60.47	74.00	-13.53	27.76	3	Horizontal	225	1.76	-	27.60	5.11	-
AV	2.4835G	48.67	54.00	-5.33	15.96	3	Horizontal	225	1.76	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 19.5
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84206G	47.46	74.00	-26.54	42.44	3	Vertical	112	2.83	-	33.40	6.52	34.90
AV	4.84496G	35.42	54.00	-18.58	30.40	3	Vertical	112	2.83	-	33.40	6.52	34.90
PK	7.2614G	52.63	74.00	-21.37	42.40	3	Vertical	231	2.75	-	36.65	8.70	35.12
AV	7.27048G	40.38	54.00	-13.62	30.12	3	Vertical	231	2.75	-	36.68	8.70	35.12

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84164G	47.38	74.00	-26.62	42.36	3	Horizontal	275	2.96	-	33.40	6.52	34.90
AV	4.8431G	35.36	54.00	-18.64	30.34	3	Horizontal	275	2.96	-	33.40	6.52	34.90
PK	7.26916G	52.22	74.00	-21.78	41.96	3	Horizontal	266	2.06	-	36.68	8.70	35.12
AV	7.2703G	40.38	54.00	-13.62	30.12	3	Horizontal	266	2.06	-	36.68	8.70	35.12

2.4-2.4835GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 20
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	63.77	74.00	-10.23	31.04	3	Vertical	274	1.65	-	27.64	5.09	-
AV	2.3898G	52.97	54.00	-1.03	20.24	3	Vertical	274	1.65	-	27.64	5.09	-
PK	2.439G	116.03	Inf	-Inf	83.32	3	Vertical	274	1.65	-	27.60	5.11	-
AV	2.4414G	104.67	Inf	-Inf	71.96	3	Vertical	274	1.65	-	27.60	5.11	-
PK	2.4835G	64.10	74.00	-9.90	31.39	3	Vertical	274	1.65	-	27.60	5.11	-
AV	2.4835G	53.45	54.00	-0.55	20.74	3	Vertical	274	1.65	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 20
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3806G	60.84	74.00	-13.16	28.09	3	Horizontal	180	1.79	-	27.68	5.07	-
AV	2.3382G	48.51	54.00	-5.49	15.67	3	Horizontal	180	1.79	-	27.87	4.97	-
PK	2.4406G	101.20	Inf	-Inf	68.49	3	Horizontal	180	1.79	-	27.60	5.11	-
AV	2.4386G	89.39	Inf	-Inf	56.68	3	Horizontal	180	1.79	-	27.60	5.11	-
PK	2.4838G	60.38	74.00	-13.62	27.67	3	Horizontal	180	1.79	-	27.60	5.11	-
AV	2.4835G	48.96	54.00	-5.04	16.25	3	Horizontal	180	1.79	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 20
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86734G	46.84	74.00	-27.16	41.71	3	Vertical	9	1.80	-	33.50	6.53	34.90
AV	4.88846G	35.43	54.00	-18.57	30.15	3	Vertical	9	1.80	-	33.63	6.54	34.89
PK	7.31052G	52.72	74.00	-21.28	42.34	3	Vertical	181	2.46	-	36.82	8.70	35.14
AV	7.30692G	40.44	54.00	-13.56	30.07	3	Vertical	181	2.46	-	36.81	8.70	35.14

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 20
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88804G	47.77	74.00	-26.23	42.49	3	Horizontal	260	1.63	-	33.63	6.54	34.89
AV	4.88438G	35.45	54.00	-18.55	30.19	3	Horizontal	260	1.63	-	33.61	6.54	34.89
PK	7.30734G	52.21	74.00	-21.79	41.84	3	Horizontal	94	2.17	-	36.81	8.70	35.14
AV	7.2996G	40.39	54.00	-13.61	30.03	3	Horizontal	94	2.17	-	36.80	8.70	35.14

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 20
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.354G	60.15	74.00	-13.85	27.36	3	Vertical	276	1.99	-	27.78	5.01	-
AV	2.39G	49.02	54.00	-4.98	16.29	3	Vertical	276	1.99	-	27.64	5.09	-
PK	2.4432G	116.95	Inf	-Inf	84.24	3	Vertical	276	1.99	-	27.60	5.11	-
AV	2.4488G	105.39	Inf	-Inf	72.68	3	Vertical	276	1.99	-	27.60	5.11	-
PK	2.4844G	65.11	74.00	-8.89	32.40	3	Vertical	276	1.99	-	27.60	5.11	-
AV	2.4835G	53.61	54.00	-0.39	20.90	3	Vertical	276	1.99	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 20
06-I-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3572G	60.48	74.00	-13.52	27.70	3	Horizontal	0	1.80	-	27.77	5.01	-
AV	2.352G	48.38	54.00	-5.62	15.59	3	Horizontal	0	1.80	-	27.79	5.00	-
PK	2.4448G	99.79	Inf	-Inf	67.08	3	Horizontal	0	1.80	-	27.60	5.11	-
AV	2.4492G	88.88	Inf	-Inf	56.17	3	Horizontal	0	1.80	-	27.60	5.11	-
PK	2.4988G	60.61	74.00	-13.39	27.90	3	Horizontal	0	1.80	-	27.60	5.11	-
AV	2.4835G	48.67	54.00	-5.33	15.96	3	Horizontal	0	1.80	-	27.60	5.11	-

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 20
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.895G	47.05	74.00	-26.95	41.72	3	Vertical	75	1.80	-	33.67	6.55	34.89
AV	4.89608G	35.49	54.00	-18.51	30.15	3	Vertical	75	1.80	-	33.68	6.55	34.89
PK	7.35174G	52.51	74.00	-21.49	42.07	3	Vertical	354	2.87	-	36.90	8.70	35.16
AV	7.36626G	40.44	54.00	-13.56	30.01	3	Vertical	354	2.87	-	36.90	8.70	35.17

2.4-2.4835GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 20
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90106G	46.88	74.00	-27.12	41.52	3	Horizontal	35	2.51	-	33.70	6.55	34.89
AV	4.88954G	35.38	54.00	-18.62	30.09	3	Horizontal	35	2.51	-	33.64	6.54	34.89
PK	7.35882G	52.22	74.00	-21.78	41.79	3	Horizontal	112	1.91	-	36.90	8.70	35.17
AV	7.37046G	40.39	54.00	-13.61	29.96	3	Horizontal	112	1.91	-	36.90	8.70	35.17

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 24
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.01	74.00	-8.99	32.82	3	Vertical	162	1.80	-	28.20	3.99	-
AV	2.39G	51.33	54.00	-2.67	19.14	3	Vertical	162	1.80	-	28.20	3.99	-
PK	2.411G	120.81	Inf	-Inf	88.60	3	Vertical	162	1.80	-	28.20	4.01	-
AV	2.4142G	108.55	Inf	-Inf	76.34	3	Vertical	162	1.80	-	28.20	4.01	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 24
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	61.00	74.00	-13.00	28.81	3	Horizontal	165	1.55	-	28.20	3.99	-
AV	2.3894G	48.50	54.00	-5.50	16.31	3	Horizontal	165	1.55	-	28.20	3.99	-
PK	2.4138G	114.18	Inf	-Inf	81.97	3	Horizontal	165	1.55	-	28.20	4.01	-
AV	2.4144G	103.41	Inf	-Inf	71.20	3	Horizontal	165	1.55	-	28.20	4.01	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 24
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83468G	47.81	74.00	-26.19	42.79	3	Vertical	115	2.52	-	33.40	6.52	34.90
AV	4.83252G	35.71	54.00	-18.29	30.69	3	Vertical	115	2.52	-	33.40	6.52	34.90

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 24
03-M-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83864G	46.88	74.00	-27.12	41.86	3	Horizontal	285	2.41	-	33.40	6.52	34.90			
AV	4.83432G	35.78	54.00	-18.22	30.76	3	Horizontal	285	2.41	-	33.40	6.52	34.90			

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	60.06	74.00	-13.94	27.87	3	Vertical	164	1.76	-	28.20	3.99	-
AV	2.3894G	49.35	54.00	-4.65	17.16	3	Vertical	164	1.76	-	28.20	3.99	-
PK	2.4394G	120.97	Inf	-Inf	88.73	3	Vertical	164	1.76	-	28.20	4.04	-
AV	2.4434G	109.01	Inf	-Inf	76.77	3	Vertical	164	1.76	-	28.20	4.04	-
PK	2.485G	61.41	74.00	-12.59	28.92	3	Vertical	164	1.76	-	28.41	4.08	-
AV	2.4838G	50.55	54.00	-3.45	18.07	3	Vertical	164	1.76	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.375G	59.55	74.00	-14.45	27.37	3	Horizontal	164	1.76	-	28.20	3.98	-
AV	2.3882G	47.82	54.00	-6.18	15.63	3	Horizontal	164	1.76	-	28.20	3.99	-
PK	2.4358G	112.65	Inf	-Inf	80.41	3	Horizontal	164	1.76	-	28.20	4.04	-
AV	2.4294G	101.49	Inf	-Inf	69.26	3	Horizontal	164	1.76	-	28.20	4.03	-
PK	2.4902G	61.28	74.00	-12.72	28.75	3	Horizontal	164	1.76	-	28.44	4.09	-
AV	2.4835G	48.42	54.00	-5.58	15.94	3	Horizontal	164	1.76	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8815G	47.40	74.00	-26.60	42.16	3	Vertical	102	1.47	-	33.59	6.54	34.89
AV	4.8866G	36.11	54.00	-17.89	30.84	3	Vertical	102	1.47	-	33.62	6.54	34.89
PK	7.31496G	52.67	74.00	-21.33	42.28	3	Vertical	320	1.80	-	36.83	8.70	35.14
AV	7.29714G	41.10	54.00	-12.90	30.75	3	Vertical	320	1.80	-	36.79	8.70	35.14

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87628G	47.68	74.00	-26.32	42.47	3	Horizontal	156	2.12	-	33.56	6.54	34.89
AV	4.88684G	35.99	54.00	-18.01	30.72	3	Horizontal	156	2.12	-	33.62	6.54	34.89
PK	7.30044G	52.44	74.00	-21.56	42.08	3	Horizontal	147	2.72	-	36.80	8.70	35.14
AV	7.32258G	41.11	54.00	-12.89	30.71	3	Horizontal	147	2.72	-	36.85	8.70	35.15

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4576G	117.00	Inf	-Inf	84.69	3	Vertical	308	2.56	-	28.25	4.06	-
AV	2.4596G	112.17	Inf	-Inf	79.85	3	Vertical	308	2.56	-	28.26	4.06	-
PK	2.4986G	61.72	74.00	-12.28	29.13	3	Vertical	308	2.56	-	28.49	4.10	-
AV	2.4836G	50.05	54.00	-3.95	17.57	3	Vertical	308	2.56	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4546G	103.95	Inf	-Inf	71.67	3	Horizontal	354	2.20	-	28.23	4.05	-
AV	2.4576G	100.52	Inf	-Inf	68.21	3	Horizontal	354	2.20	-	28.25	4.06	-
PK	2.4846G	60.99	74.00	-13.01	28.50	3	Horizontal	354	2.20	-	28.41	4.08	-
AV	2.4998G	49.71	54.00	-4.29	17.11	3	Horizontal	354	2.20	-	28.50	4.10	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	116.77	Inf	-Inf	84.43	3	Vertical	78	1.80	-	28.28	4.06	-
AV	2.4608G	114.41	Inf	-Inf	82.09	3	Vertical	78	1.80	-	28.26	4.06	-
PK	2.485G	62.53	74.00	-11.47	30.04	3	Vertical	78	1.80	-	28.41	4.08	-
AV	2.4835G	50.90	54.00	-3.10	18.42	3	Vertical	78	1.80	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4552G	110.20	Inf	-Inf	77.91	3	Horizontal	315	1.76	-	28.23	4.06	-
AV	2.4612G	104.41	Inf	-Inf	72.08	3	Horizontal	315	1.76	-	28.27	4.06	-
PK	2.4874G	61.70	74.00	-12.30	29.19	3	Horizontal	315	1.76	-	28.42	4.09	-
AV	2.4878G	49.87	54.00	-4.13	17.35	3	Horizontal	315	1.76	-	28.43	4.09	-

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93768G	47.27	74.00	-26.73	41.97	3	Vertical	211	1.80	-	33.62	6.57	34.89
AV	4.91272G	35.70	54.00	-18.30	30.36	3	Vertical	211	1.80	-	33.67	6.56	34.89
PK	7.3833G	52.62	74.00	-21.38	42.20	3	Vertical	173	1.80	-	36.90	8.70	35.18
AV	7.395G	41.02	54.00	-12.98	30.60	3	Vertical	173	1.80	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 26
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93558G	47.60	74.00	-26.40	42.29	3	Horizontal	162	1.85	-	33.63	6.57	34.89
AV	4.91254G	35.70	54.00	-18.30	30.36	3	Horizontal	162	1.85	-	33.67	6.56	34.89
PK	7.38264G	52.60	74.00	-21.40	42.18	3	Horizontal	137	2.03	-	36.90	8.70	35.18
AV	7.39902G	41.12	54.00	-12.88	30.70	3	Horizontal	137	2.03	-	36.90	8.70	35.18

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 22
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	63.62	74.00	-10.38	31.43	3	Vertical	251	2.60	-	28.20	3.99	-
AV	2.39G	53.48	54.00	-0.52	21.29	3	Vertical	251	2.60	-	28.20	3.99	-
PK	2.4164G	116.36	Inf	-Inf	84.14	3	Vertical	251	2.60	-	28.20	4.02	-
AV	2.4128G	112.09	Inf	-Inf	79.88	3	Vertical	251	2.60	-	28.20	4.01	-
PK	2.4852G	60.60	74.00	-13.40	28.10	3	Vertical	251	2.60	-	28.41	4.09	-
AV	2.4896G	49.85	54.00	-4.15	17.32	3	Vertical	251	2.60	-	28.44	4.09	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 22
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.37G	59.52	74.00	-14.48	27.35	3	Horizontal	350	1.79	-	28.20	3.97	-
AV	2.39G	49.34	54.00	-4.66	17.15	3	Horizontal	350	1.79	-	28.20	3.99	-
PK	2.4256G	107.61	Inf	-Inf	75.38	3	Horizontal	350	1.79	-	28.20	4.03	-
AV	2.4268G	95.27	Inf	-Inf	63.04	3	Horizontal	350	1.79	-	28.20	4.03	-
PK	2.494G	60.39	74.00	-13.61	27.84	3	Horizontal	350	1.79	-	28.46	4.09	-
AV	2.4992G	49.68	54.00	-4.32	17.08	3	Horizontal	350	1.79	-	28.50	4.10	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 22
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83398G	47.16	74.00	-26.84	42.14	3	Vertical	357	1.80	-	33.40	6.52	34.90
AV	4.83524G	35.84	54.00	-18.16	30.82	3	Vertical	357	1.80	-	33.40	6.52	34.90
PK	7.27884G	52.69	74.00	-21.31	42.40	3	Vertical	259	1.80	-	36.72	8.70	35.13
AV	7.27122G	40.78	54.00	-13.22	30.52	3	Vertical	259	1.80	-	36.68	8.70	35.12

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 22
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8356G	47.24	74.00	-26.76	42.22	3	Horizontal	241	1.95	-	33.40	6.52	34.90
AV	4.83206G	35.97	54.00	-18.03	30.95	3	Horizontal	241	1.95	-	33.40	6.52	34.90
PK	7.26774G	51.57	74.00	-22.43	41.32	3	Horizontal	61	2.23	-	36.67	8.70	35.12
AV	7.27512G	40.94	54.00	-13.06	30.67	3	Horizontal	61	2.23	-	36.70	8.70	35.13

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	63.56	74.00	-10.44	31.37	3	Vertical	223	2.79	-	28.20	3.99	-
AV	2.39G	53.08	54.00	-0.92	20.89	3	Vertical	223	2.79	-	28.20	3.99	-
PK	2.4436G	115.38	Inf	-Inf	83.14	3	Vertical	223	2.79	-	28.20	4.04	-
AV	2.4256G	111.73	Inf	-Inf	79.50	3	Vertical	223	2.79	-	28.20	4.03	-
PK	2.4835G	63.21	74.00	-10.79	30.73	3	Vertical	223	2.79	-	28.40	4.08	-
AV	2.4835G	52.52	54.00	-1.48	20.04	3	Vertical	223	2.79	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	59.99	74.00	-14.01	27.80	3	Horizontal	26	1.24	-	28.20	3.99	-
AV	2.3896G	48.68	54.00	-5.32	16.49	3	Horizontal	26	1.24	-	28.20	3.99	-
PK	2.449G	102.65	Inf	-Inf	70.40	3	Horizontal	26	1.24	-	28.20	4.05	-
AV	2.4226G	93.26	Inf	-Inf	61.04	3	Horizontal	26	1.24	-	28.20	4.02	-
PK	2.4844G	60.26	74.00	-13.74	27.77	3	Horizontal	26	1.24	-	28.41	4.08	-
AV	2.4982G	49.67	54.00	-4.33	17.08	3	Horizontal	26	1.24	-	28.49	4.10	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86146G	47.34	74.00	-26.66	42.24	3	Vertical	352	2.20	-	33.47	6.53	34.90
AV	4.88756G	36.00	54.00	-18.00	30.72	3	Vertical	352	2.20	-	33.63	6.54	34.89
PK	7.29852G	52.66	74.00	-21.34	42.31	3	Vertical	354	1.80	-	36.79	8.70	35.14
AV	7.31652G	41.19	54.00	-12.81	30.81	3	Vertical	354	1.80	-	36.83	8.70	35.15

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87508G	48.44	74.00	-25.56	43.24	3	Horizontal	123	2.75	-	33.55	6.54	34.89
AV	4.88852G	36.14	54.00	-17.86	30.86	3	Horizontal	123	2.75	-	33.63	6.54	34.89
PK	7.30986G	52.79	74.00	-21.21	42.41	3	Horizontal	11	1.80	-	36.82	8.70	35.14
AV	7.3218G	41.30	54.00	-12.70	30.91	3	Horizontal	11	1.80	-	36.84	8.70	35.15

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	59.85	74.00	-14.15	27.66	3	Vertical	312	1.80	-	28.20	3.99	-
AV	2.39G	48.91	54.00	-5.09	16.72	3	Vertical	312	1.80	-	28.20	3.99	-
PK	2.4468G	115.65	Inf	-Inf	83.40	3	Vertical	312	1.80	-	28.20	4.05	-
AV	2.4436G	111.45	Inf	-Inf	79.21	3	Vertical	312	1.80	-	28.20	4.04	-
PK	2.4864G	63.83	74.00	-10.17	31.32	3	Vertical	312	1.80	-	28.42	4.09	-
AV	2.4835G	53.01	54.00	-0.99	20.53	3	Vertical	312	1.80	-	28.40	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	59.43	74.00	-14.57	27.24	3	Horizontal	355	2.20	-	28.20	3.99	-
AV	2.3888G	48.44	54.00	-5.56	16.25	3	Horizontal	355	2.20	-	28.20	3.99	-
PK	2.4588G	109.16	Inf	-Inf	76.85	3	Horizontal	355	2.20	-	28.25	4.06	-
AV	2.454G	98.35	Inf	-Inf	66.08	3	Horizontal	355	2.20	-	28.22	4.05	-
PK	2.4835G	62.07	74.00	-11.93	29.59	3	Horizontal	355	2.20	-	28.40	4.08	-
AV	2.4848G	51.28	54.00	-2.72	18.79	3	Horizontal	355	2.20	-	28.41	4.08	-

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 23
03-J-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91672G	47.69	74.00	-26.31	42.35	3	Vertical	321	1.80	-	33.67	6.56	34.89
AV	4.89638G	36.14	54.00	-17.86	30.80	3	Vertical	321	1.80	-	33.68	6.55	34.89
PK	7.36614G	52.98	74.00	-21.02	42.55	3	Vertical	0	1.79	-	36.90	8.70	35.17
AV	7.3521G	41.27	54.00	-12.73	30.83	3	Vertical	0	1.79	-	36.90	8.70	35.16

2.4-2.4835GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_Z_2TX
Setting 23
03-J-E-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90748G	47.67	74.00	-26.33	42.32	3	Horizontal	256	1.00	-	33.69	6.55	34.89
AV	4.8968G	36.08	54.00	-17.92	30.74	3	Horizontal	256	1.00	-	33.68	6.55	34.89
PK	7.36128G	53.47	74.00	-20.53	43.04	3	Horizontal	239	1.80	-	36.90	8.70	35.17
AV	7.36866G	41.22	54.00	-12.78	30.79	3	Horizontal	239	1.80	-	36.90	8.70	35.17



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.72798G	31.10	54.00	-22.90	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72781G	38.92	74.00	-35.08	-6.30	3	Vertical	282	2.50	-	45.22	25.41	3.23	34.94
AV	1.72798G	31.10	54.00	-22.90	-6.30	3	Vertical	282	2.50	"Worst"	37.40	25.41	3.23	34.94

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72787G	37.34	74.00	-36.66	-6.30	3	Horizontal	190	1.00	-	43.64	25.41	3.23	34.94
AV	1.728G	27.27	54.00	-26.73	-6.30	3	Horizontal	190	1.00	"Worst"	33.57	25.41	3.23	34.94