


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34294G	58.41	74.00	-15.59	41.76	3	Vertical	311	1.80	-	38.74	12.74	34.83
AV	11.34666G	45.23	54.00	-8.77	28.57	3	Vertical	311	1.80	-	38.75	12.74	34.83
PK	17.01558G	64.70	68.20	-3.50	41.51	3	Vertical	258	1.92	-	39.95	17.31	34.07

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34528G	58.38	74.00	-15.62	41.72	3	Horizontal	62	2.21	-	38.75	12.74	34.83
AV	11.35056G	44.91	54.00	-9.09	28.25	3	Horizontal	62	2.21	-	38.75	12.74	34.83
PK	17.01258G	64.35	68.20	-3.85	41.17	3	Horizontal	271	1.33	-	39.94	17.31	34.07

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3908G	59.79	74.00	-14.21	53.18	3	Vertical	277.3	2.05	-	34.58	6.90	34.87
PK	5.47G	58.52	68.20	-9.68	51.87	3	Vertical	277.3	2.05	-	34.54	6.97	34.86
AV	5.4538G	47.27	54.00	-6.73	40.67	3	Vertical	277.3	2.05	-	34.51	6.95	34.86
PK	5.703G	116.44	Inf	-Inf	109.90	3	Vertical	277.3	2.05	-	34.29	7.15	34.90
AV	5.7128G	104.20	Inf	-Inf	97.68	3	Vertical	277.3	2.05	-	34.27	7.16	34.91
PK	5.976G	60.05	68.20	-8.15	52.92	3	Vertical	277.3	2.05	-	34.80	7.29	34.96

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4258G	59.00	74.00	-15.00	52.38	3	Horizontal	145	2.00	-	34.55	6.93	34.86
PK	5.4622G	58.67	68.20	-9.53	52.05	3	Horizontal	145	2.00	-	34.52	6.96	34.86
AV	5.4594G	47.06	54.00	-6.94	40.44	3	Horizontal	145	2.00	-	34.52	6.96	34.86
PK	5.7156G	107.93	Inf	-Inf	101.41	3	Horizontal	145	2.00	-	34.27	7.16	34.91
AV	5.7142G	95.71	Inf	-Inf	89.19	3	Horizontal	145	2.00	-	34.27	7.16	34.91
PK	5.9648G	59.55	68.20	-8.65	52.43	3	Horizontal	145	2.00	-	34.80	7.28	34.96

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4305G	58.08	74.00	-15.92	41.28	3	Vertical	31	1.13	-	38.86	12.79	34.85
AV	11.42948G	45.17	54.00	-8.83	28.37	3	Vertical	31	1.13	-	38.86	12.79	34.85
PK	17.14224G	64.48	68.20	-3.72	40.83	3	Vertical	143	1.80	-	40.37	17.39	34.11

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40698G	57.97	74.00	-16.03	41.23	3	Horizontal	262	1.09	-	38.81	12.77	34.84
AV	11.42252G	45.25	54.00	-8.75	28.47	3	Horizontal	262	1.09	-	38.85	12.78	34.85
PK	17.14146G	64.11	68.20	-4.09	40.47	3	Horizontal	274	1.86	-	40.37	17.38	34.11

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	59.20	74.00	-14.80	53.37	3	Vertical	273	1.80	-	33.97	6.74	34.88
AV	5.051G	48.53	54.00	-5.47	42.97	3	Vertical	273	1.80	-	33.80	6.65	34.89
PK	5.307G	112.98	Inf	-Inf	106.50	3	Vertical	273	1.80	-	34.50	6.85	34.87
AV	5.265G	105.20	Inf	-Inf	98.81	3	Vertical	273	1.80	-	34.43	6.83	34.87
PK	5.371G	66.34	74.00	-7.66	59.78	3	Vertical	273	1.80	-	34.54	6.89	34.87
AV	5.35G	53.85	54.00	-0.15	47.34	3	Vertical	273	1.80	-	34.50	6.88	34.87
PK	5.509G	59.79	68.20	-8.41	53.04	3	Vertical	273	1.80	-	34.60	7.01	34.86

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




23/12/2022

EUT_Z_2TX
Setting 28
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	58.61	74.00	-15.39	52.80	3	Horizontal	203.7	1.86	-	33.96	6.73	34.88
AV	5.124G	46.34	54.00	-7.66	40.55	3	Horizontal	203.7	1.86	-	33.95	6.72	34.88
PK	5.265G	103.18	Inf	-Inf	96.79	3	Horizontal	203.7	1.86	-	34.43	6.83	34.87
AV	5.285G	89.39	Inf	-Inf	82.95	3	Horizontal	203.7	1.86	-	34.47	6.84	34.87
PK	5.391G	62.53	74.00	-11.47	55.92	3	Horizontal	203.7	1.86	-	34.58	6.90	34.87
AV	5.388G	47.30	54.00	-6.70	40.70	3	Horizontal	203.7	1.86	-	34.58	6.89	34.87
PK	5.463G	59.17	68.20	-9.03	52.54	3	Horizontal	203.7	1.86	-	34.53	6.96	34.86

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59272G	57.91	68.20	-10.29	40.75	3	Vertical	240	2.00	-	38.20	12.33	33.37
PK	15.86772G	64.28	74.00	-9.72	44.75	3	Vertical	148	2.04	-	37.70	16.57	34.74
AV	15.86664G	50.95	54.00	-3.05	31.42	3	Vertical	148	2.04	-	37.70	16.57	34.74

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58516G	57.29	68.20	-10.91	40.11	3	Horizontal	115	2.00	-	38.20	12.32	33.34
PK	15.86694G	63.83	74.00	-10.17	44.30	3	Horizontal	108	2.45	-	37.70	16.57	34.74
AV	15.86052G	50.69	54.00	-3.31	31.15	3	Horizontal	108	2.45	-	37.72	16.56	34.74

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	59.36	68.20	-8.84	52.88	3	Vertical	273.9	1.87	-	34.50	6.85	34.87
PK	5.419G	66.50	74.00	-7.50	59.88	3	Vertical	273.9	1.87	-	34.56	6.92	34.86
PK	5.466G	63.95	68.20	-4.25	57.31	3	Vertical	273.9	1.87	-	34.53	6.97	34.86
AV	5.46G	51.48	54.00	-2.52	44.86	3	Vertical	273.9	1.87	-	34.52	6.96	34.86
PK	5.496G	116.53	Inf	-Inf	109.80	3	Vertical	273.9	1.87	-	34.59	7.00	34.86
AV	5.535G	101.61	Inf	-Inf	94.84	3	Vertical	273.9	1.87	-	34.60	7.04	34.87
PK	5.742G	58.95	68.20	-9.25	52.47	3	Vertical	273.9	1.87	-	34.22	7.17	34.91

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	58.84	68.20	-9.36	52.34	3	Horizontal	204	1.87	-	34.50	6.87	34.87
PK	5.428G	62.32	74.00	-11.68	55.71	3	Horizontal	204	1.87	-	34.54	6.93	34.86
PK	5.468G	64.49	68.20	-3.71	57.84	3	Horizontal	204	1.87	-	34.54	6.97	34.86
AV	5.46G	47.68	54.00	-6.32	41.06	3	Horizontal	204	1.87	-	34.52	6.96	34.86
AV	5.502G	92.76	Inf	-Inf	86.02	3	Horizontal	204	1.87	-	34.60	7.00	34.86
PK	5.559G	102.83	Inf	-Inf	96.04	3	Horizontal	204	1.87	-	34.60	7.06	34.87
PK	5.759G	58.60	68.20	-9.60	52.14	3	Horizontal	204	1.87	-	34.20	7.18	34.92

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0528G	57.22	74.00	-16.78	40.97	3	Vertical	94	1.80	-	38.45	12.58	34.78
AV	11.04566G	44.21	54.00	-9.79	27.96	3	Vertical	94	1.80	-	38.45	12.58	34.78
PK	16.5987G	64.01	68.20	-4.19	42.39	3	Vertical	80	2.86	-	38.89	17.06	34.33

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05808G	57.43	74.00	-16.57	41.17	3	Horizontal	13	2.59	-	38.46	12.58	34.78
AV	11.05562G	44.20	54.00	-9.80	27.94	3	Horizontal	13	2.59	-	38.46	12.58	34.78
PK	16.6038G	64.78	68.20	-3.42	43.16	3	Horizontal	304	1.10	-	38.89	17.06	34.33

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3498G	57.87	68.20	-10.33	51.37	3	Vertical	305	1.86	-	34.50	6.87	34.87
PK	5.4016G	59.77	74.00	-14.23	53.14	3	Vertical	305	1.86	-	34.60	6.90	34.87
AV	5.3932G	47.54	54.00	-6.46	40.92	3	Vertical	305	1.86	-	34.59	6.90	34.87
PK	5.4618G	62.10	68.20	-6.10	55.48	3	Vertical	305	1.86	-	34.52	6.96	34.86
PK	5.6578G	116.53	Inf	-Inf	109.82	3	Vertical	305	1.86	-	34.47	7.13	34.89
AV	5.7026G	100.91	Inf	-Inf	94.37	3	Vertical	305	1.86	-	34.29	7.15	34.90
PK	5.8916G	61.58	68.20	-6.62	54.73	3	Vertical	305	1.86	-	34.55	7.25	34.95

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3414G	58.23	68.20	-9.97	51.73	3	Horizontal	120	2.28	-	34.50	6.87	34.87
PK	5.4044G	59.68	74.00	-14.32	53.06	3	Horizontal	120	2.28	-	34.59	6.90	34.87
PK	5.466G	58.62	68.20	-9.58	51.98	3	Horizontal	120	2.28	-	34.53	6.97	34.86
AV	5.4478G	47.15	54.00	-6.85	40.56	3	Horizontal	120	2.28	-	34.50	6.95	34.86
PK	5.6858G	100.41	Inf	-Inf	93.81	3	Horizontal	120	2.28	-	34.36	7.14	34.90
AV	5.655G	93.83	Inf	-Inf	87.11	3	Horizontal	120	2.28	-	34.48	7.13	34.89
PK	5.963G	60.11	68.20	-8.09	52.99	3	Horizontal	120	2.28	-	34.80	7.28	34.96

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38012G	58.85	74.00	-15.15	42.15	3	Vertical	0	2.56	-	38.78	12.76	34.84
AV	11.38384G	45.97	54.00	-8.03	29.27	3	Vertical	0	2.56	-	38.78	12.76	34.84
PK	17.05896G	64.85	68.20	-3.35	41.52	3	Vertical	175	1.80	-	40.08	17.34	34.09

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37496G	59.30	74.00	-14.70	42.61	3	Horizontal	354	2.75	-	38.77	12.76	34.84
AV	11.39044G	45.91	54.00	-8.09	29.20	3	Horizontal	354	2.75	-	38.79	12.76	34.84
PK	17.07606G	65.16	68.20	-3.04	41.77	3	Horizontal	235	1.80	-	40.13	17.35	34.09




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	255	2.07	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Vertical	104	1.80	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.3502G	53.94	54.00	-0.06	3	Vertical	183	1.80	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3506G	49.53	54.00	-4.47	3	Vertical	173	1.95	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3524G	52.55	54.00	-1.45	3	Vertical	181	1.83	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.67	54.00	-0.33	3	Vertical	255	1.84	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	52.57	54.00	-1.43	3	Vertical	247	1.80	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.3568G	52.97	54.00	-1.03	3	Vertical	254	1.96	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.3508G	53.02	54.00	-0.98	3	Vertical	255	1.94	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3505G	53.21	54.00	-0.79	3	Vertical	99	1.03	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7254G	67.55	68.20	-0.65	3	Vertical	320	2.03	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4686G	67.56	68.20	-0.64	3	Vertical	177	1.80	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.4694G	67.93	68.20	-0.27	3	Vertical	178	1.00	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4693G	66.22	68.20	-1.98	3	Vertical	63	1.96	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.8532G	67.35	68.20	-0.85	3	Vertical	50	1.80	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.727G	66.64	68.20	-1.56	3	Vertical	175	1.84	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.46G	50.58	54.00	-3.42	3	Vertical	194	1.80	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.8648G	67.42	68.20	-0.78	3	Vertical	58	1.89	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.4592G	52.99	54.00	-1.01	3	Vertical	156	1.94	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.459G	52.90	54.00	-1.10	3	Vertical	159	1.79	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1121G	60.54	74.00	-13.46	54.69	3	Vertical	254	2.00	-	34.02	6.71	34.88
AV	5.1418G	49.40	54.00	-4.60	43.46	3	Vertical	254	2.00	-	34.08	6.74	34.88
PK	5.2567G	121.78	Inf	-Inf	115.78	3	Vertical	254	2.00	-	34.04	6.83	34.87
AV	5.257G	113.06	Inf	-Inf	107.06	3	Vertical	254	2.00	-	34.04	6.83	34.87
PK	5.3521G	63.95	74.00	-10.05	57.44	3	Vertical	254	2.00	-	34.50	6.88	34.87
AV	5.3512G	52.33	54.00	-1.67	45.82	3	Vertical	254	2.00	-	34.50	6.88	34.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1223G	60.00	74.00	-14.00	54.12	3	Horizontal	-0	2.69	-	34.04	6.72	34.88
AV	5.122G	48.98	54.00	-5.02	43.10	3	Horizontal	-0	2.69	-	34.04	6.72	34.88
PK	5.2564G	109.86	Inf	-Inf	103.86	3	Horizontal	-0	2.69	-	34.04	6.83	34.87
AV	5.2609G	101.26	Inf	-Inf	95.23	3	Horizontal	-0	2.69	-	34.07	6.83	34.87
PK	5.3863G	60.57	74.00	-13.43	54.12	3	Horizontal	-0	2.69	-	34.43	6.89	34.87
AV	5.3737G	49.39	54.00	-4.61	42.92	3	Horizontal	-0	2.69	-	34.45	6.89	34.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51509G	55.17	68.20	-13.03	47.91	3	Vertical	186	1.83	-	38.02	12.28	43.04
PK	15.77877G	58.10	74.00	-15.90	46.28	3	Vertical	248	2.54	-	37.63	16.48	42.29
AV	15.7803G	46.84	54.00	-7.16	35.02	3	Vertical	248	2.54	-	37.62	16.48	42.28

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52243G	56.26	68.20	-11.94	48.99	3	Horizontal	319	2.45	-	38.02	12.29	43.04
PK	15.78441G	58.37	74.00	-15.63	46.58	3	Horizontal	182	1.25	-	37.59	16.48	42.28
AV	15.77953G	46.66	54.00	-7.34	34.85	3	Horizontal	182	1.25	-	37.62	16.48	42.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2966G	120.88	Inf	-Inf	114.62	3	Vertical	255	2.07	-	34.28	6.85	34.87
AV	5.2968G	111.96	Inf	-Inf	105.70	3	Vertical	255	2.07	-	34.28	6.85	34.87
PK	5.3504G	66.09	74.00	-7.91	59.58	3	Vertical	255	2.07	-	34.50	6.88	34.87
AV	5.35G	53.82	54.00	-0.18	47.31	3	Vertical	255	2.07	-	34.50	6.88	34.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.303G	107.94	Inf	-Inf	101.65	3	Horizontal	20	1.80	-	34.31	6.85	34.87
AV	5.3032G	99.40	Inf	-Inf	93.11	3	Horizontal	20	1.80	-	34.31	6.85	34.87
PK	5.3594G	61.17	74.00	-12.83	54.68	3	Horizontal	20	1.80	-	34.48	6.88	34.87
AV	5.355G	49.47	54.00	-4.53	42.97	3	Horizontal	20	1.80	-	34.49	6.88	34.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6013G	55.43	74.00	-18.57	48.05	3	Vertical	127	1.83	-	38.10	12.33	43.05
AV	10.60142G	43.50	54.00	-10.50	36.12	3	Vertical	127	1.83	-	38.10	12.33	43.05
PK	15.89632G	58.71	74.00	-15.29	46.66	3	Vertical	295	2.23	-	37.60	16.60	42.15
AV	15.90253G	47.51	54.00	-6.49	35.45	3	Vertical	295	2.23	-	37.60	16.60	42.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60481G	55.81	74.00	-18.19	48.43	3	Horizontal	239	1.72	-	38.10	12.33	43.05
PK	15.90378G	59.44	74.00	-14.56	47.38	3	Horizontal	354	2.06	-	37.60	16.60	42.14
AV	15.90296G	47.51	54.00	-6.49	35.45	3	Horizontal	354	2.06	-	37.60	16.60	42.14

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	119.06	Inf	-Inf	112.70	3	Vertical	181	1.94	-	34.37	6.86	34.87
AV	5.3178G	110.52	Inf	-Inf	104.16	3	Vertical	181	1.94	-	34.37	6.86	34.87
PK	5.3528G	64.42	74.00	-9.58	57.92	3	Vertical	181	1.94	-	34.49	6.88	34.87
AV	5.3522G	53.29	54.00	-0.71	46.78	3	Vertical	181	1.94	-	34.50	6.88	34.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3167G	106.26	Inf	-Inf	99.90	3	Horizontal	19	2.04	-	34.37	6.86	34.87
AV	5.3167G	97.48	Inf	-Inf	91.12	3	Horizontal	19	2.04	-	34.37	6.86	34.87
PK	5.3523G	60.30	74.00	-13.70	53.79	3	Horizontal	19	2.04	-	34.50	6.88	34.87
AV	5.3515G	49.32	54.00	-4.68	42.81	3	Horizontal	19	2.04	-	34.50	6.88	34.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64372G	55.70	74.00	-18.30	48.31	3	Vertical	262	1.36	-	38.10	12.35	43.06
AV	10.63535G	43.75	54.00	-10.25	36.36	3	Vertical	262	1.36	-	38.10	12.35	43.06
PK	15.95687G	58.97	74.00	-15.03	46.85	3	Vertical	299	1.20	-	37.54	16.66	42.08
AV	15.96396G	47.75	54.00	-6.25	35.62	3	Vertical	299	1.20	-	37.54	16.66	42.07

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6376G	55.13	74.00	-18.87	47.74	3	Horizontal	265	1.90	-	38.10	12.35	43.06
AV	10.63526G	43.84	54.00	-10.16	36.45	3	Horizontal	265	1.90	-	38.10	12.35	43.06
PK	15.96067G	59.01	74.00	-14.99	46.89	3	Horizontal	31	2.17	-	37.54	16.66	42.08
AV	15.95565G	47.64	54.00	-6.36	35.52	3	Horizontal	31	2.17	-	37.54	16.66	42.08

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.60	74.00	-12.40	54.90	3	Vertical	180	1.00	-	34.60	6.96	34.86
AV	5.4576G	50.88	54.00	-3.12	44.18	3	Vertical	180	1.00	-	34.60	6.96	34.86
PK	5.4671G	67.48	68.20	-0.72	60.77	3	Vertical	180	1.00	-	34.60	6.97	34.86
PK	5.4967G	119.04	Inf	-Inf	112.30	3	Vertical	180	1.00	-	34.60	7.00	34.86
AV	5.4968G	110.38	Inf	-Inf	103.64	3	Vertical	180	1.00	-	34.60	7.00	34.86

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4509G	60.54	74.00	-13.46	53.85	3	Horizontal	20	1.78	-	34.60	6.95	34.86
AV	5.4556G	49.30	54.00	-4.70	42.60	3	Horizontal	20	1.78	-	34.60	6.96	34.86
PK	5.4691G	61.10	68.20	-7.10	54.39	3	Horizontal	20	1.78	-	34.60	6.97	34.86
PK	5.505G	107.40	Inf	-Inf	100.66	3	Horizontal	20	1.78	-	34.60	7.00	34.86
AV	5.5048G	99.25	Inf	-Inf	92.51	3	Horizontal	20	1.78	-	34.60	7.00	34.86

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99794G	56.36	74.00	-17.64	48.61	3	Vertical	87	1.82	-	38.30	12.55	43.10
AV	10.99992G	44.56	54.00	-9.44	36.81	3	Vertical	87	1.82	-	38.30	12.55	43.10
PK	16.5027G	60.39	68.20	-7.81	47.08	3	Vertical	158	2.96	-	37.91	17.00	41.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00044G	55.96	74.00	-18.04	48.21	3	Horizontal	303	2.04	-	38.30	12.55	43.10
AV	10.99642G	44.59	54.00	-9.41	36.84	3	Horizontal	303	2.04	-	38.30	12.55	43.10
PK	16.49903G	60.82	68.20	-7.38	47.52	3	Horizontal	128	2.00	-	37.90	17.00	41.60

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3892G	60.53	74.00	-13.47	54.09	3	Vertical	62	2.03	-	34.42	6.89	34.87
AV	5.3924G	49.72	54.00	-4.28	43.27	3	Vertical	62	2.03	-	34.42	6.90	34.87
PK	5.4632G	60.31	68.20	-7.89	53.61	3	Vertical	62	2.03	-	34.60	6.96	34.86
PK	5.584G	121.29	Inf	-Inf	114.63	3	Vertical	62	2.03	-	34.46	7.08	34.88
AV	5.5792G	112.96	Inf	-Inf	106.28	3	Vertical	62	2.03	-	34.48	7.08	34.88
PK	5.7324G	61.65	68.20	-6.55	55.19	3	Vertical	62	2.03	-	34.20	7.17	34.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	60.63	74.00	-13.37	53.94	3	Horizontal	20	1.71	-	34.60	6.95	34.86
PK	5.4632G	59.97	68.20	-8.23	53.27	3	Horizontal	20	1.71	-	34.60	6.96	34.86
AV	5.4592G	49.14	54.00	-4.86	42.44	3	Horizontal	20	1.71	-	34.60	6.96	34.86
PK	5.5768G	110.10	Inf	-Inf	103.41	3	Horizontal	20	1.71	-	34.49	7.08	34.88
AV	5.5768G	101.80	Inf	-Inf	95.11	3	Horizontal	20	1.71	-	34.49	7.08	34.88
PK	5.7516G	60.55	68.20	-7.65	54.09	3	Horizontal	20	1.71	-	34.20	7.18	34.92

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16178G	56.23	74.00	-17.77	48.23	3	Vertical	194	1.19	-	38.52	12.64	43.16
AV	11.16091G	44.62	54.00	-9.38	36.62	3	Vertical	194	1.19	-	38.52	12.64	43.16
PK	16.73523G	60.55	68.20	-7.65	46.33	3	Vertical	74	1.17	-	38.91	17.14	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15997G	56.43	74.00	-17.57	48.43	3	Horizontal	74	1.17	-	38.52	12.64	43.16
AV	11.15577G	44.64	54.00	-9.36	36.65	3	Horizontal	74	1.17	-	38.51	12.64	43.16
PK	16.73543G	61.45	68.20	-6.75	47.23	3	Horizontal	110	2.59	-	38.91	17.14	41.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	117.54	Inf	-Inf	111.09	3	Vertical	320	2.03	-	34.20	7.15	34.90
AV	5.7026G	109.26	Inf	-Inf	102.81	3	Vertical	320	2.03	-	34.20	7.15	34.90
PK	5.7254G	67.55	68.20	-0.65	61.10	3	Vertical	320	2.03	-	34.20	7.16	34.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6966G	107.90	Inf	-Inf	101.44	3	Horizontal	17	1.72	-	34.21	7.15	34.90
AV	5.7009G	99.57	Inf	-Inf	93.12	3	Horizontal	17	1.72	-	34.20	7.15	34.90
PK	5.7255G	60.74	68.20	-7.46	54.29	3	Horizontal	17	1.72	-	34.20	7.16	34.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39566G	56.67	74.00	-17.33	48.47	3	Vertical	27	2.28	-	38.69	12.77	43.26
AV	11.39904G	45.10	54.00	-8.90	36.89	3	Vertical	27	2.28	-	38.70	12.77	43.26
PK	17.10494G	61.23	68.20	-6.97	45.72	3	Vertical	222	2.22	-	40.21	17.36	42.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40478G	56.56	74.00	-17.44	48.34	3	Horizontal	235	2.10	-	38.71	12.77	43.26
AV	11.39834G	45.10	54.00	-8.90	36.89	3	Horizontal	235	2.10	-	38.70	12.77	43.26
PK	17.09948G	62.27	68.20	-5.93	46.78	3	Horizontal	79	1.11	-	40.20	17.36	42.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	119.91	Inf	-Inf	113.46	3	Vertical	51	1.80	-	34.20	7.16	34.91
AV	5.7188G	111.51	Inf	-Inf	105.06	3	Vertical	51	1.80	-	34.20	7.16	34.91
PK	5.9132G	61.14	68.20	-7.06	54.30	3	Vertical	51	1.80	-	34.53	7.26	34.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	110.31	Inf	-Inf	103.86	3	Horizontal	18	1.64	-	34.20	7.16	34.91
AV	5.7208G	101.99	Inf	-Inf	95.54	3	Horizontal	18	1.64	-	34.20	7.16	34.91
PK	5.8964G	60.72	68.20	-7.48	53.93	3	Horizontal	18	1.64	-	34.49	7.25	34.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44264G	57.50	74.00	-16.50	49.16	3	Vertical	216	2.15	-	38.83	12.79	43.28
AV	11.44498G	45.20	54.00	-8.80	36.86	3	Vertical	216	2.15	-	38.83	12.79	43.28
PK	17.16224G	62.43	68.20	-5.77	46.69	3	Vertical	33	2.45	-	40.39	17.40	42.05

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44495G	57.75	74.00	-16.25	49.41	3	Horizontal	191	1.79	-	38.83	12.79	43.28
AV	11.4449G	45.30	54.00	-8.70	36.96	3	Horizontal	191	1.79	-	38.83	12.79	43.28
PK	17.15741G	62.75	68.20	-5.45	47.04	3	Horizontal	252	1.07	-	40.37	17.39	42.05

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0748G	60.53	74.00	-13.47	54.90	3	Vertical	251	2.01	-	33.85	6.67	34.89
AV	5.15G	49.32	54.00	-4.68	43.35	3	Vertical	251	2.01	-	34.10	6.75	34.88
PK	5.258G	123.16	Inf	-Inf	117.15	3	Vertical	251	2.01	-	34.05	6.83	34.87
AV	5.2584G	111.86	Inf	-Inf	105.85	3	Vertical	251	2.01	-	34.05	6.83	34.87
PK	5.3544G	63.37	74.00	-10.63	56.87	3	Vertical	251	2.01	-	34.49	6.88	34.87
AV	5.3528G	51.63	54.00	-2.37	45.13	3	Vertical	251	2.01	-	34.49	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0888G	60.22	74.00	-13.78	54.48	3	Horizontal	-0	2.70	-	33.93	6.69	34.88
AV	5.1228G	48.30	54.00	-5.70	42.41	3	Horizontal	-0	2.70	-	34.05	6.72	34.88
PK	5.258G	110.32	Inf	-Inf	104.31	3	Horizontal	-0	2.70	-	34.05	6.83	34.87
AV	5.2664G	99.89	Inf	-Inf	93.83	3	Horizontal	-0	2.70	-	34.10	6.83	34.87
PK	5.3848G	59.94	74.00	-14.06	53.49	3	Horizontal	-0	2.70	-	34.43	6.89	34.87
AV	5.3512G	48.64	54.00	-5.36	42.13	3	Horizontal	-0	2.70	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51989G	55.46	68.20	-12.74	48.19	3	Vertical	75	2.29	-	38.02	12.29	43.04
PK	15.78484G	58.20	74.00	-15.80	46.41	3	Vertical	21	1.79	-	37.59	16.48	42.28
AV	15.78491G	46.37	54.00	-7.63	34.58	3	Vertical	21	1.79	-	37.59	16.48	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51662G	55.33	68.20	-12.87	48.07	3	Horizontal	190	2.64	-	38.02	12.28	43.04
PK	15.77846G	58.03	74.00	-15.97	46.21	3	Horizontal	71	2.13	-	37.63	16.48	42.29
AV	15.78023G	46.23	54.00	-7.77	34.41	3	Horizontal	71	2.13	-	37.62	16.48	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.299G	124.88	Inf	-Inf	118.61	3	Vertical	104	1.80	-	34.29	6.85	34.87
AV	5.2978G	113.56	Inf	-Inf	107.29	3	Vertical	104	1.80	-	34.29	6.85	34.87
PK	5.3506G	66.88	74.00	-7.12	60.37	3	Vertical	104	1.80	-	34.50	6.88	34.87
AV	5.35G	53.98	54.00	-0.02	47.47	3	Vertical	104	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26
 03-M-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	113.80	Inf	-Inf	107.54	3	Horizontal	72	2.08	-	34.28	6.85	34.87
AV	5.2976G	102.43	Inf	-Inf	96.16	3	Horizontal	72	2.08	-	34.29	6.85	34.87
PK	5.3534G	61.07	74.00	-12.93	54.57	3	Horizontal	72	2.08	-	34.49	6.88	34.87
AV	5.3504G	48.92	54.00	-5.08	42.41	3	Horizontal	72	2.08	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58815G	54.98	68.20	-13.22	37.92	3	Vertical	177	2.50	-	38.09	12.32	33.35
PK	15.90306G	59.40	74.00	-14.60	39.96	3	Vertical	320	1.86	-	37.60	16.60	34.76
AV	15.89595G	46.95	54.00	-7.05	27.51	3	Vertical	320	1.86	-	37.60	16.60	34.76

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60497G	54.84	74.00	-19.16	37.82	3	Horizontal	64	1.64	-	38.10	12.33	33.41
PK	15.89556G	58.96	74.00	-15.04	39.52	3	Horizontal	106	2.53	-	37.60	16.60	34.76
AV	15.8954G	46.95	54.00	-7.05	27.51	3	Horizontal	106	2.53	-	37.60	16.60	34.76

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	121.64	Inf	-Inf	115.29	3	Vertical	181	1.94	-	34.36	6.86	34.87
AV	5.3156G	109.91	Inf	-Inf	103.56	3	Vertical	181	1.94	-	34.36	6.86	34.87
PK	5.3521G	68.78	74.00	-5.22	62.27	3	Vertical	181	1.94	-	34.50	6.88	34.87
AV	5.35G	53.47	54.00	-0.53	46.96	3	Vertical	181	1.94	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3174G	108.07	Inf	-Inf	101.71	3	Horizontal	20	1.82	-	34.37	6.86	34.87
AV	5.3163G	97.17	Inf	-Inf	90.81	3	Horizontal	20	1.82	-	34.37	6.86	34.87
PK	5.3526G	60.34	74.00	-13.66	53.84	3	Horizontal	20	1.82	-	34.49	6.88	34.87
AV	5.3534G	48.97	54.00	-5.03	42.47	3	Horizontal	20	1.82	-	34.49	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6428G	55.17	74.00	-18.83	47.78	3	Vertical	5	2.55	-	38.10	12.35	43.06
AV	10.63892G	43.05	54.00	-10.95	35.66	3	Vertical	5	2.55	-	38.10	12.35	43.06
PK	15.95569G	58.94	74.00	-15.06	46.82	3	Vertical	232	2.72	-	37.54	16.66	42.08
AV	15.96386G	47.25	54.00	-6.75	35.12	3	Vertical	232	2.72	-	37.54	16.66	42.07

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63522G	55.79	74.00	-18.21	48.40	3	Horizontal	43	1.62	-	38.10	12.35	43.06
AV	10.63504G	43.00	54.00	-11.00	35.61	3	Horizontal	43	1.62	-	38.10	12.35	43.06
PK	15.96299G	59.02	74.00	-14.98	46.89	3	Horizontal	111	1.86	-	37.54	16.66	42.07
AV	15.96183G	47.25	54.00	-6.75	35.12	3	Horizontal	111	1.86	-	37.54	16.66	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	61.42	74.00	-12.58	54.72	3	Vertical	177	1.80	-	34.60	6.96	34.86
AV	5.4592G	50.20	54.00	-3.80	43.50	3	Vertical	177	1.80	-	34.60	6.96	34.86
PK	5.4686G	67.56	68.20	-0.64	60.85	3	Vertical	177	1.80	-	34.60	6.97	34.86
PK	5.4994G	119.33	Inf	-Inf	112.59	3	Vertical	177	1.80	-	34.60	7.00	34.86
AV	5.4988G	107.94	Inf	-Inf	101.20	3	Vertical	177	1.80	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4541G	59.54	74.00	-14.46	52.85	3	Horizontal	18	1.80	-	34.60	6.95	34.86
AV	5.459G	48.81	54.00	-5.19	42.11	3	Horizontal	18	1.80	-	34.60	6.96	34.86
PK	5.4696G	60.87	68.20	-7.33	54.16	3	Horizontal	18	1.80	-	34.60	6.97	34.86
PK	5.5042G	108.25	Inf	-Inf	101.51	3	Horizontal	18	1.80	-	34.60	7.00	34.86
AV	5.5036G	97.31	Inf	-Inf	90.57	3	Horizontal	18	1.80	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00347G	56.33	74.00	-17.67	48.58	3	Vertical	242	1.87	-	38.30	12.55	43.10
AV	10.99508G	44.05	54.00	-9.95	36.30	3	Vertical	242	1.87	-	38.30	12.55	43.10
PK	16.50407G	61.08	68.20	-7.12	47.76	3	Vertical	349	1.08	-	37.92	17.00	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99809G	56.98	74.00	-17.02	49.23	3	Horizontal	35	2.66	-	38.30	12.55	43.10
AV	10.99538G	44.09	54.00	-9.91	36.34	3	Horizontal	35	2.66	-	38.30	12.55	43.10
PK	16.50385G	60.32	68.20	-7.88	47.00	3	Horizontal	197	1.80	-	37.92	17.00	41.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3844G	60.69	74.00	-13.31	54.24	3	Vertical	60	1.95	-	34.43	6.89	34.87
AV	5.3864G	48.98	54.00	-5.02	42.53	3	Vertical	60	1.95	-	34.43	6.89	34.87
PK	5.4636G	60.56	68.20	-7.64	53.86	3	Vertical	60	1.95	-	34.60	6.96	34.86
PK	5.578G	121.91	Inf	-Inf	115.22	3	Vertical	60	1.95	-	34.49	7.08	34.88
AV	5.5788G	111.58	Inf	-Inf	104.90	3	Vertical	60	1.95	-	34.48	7.08	34.88
PK	5.778G	60.75	68.20	-7.45	54.22	3	Vertical	60	1.95	-	34.26	7.19	34.92

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.424G	59.50	74.00	-14.50	52.94	3	Horizontal	20	1.73	-	34.50	6.92	34.86
PK	5.4688G	59.35	68.20	-8.85	52.64	3	Horizontal	20	1.73	-	34.60	6.97	34.86
AV	5.4552G	48.47	54.00	-5.53	41.77	3	Horizontal	20	1.73	-	34.60	6.96	34.86
PK	5.5836G	110.33	Inf	-Inf	103.66	3	Horizontal	20	1.73	-	34.47	7.08	34.88
AV	5.5836G	100.09	Inf	-Inf	93.42	3	Horizontal	20	1.73	-	34.47	7.08	34.88
PK	5.7704G	60.37	68.20	-7.83	53.86	3	Horizontal	20	1.73	-	34.24	7.19	34.92

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16295G	56.00	74.00	-18.00	48.00	3	Vertical	338	1.63	-	38.53	12.64	43.17
AV	11.1578G	44.09	54.00	-9.91	36.09	3	Vertical	338	1.63	-	38.52	12.64	43.16
PK	16.7373G	61.25	68.20	-6.95	47.03	3	Vertical	294	1.79	-	38.91	17.14	41.83

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15989G	56.14	74.00	-17.86	48.14	3	Horizontal	30	1.41	-	38.52	12.64	43.16
AV	11.16058G	44.16	54.00	-9.84	36.16	3	Horizontal	30	1.41	-	38.52	12.64	43.16
PK	16.7428G	61.22	68.20	-6.98	46.98	3	Horizontal	127	2.48	-	38.93	17.15	41.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	118.87	Inf	-Inf	112.42	3	Vertical	175	1.80	-	34.20	7.15	34.90
AV	5.6986G	107.14	Inf	-Inf	100.68	3	Vertical	175	1.80	-	34.21	7.15	34.90
PK	5.7254G	65.45	68.20	-2.75	59.00	3	Vertical	175	1.80	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7015G	110.36	Inf	-Inf	103.91	3	Horizontal	17	1.72	-	34.20	7.15	34.90
AV	5.7016G	98.04	Inf	-Inf	91.59	3	Horizontal	17	1.72	-	34.20	7.15	34.90
PK	5.7449G	61.12	68.20	-7.08	54.66	3	Horizontal	17	1.72	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40216G	57.25	74.00	-16.75	49.03	3	Vertical	60	1.51	-	38.71	12.77	43.26
AV	11.3993G	44.65	54.00	-9.35	36.44	3	Vertical	60	1.51	-	38.70	12.77	43.26
PK	17.09531G	61.67	68.20	-6.53	46.19	3	Vertical	207	2.74	-	40.19	17.36	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39717G	56.95	74.00	-17.05	48.75	3	Horizontal	250	2.75	-	38.69	12.77	43.26
AV	11.39975G	44.60	54.00	-9.40	36.39	3	Horizontal	250	2.75	-	38.70	12.77	43.26
PK	17.10378G	61.98	68.20	-6.22	46.48	3	Horizontal	355	2.18	-	40.21	17.36	42.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	121.44	Inf	-Inf	114.99	3	Vertical	49	1.92	-	34.20	7.16	34.91
AV	5.7224G	111.04	Inf	-Inf	104.59	3	Vertical	49	1.92	-	34.20	7.16	34.91
PK	5.9096G	61.41	68.20	-6.79	54.59	3	Vertical	49	1.92	-	34.52	7.25	34.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7172G	111.18	Inf	-Inf	104.73	3	Horizontal	18	1.56	-	34.20	7.16	34.91
AV	5.7168G	100.17	Inf	-Inf	93.72	3	Horizontal	18	1.56	-	34.20	7.16	34.91
PK	5.8904G	60.86	68.20	-7.34	54.10	3	Horizontal	18	1.56	-	34.46	7.25	34.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44493G	57.02	74.00	-16.98	48.68	3	Vertical	308	1.38	-	38.83	12.79	43.28
AV	11.44482G	44.68	54.00	-9.32	36.34	3	Vertical	308	1.38	-	38.83	12.79	43.28
PK	17.1609G	62.96	68.20	-5.24	47.23	3	Vertical	112	1.10	-	40.38	17.40	42.05

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44437G	56.44	74.00	-17.56	48.10	3	Horizontal	199	2.54	-	38.83	12.79	43.28
AV	11.44474G	44.77	54.00	-9.23	36.43	3	Horizontal	199	2.54	-	38.83	12.79	43.28
PK	17.16051G	62.56	68.20	-5.64	46.83	3	Horizontal	192	2.18	-	40.38	17.40	42.05

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1389G	60.70	74.00	-13.30	54.76	3	Vertical	182	1.95	-	34.08	6.74	34.88
AV	5.1356G	49.40	54.00	-4.60	43.47	3	Vertical	182	1.95	-	34.07	6.74	34.88
PK	5.2808G	117.19	Inf	-Inf	111.04	3	Vertical	182	1.95	-	34.18	6.84	34.87
AV	5.2802G	106.76	Inf	-Inf	100.61	3	Vertical	182	1.95	-	34.18	6.84	34.87
PK	5.351G	67.82	74.00	-6.18	61.31	3	Vertical	182	1.95	-	34.50	6.88	34.87
AV	5.3504G	52.10	54.00	-1.90	45.59	3	Vertical	182	1.95	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	59.03	74.00	-14.97	53.13	3	Horizontal	3	1.98	-	34.05	6.73	34.88
AV	5.1338G	47.97	54.00	-6.03	42.05	3	Horizontal	3	1.98	-	34.07	6.73	34.88
PK	5.2775G	105.92	Inf	-Inf	99.79	3	Horizontal	3	1.98	-	34.16	6.84	34.87
AV	5.2775G	94.70	Inf	-Inf	88.57	3	Horizontal	3	1.98	-	34.16	6.84	34.87
PK	5.3597G	60.55	74.00	-13.45	54.06	3	Horizontal	3	1.98	-	34.48	6.88	34.87
AV	5.3561G	48.64	54.00	-5.36	42.14	3	Horizontal	3	1.98	-	34.49	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53783G	54.29	68.20	-13.91	46.99	3	Vertical	66	2.17	-	38.04	12.30	43.04
PK	15.81286G	58.22	74.00	-15.78	46.45	3	Vertical	300	1.83	-	37.51	16.51	42.25
AV	15.81346G	46.77	54.00	-7.23	35.00	3	Vertical	300	1.83	-	37.51	16.51	42.25

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54343G	54.67	68.20	-13.53	47.38	3	Horizontal	322	2.53	-	38.04	12.30	43.05
PK	15.81247G	58.52	74.00	-15.48	46.75	3	Horizontal	70	2.10	-	37.51	16.51	42.25
AV	15.81289G	46.72	54.00	-7.28	34.95	3	Horizontal	70	2.10	-	37.51	16.51	42.25

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	116.37	Inf	-Inf	110.02	3	Vertical	181	1.83	-	34.36	6.86	34.87
AV	5.3056G	105.05	Inf	-Inf	98.75	3	Vertical	181	1.83	-	34.32	6.85	34.87
PK	5.353G	64.16	74.00	-9.84	57.66	3	Vertical	181	1.83	-	34.49	6.88	34.87
AV	5.3524G	52.55	54.00	-1.45	46.04	3	Vertical	181	1.83	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3118G	103.30	Inf	-Inf	96.96	3	Horizontal	19	1.80	-	34.35	6.86	34.87
AV	5.311G	92.36	Inf	-Inf	86.03	3	Horizontal	19	1.80	-	34.34	6.86	34.87
PK	5.4054G	60.29	74.00	-13.71	53.83	3	Horizontal	19	1.80	-	34.42	6.91	34.87
AV	5.35G	48.97	54.00	-5.03	42.46	3	Horizontal	19	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62467G	54.85	74.00	-19.15	47.46	3	Vertical	229	2.66	-	38.10	12.34	43.05
AV	10.62087G	42.98	54.00	-11.02	35.59	3	Vertical	229	2.66	-	38.10	12.34	43.05
PK	15.92909G	58.66	74.00	-15.34	46.57	3	Vertical	348	1.35	-	37.57	16.63	42.11
AV	15.93244G	46.87	54.00	-7.13	34.78	3	Vertical	348	1.35	-	37.57	16.63	42.11

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61965G	55.14	74.00	-18.86	47.75	3	Horizontal	55	2.21	-	38.10	12.34	43.05
AV	10.62092G	42.98	54.00	-11.02	35.59	3	Horizontal	55	2.21	-	38.10	12.34	43.05
PK	15.9279G	58.60	74.00	-15.40	46.51	3	Horizontal	37	1.11	-	37.57	16.63	42.11
AV	15.93162G	46.92	54.00	-7.08	34.83	3	Horizontal	37	1.11	-	37.57	16.63	42.11

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	64.36	74.00	-9.64	57.66	3	Vertical	60	1.97	-	34.60	6.96	34.86
AV	5.46G	51.88	54.00	-2.12	45.18	3	Vertical	60	1.97	-	34.60	6.96	34.86
PK	5.4688G	67.18	68.20	-1.02	60.47	3	Vertical	60	1.97	-	34.60	6.97	34.86
PK	5.5082G	115.91	Inf	-Inf	109.16	3	Vertical	60	1.97	-	34.60	7.01	34.86
AV	5.5084G	105.23	Inf	-Inf	98.48	3	Vertical	60	1.97	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41G	60.41	74.00	-13.59	53.93	3	Horizontal	20	1.78	-	34.44	6.91	34.87
PK	5.4658G	60.37	68.20	-7.83	53.66	3	Horizontal	20	1.78	-	34.60	6.97	34.86
AV	5.4554G	48.64	54.00	-5.36	41.94	3	Horizontal	20	1.78	-	34.60	6.96	34.86
PK	5.506G	105.13	Inf	-Inf	98.38	3	Horizontal	20	1.78	-	34.60	7.01	34.86
AV	5.505G	93.75	Inf	-Inf	87.01	3	Horizontal	20	1.78	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02259G	56.32	74.00	-17.68	48.55	3	Vertical	103	2.81	-	38.32	12.56	43.11
AV	11.02041G	43.79	54.00	-10.21	36.02	3	Vertical	103	2.81	-	38.32	12.56	43.11
PK	16.53217G	60.84	68.20	-7.36	47.39	3	Vertical	309	1.07	-	38.06	17.02	41.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02126G	56.74	74.00	-17.26	48.97	3	Horizontal	321	2.73	-	38.32	12.56	43.11
AV	11.02401G	43.81	54.00	-10.19	36.04	3	Horizontal	321	2.73	-	38.32	12.56	43.11
PK	16.52539G	60.07	68.20	-8.13	46.64	3	Horizontal	177	1.10	-	38.03	17.02	41.62

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4597G	64.98	74.00	-9.02	58.28	3	Vertical	178	1.80	-	34.60	6.96	34.86
AV	5.4597G	51.01	54.00	-2.99	44.31	3	Vertical	178	1.80	-	34.60	6.96	34.86
PK	5.4678G	66.87	68.20	-1.33	60.16	3	Vertical	178	1.80	-	34.60	6.97	34.86
PK	5.559G	116.67	Inf	-Inf	109.92	3	Vertical	178	1.80	-	34.56	7.06	34.87
AV	5.5491G	105.76	Inf	-Inf	98.98	3	Vertical	178	1.80	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4555G	59.96	74.00	-14.04	53.26	3	Horizontal	18	1.72	-	34.60	6.96	34.86
AV	5.4537G	48.80	54.00	-5.20	42.11	3	Horizontal	18	1.72	-	34.60	6.95	34.86
PK	5.4666G	59.20	68.20	-9.00	52.49	3	Horizontal	18	1.72	-	34.60	6.97	34.86
PK	5.5407G	106.28	Inf	-Inf	99.51	3	Horizontal	18	1.72	-	34.60	7.04	34.87
AV	5.5434G	95.39	Inf	-Inf	88.62	3	Horizontal	18	1.72	-	34.60	7.04	34.87

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10252G	56.08	74.00	-17.92	48.20	3	Vertical	211	1.34	-	38.41	12.61	43.14
AV	11.10457G	44.18	54.00	-9.82	36.30	3	Vertical	211	1.34	-	38.41	12.61	43.14
PK	16.6459G	60.51	68.20	-7.69	46.58	3	Vertical	309	2.28	-	38.58	17.09	41.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10391G	56.48	74.00	-17.52	48.60	3	Horizontal	197	2.52	-	38.41	12.61	43.14
AV	11.10463G	44.18	54.00	-9.82	36.30	3	Horizontal	197	2.52	-	38.41	12.61	43.14
PK	16.65348G	60.62	68.20	-7.58	46.67	3	Horizontal	157	2.78	-	38.61	17.09	41.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	116.14	Inf	-Inf	109.57	3	Vertical	175	1.87	-	34.34	7.13	34.90
AV	5.6636G	104.78	Inf	-Inf	98.20	3	Vertical	175	1.87	-	34.35	7.13	34.90
PK	5.726G	66.52	68.20	-1.68	60.07	3	Vertical	175	1.87	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6764G	105.97	Inf	-Inf	99.44	3	Horizontal	18	1.63	-	34.29	7.14	34.90
AV	5.6662G	94.85	Inf	-Inf	88.28	3	Horizontal	18	1.63	-	34.34	7.13	34.90
PK	5.7296G	60.60	68.20	-7.60	54.15	3	Horizontal	18	1.63	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33672G	56.36	74.00	-17.64	48.28	3	Vertical	98	2.91	-	38.57	12.74	43.23
AV	11.33866G	43.73	54.00	-10.27	35.65	3	Vertical	98	2.91	-	38.58	12.74	43.24
PK	17.01126G	61.61	68.20	-6.59	46.37	3	Vertical	299	1.62	-	40.02	17.31	42.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34363G	55.90	74.00	-18.10	47.81	3	Horizontal	351	1.27	-	38.59	12.74	43.24
AV	11.3364G	43.83	54.00	-10.17	35.75	3	Horizontal	351	1.27	-	38.57	12.74	43.23
PK	17.00936G	61.13	68.20	-7.07	45.89	3	Horizontal	88	2.77	-	40.02	17.31	42.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	119.08	Inf	-Inf	112.63	3	Vertical	50	1.80	-	34.20	7.15	34.90
AV	5.7132G	108.02	Inf	-Inf	101.57	3	Vertical	50	1.80	-	34.20	7.16	34.91
PK	5.8532G	67.35	68.20	-0.85	60.75	3	Vertical	50	1.80	-	34.31	7.23	34.94

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	108.67	Inf	-Inf	102.23	3	Horizontal	18	1.73	-	34.20	7.15	34.91
AV	5.7068G	97.59	Inf	-Inf	91.15	3	Horizontal	18	1.73	-	34.20	7.15	34.91
PK	5.902G	60.70	68.20	-7.50	53.90	3	Horizontal	18	1.73	-	34.50	7.25	34.95

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41854G	56.41	74.00	-17.59	48.14	3	Vertical	207	1.16	-	38.76	12.78	43.27
AV	11.41919G	44.17	54.00	-9.83	35.90	3	Vertical	207	1.16	-	38.76	12.78	43.27
PK	17.13353G	62.93	68.20	-5.27	47.31	3	Vertical	308	2.01	-	40.30	17.38	42.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42087G	56.09	74.00	-17.91	47.82	3	Horizontal	312	2.16	-	38.76	12.78	43.27
AV	11.4186G	44.19	54.00	-9.81	35.92	3	Horizontal	312	2.16	-	38.76	12.78	43.27
PK	17.12994G	63.07	68.20	-5.13	47.46	3	Horizontal	80	2.04	-	40.29	17.38	42.06

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	62.02	74.00	-11.98	56.08	3	Vertical	254	1.96	-	34.08	6.74	34.88
AV	5.1388G	49.23	54.00	-4.77	43.29	3	Vertical	254	1.96	-	34.08	6.74	34.88
PK	5.2972G	112.67	Inf	-Inf	106.41	3	Vertical	254	1.96	-	34.28	6.85	34.87
AV	5.288G	102.15	Inf	-Inf	95.95	3	Vertical	254	1.96	-	34.23	6.84	34.87
PK	5.3584G	67.29	74.00	-6.71	60.80	3	Vertical	254	1.96	-	34.48	6.88	34.87
AV	5.3568G	52.97	54.00	-1.03	46.47	3	Vertical	254	1.96	-	34.49	6.88	34.87
PK	5.4712G	60.46	68.20	-7.74	53.75	3	Vertical	254	1.96	-	34.60	6.97	34.86

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.104G	59.62	74.00	-14.38	53.79	3	Horizontal	20	1.85	-	34.01	6.70	34.88
AV	5.0964G	48.22	54.00	-5.78	42.42	3	Horizontal	20	1.85	-	33.98	6.70	34.88
PK	5.3112G	101.77	Inf	-Inf	95.44	3	Horizontal	20	1.85	-	34.34	6.86	34.87
AV	5.3012G	89.53	Inf	-Inf	83.25	3	Horizontal	20	1.85	-	34.30	6.85	34.87
PK	5.3624G	61.13	74.00	-12.87	54.64	3	Horizontal	20	1.85	-	34.48	6.88	34.87
AV	5.35G	48.97	54.00	-5.03	42.46	3	Horizontal	20	1.85	-	34.50	6.88	34.87
PK	5.4892G	59.98	68.20	-8.22	53.25	3	Horizontal	20	1.85	-	34.60	6.99	34.86

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58055G	54.90	68.20	-13.30	47.55	3	Vertical	291	2.10	-	38.08	12.32	43.05
PK	15.87169G	59.06	74.00	-14.94	47.10	3	Vertical	259	1.10	-	37.57	16.57	42.18
AV	15.86548G	47.06	54.00	-6.94	35.11	3	Vertical	259	1.10	-	37.57	16.57	42.19

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57803G	55.26	68.20	-12.94	47.91	3	Horizontal	185	2.35	-	38.08	12.32	43.05
PK	15.86975G	58.95	74.00	-15.05	46.99	3	Horizontal	123	1.50	-	37.57	16.57	42.18
AV	15.86555G	47.06	54.00	-6.94	35.11	3	Horizontal	123	1.50	-	37.57	16.57	42.19

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	60.88	68.20	-7.32	54.45	3	Vertical	60	1.88	-	34.43	6.87	34.87
AV	5.35G	48.80	54.00	-5.20	42.30	3	Vertical	60	1.88	-	34.50	6.87	34.87
PK	5.46G	64.09	74.00	-9.91	57.39	3	Vertical	60	1.88	-	34.60	6.96	34.86
AV	5.4596G	52.98	54.00	-1.02	46.28	3	Vertical	60	1.88	-	34.60	6.96	34.86
PK	5.47G	64.93	68.20	-3.27	58.22	3	Vertical	60	1.88	-	34.60	6.97	34.86
PK	5.5276G	112.26	Inf	-Inf	105.50	3	Vertical	60	1.88	-	34.60	7.03	34.87
AV	5.5384G	101.40	Inf	-Inf	94.63	3	Vertical	60	1.88	-	34.60	7.04	34.87
PK	5.7288G	59.64	68.20	-8.56	53.19	3	Vertical	60	1.88	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3432G	60.94	68.20	-7.26	54.47	3	Horizontal	16	1.80	-	34.47	6.87	34.87
AV	5.35G	48.10	54.00	-5.90	41.60	3	Horizontal	16	1.80	-	34.50	6.87	34.87
PK	5.4212G	60.01	74.00	-13.99	53.47	3	Horizontal	16	1.80	-	34.48	6.92	34.86
PK	5.4616G	59.03	68.20	-9.17	52.33	3	Horizontal	16	1.80	-	34.60	6.96	34.86
AV	5.4572G	48.64	54.00	-5.36	41.94	3	Horizontal	16	1.80	-	34.60	6.96	34.86
PK	5.542G	99.90	Inf	-Inf	93.13	3	Horizontal	16	1.80	-	34.60	7.04	34.87
AV	5.5416G	89.29	Inf	-Inf	82.52	3	Horizontal	16	1.80	-	34.60	7.04	34.87
PK	5.7264G	59.26	68.20	-8.94	52.81	3	Horizontal	16	1.80	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05738G	55.79	74.00	-18.21	47.97	3	Vertical	317	2.54	-	38.36	12.58	43.12
AV	11.05639G	43.96	54.00	-10.04	36.14	3	Vertical	317	2.54	-	38.36	12.58	43.12
PK	16.58939G	60.25	68.20	-7.95	46.54	3	Vertical	72	2.58	-	38.35	17.05	41.69

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.064777G	55.74	74.00	-18.26	47.92	3	Horizontal	13	1.70	-	38.36	12.59	43.13
AV	11.05562G	43.97	54.00	-10.03	36.15	3	Horizontal	13	1.70	-	38.36	12.58	43.12
PK	16.58673G	60.02	68.20	-8.18	46.32	3	Horizontal	229	2.81	-	38.33	17.05	41.68

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6928G	113.83	Inf	-Inf	107.35	3	Vertical	58	1.89	-	34.23	7.15	34.90
AV	5.7028G	102.72	Inf	-Inf	96.27	3	Vertical	58	1.89	-	34.20	7.15	34.90
PK	5.8648G	67.42	68.20	-0.78	60.77	3	Vertical	58	1.89	-	34.36	7.23	34.94

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	101.93	Inf	-Inf	95.48	3	Horizontal	16	1.80	-	34.20	7.16	34.91
AV	5.7064G	91.24	Inf	-Inf	84.80	3	Horizontal	16	1.80	-	34.20	7.15	34.91
PK	5.8596G	61.43	68.20	-6.77	54.80	3	Horizontal	16	1.80	-	34.34	7.23	34.94

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38445G	56.19	74.00	-17.81	48.01	3	Vertical	336	2.43	-	38.67	12.76	43.25
AV	11.38374G	44.04	54.00	-9.96	35.86	3	Vertical	336	2.43	-	38.67	12.76	43.25
PK	17.07196G	61.49	68.20	-6.71	46.08	3	Vertical	238	2.27	-	40.14	17.34	42.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38119G	56.27	74.00	-17.73	48.10	3	Horizontal	315	1.37	-	38.66	12.76	43.25
AV	11.38435G	43.93	54.00	-10.07	35.75	3	Horizontal	315	1.37	-	38.67	12.76	43.25
PK	17.07416G	61.75	68.20	-6.45	46.33	3	Horizontal	225	1.82	-	40.15	17.34	42.07

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	62.04	74.00	-11.96	56.08	3	Vertical	257	1.80	-	34.09	6.75	34.88
AV	5.148G	50.04	54.00	-3.96	44.07	3	Vertical	257	1.80	-	34.10	6.75	34.88
PK	5.266G	119.53	Inf	-Inf	113.47	3	Vertical	257	1.80	-	34.10	6.83	34.87
AV	5.258G	108.57	Inf	-Inf	102.56	3	Vertical	257	1.80	-	34.05	6.83	34.87
PK	5.3548G	64.25	74.00	-9.75	57.75	3	Vertical	257	1.80	-	34.49	6.88	34.87
AV	5.35G	53.18	54.00	-0.82	46.67	3	Vertical	257	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0936G	59.83	74.00	-14.17	54.06	3	Horizontal	19	1.85	-	33.96	6.69	34.88
AV	5.1204G	48.16	54.00	-5.84	42.28	3	Horizontal	19	1.85	-	34.04	6.72	34.88
PK	5.2616G	108.17	Inf	-Inf	102.14	3	Horizontal	19	1.85	-	34.07	6.83	34.87
AV	5.2664G	97.32	Inf	-Inf	91.26	3	Horizontal	19	1.85	-	34.10	6.83	34.87
PK	5.4328G	60.81	74.00	-13.19	54.21	3	Horizontal	19	1.85	-	34.53	6.93	34.86
AV	5.35G	48.64	54.00	-5.36	42.13	3	Horizontal	19	1.85	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52128G	54.91	68.20	-13.29	47.64	3	Vertical	235	1.28	-	38.02	12.29	43.04
PK	15.78027G	57.78	74.00	-16.22	45.96	3	Vertical	343	1.64	-	37.62	16.48	42.28
AV	15.78137G	46.27	54.00	-7.73	34.46	3	Vertical	343	1.64	-	37.61	16.48	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51959G	55.25	68.20	-12.95	47.98	3	Horizontal	44	1.75	-	38.02	12.29	43.04
PK	15.77824G	57.86	74.00	-16.14	46.04	3	Horizontal	345	1.65	-	37.63	16.48	42.29
AV	15.78424G	46.24	54.00	-7.76	34.45	3	Horizontal	345	1.65	-	37.59	16.48	42.28

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	123.82	Inf	-Inf	117.56	3	Vertical	104	1.92	-	34.28	6.85	34.87
AV	5.2982G	111.23	Inf	-Inf	104.96	3	Vertical	104	1.92	-	34.29	6.85	34.87
PK	5.351G	65.69	74.00	-8.31	59.18	3	Vertical	104	1.92	-	34.50	6.88	34.87
AV	5.35G	53.89	54.00	-0.11	47.38	3	Vertical	104	1.92	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26
 03-M-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	112.19	Inf	-Inf	105.92	3	Horizontal	72	2.07	-	34.29	6.85	34.87
AV	5.298G	100.62	Inf	-Inf	94.35	3	Horizontal	72	2.07	-	34.29	6.85	34.87
PK	5.3566G	60.30	74.00	-13.70	53.80	3	Horizontal	72	2.07	-	34.49	6.88	34.87
AV	5.3508G	48.92	54.00	-5.08	42.41	3	Horizontal	72	2.07	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6019G	55.05	74.00	-18.95	38.02	3	Vertical	207	2.49	-	38.10	12.33	33.40
AV	10.60116G	42.95	54.00	-11.05	25.92	3	Vertical	207	2.49	-	38.10	12.33	33.40
PK	15.90447G	58.60	74.00	-15.40	39.17	3	Vertical	122	1.51	-	37.60	16.60	34.77
AV	15.89876G	47.05	54.00	-6.95	27.61	3	Vertical	122	1.51	-	37.60	16.60	34.76

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-M-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59709G	55.57	68.20	-12.63	38.52	3	Horizontal	80	2.63	-	38.10	12.33	33.38
AV	10.60174G	42.95	54.00	-11.05	25.92	3	Horizontal	80	2.63	-	38.10	12.33	33.40
PK	15.89685G	58.84	74.00	-15.16	39.40	3	Horizontal	163	2.54	-	37.60	16.60	34.76
AV	15.89887G	47.00	54.00	-7.00	27.56	3	Horizontal	163	2.54	-	37.60	16.60	34.76

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	118.11	Inf	-Inf	111.74	3	Vertical	183	1.80	-	34.38	6.86	34.87
AV	5.3164G	106.88	Inf	-Inf	100.52	3	Vertical	183	1.80	-	34.37	6.86	34.87
PK	5.35G	66.92	74.00	-7.08	60.41	3	Vertical	183	1.80	-	34.50	6.88	34.87
AV	5.3502G	53.94	54.00	-0.06	47.43	3	Vertical	183	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	107.01	Inf	-Inf	100.66	3	Horizontal	20	1.82	-	34.36	6.86	34.87
AV	5.3176G	95.28	Inf	-Inf	88.92	3	Horizontal	20	1.82	-	34.37	6.86	34.87
PK	5.3518G	60.30	74.00	-13.70	53.79	3	Horizontal	20	1.82	-	34.50	6.88	34.87
AV	5.35G	48.81	54.00	-5.19	42.30	3	Horizontal	20	1.82	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64123G	54.82	74.00	-19.18	47.43	3	Vertical	348	1.73	-	38.10	12.35	43.06
AV	10.63502G	43.00	54.00	-11.00	35.61	3	Vertical	348	1.73	-	38.10	12.35	43.06
PK	15.95879G	59.32	74.00	-14.68	47.20	3	Vertical	103	2.40	-	37.54	16.66	42.08
AV	15.96125G	47.20	54.00	-6.80	35.07	3	Vertical	103	2.40	-	37.54	16.66	42.07

5.25-5.35GHz_802.11ax_HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63986G	55.02	74.00	-18.98	47.63	3	Horizontal	202	2.49	-	38.10	12.35	43.06
AV	10.63502G	43.06	54.00	-10.94	35.67	3	Horizontal	202	2.49	-	38.10	12.35	43.06
PK	15.95878G	59.25	74.00	-14.75	47.13	3	Horizontal	47	1.52	-	37.54	16.66	42.08
AV	15.95519G	47.30	54.00	-6.70	35.18	3	Horizontal	47	1.52	-	37.54	16.66	42.08

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	61.00	74.00	-13.00	54.30	3	Vertical	178	1.00	-	34.60	6.96	34.86
AV	5.4596G	50.20	54.00	-3.80	43.50	3	Vertical	178	1.00	-	34.60	6.96	34.86
PK	5.4694G	67.93	68.20	-0.27	61.22	3	Vertical	178	1.00	-	34.60	6.97	34.86
PK	5.503G	117.71	Inf	-Inf	110.97	3	Vertical	178	1.00	-	34.60	7.00	34.86
AV	5.4962G	106.48	Inf	-Inf	99.74	3	Vertical	178	1.00	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.51	74.00	-13.49	53.81	3	Horizontal	18	1.80	-	34.60	6.96	34.86
AV	5.4556G	48.64	54.00	-5.36	41.94	3	Horizontal	18	1.80	-	34.60	6.96	34.86
PK	5.4694G	60.54	68.20	-7.66	53.83	3	Horizontal	18	1.80	-	34.60	6.97	34.86
PK	5.5034G	107.27	Inf	-Inf	100.53	3	Horizontal	18	1.80	-	34.60	7.00	34.86
AV	5.5046G	95.98	Inf	-Inf	89.24	3	Horizontal	18	1.80	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99835G	56.53	74.00	-17.47	48.78	3	Vertical	269	2.36	-	38.30	12.55	43.10
AV	10.99838G	43.97	54.00	-10.03	36.22	3	Vertical	269	2.36	-	38.30	12.55	43.10
PK	16.50172G	60.87	68.20	-7.33	47.56	3	Vertical	273	1.32	-	37.91	17.00	41.60

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 25.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00028G	56.75	74.00	-17.25	49.00	3	Horizontal	289	1.14	-	38.30	12.55	43.10
AV	10.99571G	44.14	54.00	-9.86	36.39	3	Horizontal	289	1.14	-	38.30	12.55	43.10
PK	16.49804G	60.06	68.20	-8.14	46.76	3	Horizontal	92	2.42	-	37.90	17.00	41.60

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	60.35	74.00	-13.65	53.73	3	Vertical	59	1.96	-	34.54	6.94	34.86
PK	5.464G	59.70	68.20	-8.50	53.00	3	Vertical	59	1.96	-	34.60	6.96	34.86
AV	5.4556G	48.98	54.00	-5.02	42.28	3	Vertical	59	1.96	-	34.60	6.96	34.86
PK	5.5784G	121.36	Inf	-Inf	114.67	3	Vertical	59	1.96	-	34.49	7.08	34.88
AV	5.5784G	109.46	Inf	-Inf	102.77	3	Vertical	59	1.96	-	34.49	7.08	34.88
PK	5.778G	60.48	68.20	-7.72	53.95	3	Vertical	59	1.96	-	34.26	7.19	34.92

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	60.51	74.00	-13.49	53.81	3	Horizontal	19	1.72	-	34.60	6.96	34.86
AV	5.4568G	48.64	54.00	-5.36	41.94	3	Horizontal	19	1.72	-	34.60	6.96	34.86
PK	5.4616G	59.23	68.20	-8.97	52.53	3	Horizontal	19	1.72	-	34.60	6.96	34.86
PK	5.5784G	109.95	Inf	-Inf	103.26	3	Horizontal	19	1.72	-	34.49	7.08	34.88
AV	5.5812G	99.33	Inf	-Inf	92.65	3	Horizontal	19	1.72	-	34.48	7.08	34.88
PK	5.7444G	60.41	68.20	-7.79	53.95	3	Horizontal	19	1.72	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16194G	56.35	74.00	-17.65	48.35	3	Vertical	312	2.84	-	38.52	12.64	43.16
AV	11.16058G	44.16	54.00	-9.84	36.16	3	Vertical	312	2.84	-	38.52	12.64	43.16
PK	16.74297G	60.94	68.20	-7.26	46.70	3	Vertical	323	2.75	-	38.93	17.15	41.84

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16478G	56.32	74.00	-17.68	48.32	3	Horizontal	12	1.09	-	38.53	12.64	43.17
AV	11.16119G	44.13	54.00	-9.87	36.13	3	Horizontal	12	1.09	-	38.52	12.64	43.16
PK	16.73765G	61.00	68.20	-7.20	46.78	3	Horizontal	26	1.33	-	38.91	17.14	41.83

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7054G	117.55	Inf	-Inf	111.11	3	Vertical	58	1.80	-	34.20	7.15	34.91
AV	5.7018G	105.83	Inf	-Inf	99.38	3	Vertical	58	1.80	-	34.20	7.15	34.90
PK	5.7256G	66.38	68.20	-1.82	59.93	3	Vertical	58	1.80	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	107.54	Inf	-Inf	101.09	3	Horizontal	18	1.73	-	34.20	7.15	34.90
AV	5.7028G	96.32	Inf	-Inf	89.87	3	Horizontal	18	1.73	-	34.20	7.15	34.90
PK	5.7258G	61.55	68.20	-6.65	55.10	3	Horizontal	18	1.73	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40077G	56.81	74.00	-17.19	48.60	3	Vertical	216	2.23	-	38.70	12.77	43.26
AV	11.39991G	44.80	54.00	-9.20	36.59	3	Vertical	216	2.23	-	38.70	12.77	43.26
PK	17.10326G	61.66	68.20	-6.54	46.16	3	Vertical	38	2.41	-	40.21	17.36	42.07

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40444G	57.37	74.00	-16.63	49.15	3	Horizontal	355	2.04	-	38.71	12.77	43.26
AV	11.39879G	44.65	54.00	-9.35	36.44	3	Horizontal	355	2.04	-	38.70	12.77	43.26
PK	17.09872G	61.91	68.20	-6.29	46.42	3	Horizontal	342	2.80	-	40.20	17.36	42.07

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	120.64	Inf	-Inf	114.19	3	Vertical	49	1.90	-	34.20	7.16	34.91
AV	5.7216G	108.99	Inf	-Inf	102.54	3	Vertical	49	1.90	-	34.20	7.16	34.91
PK	5.8712G	60.95	68.20	-7.25	54.27	3	Vertical	49	1.90	-	34.38	7.24	34.94

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.718G	109.79	Inf	-Inf	103.34	3	Horizontal	18	1.69	-	34.20	7.16	34.91
AV	5.7228G	98.61	Inf	-Inf	92.16	3	Horizontal	18	1.69	-	34.20	7.16	34.91
PK	5.8988G	60.69	68.20	-7.51	53.89	3	Horizontal	18	1.69	-	34.50	7.25	34.95

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43941G	56.90	74.00	-17.10	48.57	3	Vertical	71	2.59	-	38.82	12.79	43.28
AV	11.44155G	44.80	54.00	-9.20	36.47	3	Vertical	71	2.59	-	38.82	12.79	43.28
PK	17.15634G	62.07	68.20	-6.13	46.36	3	Vertical	10	1.62	-	40.37	17.39	42.05

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43983G	56.22	74.00	-17.78	47.89	3	Horizontal	177	1.21	-	38.82	12.79	43.28
AV	11.44459G	44.78	54.00	-9.22	36.44	3	Horizontal	177	1.21	-	38.83	12.79	43.28
PK	17.15947G	62.47	68.20	-5.73	46.74	3	Horizontal	333	1.85	-	40.38	17.40	42.05

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1206G	60.65	74.00	-13.35	54.77	3	Vertical	182	2.00	-	34.04	6.72	34.88
AV	5.1356G	49.54	54.00	-4.46	43.61	3	Vertical	182	2.00	-	34.07	6.74	34.88
PK	5.2616G	115.07	Inf	-Inf	109.04	3	Vertical	182	2.00	-	34.07	6.83	34.87
AV	5.2763G	104.23	Inf	-Inf	98.10	3	Vertical	182	2.00	-	34.16	6.84	34.87
PK	5.3531G	67.07	74.00	-6.93	60.57	3	Vertical	182	2.00	-	34.49	6.88	34.87
AV	5.3504G	51.75	54.00	-2.25	45.24	3	Vertical	182	2.00	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1203G	59.52	74.00	-14.48	53.64	3	Horizontal	4	1.86	-	34.04	6.72	34.88
AV	5.12G	47.99	54.00	-6.01	42.11	3	Horizontal	4	1.86	-	34.04	6.72	34.88
PK	5.2781G	104.27	Inf	-Inf	98.13	3	Horizontal	4	1.86	-	34.17	6.84	34.87
AV	5.2781G	92.31	Inf	-Inf	86.17	3	Horizontal	4	1.86	-	34.17	6.84	34.87
PK	5.3606G	60.42	74.00	-13.58	53.93	3	Horizontal	4	1.86	-	34.48	6.88	34.87
AV	5.3504G	48.64	54.00	-5.36	42.13	3	Horizontal	4	1.86	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53736G	55.40	68.20	-12.80	48.10	3	Vertical	271	2.42	-	38.04	12.30	43.04
PK	15.80837G	58.28	74.00	-15.72	46.51	3	Vertical	298	1.31	-	37.51	16.51	42.25
AV	15.81471G	46.71	54.00	-7.29	34.93	3	Vertical	298	1.31	-	37.51	16.51	42.24

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54295G	54.60	68.20	-13.60	47.31	3	Horizontal	257	2.35	-	38.04	12.30	43.05
PK	15.81037G	59.05	74.00	-14.95	47.28	3	Horizontal	358	1.19	-	37.51	16.51	42.25
AV	15.81209G	46.73	54.00	-7.27	34.96	3	Horizontal	358	1.19	-	37.51	16.51	42.25

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 22.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	114.40	Inf	-Inf	108.08	3	Vertical	255	1.84	-	34.34	6.85	34.87
AV	5.3074G	103.22	Inf	-Inf	96.91	3	Vertical	255	1.84	-	34.33	6.85	34.87
PK	5.3512G	68.75	74.00	-5.25	62.24	3	Vertical	255	1.84	-	34.50	6.88	34.87
AV	5.35G	53.67	54.00	-0.33	47.16	3	Vertical	255	1.84	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	102.35	Inf	-Inf	96.05	3	Horizontal	18	1.80	-	34.32	6.85	34.87
AV	5.3126G	90.67	Inf	-Inf	84.33	3	Horizontal	18	1.80	-	34.35	6.86	34.87
PK	5.3514G	60.26	74.00	-13.74	53.75	3	Horizontal	18	1.80	-	34.50	6.88	34.87
AV	5.35G	48.97	54.00	-5.03	42.46	3	Horizontal	18	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61505G	54.92	74.00	-19.08	47.53	3	Vertical	123	1.70	-	38.10	12.34	43.05
AV	10.62068G	42.98	54.00	-11.02	35.59	3	Vertical	123	1.70	-	38.10	12.34	43.05
PK	15.934G	58.56	74.00	-15.44	46.47	3	Vertical	124	2.20	-	37.57	16.63	42.11
AV	15.93145G	46.92	54.00	-7.08	34.83	3	Vertical	124	2.20	-	37.57	16.63	42.11

5.25-5.35GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 22.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61569G	54.33	74.00	-19.67	46.94	3	Horizontal	6	2.33	-	38.10	12.34	43.05
AV	10.62365G	42.97	54.00	-11.03	35.58	3	Horizontal	6	2.33	-	38.10	12.34	43.05
PK	15.93031G	58.91	74.00	-15.09	46.82	3	Horizontal	51	1.49	-	37.57	16.63	42.11
AV	15.92808G	46.89	54.00	-7.11	34.80	3	Horizontal	51	1.49	-	37.57	16.63	42.11

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	63.22	74.00	-10.78	56.53	3	Vertical	61	1.99	-	34.60	6.95	34.86
AV	5.4588G	51.01	54.00	-2.99	44.31	3	Vertical	61	1.99	-	34.60	6.96	34.86
PK	5.4698G	65.65	68.20	-2.55	58.94	3	Vertical	61	1.99	-	34.60	6.97	34.86
PK	5.5218G	114.33	Inf	-Inf	107.57	3	Vertical	61	1.99	-	34.60	7.02	34.86
AV	5.5034G	103.04	Inf	-Inf	96.30	3	Vertical	61	1.99	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4428G	60.25	74.00	-13.75	53.60	3	Horizontal	19	1.78	-	34.57	6.94	34.86
PK	5.469G	60.58	68.20	-7.62	53.87	3	Horizontal	19	1.78	-	34.60	6.97	34.86
AV	5.4598G	48.81	54.00	-5.19	42.11	3	Horizontal	19	1.78	-	34.60	6.96	34.86
PK	5.5164G	104.21	Inf	-Inf	97.45	3	Horizontal	19	1.78	-	34.60	7.02	34.86
AV	5.5056G	92.50	Inf	-Inf	85.75	3	Horizontal	19	1.78	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02346G	55.58	74.00	-18.42	47.81	3	Vertical	105	1.90	-	38.32	12.56	43.11
AV	11.01907G	43.76	54.00	-10.24	35.99	3	Vertical	105	1.90	-	38.32	12.56	43.11
PK	16.52545G	60.78	68.20	-7.42	47.35	3	Vertical	346	2.44	-	38.03	17.02	41.62

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 24
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01552G	55.99	74.00	-18.01	48.22	3	Horizontal	168	1.35	-	38.32	12.56	43.11
AV	11.02154G	43.79	54.00	-10.21	36.02	3	Horizontal	168	1.35	-	38.32	12.56	43.11
PK	16.5314G	60.31	68.20	-7.89	46.86	3	Horizontal	257	2.40	-	38.06	17.02	41.63

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4513G	62.05	74.00	-11.95	55.36	3	Vertical	62	1.96	-	34.60	6.95	34.86
AV	5.4573G	50.48	54.00	-3.52	43.78	3	Vertical	62	1.96	-	34.60	6.96	34.86
PK	5.466G	65.46	68.20	-2.74	58.75	3	Vertical	62	1.96	-	34.60	6.97	34.86
PK	5.5425G	115.37	Inf	-Inf	108.60	3	Vertical	62	1.96	-	34.60	7.04	34.87
AV	5.547G	104.59	Inf	-Inf	97.81	3	Vertical	62	1.96	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4309G	60.23	74.00	-13.77	53.64	3	Horizontal	18	1.72	-	34.52	6.93	34.86
PK	5.4696G	59.40	68.20	-8.80	52.69	3	Horizontal	18	1.72	-	34.60	6.97	34.86
AV	5.4552G	48.64	54.00	-5.36	41.94	3	Horizontal	18	1.72	-	34.60	6.96	34.86
PK	5.5461G	106.27	Inf	-Inf	99.49	3	Horizontal	18	1.72	-	34.60	7.05	34.87
AV	5.5464G	94.68	Inf	-Inf	87.90	3	Horizontal	18	1.72	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10379G	56.67	74.00	-17.33	48.79	3	Vertical	166	2.72	-	38.41	12.61	43.14
AV	11.10445G	44.18	54.00	-9.82	36.30	3	Vertical	166	2.72	-	38.41	12.61	43.14
PK	16.64502G	60.44	68.20	-7.76	46.51	3	Vertical	200	1.77	-	38.58	17.09	41.74

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 24.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10283G	56.21	74.00	-17.79	48.33	3	Horizontal	11	2.29	-	38.41	12.61	43.14
AV	11.10391G	44.18	54.00	-9.82	36.30	3	Horizontal	11	2.29	-	38.41	12.61	43.14
PK	16.65363G	60.61	68.20	-7.59	46.66	3	Horizontal	92	2.50	-	38.61	17.09	41.75

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	113.47	Inf	-Inf	106.91	3	Vertical	175	1.84	-	34.33	7.13	34.90
AV	5.661G	102.52	Inf	-Inf	95.93	3	Vertical	175	1.84	-	34.36	7.13	34.90
PK	5.727G	66.64	68.20	-1.56	60.19	3	Vertical	175	1.84	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23.5
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6667G	104.27	Inf	-Inf	97.71	3	Horizontal	17	1.74	-	34.33	7.13	34.90
AV	5.6739G	92.74	Inf	-Inf	86.20	3	Horizontal	17	1.74	-	34.30	7.14	34.90
PK	5.7339G	61.58	68.20	-6.62	55.12	3	Horizontal	17	1.74	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23.5
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33829G	55.74	74.00	-18.26	47.66	3	Vertical	323	2.84	-	38.58	12.74	43.24
AV	11.34097G	43.79	54.00	-10.21	35.71	3	Vertical	323	2.84	-	38.58	12.74	43.24
PK	17.01417G	60.82	68.20	-7.38	45.57	3	Vertical	177	1.18	-	40.03	17.31	42.09

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33666G	55.58	74.00	-18.42	47.50	3	Horizontal	50	2.74	-	38.57	12.74	43.23
AV	11.33649G	43.67	54.00	-10.33	35.59	3	Horizontal	50	2.74	-	38.57	12.74	43.23
PK	17.00531G	61.38	68.20	-6.82	46.16	3	Horizontal	163	1.65	-	40.01	17.30	42.09

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	117.05	Inf	-Inf	110.60	3	Vertical	60	1.91	-	34.20	7.16	34.91
AV	5.7072G	105.37	Inf	-Inf	98.93	3	Vertical	60	1.91	-	34.20	7.15	34.91
PK	5.8504G	65.56	68.20	-2.64	58.97	3	Vertical	60	1.91	-	34.30	7.23	34.94

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	105.78	Inf	-Inf	99.33	3	Horizontal	20	1.73	-	34.20	7.15	34.90
AV	5.7108G	94.89	Inf	-Inf	88.44	3	Horizontal	20	1.73	-	34.20	7.16	34.91
PK	5.8912G	60.44	68.20	-7.76	53.68	3	Horizontal	20	1.73	-	34.46	7.25	34.95

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.424G	55.76	74.00	-18.24	47.48	3	Vertical	260	2.64	-	38.77	12.78	43.27
AV	11.41574G	44.15	54.00	-9.85	35.89	3	Vertical	260	2.64	-	38.75	12.78	43.27
PK	17.13251G	62.28	68.20	-5.92	46.66	3	Vertical	77	1.95	-	40.30	17.38	42.06

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42205G	56.56	74.00	-17.44	48.28	3	Horizontal	242	1.63	-	38.77	12.78	43.27
AV	11.41534G	44.16	54.00	-9.84	35.90	3	Horizontal	242	1.63	-	38.75	12.78	43.27
PK	17.13103G	61.85	68.20	-6.35	46.24	3	Horizontal	298	2.35	-	40.29	17.38	42.06

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	62.56	74.00	-11.44	56.62	3	Vertical	255	1.94	-	34.08	6.74	34.88
AV	5.136G	49.09	54.00	-4.91	43.16	3	Vertical	255	1.94	-	34.07	6.74	34.88
PK	5.2864G	110.85	Inf	-Inf	104.66	3	Vertical	255	1.94	-	34.22	6.84	34.87
AV	5.288G	99.81	Inf	-Inf	93.61	3	Vertical	255	1.94	-	34.23	6.84	34.87
PK	5.35G	65.26	74.00	-8.74	58.75	3	Vertical	255	1.94	-	34.50	6.88	34.87
AV	5.3508G	53.02	54.00	-0.98	46.51	3	Vertical	255	1.94	-	34.50	6.88	34.87
PK	5.4788G	61.33	68.20	-6.87	54.61	3	Vertical	255	1.94	-	34.60	6.98	34.86

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1036G	59.76	74.00	-14.24	53.93	3	Horizontal	19	1.86	-	34.01	6.70	34.88
AV	5.1076G	48.16	54.00	-5.84	42.31	3	Horizontal	19	1.86	-	34.02	6.71	34.88
PK	5.296G	98.67	Inf	-Inf	92.41	3	Horizontal	19	1.86	-	34.28	6.85	34.87
AV	5.3004G	87.13	Inf	-Inf	80.85	3	Horizontal	19	1.86	-	34.30	6.85	34.87
PK	5.36G	60.04	74.00	-13.96	53.55	3	Horizontal	19	1.86	-	34.48	6.88	34.87
AV	5.352G	49.14	54.00	-4.86	42.63	3	Horizontal	19	1.86	-	34.50	6.88	34.87
PK	5.4696G	60.50	68.20	-7.70	53.79	3	Horizontal	19	1.86	-	34.60	6.97	34.86

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5822G	55.03	68.20	-13.17	47.68	3	Vertical	146	2.49	-	38.08	12.32	43.05
PK	15.87461G	58.88	74.00	-15.12	46.92	3	Vertical	44	2.33	-	37.57	16.57	42.18
AV	15.86527G	47.06	54.00	-6.94	35.11	3	Vertical	44	2.33	-	37.57	16.57	42.19

5.25-5.35GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58067G	55.02	68.20	-13.18	47.67	3	Horizontal	244	1.15	-	38.08	12.32	43.05
PK	15.86533G	59.09	74.00	-14.91	47.14	3	Horizontal	263	2.09	-	37.57	16.57	42.19
AV	15.86507G	47.00	54.00	-7.00	35.05	3	Horizontal	263	2.09	-	37.57	16.57	42.19

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	64.79	74.00	-9.21	58.10	3	Vertical	156	1.94	-	34.60	6.95	34.86
AV	5.4592G	52.99	54.00	-1.01	46.29	3	Vertical	156	1.94	-	34.60	6.96	34.86
PK	5.47G	64.37	68.20	-3.83	57.66	3	Vertical	156	1.94	-	34.60	6.97	34.86
PK	5.5204G	109.68	Inf	-Inf	102.92	3	Vertical	156	1.94	-	34.60	7.02	34.86
AV	5.5321G	98.60	Inf	-Inf	91.84	3	Vertical	156	1.94	-	34.60	7.03	34.87

5.47-5.725GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	60.72	74.00	-13.28	54.02	3	Horizontal	18	1.73	-	34.60	6.96	34.86
AV	5.4562G	48.81	54.00	-5.19	42.11	3	Horizontal	18	1.73	-	34.60	6.96	34.86
PK	5.4685G	60.21	68.20	-7.99	53.50	3	Horizontal	18	1.73	-	34.60	6.97	34.86
PK	5.5426G	101.04	Inf	-Inf	94.27	3	Horizontal	18	1.73	-	34.60	7.04	34.87
AV	5.5471G	89.88	Inf	-Inf	83.10	3	Horizontal	18	1.73	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05904G	55.84	74.00	-18.16	48.02	3	Vertical	229	2.55	-	38.36	12.58	43.12
AV	11.05581G	43.88	54.00	-10.12	36.06	3	Vertical	229	2.55	-	38.36	12.58	43.12
PK	16.58639G	60.83	68.20	-7.37	47.13	3	Vertical	174	1.96	-	38.33	17.05	41.68

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05569G	56.20	74.00	-17.80	48.38	3	Horizontal	22	1.04	-	38.36	12.58	43.12
AV	11.05511G	43.93	54.00	-10.07	36.11	3	Horizontal	22	1.04	-	38.36	12.58	43.12
PK	16.58613G	61.07	68.20	-7.13	47.37	3	Horizontal	345	2.92	-	38.33	17.05	41.68

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 24.5
03-J-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.79	74.00	-11.21	56.09	3	Vertical	58	1.86	-	34.60	6.96	34.86
AV	5.4565G	50.34	54.00	-3.66	43.64	3	Vertical	58	1.86	-	34.60	6.96	34.86
PK	5.4635G	63.65	68.20	-4.55	56.95	3	Vertical	58	1.86	-	34.60	6.96	34.86
PK	5.7035G	111.81	Inf	-Inf	105.36	3	Vertical	58	1.86	-	34.20	7.15	34.90
AV	5.7025G	101.01	Inf	-Inf	94.56	3	Vertical	58	1.86	-	34.20	7.15	34.90
PK	5.8595G	67.08	68.20	-1.12	60.45	3	Vertical	58	1.86	-	34.34	7.23	34.94

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.45	74.00	-14.55	52.76	3	Horizontal	18	1.72	-	34.60	6.95	34.86
AV	5.457G	48.64	54.00	-5.36	41.94	3	Horizontal	18	1.72	-	34.60	6.96	34.86
PK	5.466G	60.16	68.20	-8.04	53.45	3	Horizontal	18	1.72	-	34.60	6.97	34.86
PK	5.6745G	102.13	Inf	-Inf	95.59	3	Horizontal	18	1.72	-	34.30	7.14	34.90
AV	5.7015G	91.05	Inf	-Inf	84.60	3	Horizontal	18	1.72	-	34.20	7.15	34.90
PK	5.8585G	61.54	68.20	-6.66	54.92	3	Horizontal	18	1.72	-	34.33	7.23	34.94

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37515G	56.00	74.00	-18.00	47.84	3	Vertical	126	1.83	-	38.65	12.76	43.25
AV	11.38385G	43.99	54.00	-10.01	35.81	3	Vertical	126	1.83	-	38.67	12.76	43.25
PK	17.06573G	61.43	68.20	-6.77	46.03	3	Vertical	52	1.50	-	40.13	17.34	42.07

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 24.5
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38372G	55.83	74.00	-18.17	47.65	3	Horizontal	318	2.72	-	38.67	12.76	43.25
AV	11.38405G	43.99	54.00	-10.01	35.81	3	Horizontal	318	2.72	-	38.67	12.76	43.25
PK	17.06746G	62.84	68.20	-5.36	47.44	3	Horizontal	44	1.56	-	40.13	17.34	42.07

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1118G	59.60	74.00	-14.40	53.75	3	Vertical	197	2.01	-	34.02	6.71	34.88
AV	5.1292G	49.11	54.00	-4.89	43.20	3	Vertical	197	2.01	-	34.06	6.73	34.88
PK	5.2573G	114.75	Inf	-Inf	108.75	3	Vertical	197	2.01	-	34.04	6.83	34.87
AV	5.2522G	104.90	Inf	-Inf	98.93	3	Vertical	197	2.01	-	34.01	6.83	34.87
PK	5.3533G	61.11	74.00	-12.89	54.61	3	Vertical	197	2.01	-	34.49	6.88	34.87
AV	5.3644G	49.34	54.00	-4.66	42.86	3	Vertical	197	2.01	-	34.47	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1217G	59.37	74.00	-14.63	53.49	3	Horizontal	7	1.01	-	34.04	6.72	34.88
AV	5.1172G	48.62	54.00	-5.38	42.75	3	Horizontal	7	1.01	-	34.03	6.72	34.88
PK	5.2663G	103.31	Inf	-Inf	97.25	3	Horizontal	7	1.01	-	34.10	6.83	34.87
AV	5.266G	95.23	Inf	-Inf	89.17	3	Horizontal	7	1.01	-	34.10	6.83	34.87
PK	5.4067G	59.97	74.00	-14.03	53.50	3	Horizontal	7	1.01	-	34.43	6.91	34.87
AV	5.3509G	49.05	54.00	-4.95	42.54	3	Horizontal	7	1.01	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52256G	56.01	68.20	-12.19	48.74	3	Vertical	253	2.29	-	38.02	12.29	43.04
PK	15.7852G	58.11	74.00	-15.89	46.31	3	Vertical	293	2.55	-	37.59	16.49	42.28
AV	15.77228G	47.14	54.00	-6.86	35.29	3	Vertical	293	2.55	-	37.67	16.47	42.29

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5112G	55.11	68.20	-13.09	47.86	3	Horizontal	189	1.84	-	38.01	12.28	43.04
PK	15.777G	58.66	74.00	-15.34	46.83	3	Horizontal	230	1.73	-	37.64	16.48	42.29
AV	15.7892G	47.18	54.00	-6.82	35.40	3	Horizontal	230	1.73	-	37.56	16.49	42.27

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	115.35	Inf	-Inf	109.06	3	Vertical	243	2.05	-	34.31	6.85	34.87
AV	5.2988G	107.78	Inf	-Inf	101.51	3	Vertical	243	2.05	-	34.29	6.85	34.87
PK	5.3802G	60.87	74.00	-13.13	54.41	3	Vertical	243	2.05	-	34.44	6.89	34.87
AV	5.364G	49.50	54.00	-4.50	43.02	3	Vertical	243	2.05	-	34.47	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3062G	102.89	Inf	-Inf	96.59	3	Horizontal	-0	2.73	-	34.32	6.85	34.87
AV	5.2984G	92.52	Inf	-Inf	86.25	3	Horizontal	-0	2.73	-	34.29	6.85	34.87
PK	5.3548G	59.96	74.00	-14.04	53.46	3	Horizontal	-0	2.73	-	34.49	6.88	34.87
AV	5.3784G	49.10	54.00	-4.90	42.64	3	Horizontal	-0	2.73	-	34.44	6.89	34.87

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59312G	54.89	68.20	-13.31	47.52	3	Vertical	341	1.42	-	38.09	12.33	43.05
PK	15.90414G	59.36	74.00	-14.64	47.30	3	Vertical	351	2.72	-	37.60	16.60	42.14
AV	15.8937G	48.17	54.00	-5.83	36.14	3	Vertical	351	2.72	-	37.59	16.59	42.15

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59874G	54.98	68.20	-13.22	47.60	3	Horizontal	123	1.49	-	38.10	12.33	43.05
PK	15.89732G	60.02	74.00	-13.98	47.97	3	Horizontal	172	2.65	-	37.60	16.60	42.15
AV	15.89712G	48.08	54.00	-5.92	36.03	3	Horizontal	172	2.65	-	37.60	16.60	42.15

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	115.51	Inf	-Inf	109.16	3	Vertical	173	1.95	-	34.36	6.86	34.87
AV	5.3247G	105.37	Inf	-Inf	98.98	3	Vertical	173	1.95	-	34.40	6.86	34.87
PK	5.3547G	62.73	74.00	-11.27	56.23	3	Vertical	173	1.95	-	34.49	6.88	34.87
AV	5.3506G	49.53	54.00	-4.47	43.02	3	Vertical	173	1.95	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3229G	104.59	Inf	-Inf	98.21	3	Horizontal	6	1.80	-	34.39	6.86	34.87
AV	5.3118G	90.90	Inf	-Inf	84.56	3	Horizontal	6	1.80	-	34.35	6.86	34.87
PK	5.3546G	60.05	74.00	-13.95	53.55	3	Horizontal	6	1.80	-	34.49	6.88	34.87
AV	5.3545G	49.04	54.00	-4.96	42.54	3	Horizontal	6	1.80	-	34.49	6.88	34.87

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63134G	54.80	74.00	-19.20	47.41	3	Vertical	112	2.04	-	38.10	12.35	43.06
AV	10.63002G	43.50	54.00	-10.50	36.11	3	Vertical	112	2.04	-	38.10	12.35	43.06
PK	15.96754G	59.67	74.00	-14.33	47.54	3	Vertical	309	1.80	-	37.53	16.67	42.07
AV	15.9535G	48.24	54.00	-5.76	36.12	3	Vertical	309	1.80	-	37.55	16.65	42.08

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63932G	55.19	74.00	-18.81	47.80	3	Horizontal	133	2.58	-	38.10	12.35	43.06
AV	10.6301G	43.70	54.00	-10.30	36.31	3	Horizontal	133	2.58	-	38.10	12.35	43.06
PK	15.95888G	59.45	74.00	-14.55	47.33	3	Horizontal	116	2.33	-	37.54	16.66	42.08
AV	15.95704G	48.39	54.00	-5.61	36.27	3	Horizontal	116	2.33	-	37.54	16.66	42.08

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4581G	62.47	74.00	-11.53	55.77	3	Vertical	63	1.96	-	34.60	6.96	34.86
AV	5.4578G	49.69	54.00	-4.31	42.99	3	Vertical	63	1.96	-	34.60	6.96	34.86
PK	5.4693G	66.22	68.20	-1.98	59.51	3	Vertical	63	1.96	-	34.60	6.97	34.86
PK	5.4958G	116.98	Inf	-Inf	110.24	3	Vertical	63	1.96	-	34.60	7.00	34.86
AV	5.4952G	107.99	Inf	-Inf	101.25	3	Vertical	63	1.96	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	60.91	74.00	-13.09	54.21	3	Horizontal	18	1.66	-	34.60	6.96	34.86
AV	5.4546G	49.37	54.00	-4.63	42.68	3	Horizontal	18	1.66	-	34.60	6.95	34.86
PK	5.4683G	60.78	68.20	-7.42	54.07	3	Horizontal	18	1.66	-	34.60	6.97	34.86
PK	5.4922G	106.59	Inf	-Inf	99.86	3	Horizontal	18	1.66	-	34.60	6.99	34.86
AV	5.5053G	96.66	Inf	-Inf	89.91	3	Horizontal	18	1.66	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00714G	55.61	74.00	-18.39	47.85	3	Vertical	305	2.61	-	38.31	12.55	43.10
AV	10.99372G	44.72	54.00	-9.28	36.98	3	Vertical	305	2.61	-	38.29	12.55	43.10
PK	16.50528G	60.78	68.20	-7.42	47.46	3	Vertical	229	1.22	-	37.93	17.00	41.61

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00368G	55.73	74.00	-18.27	47.98	3	Horizontal	256	1.92	-	38.30	12.55	43.10
AV	11.00098G	44.53	54.00	-9.47	36.78	3	Horizontal	256	1.92	-	38.30	12.55	43.10
PK	16.5067G	60.69	68.20	-7.51	47.37	3	Horizontal	183	1.69	-	37.93	17.00	41.61

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 26
 03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3868G	60.33	74.00	-13.67	53.88	3	Vertical	192	1.78	-	34.43	6.89	34.87
AV	5.3912G	49.35	54.00	-4.65	42.90	3	Vertical	192	1.78	-	34.42	6.90	34.87
PK	5.4688G	59.49	68.20	-8.71	52.78	3	Vertical	192	1.78	-	34.60	6.97	34.86
PK	5.5812G	119.65	Inf	-Inf	112.97	3	Vertical	192	1.78	-	34.48	7.08	34.88
AV	5.5816G	108.61	Inf	-Inf	101.94	3	Vertical	192	1.78	-	34.47	7.08	34.88
PK	5.7492G	60.43	68.20	-7.77	53.97	3	Vertical	192	1.78	-	34.20	7.17	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	60.62	74.00	-13.38	53.92	3	Horizontal	18	1.71	-	34.60	6.96	34.86
AV	5.414G	49.17	54.00	-4.83	42.67	3	Horizontal	18	1.71	-	34.46	6.91	34.87
PK	5.4644G	60.34	68.20	-7.86	53.64	3	Horizontal	18	1.71	-	34.60	6.96	34.86
PK	5.5748G	108.45	Inf	-Inf	101.76	3	Horizontal	18	1.71	-	34.50	7.07	34.88
AV	5.578G	97.28	Inf	-Inf	90.59	3	Horizontal	18	1.71	-	34.49	7.08	34.88
PK	5.7616G	60.31	68.20	-7.89	53.83	3	Horizontal	18	1.71	-	34.22	7.18	34.92

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15008G	56.62	74.00	-17.38	48.65	3	Vertical	146	2.27	-	38.50	12.63	43.16
AV	11.16312G	44.64	54.00	-9.36	36.64	3	Vertical	146	2.27	-	38.53	12.64	43.17
PK	16.74026G	61.20	68.20	-7.00	46.98	3	Vertical	221	2.72	-	38.92	17.14	41.84

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15286G	56.06	74.00	-17.94	48.08	3	Horizontal	80	1.78	-	38.51	12.63	43.16
AV	11.15006G	44.67	54.00	-9.33	36.70	3	Horizontal	80	1.78	-	38.50	12.63	43.16
PK	16.74764G	62.08	68.20	-6.12	47.83	3	Horizontal	336	2.91	-	38.94	17.15	41.84

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6963G	117.85	Inf	-Inf	111.39	3	Vertical	356	2.10	-	34.21	7.15	34.90
AV	5.6962G	107.53	Inf	-Inf	101.06	3	Vertical	356	2.10	-	34.22	7.15	34.90
PK	5.7275G	63.65	68.20	-4.55	57.20	3	Vertical	356	2.10	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	107.21	Inf	-Inf	100.76	3	Horizontal	20	1.66	-	34.20	7.15	34.90
AV	5.6949G	96.10	Inf	-Inf	89.63	3	Horizontal	20	1.66	-	34.22	7.15	34.90
PK	5.7283G	60.82	68.20	-7.38	54.37	3	Horizontal	20	1.66	-	34.20	7.16	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39882G	55.77	74.00	-18.23	47.56	3	Vertical	248	2.31	-	38.70	12.77	43.26
AV	11.39198G	44.45	54.00	-9.55	36.26	3	Vertical	248	2.31	-	38.68	12.77	43.26
PK	17.09404G	62.30	68.20	-5.90	46.82	3	Vertical	67	2.66	-	40.19	17.36	42.07

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3969G	55.78	74.00	-18.22	47.58	3	Horizontal	171	2.36	-	38.69	12.77	43.26
AV	11.39112G	44.66	54.00	-9.34	36.47	3	Horizontal	171	2.36	-	38.68	12.77	43.26
PK	17.1063G	62.31	68.20	-5.89	46.79	3	Horizontal	17	1.89	-	40.22	17.36	42.06

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4078G	60.52	74.00	-13.48	54.05	3	Vertical	190	1.93	-	34.43	6.91	34.87
PK	5.4666G	60.04	68.20	-8.16	53.33	3	Vertical	190	1.93	-	34.60	6.97	34.86
AV	5.4561G	49.21	54.00	-4.79	42.51	3	Vertical	190	1.93	-	34.60	6.96	34.86
PK	5.7235G	117.76	Inf	-Inf	111.31	3	Vertical	190	1.93	-	34.20	7.16	34.91
AV	5.7151G	106.92	Inf	-Inf	100.47	3	Vertical	190	1.93	-	34.20	7.16	34.91
PK	5.9622G	61.33	68.20	-6.87	54.39	3	Vertical	190	1.93	-	34.62	7.28	34.96

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4491G	59.96	74.00	-14.04	53.27	3	Horizontal	18	1.63	-	34.60	6.95	34.86
PK	5.4652G	59.62	68.20	-8.58	52.91	3	Horizontal	18	1.63	-	34.60	6.97	34.86
AV	5.4582G	49.05	54.00	-4.95	42.35	3	Horizontal	18	1.63	-	34.60	6.96	34.86
PK	5.727G	106.01	Inf	-Inf	99.56	3	Horizontal	18	1.63	-	34.20	7.16	34.91
AV	5.7291G	98.32	Inf	-Inf	91.87	3	Horizontal	18	1.63	-	34.20	7.16	34.91
PK	5.9342G	60.75	68.20	-7.45	53.87	3	Horizontal	18	1.63	-	34.57	7.27	34.96

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44614G	56.65	74.00	-17.35	48.29	3	Vertical	197	2.15	-	38.84	12.80	43.28
AV	11.44818G	44.99	54.00	-9.01	36.63	3	Vertical	197	2.15	-	38.84	12.80	43.28
PK	17.15294G	62.95	68.20	-5.25	47.25	3	Vertical	205	1.93	-	40.36	17.39	42.05

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44656G	56.67	74.00	-17.33	48.31	3	Horizontal	36	2.12	-	38.84	12.80	43.28
AV	11.44878G	44.89	54.00	-9.11	36.52	3	Horizontal	36	2.12	-	38.85	12.80	43.28
PK	17.15624G	62.57	68.20	-5.63	46.86	3	Horizontal	89	1.29	-	40.37	17.39	42.05

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1245G	60.09	74.00	-13.91	54.20	3	Vertical	313	1.80	-	34.05	6.72	34.88
AV	5.1278G	49.13	54.00	-4.87	43.22	3	Vertical	313	1.80	-	34.06	6.73	34.88
PK	5.2586G	113.61	Inf	-Inf	107.60	3	Vertical	313	1.80	-	34.05	6.83	34.87
AV	5.2634G	104.43	Inf	-Inf	98.39	3	Vertical	313	1.80	-	34.08	6.83	34.87
PK	5.3516G	60.75	74.00	-13.25	54.24	3	Vertical	313	1.80	-	34.50	6.88	34.87
AV	5.351G	49.53	54.00	-4.47	43.02	3	Vertical	313	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1461G	59.59	74.00	-14.41	53.63	3	Horizontal	0	1.96	-	34.09	6.75	34.88
AV	5.1314G	48.58	54.00	-5.42	42.67	3	Horizontal	0	1.96	-	34.06	6.73	34.88
PK	5.2679G	98.71	Inf	-Inf	92.64	3	Horizontal	0	1.96	-	34.11	6.83	34.87
AV	5.2685G	86.88	Inf	-Inf	80.81	3	Horizontal	0	1.96	-	34.11	6.83	34.87
PK	5.3963G	60.78	74.00	-13.22	54.34	3	Horizontal	0	1.96	-	34.41	6.90	34.87
AV	5.402G	49.14	54.00	-4.86	42.70	3	Horizontal	0	1.96	-	34.41	6.90	34.87

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5338G	55.34	68.20	-12.86	48.06	3	Vertical	261	1.80	-	38.03	12.29	43.04
PK	15.8044G	58.82	74.00	-15.18	47.08	3	Vertical	125	1.93	-	37.50	16.50	42.26
AV	15.81644G	47.47	54.00	-6.53	35.67	3	Vertical	125	1.93	-	37.52	16.52	42.24

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53948G	54.60	68.20	-13.60	47.30	3	Horizontal	11	2.38	-	38.04	12.30	43.04
PK	15.8158G	59.42	74.00	-14.58	47.62	3	Horizontal	275	2.31	-	37.52	16.52	42.24
AV	15.81608G	47.42	54.00	-6.58	35.62	3	Horizontal	275	2.31	-	37.52	16.52	42.24

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	115.67	Inf	-Inf	109.32	3	Vertical	247	1.80	-	34.36	6.86	34.87
AV	5.3062G	106.53	Inf	-Inf	100.23	3	Vertical	247	1.80	-	34.32	6.85	34.87
PK	5.3502G	62.67	74.00	-11.33	56.16	3	Vertical	247	1.80	-	34.50	6.88	34.87
AV	5.3508G	52.57	54.00	-1.43	46.06	3	Vertical	247	1.80	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	101.03	Inf	-Inf	94.77	3	Horizontal	5	1.77	-	34.28	6.85	34.87
AV	5.323G	83.92	Inf	-Inf	77.54	3	Horizontal	5	1.77	-	34.39	6.86	34.87
PK	5.3712G	60.22	74.00	-13.78	53.74	3	Horizontal	5	1.77	-	34.46	6.89	34.87
AV	5.3734G	49.13	54.00	-4.87	42.66	3	Horizontal	5	1.77	-	34.45	6.89	34.87

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61328G	55.62	74.00	-18.38	48.23	3	Vertical	78	1.27	-	38.10	12.34	43.05
AV	10.61174G	43.38	54.00	-10.62	35.99	3	Vertical	78	1.27	-	38.10	12.34	43.05
PK	15.93806G	59.91	74.00	-14.09	47.81	3	Vertical	237	2.20	-	37.56	16.64	42.10
AV	15.93992G	48.05	54.00	-5.95	35.95	3	Vertical	237	2.20	-	37.56	16.64	42.10

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62112G	54.58	74.00	-19.42	47.19	3	Horizontal	194	2.13	-	38.10	12.34	43.05
AV	10.61434G	43.48	54.00	-10.52	36.09	3	Horizontal	194	2.13	-	38.10	12.34	43.05
PK	15.93694G	59.71	74.00	-14.29	47.61	3	Horizontal	38	2.37	-	37.56	16.64	42.10
AV	15.92366G	47.97	54.00	-6.03	35.89	3	Horizontal	38	2.37	-	37.58	16.62	42.12

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.71	74.00	-11.29	56.01	3	Vertical	194	1.80	-	34.60	6.96	34.86
AV	5.46G	50.58	54.00	-3.42	43.88	3	Vertical	194	1.80	-	34.60	6.96	34.86
PK	5.4656G	62.32	68.20	-5.88	55.61	3	Vertical	194	1.80	-	34.60	6.97	34.86
PK	5.506G	116.13	Inf	-Inf	109.38	3	Vertical	194	1.80	-	34.60	7.01	34.86
AV	5.502G	105.31	Inf	-Inf	98.57	3	Vertical	194	1.80	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4348G	61.02	74.00	-12.98	54.41	3	Horizontal	20	1.57	-	34.54	6.93	34.86
PK	5.468G	62.56	68.20	-5.64	55.85	3	Horizontal	20	1.57	-	34.60	6.97	34.86
AV	5.4574G	49.21	54.00	-4.79	42.51	3	Horizontal	20	1.57	-	34.60	6.96	34.86
AV	5.494G	94.80	Inf	-Inf	88.07	3	Horizontal	20	1.57	-	34.60	6.99	34.86
PK	5.5226G	103.69	Inf	-Inf	96.93	3	Horizontal	20	1.57	-	34.60	7.02	34.86

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01614G	56.23	74.00	-17.77	48.46	3	Vertical	7	2.06	-	38.32	12.56	43.11
AV	11.02004G	45.25	54.00	-8.75	37.48	3	Vertical	7	2.06	-	38.32	12.56	43.11
PK	16.52126G	61.21	68.20	-6.99	47.81	3	Vertical	256	1.80	-	38.01	17.01	41.62

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01244G	56.09	74.00	-17.91	48.32	3	Horizontal	254	1.14	-	38.31	12.56	43.10
AV	11.02418G	44.42	54.00	-9.58	36.65	3	Horizontal	254	1.14	-	38.32	12.56	43.11
PK	16.53234G	60.63	68.20	-7.57	47.18	3	Horizontal	267	2.44	-	38.06	17.02	41.63

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 26
 03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4375G	60.34	74.00	-13.66	53.71	3	Vertical	178	2.04	-	34.55	6.94	34.86
PK	5.4639G	60.29	68.20	-7.91	53.59	3	Vertical	178	2.04	-	34.60	6.96	34.86
AV	5.4513G	49.68	54.00	-4.32	42.99	3	Vertical	178	2.04	-	34.60	6.95	34.86
PK	5.5563G	114.55	Inf	-Inf	107.79	3	Vertical	178	2.04	-	34.57	7.06	34.87
AV	5.5329G	105.97	Inf	-Inf	99.21	3	Vertical	178	2.04	-	34.60	7.03	34.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4267G	60.07	74.00	-13.93	53.49	3	Horizontal	30	1.80	-	34.51	6.93	34.86
PK	5.4639G	59.80	68.20	-8.40	53.10	3	Horizontal	30	1.80	-	34.60	6.96	34.86
AV	5.4558G	49.21	54.00	-4.79	42.51	3	Horizontal	30	1.80	-	34.60	6.96	34.86
PK	5.5374G	104.47	Inf	-Inf	97.70	3	Horizontal	30	1.80	-	34.60	7.04	34.87
AV	5.5341G	95.23	Inf	-Inf	88.47	3	Horizontal	30	1.80	-	34.60	7.03	34.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1032G	56.32	74.00	-17.68	48.44	3	Vertical	331	2.76	-	38.41	12.61	43.14
AV	11.10276G	44.59	54.00	-9.41	36.71	3	Vertical	331	2.76	-	38.41	12.61	43.14
PK	16.6536G	62.11	68.20	-6.09	48.16	3	Vertical	160	2.98	-	38.61	17.09	41.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09598G	56.00	74.00	-18.00	48.14	3	Horizontal	35	1.88	-	38.40	12.60	43.14
AV	11.1072G	44.66	54.00	-9.34	36.78	3	Horizontal	35	1.88	-	38.41	12.61	43.14
PK	16.64042G	61.46	68.20	-6.74	47.56	3	Horizontal	304	2.49	-	38.56	17.08	41.74

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.677G	115.34	Inf	-Inf	108.81	3	Vertical	177	1.80	-	34.29	7.14	34.90
AV	5.6664G	105.99	Inf	-Inf	99.43	3	Vertical	177	1.80	-	34.33	7.13	34.90
PK	5.759G	61.65	68.20	-6.55	55.17	3	Vertical	177	1.80	-	34.22	7.18	34.92

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6674G	106.66	Inf	-Inf	100.10	3	Horizontal	18	1.59	-	34.33	7.13	34.90
AV	5.6622G	95.53	Inf	-Inf	88.95	3	Horizontal	18	1.59	-	34.35	7.13	34.90
PK	5.76G	63.38	68.20	-4.82	56.90	3	Horizontal	18	1.59	-	34.22	7.18	34.92

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33568G	56.14	74.00	-17.86	48.07	3	Vertical	336	1.80	-	38.57	12.73	43.23
AV	11.34004G	45.10	54.00	-8.90	37.02	3	Vertical	336	1.80	-	38.58	12.74	43.24
PK	17.00224G	62.20	68.20	-6.00	46.99	3	Vertical	253	1.39	-	40.00	17.30	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3484G	55.28	74.00	-18.72	47.18	3	Horizontal	39	2.41	-	38.60	12.74	43.24
AV	11.34194G	44.30	54.00	-9.70	36.22	3	Horizontal	39	2.41	-	38.58	12.74	43.24
PK	17.00104G	62.23	68.20	-5.97	47.02	3	Horizontal	151	1.07	-	40.00	17.30	42.09

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3971G	60.24	74.00	-13.76	53.80	3	Vertical	62	1.85	-	34.41	6.90	34.87
PK	5.4678G	59.19	68.20	-9.01	52.48	3	Vertical	62	1.85	-	34.60	6.97	34.86
AV	5.4573G	49.21	54.00	-4.79	42.51	3	Vertical	62	1.85	-	34.60	6.96	34.86
PK	5.7037G	115.35	Inf	-Inf	108.90	3	Vertical	62	1.85	-	34.20	7.15	34.90
AV	5.703G	106.82	Inf	-Inf	100.37	3	Vertical	62	1.85	-	34.20	7.15	34.90
PK	5.9298G	61.28	68.20	-6.92	54.41	3	Vertical	62	1.85	-	34.56	7.26	34.95

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4426G	60.61	74.00	-13.39	53.96	3	Horizontal	27	2.05	-	34.57	6.94	34.86
PK	5.4657G	58.84	68.20	-9.36	52.13	3	Horizontal	27	2.05	-	34.60	6.97	34.86
AV	5.4594G	49.22	54.00	-4.78	42.52	3	Horizontal	27	2.05	-	34.60	6.96	34.86
PK	5.7121G	102.58	Inf	-Inf	96.13	3	Horizontal	27	2.05	-	34.20	7.16	34.91
AV	5.7121G	92.01	Inf	-Inf	85.56	3	Horizontal	27	2.05	-	34.20	7.16	34.91
PK	5.9347G	61.35	68.20	-6.85	54.47	3	Horizontal	27	2.05	-	34.57	7.27	34.96

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4134G	55.98	74.00	-18.02	47.73	3	Vertical	11	1.98	-	38.74	12.78	43.27
AV	11.41994G	44.64	54.00	-9.36	36.37	3	Vertical	11	1.98	-	38.76	12.78	43.27
PK	17.13052G	63.07	68.20	-5.13	47.46	3	Vertical	40	1.80	-	40.29	17.38	42.06

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42564G	56.11	74.00	-17.89	47.82	3	Horizontal	55	2.91	-	38.78	12.78	43.27
AV	11.42954G	44.24	54.00	-9.76	35.93	3	Horizontal	55	2.91	-	38.79	12.79	43.27
PK	17.13538G	63.05	68.20	-5.15	47.42	3	Horizontal	113	1.87	-	40.31	17.38	42.06

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	61.03	74.00	-12.97	55.21	3	Vertical	99	1.03	-	34.00	6.70	34.88
AV	5.1355G	50.07	54.00	-3.93	44.14	3	Vertical	99	1.03	-	34.07	6.74	34.88
PK	5.301G	114.13	Inf	-Inf	107.85	3	Vertical	99	1.03	-	34.30	6.85	34.87
AV	5.255G	107.39	Inf	-Inf	101.40	3	Vertical	99	1.03	-	34.03	6.83	34.87
PK	5.35G	63.84	74.00	-10.16	57.33	3	Vertical	99	1.03	-	34.50	6.88	34.87
AV	5.3505G	53.21	54.00	-0.79	46.70	3	Vertical	99	1.03	-	34.50	6.88	34.87
PK	5.53G	61.70	68.20	-6.50	54.94	3	Vertical	99	1.03	-	34.60	7.03	34.87

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	60.07	74.00	-13.93	54.17	3	Horizontal	3	2.74	-	34.05	6.73	34.88
AV	5.086G	48.97	54.00	-5.03	43.24	3	Horizontal	3	2.74	-	33.92	6.69	34.88
PK	5.2735G	98.48	Inf	-Inf	92.37	3	Horizontal	3	2.74	-	34.14	6.84	34.87
AV	5.28G	90.69	Inf	-Inf	84.54	3	Horizontal	3	2.74	-	34.18	6.84	34.87
PK	5.403G	67.28	74.00	-6.72	60.84	3	Horizontal	3	2.74	-	34.41	6.90	34.87
AV	5.359G	49.52	54.00	-4.48	43.03	3	Horizontal	3	2.74	-	34.48	6.88	34.87
PK	5.472G	60.74	68.20	-7.46	54.03	3	Horizontal	3	2.74	-	34.60	6.97	34.86

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5754G	55.45	68.20	-12.75	48.10	3	Vertical	133	1.80	-	38.08	12.32	43.05
PK	15.8678G	59.19	74.00	-14.81	47.23	3	Vertical	305	1.40	-	37.57	16.57	42.18
AV	15.86844G	48.08	54.00	-5.92	36.12	3	Vertical	305	1.40	-	37.57	16.57	42.18

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57034G	55.02	68.20	-13.18	47.69	3	Horizontal	331	1.92	-	38.07	12.31	43.05
PK	15.86764G	59.51	74.00	-14.49	47.55	3	Horizontal	123	1.46	-	37.57	16.57	42.18
AV	15.87504G	48.09	54.00	-5.91	36.10	3	Horizontal	123	1.46	-	37.58	16.58	42.17

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	61.87	68.20	-6.33	55.47	3	Vertical	159	1.79	-	34.41	6.86	34.87
PK	5.356G	65.90	74.00	-8.10	59.40	3	Vertical	159	1.79	-	34.49	6.88	34.87
AV	5.35G	49.68	54.00	-4.32	43.18	3	Vertical	159	1.79	-	34.50	6.87	34.87
PK	5.4635G	65.07	68.20	-3.13	58.37	3	Vertical	159	1.79	-	34.60	6.96	34.86
AV	5.459G	52.90	54.00	-1.10	46.20	3	Vertical	159	1.79	-	34.60	6.96	34.86
PK	5.4955G	114.24	Inf	-Inf	107.50	3	Vertical	159	1.79	-	34.60	7.00	34.86
AV	5.507G	106.01	Inf	-Inf	99.26	3	Vertical	159	1.79	-	34.60	7.01	34.86
PK	5.752G	61.60	68.20	-6.60	55.14	3	Vertical	159	1.79	-	34.20	7.18	34.92

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	60.15	68.20	-8.05	53.86	3	Horizontal	1	1.84	-	34.31	6.85	34.87
AV	5.35G	49.04	54.00	-4.96	42.54	3	Horizontal	1	1.84	-	34.50	6.87	34.87
PK	5.449G	63.60	74.00	-10.40	56.91	3	Horizontal	1	1.84	-	34.60	6.95	34.86
AV	5.4165G	50.53	54.00	-3.47	44.01	3	Horizontal	1	1.84	-	34.47	6.92	34.87
PK	5.4635G	63.16	68.20	-5.04	56.46	3	Horizontal	1	1.84	-	34.60	6.96	34.86
PK	5.5145G	98.65	Inf	-Inf	91.90	3	Horizontal	1	1.84	-	34.60	7.01	34.86
AV	5.5075G	95.51	Inf	-Inf	88.76	3	Horizontal	1	1.84	-	34.60	7.01	34.86
PK	5.772G	60.54	68.20	-7.66	54.03	3	Horizontal	1	1.84	-	34.24	7.19	34.92

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05058G	56.68	74.00	-17.32	48.87	3	Vertical	67	1.80	-	38.35	12.58	43.12
AV	11.05194G	44.88	54.00	-9.12	37.07	3	Vertical	67	1.80	-	38.35	12.58	43.12
PK	16.59684G	61.96	68.20	-6.24	48.21	3	Vertical	116	1.26	-	38.38	17.06	41.69

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06002G	56.66	74.00	-17.34	48.84	3	Horizontal	349	2.33	-	38.36	12.58	43.12
AV	11.05672G	44.80	54.00	-9.20	36.98	3	Horizontal	349	2.33	-	38.36	12.58	43.12
PK	16.59182G	62.34	68.20	-5.86	48.61	3	Horizontal	42	1.80	-	38.36	17.06	41.69

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.66	74.00	-13.34	53.97	3	Vertical	18.9	1.80	-	34.60	6.95	34.86
AV	5.4485G	49.51	54.00	-4.49	42.83	3	Vertical	18.9	1.80	-	34.59	6.95	34.86
PK	5.4685G	60.22	68.20	-7.98	53.51	3	Vertical	18.9	1.80	-	34.60	6.97	34.86
PK	5.6915G	110.06	Inf	-Inf	103.58	3	Vertical	18.9	1.80	-	34.23	7.15	34.90
AV	5.6915G	99.31	Inf	-Inf	92.83	3	Vertical	18.9	1.80	-	34.23	7.15	34.90
PK	5.856G	63.60	68.20	-4.60	56.99	3	Vertical	18.9	1.80	-	34.32	7.23	34.94

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	60.28	74.00	-13.72	53.58	3	Horizontal	4	2.62	-	34.60	6.96	34.86
AV	5.4595G	49.22	54.00	-4.78	42.52	3	Horizontal	4	2.62	-	34.60	6.96	34.86
PK	5.4605G	60.79	68.20	-7.41	54.09	3	Horizontal	4	2.62	-	34.60	6.96	34.86
PK	5.6555G	106.62	Inf	-Inf	100.00	3	Horizontal	4	2.62	-	34.38	7.13	34.89
AV	5.6565G	95.90	Inf	-Inf	89.29	3	Horizontal	4	2.62	-	34.37	7.13	34.89
PK	5.919G	62.04	68.20	-6.16	55.19	3	Horizontal	4	2.62	-	34.54	7.26	34.95

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 26
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38038G	57.04	74.00	-16.96	48.87	3	Vertical	344	1.67	-	38.66	12.76	43.25
AV	11.38002G	45.37	54.00	-8.63	37.20	3	Vertical	344	1.67	-	38.66	12.76	43.25
PK	17.06018G	63.05	68.20	-5.15	47.67	3	Vertical	0	2.36	-	40.12	17.34	42.08

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 26
03-J-P-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37388G	57.61	74.00	-16.39	49.45	3	Horizontal	337	1.80	-	38.65	12.76	43.25
AV	11.3731G	44.77	54.00	-9.23	36.61	3	Horizontal	337	1.80	-	38.65	12.76	43.25
PK	17.07426G	62.75	68.20	-5.45	47.33	3	Horizontal	33	1.80	-	40.15	17.34	42.07



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.72798G	31.10	54.00	-22.90	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72781G	38.92	74.00	-35.08	-6.30	3	Vertical	282	2.50	-	45.22	25.41	3.23	34.94
AV	1.72798G	31.10	54.00	-22.90	-6.30	3	Vertical	282	2.50	"Worst"	37.40	25.41	3.23	34.94

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72787G	37.34	74.00	-36.66	-6.30	3	Horizontal	190	1.00	-	43.64	25.41	3.23	34.94
AV	1.728G	27.27	54.00	-26.73	-6.30	3	Horizontal	190	1.00	"Worst"	33.57	25.41	3.23	34.94