

Summary

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.40
802.11ax HEW20_Nss1,(MCS0)_2TX	9.67
802.11ax HEW20_Nss2,(MCS0)_2TX	9.84
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	9.31
802.11ax HEW40_Nss1,(MCS0)_2TX	6.80
802.11ax HEW40_Nss2,(MCS0)_2TX	6.93
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.83
802.11ax HEW80_Nss1,(MCS0)_2TX	4.08
802.11ax HEW80_Nss2,(MCS0)_2TX	4.18
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	2.34
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.37
802.11ax HEW20_Nss1,(MCS0)_2TX	10.15
802.11ax HEW20_Nss2,(MCS0)_2TX	10.24
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.92
802.11ax HEW40_Nss1,(MCS0)_2TX	8.06
802.11ax HEW40_Nss2,(MCS0)_2TX	8.09
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.71
802.11ax HEW80_Nss1,(MCS0)_2TX	4.64
802.11ax HEW80_Nss2,(MCS0)_2TX	4.47
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.32
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.75
802.11ax HEW20_Nss1,(MCS0)_2TX	7.55
802.11ax HEW20_Nss2,(MCS0)_2TX	8.57
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	6.89
802.11ax HEW40_Nss1,(MCS0)_2TX	5.02
802.11ax HEW40_Nss2,(MCS0)_2TX	5.51
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	3.96
802.11ax HEW80_Nss1,(MCS0)_2TX	0.56
802.11ax HEW80_Nss2,(MCS0)_2TX	0.86
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-0.18



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.48	6.93	8.14	10.40	10.52
5300MHz	Pass	6.48	6.40	8.01	10.10	10.52
5320MHz	Pass	6.48	6.83	7.61	10.05	10.52
5500MHz	Pass	6.59	6.71	7.91	10.19	10.41
5580MHz	Pass	6.59	6.63	7.99	10.23	10.41
5700MHz	Pass	6.59	6.67	8.00	10.37	10.41
5720MHz Straddle 5.47-5.725GHz	Pass	6.59	6.95	8.02	10.34	10.41
5720MHz Straddle 5.725-5.85GHz	Pass	6.75	5.14	6.50	8.75	29.25
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.48	5.58	6.69	9.10	10.52
5300MHz	Pass	6.48	5.72	7.45	9.49	10.52
5320MHz	Pass	6.48	6.32	7.12	9.67	10.52
5500MHz	Pass	6.59	6.27	7.42	9.65	10.41
5580MHz	Pass	6.59	6.13	7.57	9.70	10.41
5700MHz	Pass	6.59	6.48	7.83	10.15	10.41
5720MHz Straddle 5.47-5.725GHz	Pass	6.59	6.52	7.50	10.02	10.41
5720MHz Straddle 5.725-5.85GHz	Pass	6.75	4.06	5.11	7.55	29.25
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	6.48	3.04	4.62	6.80	10.52
5310MHz	Pass	6.48	3.26	4.23	6.70	10.52
5510MHz	Pass	6.59	3.16	4.57	6.80	10.41
5550MHz	Pass	6.59	3.39	4.86	7.07	10.41
5670MHz	Pass	6.59	3.64	4.82	7.14	10.41
5710MHz Straddle 5.47-5.725GHz	Pass	6.59	4.62	5.66	8.06	10.41
5710MHz Straddle 5.725-5.85GHz	Pass	6.75	1.54	2.55	5.02	29.25
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	6.48	0.32	1.85	4.08	10.52
5530MHz	Pass	6.59	0.75	2.11	4.40	10.41
5690MHz Straddle 5.47-5.725GHz	Pass	6.59	1.14	2.22	4.64	10.41
5690MHz Straddle 5.725-5.85GHz	Pass	6.75	-2.89	-1.83	0.56	29.25
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	3.47	6.23	7.38	9.84	11.00
5300MHz	Pass	3.47	5.79	7.43	9.58	11.00
5320MHz	Pass	3.47	6.34	7.09	9.69	11.00
5500MHz	Pass	3.58	6.11	7.37	9.73	11.00
5580MHz	Pass	3.58	6.10	7.33	9.75	11.00
5700MHz	Pass	3.58	6.56	7.52	10.04	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.58	6.94	7.63	10.24	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	3.74	5.00	6.09	8.57	30.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	3.47	3.18	4.65	6.93	11.00
5310MHz	Pass	3.47	3.26	4.25	6.76	11.00
5510MHz	Pass	3.58	3.17	4.46	6.77	11.00
5550MHz	Pass	3.58	3.42	4.79	7.14	11.00
5670MHz	Pass	3.58	3.54	4.57	7.02	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	3.58	4.53	5.58	8.09	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	3.74	1.85	3.09	5.51	30.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	3.47	0.23	1.95	4.18	11.00
5530MHz	Pass	3.58	0.76	1.94	4.33	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	3.58	1.01	1.95	4.47	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	3.74	-2.55	-1.73	0.86	30.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.48	5.78	6.92	9.31	10.52


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5300MHz	Pass	6.48	5.07	6.90	8.96	10.52
5320MHz	Pass	6.48	5.42	6.35	8.81	10.52
5500MHz	Pass	6.59	5.03	6.79	8.92	10.41
5580MHz	Pass	6.59	4.95	5.80	8.36	10.41
5700MHz	Pass	6.59	4.89	6.17	8.45	10.41
5720MHz Straddle 5.47-5.725GHz	Pass	6.59	5.55	5.98	8.72	10.41
5720MHz Straddle 5.725-5.85GHz	Pass	6.75	3.44	4.35	6.89	29.25
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	6.48	2.31	3.60	5.83	10.52
5310MHz	Pass	6.48	2.36	3.25	5.63	10.52
5510MHz	Pass	6.59	1.94	3.51	5.69	10.41
5550MHz	Pass	6.59	2.37	3.73	5.99	10.41
5670MHz	Pass	6.59	2.72	2.93	5.76	10.41
5710MHz Straddle 5.47-5.725GHz	Pass	6.59	3.59	3.92	6.71	10.41
5710MHz Straddle 5.725-5.85GHz	Pass	6.75	0.87	1.09	3.96	29.25
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	6.48	-0.98	0.34	2.34	10.52
5530MHz	Pass	6.59	-1.00	0.41	2.67	10.41
5690MHz Straddle 5.47-5.725GHz	Pass	6.59	0.25	0.57	3.32	10.41
5690MHz Straddle 5.725-5.85GHz	Pass	6.75	-3.48	-2.76	-0.18	29.25

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/04/2023

CF
5.735GHz

Span
40MHz

RBW
500kHz

VBW
3MHz

Sweep Time
16.672s

Detector Type
RMS







Sum 



Port 1 



Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.75	8.75	5.14	6.50













































5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5510MHz 21/04/2023

CF

5.51GHz

Span

60MHz

RBW

1MHz

VBW

3MHz

Sweep Time

20ms

Detector Type

RMS






Sum

Port 1



Port 2



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.77	6.77	3.17	4.46















































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	PK	882.63M	42.56	46.00	-3.44	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	37.76M	26.66	40.00	-13.34	-23.14	3	Vertical	177	1.25	-	49.80	20.23	0.69	44.06
QP	61.04M	23.42	40.00	-16.58	-30.28	3	Vertical	63	2.00	-	53.70	12.96	0.87	44.11
PK	139.61M	33.46	43.50	-10.04	-25.48	3	Vertical	58	1.00	-	58.94	17.30	1.29	44.07
PK	165.8M	33.51	43.50	-9.99	-26.62	3	Vertical	58	1.00	-	60.13	16.00	1.40	44.02
PK	814.73M	42.17	46.00	-3.83	-13.74	3	Vertical	360	1.00	-	55.91	26.12	3.10	42.96
PK	882.63M	42.56	46.00	-3.44	-13.40	3	Vertical	173	1.50	"Worst"	55.96	26.28	3.23	42.91

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	32.91M	35.96	40.00	-4.04	-20.54	3	Horizontal	41	1.25	-	56.50	22.83	0.65	44.02
PK	61.04M	31.68	40.00	-8.32	-30.28	3	Horizontal	34	1.25	-	61.96	12.96	0.87	44.11
PK	137.67M	34.83	43.50	-8.67	-25.43	3	Horizontal	33	1.25	-	60.26	17.38	1.28	44.09
PK	250.19M	33.14	46.00	-12.86	-23.92	3	Horizontal	48	1.25	-	57.06	18.23	1.74	43.89
PK	815.7M	41.37	46.00	-4.63	-13.73	3	Horizontal	8	2.00	-	55.10	26.13	3.10	42.96
PK	878.75M	41.98	46.00	-4.02	-13.43	3	Horizontal	0	1.00	"Worst"	55.41	26.27	3.22	42.92




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.94	54.00	-0.06	3	Vertical	204	1.79	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.71	74.00	-13.29	52.07	3	Vertical	200	1.89	-	33.60	5.77	30.73
AV	5.15G	48.50	54.00	-5.50	39.86	3	Vertical	200	1.89	-	33.60	5.77	30.73
PK	5.254G	124.98	Inf	-Inf	116.16	3	Vertical	200	1.89	-	33.71	5.83	30.72
AV	5.2534G	114.36	Inf	-Inf	105.54	3	Vertical	200	1.89	-	33.71	5.83	30.72
PK	5.3506G	64.82	74.00	-9.18	55.76	3	Vertical	200	1.89	-	33.90	5.88	30.72
AV	5.3506G	52.18	54.00	-1.82	43.12	3	Vertical	200	1.89	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	58.85	74.00	-15.15	50.27	3	Horizontal	233	2.30	-	33.55	5.76	30.73
AV	5.1466G	47.11	54.00	-6.89	38.48	3	Horizontal	233	2.30	-	33.59	5.77	30.73
PK	5.257G	115.14	Inf	-Inf	106.32	3	Horizontal	233	2.30	-	33.71	5.83	30.72
AV	5.257G	104.29	Inf	-Inf	95.47	3	Horizontal	233	2.30	-	33.71	5.83	30.72
PK	5.3542G	60.43	74.00	-13.57	51.36	3	Horizontal	233	2.30	-	33.91	5.88	30.72
AV	5.353G	48.46	54.00	-5.54	39.39	3	Horizontal	233	2.30	-	33.91	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5067G	53.28	68.20	-14.92	38.06	3	Vertical	166	2.10	-	38.59	8.48	31.85
PK	15.7734G	62.42	74.00	-11.58	45.98	3	Vertical	139	2.08	-	37.50	10.41	31.47
AV	15.7835G	49.16	54.00	-4.84	32.73	3	Vertical	139	2.08	-	37.50	10.41	31.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5185G	53.73	68.20	-14.47	38.52	3	Horizontal	339	2.80	-	38.58	8.48	31.85
PK	15.7781G	64.44	74.00	-9.56	48.00	3	Horizontal	173	2.42	-	37.50	10.41	31.47
AV	15.7838G	51.19	54.00	-2.81	34.76	3	Horizontal	173	2.42	-	37.50	10.41	31.48

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	123.32	Inf	-Inf	114.38	3	Vertical	203	1.94	-	33.81	5.85	30.72
AV	5.3028G	113.40	Inf	-Inf	104.46	3	Vertical	203	1.94	-	33.81	5.85	30.72
PK	5.3516G	66.62	74.00	-7.38	57.56	3	Vertical	203	1.94	-	33.90	5.88	30.72
AV	5.352G	52.21	54.00	-1.79	43.15	3	Vertical	203	1.94	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	114.71	Inf	-Inf	105.79	3	Horizontal	234	2.41	-	33.79	5.85	30.72
AV	5.3012G	104.24	Inf	-Inf	95.31	3	Horizontal	234	2.41	-	33.80	5.85	30.72
PK	5.3904G	59.64	74.00	-14.36	50.48	3	Horizontal	234	2.41	-	33.98	5.90	30.72
AV	5.3504G	48.09	54.00	-5.91	39.03	3	Horizontal	234	2.41	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6217G	53.16	74.00	-20.84	38.01	3	Vertical	55	2.16	-	38.50	8.52	31.87
AV	10.6133G	39.90	54.00	-14.10	24.76	3	Vertical	55	2.16	-	38.50	8.51	31.87
PK	15.9752G	56.25	74.00	-17.75	40.04	3	Vertical	18	2.63	-	37.30	10.49	31.58
AV	15.9561G	43.80	54.00	-10.20	27.59	3	Vertical	18	2.63	-	37.30	10.48	31.57

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6174G	52.83	74.00	-21.17	37.68	3	Horizontal	22	1.54	-	38.50	8.52	31.87
AV	10.6039G	39.99	54.00	-14.01	24.84	3	Horizontal	22	1.54	-	38.50	8.51	31.86
PK	15.9604G	56.30	74.00	-17.70	40.09	3	Horizontal	278	1.76	-	37.30	10.48	31.57
AV	15.9549G	43.97	54.00	-10.03	27.76	3	Horizontal	278	1.76	-	37.30	10.48	31.57

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 24.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	121.54	Inf	-Inf	112.56	3	Vertical	204	1.79	-	33.84	5.86	30.72
AV	5.3192G	111.78	Inf	-Inf	102.80	3	Vertical	204	1.79	-	33.84	5.86	30.72
PK	5.35G	65.91	74.00	-8.09	56.85	3	Vertical	204	1.79	-	33.90	5.88	30.72
AV	5.35G	53.94	54.00	-0.06	44.88	3	Vertical	204	1.79	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	112.59	Inf	-Inf	103.60	3	Horizontal	243	2.77	-	33.85	5.86	30.72
AV	5.3234G	102.77	Inf	-Inf	93.78	3	Horizontal	243	2.77	-	33.85	5.86	30.72
PK	5.3522G	60.38	74.00	-13.62	51.32	3	Horizontal	243	2.77	-	33.90	5.88	30.72
AV	5.3522G	48.29	54.00	-5.71	39.23	3	Horizontal	243	2.77	-	33.90	5.88	30.72

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 24.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6472G	52.77	74.00	-21.23	37.61	3	Vertical	61	1.42	-	38.50	8.53	31.87
AV	10.6516G	40.04	54.00	-13.96	24.88	3	Vertical	61	1.42	-	38.50	8.53	31.87
PK	15.9551G	56.73	74.00	-17.27	40.52	3	Vertical	315	1.07	-	37.30	10.48	31.57
AV	15.9517G	44.19	54.00	-9.81	27.97	3	Vertical	315	1.07	-	37.30	10.48	31.56

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 24.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6594G	52.45	74.00	-21.55	37.29	3	Horizontal	14	2.73	-	38.50	8.53	31.87
AV	10.6536G	40.03	54.00	-13.97	24.87	3	Horizontal	14	2.73	-	38.50	8.53	31.87
PK	15.9512G	57.12	74.00	-16.88	40.90	3	Horizontal	131	2.22	-	37.30	10.48	31.56
AV	15.946G	43.98	54.00	-10.02	27.76	3	Horizontal	131	2.22	-	37.30	10.48	31.56

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.31	74.00	-11.69	53.07	3	Vertical	206	1.80	-	34.00	5.96	30.72
AV	5.46G	50.24	54.00	-3.76	41.00	3	Vertical	206	1.80	-	34.00	5.96	30.72
PK	5.4698G	66.64	68.20	-1.56	57.39	3	Vertical	206	1.80	-	34.00	5.97	30.72
PK	5.496G	121.99	Inf	-Inf	112.71	3	Vertical	206	1.80	-	34.00	6.00	30.72
AV	5.5008G	111.89	Inf	-Inf	102.61	3	Vertical	206	1.80	-	34.00	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.83	74.00	-14.17	50.59	3	Horizontal	235	2.35	-	34.00	5.96	30.72
AV	5.46G	47.94	54.00	-6.06	38.70	3	Horizontal	235	2.35	-	34.00	5.96	30.72
PK	5.47G	61.15	68.20	-7.05	51.90	3	Horizontal	235	2.35	-	34.00	5.97	30.72
PK	5.4956G	112.95	Inf	-Inf	103.67	3	Horizontal	235	2.35	-	34.00	6.00	30.72
AV	5.4954G	102.24	Inf	-Inf	92.96	3	Horizontal	235	2.35	-	34.00	6.00	30.72

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0212G	53.20	74.00	-20.80	37.85	3	Vertical	238	1.05	-	38.62	8.66	31.93
AV	11.0156G	40.64	54.00	-13.36	25.29	3	Vertical	238	1.05	-	38.62	8.66	31.93
PK	16.4942G	58.72	68.20	-9.48	39.99	3	Vertical	136	2.11	-	39.05	10.67	30.99

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9919G	53.22	74.00	-20.78	37.90	3	Horizontal	252	2.25	-	38.59	8.65	31.92
AV	10.9811G	40.71	54.00	-13.29	25.41	3	Horizontal	252	2.25	-	38.58	8.64	31.92
PK	16.5009G	59.18	68.20	-9.02	40.38	3	Horizontal	343	1.22	-	39.10	10.68	30.98

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.53	74.00	-13.47	51.29	3	Vertical	209	1.85	-	34.00	5.96	30.72
AV	5.3928G	49.25	54.00	-4.75	40.08	3	Vertical	209	1.85	-	33.99	5.90	30.72
PK	5.4672G	60.53	68.20	-7.67	51.28	3	Vertical	209	1.85	-	34.00	5.97	30.72
PK	5.5744G	123.82	Inf	-Inf	114.58	3	Vertical	209	1.85	-	33.95	6.07	30.78
AV	5.5752G	114.17	Inf	-Inf	104.92	3	Vertical	209	1.85	-	33.95	6.08	30.78
PK	5.7376G	60.63	68.20	-7.57	51.61	3	Vertical	209	1.85	-	33.82	6.10	30.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Z_2TX
Setting 28
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4168G	60.01	74.00	-13.99	50.81	3	Horizontal	236	2.16	-	34.00	5.92	30.72
AV	5.4248G	47.71	54.00	-6.29	38.51	3	Horizontal	236	2.16	-	34.00	5.92	30.72
PK	5.4688G	58.58	68.20	-9.62	49.33	3	Horizontal	236	2.16	-	34.00	5.97	30.72
PK	5.5848G	113.44	Inf	-Inf	104.21	3	Horizontal	236	2.16	-	33.93	6.08	30.78
AV	5.5744G	103.55	Inf	-Inf	94.31	3	Horizontal	236	2.16	-	33.95	6.07	30.78
PK	5.7496G	59.67	68.20	-8.53	50.68	3	Horizontal	236	2.16	-	33.80	6.10	30.91

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1736G	54.85	74.00	-19.15	38.43	3	Vertical	8	1.34	-	38.57	12.65	34.80
AV	11.158G	42.62	54.00	-11.38	26.22	3	Vertical	8	1.34	-	38.56	12.64	34.80
PK	16.7531G	62.17	68.20	-6.03	40.18	3	Vertical	225	2.09	-	39.07	17.15	34.23

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1664G	54.75	74.00	-19.25	38.34	3	Horizontal	350	2.38	-	38.57	12.64	34.80
AV	11.1413G	41.48	54.00	-12.52	25.11	3	Horizontal	350	2.38	-	38.54	12.63	34.80
PK	16.7603G	61.70	68.20	-6.50	39.65	3	Horizontal	149	1.80	-	39.12	17.16	34.23

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	121.86	Inf	-Inf	112.74	3	Vertical	219	2.00	-	33.89	6.10	30.87
AV	5.6968G	111.37	Inf	-Inf	102.25	3	Vertical	219	2.00	-	33.89	6.10	30.87
PK	5.7274G	66.14	68.20	-2.06	57.08	3	Vertical	219	2.00	-	33.85	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	112.33	Inf	-Inf	103.22	3	Horizontal	236	2.30	-	33.89	6.10	30.88
AV	5.6992G	102.56	Inf	-Inf	93.43	3	Horizontal	236	2.30	-	33.90	6.10	30.87
PK	5.7394G	60.46	68.20	-7.74	51.44	3	Horizontal	236	2.30	-	33.82	6.10	30.90

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3861G	54.10	74.00	-19.90	38.58	3	Vertical	252	2.01	-	38.80	8.79	32.07
AV	11.3785G	41.28	54.00	-12.72	25.77	3	Vertical	252	2.01	-	38.80	8.78	32.07
PK	17.0753G	62.98	68.20	-5.22	41.05	3	Vertical	259	1.80	-	41.30	10.88	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.404G	53.53	74.00	-20.47	38.01	3	Horizontal	95	2.87	-	38.81	8.79	32.08
AV	11.395G	41.09	54.00	-12.91	25.58	3	Horizontal	95	2.87	-	38.80	8.79	32.08
PK	17.089G	62.57	68.20	-5.63	40.58	3	Horizontal	36	1.50	-	41.36	10.88	30.25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	125.68	Inf	-Inf	116.59	3	Vertical	306	2.37	-	33.87	6.10	30.88
AV	5.7168G	114.95	Inf	-Inf	105.86	3	Vertical	306	2.37	-	33.87	6.10	30.88
PK	5.9048G	61.95	68.20	-6.25	52.67	3	Vertical	306	2.37	-	34.11	6.20	31.03

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	116.21	Inf	-Inf	107.12	3	Horizontal	235	2.31	-	33.87	6.10	30.88
AV	5.7168G	105.82	Inf	-Inf	96.73	3	Horizontal	235	2.31	-	33.87	6.10	30.88
PK	5.9056G	60.02	68.20	-8.18	50.74	3	Horizontal	235	2.31	-	34.11	6.20	31.03

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4385G	54.20	74.00	-19.80	38.62	3	Vertical	164	2.32	-	38.88	8.80	32.10
AV	11.453G	41.27	54.00	-12.73	25.65	3	Vertical	164	2.32	-	38.91	8.81	32.10
PK	17.1585G	62.50	68.20	-5.70	40.08	3	Vertical	100	1.80	-	41.75	10.91	30.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4192G	54.07	74.00	-19.93	38.52	3	Horizontal	158	1.41	-	38.84	8.80	32.09
AV	11.4525G	41.25	54.00	-12.75	25.63	3	Horizontal	158	1.41	-	38.91	8.81	32.10
PK	17.1489G	62.51	68.20	-5.69	40.17	3	Horizontal	112	2.18	-	41.69	10.90	30.25

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	60.85	74.00	-13.15	52.23	3	Vertical	206	1.57	-	33.58	5.77	30.73
AV	5.15G	48.59	54.00	-5.41	39.95	3	Vertical	206	1.57	-	33.60	5.77	30.73
PK	5.2588G	123.33	Inf	-Inf	114.50	3	Vertical	206	1.57	-	33.72	5.83	30.72
AV	5.2582G	112.01	Inf	-Inf	103.18	3	Vertical	206	1.57	-	33.72	5.83	30.72
PK	5.3536G	67.16	74.00	-6.84	58.09	3	Vertical	206	1.57	-	33.91	5.88	30.72
AV	5.3536G	53.48	54.00	-0.52	44.41	3	Vertical	206	1.57	-	33.91	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	58.31	74.00	-15.69	49.75	3	Horizontal	233	2.29	-	33.53	5.76	30.73
AV	5.1436G	46.44	54.00	-7.56	37.81	3	Horizontal	233	2.29	-	33.59	5.77	30.73
PK	5.257G	114.72	Inf	-Inf	105.90	3	Horizontal	233	2.29	-	33.71	5.83	30.72
AV	5.2582G	102.77	Inf	-Inf	93.94	3	Horizontal	233	2.29	-	33.72	5.83	30.72
PK	5.3518G	61.44	74.00	-12.56	52.38	3	Horizontal	233	2.29	-	33.90	5.88	30.72
AV	5.3524G	48.39	54.00	-5.61	39.33	3	Horizontal	233	2.29	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5198G	53.15	68.20	-15.05	37.94	3	Vertical	32	2.11	-	38.58	8.48	31.85
PK	15.7773G	63.58	74.00	-10.42	47.14	3	Vertical	139	2.12	-	37.50	10.41	31.47
AV	15.7774G	48.59	54.00	-5.41	32.15	3	Vertical	139	2.12	-	37.50	10.41	31.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5234G	53.54	68.20	-14.66	38.33	3	Horizontal	152	1.34	-	38.58	8.48	31.85
PK	15.7873G	66.52	74.00	-7.48	50.09	3	Horizontal	172	2.41	-	37.50	10.41	31.48
AV	15.7769G	51.41	54.00	-2.59	34.97	3	Horizontal	172	2.41	-	37.50	10.41	31.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	125.10	Inf	-Inf	116.16	3	Vertical	205	1.79	-	33.81	5.85	30.72
AV	5.3036G	112.06	Inf	-Inf	103.12	3	Vertical	205	1.79	-	33.81	5.85	30.72
PK	5.3532G	67.33	74.00	-6.67	58.26	3	Vertical	205	1.79	-	33.91	5.88	30.72
AV	5.352G	53.62	54.00	-0.38	44.56	3	Vertical	205	1.79	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	115.23	Inf	-Inf	106.30	3	Horizontal	233	2.41	-	33.80	5.85	30.72
AV	5.3024G	102.81	Inf	-Inf	93.88	3	Horizontal	233	2.41	-	33.80	5.85	30.72
PK	5.35G	60.69	74.00	-13.31	51.63	3	Horizontal	233	2.41	-	33.90	5.88	30.72
AV	5.3512G	48.54	54.00	-5.46	39.48	3	Horizontal	233	2.41	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5815G	53.35	68.20	-14.85	38.19	3	Vertical	164	1.89	-	38.52	8.50	31.86
PK	15.8983G	59.24	74.00	-14.76	43.02	3	Vertical	160	2.13	-	37.30	10.46	31.54
AV	15.8981G	44.03	54.00	-9.97	27.81	3	Vertical	160	2.13	-	37.30	10.46	31.54

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6183G	52.66	74.00	-21.34	37.51	3	Horizontal	215	2.96	-	38.50	8.52	31.87
PK	15.898G	56.71	74.00	-17.29	40.49	3	Horizontal	156	2.85	-	37.30	10.46	31.54
AV	15.8998G	43.71	54.00	-10.29	27.49	3	Horizontal	156	2.85	-	37.30	10.46	31.54

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3162G	123.54	Inf	-Inf	117.05	3	Vertical	156	2.09	-	34.50	6.86	34.87
AV	5.3168G	110.48	Inf	-Inf	103.99	3	Vertical	156	2.09	-	34.50	6.86	34.87
PK	5.3558G	66.55	74.00	-7.45	60.03	3	Vertical	156	2.09	-	34.51	6.88	34.87
AV	5.3556G	51.10	54.00	-2.90	44.58	3	Vertical	156	2.09	-	34.51	6.88	34.87

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	112.74	Inf	-Inf	106.25	3	Horizontal	243	2.29	-	34.50	6.86	34.87
AV	5.319G	99.47	Inf	-Inf	92.98	3	Horizontal	243	2.29	-	34.50	6.86	34.87
PK	5.35G	61.74	74.00	-12.26	55.23	3	Horizontal	243	2.29	-	34.50	6.88	34.87
AV	5.35G	47.87	54.00	-6.13	41.36	3	Horizontal	243	2.29	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6426G	55.13	74.00	-18.87	38.03	3	Vertical	99	1.43	-	38.29	12.35	33.54
AV	10.6528G	41.65	54.00	-12.35	24.56	3	Vertical	99	1.43	-	38.31	12.36	33.58
PK	15.9432G	59.82	74.00	-14.18	40.46	3	Vertical	307	1.66	-	37.51	16.64	34.79
AV	15.935G	45.73	54.00	-8.27	26.35	3	Vertical	307	1.66	-	37.53	16.64	34.79

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6644G	55.22	74.00	-18.78	38.14	3	Horizontal	182	1.08	-	38.33	12.37	33.62
AV	10.644G	41.70	54.00	-12.30	24.61	3	Horizontal	182	1.08	-	38.29	12.35	33.55
PK	15.9572G	59.05	74.00	-14.95	39.70	3	Horizontal	345	2.24	-	37.49	16.66	34.80
AV	15.94G	45.72	54.00	-8.28	26.35	3	Horizontal	345	2.24	-	37.52	16.64	34.79

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	61.52	74.00	-12.48	54.91	3	Vertical	203	2.00	-	34.51	6.96	34.86
AV	5.4598G	48.85	54.00	-5.15	42.23	3	Vertical	203	2.00	-	34.52	6.96	34.86
PK	5.469G	66.43	68.20	-1.77	59.78	3	Vertical	203	2.00	-	34.54	6.97	34.86
PK	5.5012G	122.12	Inf	-Inf	115.38	3	Vertical	203	2.00	-	34.60	7.00	34.86
AV	5.501G	109.25	Inf	-Inf	102.51	3	Vertical	203	2.00	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	59.10	74.00	-14.90	52.50	3	Horizontal	240	2.41	-	34.51	6.95	34.86
PK	5.4616G	60.00	68.20	-8.20	53.38	3	Horizontal	240	2.41	-	34.52	6.96	34.86
AV	5.4578G	46.76	54.00	-7.24	40.14	3	Horizontal	240	2.41	-	34.52	6.96	34.86
PK	5.4988G	112.80	Inf	-Inf	106.06	3	Horizontal	240	2.41	-	34.60	7.00	34.86
AV	5.4988G	99.71	Inf	-Inf	92.97	3	Horizontal	240	2.41	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 24
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0095G	53.33	74.00	-20.67	37.99	3	Vertical	31	1.00	-	38.61	8.65	31.92
AV	11.0191G	40.37	54.00	-13.63	25.02	3	Vertical	31	1.00	-	38.62	8.66	31.93
PK	16.5139G	59.23	68.20	-8.97	40.37	3	Vertical	284	1.95	-	39.14	10.68	30.96

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9794G	53.15	74.00	-20.85	37.85	3	Horizontal	80	2.04	-	38.58	8.64	31.92
AV	11G	40.32	54.00	-13.68	24.99	3	Horizontal	80	2.04	-	38.60	8.65	31.92
PK	16.5187G	59.53	68.20	-8.67	40.64	3	Horizontal	95	2.79	-	39.16	10.68	30.95

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.88	74.00	-13.12	51.64	3	Vertical	210	1.80	-	34.00	5.96	30.72
AV	5.46G	48.12	54.00	-5.88	38.88	3	Vertical	210	1.80	-	34.00	5.96	30.72
PK	5.4696G	61.15	68.20	-7.05	51.90	3	Vertical	210	1.80	-	34.00	5.97	30.72
PK	5.584G	125.08	Inf	-Inf	115.85	3	Vertical	210	1.80	-	33.93	6.08	30.78
AV	5.5736G	112.63	Inf	-Inf	103.39	3	Vertical	210	1.80	-	33.95	6.07	30.78
PK	5.76G	60.84	68.20	-7.36	51.86	3	Vertical	210	1.80	-	33.80	6.10	30.92

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	59.01	74.00	-14.99	49.81	3	Horizontal	236	2.15	-	34.00	5.92	30.72
PK	5.4696G	59.82	68.20	-8.38	50.57	3	Horizontal	236	2.15	-	34.00	5.97	30.72
AV	5.4488G	46.80	54.00	-7.20	37.57	3	Horizontal	236	2.15	-	34.00	5.95	30.72
PK	5.5752G	115.23	Inf	-Inf	105.98	3	Horizontal	236	2.15	-	33.95	6.08	30.78
AV	5.584G	103.38	Inf	-Inf	94.15	3	Horizontal	236	2.15	-	33.93	6.08	30.78
PK	5.7752G	58.85	68.20	-9.35	49.88	3	Horizontal	236	2.15	-	33.80	6.10	30.93

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1652G	54.77	74.00	-19.23	39.28	3	Vertical	162	2.14	-	38.77	8.71	31.99
AV	11.1664G	42.18	54.00	-11.82	26.69	3	Vertical	162	2.14	-	38.77	8.71	31.99
PK	16.7633G	60.21	68.20	-7.99	39.93	3	Vertical	165	1.16	-	40.11	10.77	30.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1632G	53.84	74.00	-20.16	38.36	3	Horizontal	164	2.26	-	38.76	8.71	31.99
AV	11.1582G	40.42	54.00	-13.58	24.93	3	Horizontal	164	2.26	-	38.76	8.71	31.98
PK	16.741G	60.40	68.20	-7.80	40.34	3	Horizontal	174	1.80	-	39.93	10.76	30.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 23
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6938G	121.58	Inf	-Inf	115.01	3	Vertical	216	2.05	-	34.32	7.15	34.90
AV	5.7034G	109.06	Inf	-Inf	102.52	3	Vertical	216	2.05	-	34.29	7.15	34.90
PK	5.7256G	65.02	68.20	-3.18	58.52	3	Vertical	216	2.05	-	34.25	7.16	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	111.60	Inf	-Inf	105.04	3	Horizontal	234	2.38	-	34.31	7.15	34.90
AV	5.6978G	98.57	Inf	-Inf	92.01	3	Horizontal	234	2.38	-	34.31	7.15	34.90
PK	5.726G	60.25	68.20	-7.95	53.75	3	Horizontal	234	2.38	-	34.25	7.16	34.91

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4217G	53.48	74.00	-20.52	37.93	3	Vertical	148	2.47	-	38.84	8.80	32.09
AV	11.3897G	40.55	54.00	-13.45	25.04	3	Vertical	148	2.47	-	38.80	8.79	32.08
PK	17.1103G	62.38	68.20	-5.82	40.28	3	Vertical	191	2.81	-	41.46	10.89	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3979G	53.46	74.00	-20.54	37.95	3	Horizontal	171	2.90	-	38.80	8.79	32.08
AV	11.3892G	40.64	54.00	-13.36	25.13	3	Horizontal	171	2.90	-	38.80	8.79	32.08
PK	17.1006G	62.11	68.20	-6.09	40.07	3	Horizontal	210	2.11	-	41.40	10.89	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	125.88	Inf	-Inf	116.81	3	Vertical	304	2.37	-	33.86	6.10	30.89
AV	5.7192G	113.57	Inf	-Inf	104.50	3	Vertical	304	2.37	-	33.86	6.10	30.89
PK	5.904G	60.44	68.20	-7.76	51.16	3	Vertical	304	2.37	-	34.11	6.20	31.03

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	114.74	Inf	-Inf	105.67	3	Horizontal	237	2.28	-	33.86	6.10	30.89
AV	5.7184G	103.98	Inf	-Inf	94.91	3	Horizontal	237	2.28	-	33.86	6.10	30.89
PK	5.9056G	58.66	68.20	-9.54	49.38	3	Horizontal	237	2.28	-	34.11	6.20	31.03

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4529G	54.18	74.00	-19.82	38.56	3	Vertical	290	1.89	-	38.91	8.81	32.10
AV	11.4604G	40.79	54.00	-13.21	25.16	3	Vertical	290	1.89	-	38.92	8.81	32.10
PK	17.1424G	62.97	68.20	-5.23	40.67	3	Vertical	334	1.80	-	41.65	10.90	30.25

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4483G	53.59	74.00	-20.41	37.98	3	Horizontal	263	1.90	-	38.90	8.81	32.10
AV	11.4647G	40.77	54.00	-13.23	25.14	3	Horizontal	263	1.90	-	38.93	8.81	32.11
PK	17.1439G	63.11	68.20	-5.09	40.80	3	Horizontal	342	2.26	-	41.66	10.90	30.25

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Z_2TX
 Setting 24.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.31	74.00	-9.69	55.67	3	Vertical	196	1.80	-	33.60	5.77	30.73
AV	5.15G	48.85	54.00	-5.15	40.20	3	Vertical	196	1.80	-	33.60	5.78	30.73
PK	5.2694G	118.26	Inf	-Inf	109.41	3	Vertical	196	1.80	-	33.74	5.83	30.72
AV	5.2688G	107.24	Inf	-Inf	98.39	3	Vertical	196	1.80	-	33.74	5.83	30.72
PK	5.3558G	70.79	74.00	-3.21	61.72	3	Vertical	196	1.80	-	33.91	5.88	30.72
AV	5.35G	52.68	54.00	-1.32	43.62	3	Vertical	196	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Z_2TX
 Setting 24.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.37	74.00	-15.63	49.73	3	Horizontal	240	2.33	-	33.60	5.77	30.73
AV	5.1398G	46.25	54.00	-7.75	37.63	3	Horizontal	240	2.33	-	33.58	5.77	30.73
PK	5.2724G	109.40	Inf	-Inf	100.54	3	Horizontal	240	2.33	-	33.74	5.84	30.72
AV	5.2718G	96.60	Inf	-Inf	87.74	3	Horizontal	240	2.33	-	33.74	5.84	30.72
PK	5.3558G	61.75	74.00	-12.25	52.68	3	Horizontal	240	2.33	-	33.91	5.88	30.72
AV	5.351G	47.91	54.00	-6.09	38.85	3	Horizontal	240	2.33	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54224G	54.57	68.20	-13.63	39.38	3	Vertical	317	1.29	-	38.56	8.49	31.86
PK	15.80852G	56.86	74.00	-17.14	40.45	3	Vertical	332	2.54	-	37.48	10.42	31.49
AV	15.8104G	43.23	54.00	-10.77	26.82	3	Vertical	332	2.54	-	37.48	10.42	31.49

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54048G	53.91	68.20	-14.29	38.72	3	Horizontal	318	1.69	-	38.56	8.49	31.86
PK	15.81398G	56.67	74.00	-17.33	40.26	3	Horizontal	176	2.61	-	37.47	10.43	31.49
AV	15.81062G	43.27	54.00	-10.73	26.86	3	Horizontal	176	2.61	-	37.48	10.42	31.49

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	118.92	Inf	-Inf	112.44	3	Vertical	196	1.03	-	34.50	6.85	34.87
AV	5.3064G	106.44	Inf	-Inf	99.96	3	Vertical	196	1.03	-	34.50	6.85	34.87
PK	5.3544G	64.77	74.00	-9.23	58.25	3	Vertical	196	1.03	-	34.51	6.88	34.87
AV	5.3548G	52.55	54.00	-1.45	46.03	3	Vertical	196	1.03	-	34.51	6.88	34.87

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	108.22	Inf	-Inf	101.73	3	Horizontal	243	2.34	-	34.50	6.86	34.87
AV	5.3008G	95.32	Inf	-Inf	88.84	3	Horizontal	243	2.34	-	34.50	6.85	34.87
PK	5.35G	60.82	74.00	-13.18	54.31	3	Horizontal	243	2.34	-	34.50	6.88	34.87
AV	5.35G	47.91	54.00	-6.09	41.40	3	Horizontal	243	2.34	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62326G	53.42	74.00	-20.58	38.27	3	Vertical	110	1.42	-	38.50	8.52	31.87
AV	10.61762G	39.70	54.00	-14.30	24.55	3	Vertical	110	1.42	-	38.50	8.52	31.87
PK	15.9267G	56.53	74.00	-17.47	40.31	3	Vertical	6	2.21	-	37.30	10.47	31.55
AV	15.92514G	43.16	54.00	-10.84	26.94	3	Vertical	6	2.21	-	37.30	10.47	31.55

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61568G	53.65	74.00	-20.35	38.50	3	Horizontal	357	1.03	-	38.50	8.52	31.87
AV	10.6159G	39.68	54.00	-14.32	24.53	3	Horizontal	357	1.03	-	38.50	8.52	31.87
PK	15.92944G	56.73	74.00	-17.27	40.51	3	Horizontal	211	1.98	-	37.30	10.47	31.55
AV	15.9282G	43.14	54.00	-10.86	26.92	3	Horizontal	211	1.98	-	37.30	10.47	31.55

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.17	74.00	-11.83	55.55	3	Vertical	203	1.98	-	34.52	6.96	34.86
AV	5.46G	51.13	54.00	-2.87	44.51	3	Vertical	203	1.98	-	34.52	6.96	34.86
PK	5.4696G	67.47	68.20	-0.73	60.82	3	Vertical	203	1.98	-	34.54	6.97	34.86
PK	5.502G	117.54	Inf	-Inf	110.80	3	Vertical	203	1.98	-	34.60	7.00	34.86
AV	5.5108G	105.31	Inf	-Inf	98.56	3	Vertical	203	1.98	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.71	74.00	-13.29	54.09	3	Horizontal	228	1.03	-	34.52	6.96	34.86
AV	5.4592G	46.93	54.00	-7.07	40.31	3	Horizontal	228	1.03	-	34.52	6.96	34.86
PK	5.4688G	60.51	68.20	-7.69	53.86	3	Horizontal	228	1.03	-	34.54	6.97	34.86
PK	5.5112G	106.12	Inf	-Inf	99.37	3	Horizontal	228	1.03	-	34.60	7.01	34.86
AV	5.5108G	94.72	Inf	-Inf	87.97	3	Horizontal	228	1.03	-	34.60	7.01	34.86

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01658G	54.23	74.00	-19.77	38.88	3	Vertical	115	2.02	-	38.62	8.66	31.93
AV	11.01634G	40.48	54.00	-13.52	25.13	3	Vertical	115	2.02	-	38.62	8.66	31.93
PK	16.53274G	59.50	68.20	-8.70	40.54	3	Vertical	123	2.98	-	39.20	10.69	30.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0245G	53.68	74.00	-20.32	38.33	3	Horizontal	282	1.12	-	38.62	8.66	31.93
AV	11.01696G	40.42	54.00	-13.58	25.07	3	Horizontal	282	1.12	-	38.62	8.66	31.93
PK	16.53348G	59.78	68.20	-8.42	40.82	3	Horizontal	98	2.00	-	39.20	10.69	30.93

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	61.34	74.00	-12.66	52.11	3	Vertical	205	1.76	-	34.00	5.95	30.72
PK	5.466G	62.92	68.20	-5.28	53.67	3	Vertical	205	1.76	-	34.00	5.97	30.72
AV	5.4588G	48.38	54.00	-5.62	39.14	3	Vertical	205	1.76	-	34.00	5.96	30.72
PK	5.5572G	119.86	Inf	-Inf	110.57	3	Vertical	205	1.76	-	33.99	6.06	30.76
AV	5.547G	106.87	Inf	-Inf	97.58	3	Vertical	205	1.76	-	34.00	6.05	30.76

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	58.78	74.00	-15.22	49.57	3	Horizontal	233	2.24	-	34.00	5.93	30.72
AV	5.4414G	46.79	54.00	-7.21	37.57	3	Horizontal	233	2.24	-	34.00	5.94	30.72
PK	5.466G	59.31	68.20	-8.89	50.06	3	Horizontal	233	2.24	-	34.00	5.97	30.72
PK	5.556G	109.48	Inf	-Inf	100.19	3	Horizontal	233	2.24	-	33.99	6.06	30.76
AV	5.5452G	97.32	Inf	-Inf	88.02	3	Horizontal	233	2.24	-	34.00	6.05	30.75

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09806G	53.61	74.00	-20.39	38.19	3	Vertical	69	1.22	-	38.70	8.68	31.96
AV	11.10314G	40.18	54.00	-13.82	24.75	3	Vertical	69	1.22	-	38.70	8.69	31.96
PK	16.64828G	59.67	68.20	-8.53	40.21	3	Vertical	248	2.05	-	39.50	10.73	30.77

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09932G	53.30	74.00	-20.70	37.88	3	Horizontal	93	2.63	-	38.70	8.68	31.96
AV	11.10044G	40.06	54.00	-13.94	24.63	3	Horizontal	93	2.63	-	38.70	8.69	31.96
PK	16.64764G	59.49	68.20	-8.71	40.03	3	Horizontal	61	1.65	-	39.50	10.73	30.77

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6652G	119.20	Inf	-Inf	110.12	3	Vertical	195	1.01	-	33.83	6.10	30.85
AV	5.6664G	106.17	Inf	-Inf	97.09	3	Vertical	195	1.01	-	33.83	6.10	30.85
PK	5.7256G	66.99	68.20	-1.21	57.93	3	Vertical	195	1.01	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6792G	110.63	Inf	-Inf	101.53	3	Horizontal	236	2.21	-	33.86	6.10	30.86
AV	5.678G	97.74	Inf	-Inf	88.64	3	Horizontal	236	2.21	-	33.86	6.10	30.86
PK	5.7536G	60.02	68.20	-8.18	51.03	3	Horizontal	236	2.21	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34072G	54.40	74.00	-19.60	38.89	3	Vertical	138	2.23	-	38.80	8.77	32.06
AV	11.33854G	40.87	54.00	-13.13	25.36	3	Vertical	138	2.23	-	38.80	8.77	32.06
PK	17.00806G	62.60	68.20	-5.60	40.98	3	Vertical	103	1.48	-	41.03	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33932G	54.86	74.00	-19.14	39.35	3	Horizontal	102	1.14	-	38.80	8.77	32.06
AV	11.33628G	40.72	54.00	-13.28	25.20	3	Horizontal	102	1.14	-	38.80	8.77	32.05
PK	17.01184G	61.96	68.20	-6.24	40.32	3	Horizontal	42	1.85	-	41.05	10.85	30.26

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	121.84	Inf	-Inf	112.75	3	Vertical	219	1.97	-	33.87	6.10	30.88
AV	5.7036G	109.05	Inf	-Inf	99.93	3	Vertical	219	1.97	-	33.89	6.10	30.87
PK	5.8636G	66.75	68.20	-1.45	57.71	3	Vertical	219	1.97	-	33.88	6.16	31.00

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25.5
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7268G	111.46	Inf	-Inf	102.40	3	Horizontal	236	2.27	-	33.85	6.10	30.89
AV	5.718G	100.42	Inf	-Inf	91.35	3	Horizontal	236	2.27	-	33.86	6.10	30.89
PK	5.8884G	62.17	68.20	-6.03	52.98	3	Horizontal	236	2.27	-	34.03	6.18	31.02

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41722G	54.13	74.00	-19.87	38.59	3	Vertical	212	1.88	-	38.83	8.80	32.09
AV	11.42422G	40.64	54.00	-13.36	25.08	3	Vertical	212	1.88	-	38.85	8.80	32.09
PK	17.1328G	62.08	68.20	-6.12	39.83	3	Vertical	166	1.58	-	41.60	10.90	30.25

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42282G	54.82	74.00	-19.18	39.26	3	Horizontal	250	2.42	-	38.85	8.80	32.09
AV	11.42472G	40.62	54.00	-13.38	25.06	3	Horizontal	250	2.42	-	38.85	8.80	32.09
PK	17.13218G	62.26	68.20	-5.94	40.02	3	Horizontal	252	2.73	-	41.59	10.90	30.25

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Z_2TX
 Setting 21
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.106G	59.94	74.00	-14.06	54.20	3	Vertical	158	1.90	-	33.91	6.71	34.88
AV	5.136G	47.20	54.00	-6.80	41.37	3	Vertical	158	1.90	-	33.97	6.74	34.88
PK	5.301G	114.07	Inf	-Inf	107.59	3	Vertical	158	1.90	-	34.50	6.85	34.87
AV	5.291G	101.01	Inf	-Inf	94.55	3	Vertical	158	1.90	-	34.48	6.85	34.87
PK	5.351G	66.32	74.00	-7.68	59.81	3	Vertical	158	1.90	-	34.50	6.88	34.87
AV	5.351G	53.13	54.00	-0.87	46.62	3	Vertical	158	1.90	-	34.50	6.88	34.87
PK	5.464G	59.54	68.20	-8.66	52.91	3	Vertical	158	1.90	-	34.53	6.96	34.86

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Z_2TX
 Setting 21
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	58.41	74.00	-15.59	52.66	3	Horizontal	243	2.22	-	33.92	6.71	34.88
AV	5.115G	45.80	54.00	-8.20	40.04	3	Horizontal	243	2.22	-	33.93	6.71	34.88
PK	5.296G	103.83	Inf	-Inf	97.36	3	Horizontal	243	2.22	-	34.49	6.85	34.87
AV	5.285G	91.44	Inf	-Inf	85.00	3	Horizontal	243	2.22	-	34.47	6.84	34.87
PK	5.405G	59.88	74.00	-14.12	53.25	3	Horizontal	243	2.22	-	34.59	6.91	34.87
AV	5.354G	47.66	54.00	-6.34	41.14	3	Horizontal	243	2.22	-	34.51	6.88	34.87
PK	5.498G	59.88	68.20	-8.32	53.14	3	Horizontal	243	2.22	-	34.60	7.00	34.86

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 21
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58014G	52.81	68.20	-15.39	37.65	3	Vertical	308	1.01	-	38.52	8.50	31.86
PK	15.86612G	56.38	74.00	-17.62	40.08	3	Vertical	77	2.66	-	37.37	10.45	31.52
AV	15.87076G	42.71	54.00	-11.29	26.42	3	Vertical	77	2.66	-	37.36	10.45	31.52

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 21
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58456G	53.02	68.20	-15.18	37.86	3	Horizontal	198	1.36	-	38.52	8.50	31.86
PK	15.87064G	56.72	74.00	-17.28	40.43	3	Horizontal	203	2.31	-	37.36	10.45	31.52
AV	15.86592G	42.82	54.00	-11.18	26.52	3	Horizontal	203	2.31	-	37.37	10.45	31.52

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	59.16	68.20	-9.04	52.69	3	Vertical	210	1.80	-	34.49	6.85	34.87
PK	5.458G	66.78	74.00	-7.22	60.16	3	Vertical	210	1.80	-	34.52	6.96	34.86
AV	5.458G	53.64	54.00	-0.36	47.02	3	Vertical	210	1.80	-	34.52	6.96	34.86
PK	5.468G	67.34	68.20	-0.86	60.69	3	Vertical	210	1.80	-	34.54	6.97	34.86
PK	5.526G	113.74	Inf	-Inf	106.98	3	Vertical	210	1.80	-	34.60	7.03	34.87
AV	5.527G	102.30	Inf	-Inf	95.54	3	Vertical	210	1.80	-	34.60	7.03	34.87
PK	5.778G	59.71	68.20	-8.49	53.24	3	Vertical	210	1.80	-	34.20	7.19	34.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	58.72	68.20	-9.48	52.23	3	Horizontal	239	2.52	-	34.50	6.86	34.87
PK	5.449G	60.02	74.00	-13.98	53.43	3	Horizontal	239	2.52	-	34.50	6.95	34.86
PK	5.468G	59.06	68.20	-9.14	52.41	3	Horizontal	239	2.52	-	34.54	6.97	34.86
AV	5.46G	48.11	54.00	-5.89	41.49	3	Horizontal	239	2.52	-	34.52	6.96	34.86
PK	5.529G	105.69	Inf	-Inf	98.93	3	Horizontal	239	2.52	-	34.60	7.03	34.87
AV	5.528G	93.10	Inf	-Inf	86.34	3	Horizontal	239	2.52	-	34.60	7.03	34.87
PK	5.775G	58.85	68.20	-9.35	52.38	3	Horizontal	239	2.52	-	34.20	7.19	34.92

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0582G	53.87	74.00	-20.13	38.48	3	Vertical	53	2.95	-	38.66	8.67	31.94
AV	11.05536G	40.01	54.00	-13.99	24.62	3	Vertical	53	2.95	-	38.66	8.67	31.94
PK	16.59196G	60.08	68.20	-8.12	40.84	3	Vertical	212	2.49	-	39.38	10.71	30.85

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05634G	53.80	74.00	-20.20	38.41	3	Horizontal	234	2.73	-	38.66	8.67	31.94
AV	11.06074G	40.08	54.00	-13.92	24.69	3	Horizontal	234	2.73	-	38.66	8.67	31.94
PK	16.59448G	59.60	68.20	-8.60	40.35	3	Horizontal	329	2.71	-	39.38	10.71	30.84

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	58.94	74.00	-15.06	49.71	3	Vertical	307	2.19	-	34.00	5.95	30.72
PK	5.466G	59.20	68.20	-9.00	49.95	3	Vertical	307	2.19	-	34.00	5.97	30.72
AV	5.457G	47.19	54.00	-6.81	37.95	3	Vertical	307	2.19	-	34.00	5.96	30.72
PK	5.674G	115.60	Inf	-Inf	106.50	3	Vertical	307	2.19	-	33.85	6.10	30.85
AV	5.705G	103.49	Inf	-Inf	94.38	3	Vertical	307	2.19	-	33.89	6.10	30.88
PK	5.884G	64.89	68.20	-3.31	55.72	3	Vertical	307	2.19	-	34.00	6.18	31.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	58.67	74.00	-15.33	49.44	3	Horizontal	236	2.40	-	34.00	5.95	30.72
AV	5.447G	46.48	54.00	-7.52	37.25	3	Horizontal	236	2.40	-	34.00	5.95	30.72
PK	5.467G	57.87	68.20	-10.33	48.62	3	Horizontal	236	2.40	-	34.00	5.97	30.72
PK	5.694G	106.08	Inf	-Inf	96.96	3	Horizontal	236	2.40	-	33.89	6.10	30.87
AV	5.693G	94.62	Inf	-Inf	85.50	3	Horizontal	236	2.40	-	33.89	6.10	30.87
PK	5.861G	59.22	68.20	-8.98	50.19	3	Horizontal	236	2.40	-	33.87	6.15	30.99

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38156G	53.94	74.00	-20.06	38.43	3	Vertical	242	1.64	-	38.80	8.78	32.07
AV	11.37872G	40.64	54.00	-13.36	25.13	3	Vertical	242	1.64	-	38.80	8.78	32.07
PK	17.07124G	61.69	68.20	-6.51	39.79	3	Vertical	192	1.04	-	41.28	10.87	30.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37888G	54.41	74.00	-19.59	38.90	3	Horizontal	309	1.33	-	38.80	8.78	32.07
AV	11.37522G	40.63	54.00	-13.37	25.12	3	Horizontal	309	1.33	-	38.80	8.78	32.07
PK	17.0689G	61.94	68.20	-6.26	40.04	3	Horizontal	21	1.48	-	41.28	10.87	30.25

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.83	74.00	-13.17	52.19	3	Vertical	203	1.92	-	33.60	5.77	30.73
AV	5.1496G	47.92	54.00	-6.08	39.28	3	Vertical	203	1.92	-	33.60	5.77	30.73
PK	5.2582G	122.97	Inf	-Inf	114.14	3	Vertical	203	1.92	-	33.72	5.83	30.72
AV	5.254G	110.26	Inf	-Inf	101.44	3	Vertical	203	1.92	-	33.71	5.83	30.72
PK	5.3512G	65.56	74.00	-8.44	56.50	3	Vertical	203	1.92	-	33.90	5.88	30.72
AV	5.35G	51.82	54.00	-2.18	42.76	3	Vertical	203	1.92	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	58.86	74.00	-15.14	50.25	3	Horizontal	262	2.84	-	33.57	5.77	30.73
AV	5.1466G	46.11	54.00	-7.89	37.48	3	Horizontal	262	2.84	-	33.59	5.77	30.73
PK	5.2564G	113.62	Inf	-Inf	104.80	3	Horizontal	262	2.84	-	33.71	5.83	30.72
AV	5.2564G	100.11	Inf	-Inf	91.29	3	Horizontal	262	2.84	-	33.71	5.83	30.72
PK	5.3926G	59.59	74.00	-14.41	50.42	3	Horizontal	262	2.84	-	33.99	5.90	30.72
AV	5.4088G	46.69	54.00	-7.31	37.50	3	Horizontal	262	2.84	-	34.00	5.91	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5228G	53.79	68.20	-14.41	38.58	3	Vertical	281	1.98	-	38.58	8.48	31.85
PK	15.77688G	57.33	74.00	-16.67	40.89	3	Vertical	3	2.47	-	37.50	10.41	31.47
AV	15.77964G	43.31	54.00	-10.69	26.88	3	Vertical	3	2.47	-	37.50	10.41	31.48

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 28
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52362G	54.18	68.20	-14.02	38.97	3	Horizontal	137	2.08	-	38.58	8.48	31.85
PK	15.77634G	56.65	74.00	-17.35	40.21	3	Horizontal	297	1.54	-	37.50	10.41	31.47
AV	15.77654G	43.13	54.00	-10.87	26.69	3	Horizontal	297	1.54	-	37.50	10.41	31.47

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	122.89	Inf	-Inf	113.96	3	Vertical	203	1.80	-	33.80	5.85	30.72
AV	5.3024G	108.63	Inf	-Inf	99.70	3	Vertical	203	1.80	-	33.80	5.85	30.72
PK	5.3536G	67.14	74.00	-6.86	58.07	3	Vertical	203	1.80	-	33.91	5.88	30.72
AV	5.35G	53.32	54.00	-0.68	44.26	3	Vertical	203	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	112.73	Inf	-Inf	103.80	3	Horizontal	232	2.41	-	33.80	5.85	30.72
AV	5.3016G	100.04	Inf	-Inf	91.11	3	Horizontal	232	2.41	-	33.80	5.85	30.72
PK	5.354G	61.11	74.00	-12.89	52.04	3	Horizontal	232	2.41	-	33.91	5.88	30.72
AV	5.3508G	48.06	54.00	-5.94	39.00	3	Horizontal	232	2.41	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 26.5
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60048G	53.05	74.00	-20.95	37.90	3	Vertical	359	2.32	-	38.50	8.51	31.86
AV	10.6045G	39.71	54.00	-14.29	24.56	3	Vertical	359	2.32	-	38.50	8.51	31.86
PK	15.90298G	56.18	74.00	-17.82	39.96	3	Vertical	288	2.33	-	37.30	10.46	31.54
AV	15.89978G	42.85	54.00	-11.15	26.63	3	Vertical	288	2.33	-	37.30	10.46	31.54

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 26.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61398G	53.80	74.00	-20.20	38.66	3	Horizontal	210	1.02	-	38.50	8.51	31.87
AV	10.6027G	39.60	54.00	-14.40	24.45	3	Horizontal	210	1.02	-	38.50	8.51	31.86
PK	15.90496G	56.75	74.00	-17.25	40.53	3	Horizontal	44	1.76	-	37.30	10.46	31.54
AV	15.8997G	42.88	54.00	-11.12	26.66	3	Horizontal	44	1.76	-	37.30	10.46	31.54

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 25
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	120.64	Inf	-Inf	111.66	3	Vertical	202	1.80	-	33.84	5.86	30.72
AV	5.3212G	107.40	Inf	-Inf	98.42	3	Vertical	202	1.80	-	33.84	5.86	30.72
PK	5.3502G	67.64	74.00	-6.36	58.58	3	Vertical	202	1.80	-	33.90	5.88	30.72
AV	5.3504G	52.83	54.00	-1.17	43.77	3	Vertical	202	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	112.27	Inf	-Inf	103.29	3	Horizontal	241	2.77	-	33.84	5.86	30.72
AV	5.3218G	98.96	Inf	-Inf	89.98	3	Horizontal	241	2.77	-	33.84	5.86	30.72
PK	5.3514G	61.98	74.00	-12.02	52.92	3	Horizontal	241	2.77	-	33.90	5.88	30.72
AV	5.3508G	48.59	54.00	-5.41	39.53	3	Horizontal	241	2.77	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6442G	53.41	74.00	-20.59	38.25	3	Vertical	331	1.50	-	38.50	8.53	31.87
AV	10.64062G	39.52	54.00	-14.48	24.37	3	Vertical	331	1.50	-	38.50	8.52	31.87
PK	15.95978G	56.09	74.00	-17.91	39.88	3	Vertical	262	2.05	-	37.30	10.48	31.57
AV	15.96434G	43.00	54.00	-11.00	26.78	3	Vertical	262	2.05	-	37.30	10.49	31.57

5.25-5.35GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 25
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63912G	53.58	74.00	-20.42	38.43	3	Horizontal	154	1.10	-	38.50	8.52	31.87
AV	10.63874G	39.61	54.00	-14.39	24.46	3	Horizontal	154	1.10	-	38.50	8.52	31.87
PK	15.9565G	56.50	74.00	-17.50	40.29	3	Horizontal	21	1.03	-	37.30	10.48	31.57
AV	15.9617G	42.82	54.00	-11.18	26.61	3	Horizontal	21	1.03	-	37.30	10.48	31.57

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4562G	63.89	74.00	-10.11	54.65	3	Vertical	205	1.80	-	34.00	5.96	30.72
AV	5.46G	48.91	54.00	-5.09	39.67	3	Vertical	205	1.80	-	34.00	5.96	30.72
PK	5.4696G	68.02	68.20	-0.18	58.77	3	Vertical	205	1.80	-	34.00	5.97	30.72
PK	5.5034G	120.84	Inf	-Inf	111.56	3	Vertical	205	1.80	-	34.00	6.00	30.72
AV	5.4964G	107.52	Inf	-Inf	98.24	3	Vertical	205	1.80	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	59.15	74.00	-14.85	49.91	3	Horizontal	232	2.22	-	34.00	5.96	30.72
AV	5.4576G	46.72	54.00	-7.28	37.48	3	Horizontal	232	2.22	-	34.00	5.96	30.72
PK	5.4662G	63.12	68.20	-5.08	53.87	3	Horizontal	232	2.22	-	34.00	5.97	30.72
PK	5.4964G	112.38	Inf	-Inf	103.10	3	Horizontal	232	2.22	-	34.00	6.00	30.72
AV	5.4962G	98.29	Inf	-Inf	89.01	3	Horizontal	232	2.22	-	34.00	6.00	30.72

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99562G	54.04	74.00	-19.96	38.71	3	Vertical	248	1.83	-	38.60	8.65	31.92
AV	10.99544G	40.39	54.00	-13.61	25.06	3	Vertical	248	1.83	-	38.60	8.65	31.92
PK	16.50296G	59.03	68.20	-9.17	40.22	3	Vertical	320	2.62	-	39.11	10.68	30.98

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99906G	53.67	74.00	-20.33	38.34	3	Horizontal	276	2.09	-	38.60	8.65	31.92
AV	10.99506G	40.32	54.00	-13.68	24.99	3	Horizontal	276	2.09	-	38.60	8.65	31.92
PK	16.50066G	59.54	68.20	-8.66	40.74	3	Horizontal	337	2.42	-	39.10	10.68	30.98

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	59.90	74.00	-14.10	50.68	3	Vertical	208	2.02	-	34.00	5.94	30.72
AV	5.384G	47.71	54.00	-6.29	38.57	3	Vertical	208	2.02	-	33.97	5.89	30.72
PK	5.468G	59.34	68.20	-8.86	50.09	3	Vertical	208	2.02	-	34.00	5.97	30.72
PK	5.5776G	121.79	Inf	-Inf	112.55	3	Vertical	208	2.02	-	33.94	6.08	30.78
AV	5.584G	110.16	Inf	-Inf	100.93	3	Vertical	208	2.02	-	33.93	6.08	30.78
PK	5.7336G	61.07	68.20	-7.13	52.04	3	Vertical	208	2.02	-	33.83	6.10	30.90

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4464G	59.00	74.00	-15.00	49.77	3	Horizontal	236	2.40	-	34.00	5.95	30.72
AV	5.3944G	46.65	54.00	-7.35	37.48	3	Horizontal	236	2.40	-	33.99	5.90	30.72
PK	5.4664G	58.81	68.20	-9.39	49.56	3	Horizontal	236	2.40	-	34.00	5.97	30.72
PK	5.5744G	112.09	Inf	-Inf	102.85	3	Horizontal	236	2.40	-	33.95	6.07	30.78
AV	5.576G	100.60	Inf	-Inf	91.35	3	Horizontal	236	2.40	-	33.95	6.08	30.78
PK	5.7736G	58.95	68.20	-9.25	49.98	3	Horizontal	236	2.40	-	33.80	6.10	30.93

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15924G	53.48	74.00	-20.52	37.99	3	Vertical	217	1.95	-	38.76	8.71	31.98
AV	11.15836G	39.97	54.00	-14.03	24.48	3	Vertical	217	1.95	-	38.76	8.71	31.98
PK	16.73832G	60.15	68.20	-8.05	40.12	3	Vertical	277	1.85	-	39.91	10.76	30.64

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16276G	54.63	74.00	-19.37	39.15	3	Horizontal	360	2.18	-	38.76	8.71	31.99
AV	11.16144G	40.06	54.00	-13.94	24.57	3	Horizontal	360	2.18	-	38.76	8.71	31.98
PK	16.7425G	59.32	68.20	-8.88	39.25	3	Horizontal	295	1.00	-	39.94	10.76	30.63

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	120.60	Inf	-Inf	111.47	3	Vertical	219	2.00	-	33.90	6.10	30.87
AV	5.702G	107.19	Inf	-Inf	98.06	3	Vertical	219	2.00	-	33.90	6.10	30.87
PK	5.7272G	67.88	68.20	-0.32	58.82	3	Vertical	219	2.00	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	112.83	Inf	-Inf	103.70	3	Horizontal	237	2.71	-	33.90	6.10	30.87
AV	5.698G	98.79	Inf	-Inf	89.66	3	Horizontal	237	2.71	-	33.90	6.10	30.87
PK	5.725G	62.62	68.20	-5.58	53.56	3	Horizontal	237	2.71	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 24
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4054G	54.22	74.00	-19.78	38.70	3	Vertical	187	1.68	-	38.81	8.79	32.08
AV	11.39232G	40.80	54.00	-13.20	25.29	3	Vertical	187	1.68	-	38.80	8.79	32.08
PK	17.097G	61.75	68.20	-6.45	39.73	3	Vertical	359	1.30	-	41.39	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39604G	54.37	74.00	-19.63	38.86	3	Horizontal	29	3.00	-	38.80	8.79	32.08
AV	11.38506G	40.68	54.00	-13.32	25.17	3	Horizontal	29	3.00	-	38.80	8.78	32.07
PK	17.08752G	62.66	68.20	-5.54	40.68	3	Horizontal	70	1.19	-	41.35	10.88	30.25

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	123.01	Inf	-Inf	113.92	3	Vertical	304	2.37	-	33.87	6.10	30.88
AV	5.7184G	110.50	Inf	-Inf	101.43	3	Vertical	304	2.37	-	33.86	6.10	30.89
PK	5.9112G	59.74	68.20	-8.46	50.44	3	Vertical	304	2.37	-	34.12	6.21	31.03

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	113.61	Inf	-Inf	104.54	3	Horizontal	236	2.27	-	33.86	6.10	30.89
AV	5.7184G	101.63	Inf	-Inf	92.56	3	Horizontal	236	2.27	-	33.86	6.10	30.89
PK	5.8784G	58.86	68.20	-9.34	49.73	3	Horizontal	236	2.27	-	33.97	6.17	31.01

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43178G	54.09	74.00	-19.91	38.52	3	Vertical	303	1.03	-	38.86	8.80	32.09
AV	11.44186G	40.71	54.00	-13.29	25.13	3	Vertical	303	1.03	-	38.88	8.80	32.10
PK	17.17194G	62.28	68.20	-5.92	39.78	3	Vertical	59	2.66	-	41.83	10.91	30.24

5.47-5.725GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4253G	53.96	74.00	-20.04	38.40	3	Horizontal	84	1.24	-	38.85	8.80	32.09
AV	11.4547G	40.86	54.00	-13.14	25.24	3	Horizontal	84	1.24	-	38.91	8.81	32.10
PK	17.1585G	61.86	68.20	-6.34	39.44	3	Horizontal	116	1.25	-	41.75	10.91	30.24

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.20	74.00	-14.80	50.55	3	Vertical	156	1.96	-	33.60	5.78	30.73
AV	5.1356G	47.08	54.00	-6.92	38.47	3	Vertical	156	1.96	-	33.57	5.77	30.73
PK	5.2796G	115.87	Inf	-Inf	106.99	3	Vertical	156	1.96	-	33.76	5.84	30.72
AV	5.2718G	103.84	Inf	-Inf	94.98	3	Vertical	156	1.96	-	33.74	5.84	30.72
PK	5.354G	66.22	74.00	-7.78	57.15	3	Vertical	156	1.96	-	33.91	5.88	30.72
AV	5.3504G	49.94	54.00	-4.06	40.88	3	Vertical	156	1.96	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Z_2TX
 Setting 24
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	58.49	74.00	-15.51	49.86	3	Horizontal	227	1.38	-	33.59	5.77	30.73
AV	5.1452G	46.04	54.00	-7.96	37.41	3	Horizontal	227	1.38	-	33.59	5.77	30.73
PK	5.2622G	105.45	Inf	-Inf	96.62	3	Horizontal	227	1.38	-	33.72	5.83	30.72
AV	5.2598G	92.72	Inf	-Inf	83.89	3	Horizontal	227	1.38	-	33.72	5.83	30.72
PK	5.3678G	58.99	74.00	-15.01	49.89	3	Horizontal	227	1.38	-	33.94	5.88	30.72
AV	5.35G	46.80	54.00	-7.20	37.74	3	Horizontal	227	1.38	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 24
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54044G	53.33	68.20	-14.87	38.14	3	Vertical	332	2.32	-	38.56	8.49	31.86
PK	15.81368G	56.32	74.00	-17.68	39.91	3	Vertical	117	1.20	-	37.47	10.43	31.49
AV	15.81044G	42.97	54.00	-11.03	26.56	3	Vertical	117	1.20	-	37.48	10.42	31.49

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53948G	53.56	68.20	-14.64	38.37	3	Horizontal	23	2.66	-	38.56	8.49	31.86
PK	15.81132G	56.80	74.00	-17.20	40.39	3	Horizontal	331	2.48	-	37.48	10.42	31.49
AV	15.80308G	43.27	54.00	-10.73	26.85	3	Horizontal	331	2.48	-	37.49	10.42	31.49

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	116.65	Inf	-Inf	107.67	3	Vertical	204	1.80	-	33.84	5.86	30.72
AV	5.3072G	103.82	Inf	-Inf	94.88	3	Vertical	204	1.80	-	33.81	5.85	30.72
PK	5.3588G	66.42	74.00	-7.58	57.34	3	Vertical	204	1.80	-	33.92	5.88	30.72
AV	5.35G	53.62	54.00	-0.38	44.56	3	Vertical	204	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	106.25	Inf	-Inf	97.32	3	Horizontal	224	2.06	-	33.80	5.85	30.72
AV	5.3G	93.21	Inf	-Inf	84.28	3	Horizontal	224	2.06	-	33.80	5.85	30.72
PK	5.3504G	59.30	74.00	-14.70	50.24	3	Horizontal	224	2.06	-	33.90	5.88	30.72
AV	5.3516G	47.37	54.00	-6.63	38.31	3	Horizontal	224	2.06	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6112G	53.51	74.00	-20.49	38.37	3	Vertical	152	2.59	-	38.50	8.51	31.87
AV	10.61608G	39.57	54.00	-14.43	24.42	3	Vertical	152	2.59	-	38.50	8.52	31.87
PK	15.92572G	56.73	74.00	-17.27	40.51	3	Vertical	203	2.86	-	37.30	10.47	31.55
AV	15.9222G	42.96	54.00	-11.04	26.74	3	Vertical	203	2.86	-	37.30	10.47	31.55

5.25-5.35GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62036G	53.03	74.00	-20.97	37.88	3	Horizontal	254	1.59	-	38.50	8.52	31.87
AV	10.61412G	39.69	54.00	-14.31	24.55	3	Horizontal	254	1.59	-	38.50	8.51	31.87
PK	15.9222G	56.36	74.00	-17.64	40.14	3	Horizontal	167	2.66	-	37.30	10.47	31.55
AV	15.92468G	42.87	54.00	-11.13	26.65	3	Horizontal	167	2.66	-	37.30	10.47	31.55

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.90	74.00	-11.10	53.66	3	Vertical	205	1.80	-	34.00	5.96	30.72
AV	5.46G	49.64	54.00	-4.36	40.40	3	Vertical	205	1.80	-	34.00	5.96	30.72
PK	5.466G	66.99	68.20	-1.21	57.74	3	Vertical	205	1.80	-	34.00	5.97	30.72
PK	5.5G	117.07	Inf	-Inf	107.79	3	Vertical	205	1.80	-	34.00	6.00	30.72
AV	5.5092G	104.08	Inf	-Inf	94.80	3	Vertical	205	1.80	-	34.00	6.01	30.73

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4168G	59.23	74.00	-14.77	50.03	3	Horizontal	232	2.32	-	34.00	5.92	30.72
PK	5.47G	59.57	68.20	-8.63	50.32	3	Horizontal	232	2.32	-	34.00	5.97	30.72
AV	5.4584G	47.00	54.00	-7.00	37.76	3	Horizontal	232	2.32	-	34.00	5.96	30.72
PK	5.5204G	106.73	Inf	-Inf	97.45	3	Horizontal	232	2.32	-	34.00	6.02	30.74
AV	5.5156G	94.20	Inf	-Inf	84.91	3	Horizontal	232	2.32	-	34.00	6.02	30.73

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02092G	53.88	74.00	-20.12	38.53	3	Vertical	326	2.88	-	38.62	8.66	31.93
AV	11.01792G	40.50	54.00	-13.50	25.15	3	Vertical	326	2.88	-	38.62	8.66	31.93
PK	16.52572G	60.09	68.20	-8.11	41.17	3	Vertical	84	1.53	-	39.18	10.68	30.94

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 22.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01604G	54.07	74.00	-19.93	38.72	3	Horizontal	315	1.35	-	38.62	8.66	31.93
AV	11.01092G	40.45	54.00	-13.55	25.11	3	Horizontal	315	1.35	-	38.61	8.65	31.92
PK	16.52256G	59.97	68.20	-8.23	41.07	3	Horizontal	74	2.34	-	39.17	10.68	30.95

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	64.38	74.00	-9.62	55.14	3	Vertical	205	1.17	-	34.00	5.96	30.72
AV	5.4588G	50.28	54.00	-3.72	41.04	3	Vertical	205	1.17	-	34.00	5.96	30.72
PK	5.4612G	66.63	68.20	-1.57	57.39	3	Vertical	205	1.17	-	34.00	5.96	30.72
PK	5.5434G	116.88	Inf	-Inf	107.59	3	Vertical	205	1.17	-	34.00	6.04	30.75
AV	5.5494G	104.85	Inf	-Inf	95.56	3	Vertical	205	1.17	-	34.00	6.05	30.76

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Z_2TX
 Setting 22.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	60.42	74.00	-13.58	51.20	3	Horizontal	231	2.12	-	34.00	5.94	30.72
PK	5.4624G	60.23	68.20	-7.97	50.99	3	Horizontal	231	2.12	-	34.00	5.96	30.72
AV	5.4558G	47.22	54.00	-6.78	37.98	3	Horizontal	231	2.12	-	34.00	5.96	30.72
PK	5.5428G	108.08	Inf	-Inf	98.79	3	Horizontal	231	2.12	-	34.00	6.04	30.75
AV	5.5428G	95.43	Inf	-Inf	86.14	3	Horizontal	231	2.12	-	34.00	6.04	30.75

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 22.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09248G	53.90	74.00	-20.10	38.49	3	Vertical	274	2.23	-	38.69	8.68	31.96
AV	11.0998G	40.31	54.00	-13.69	24.89	3	Vertical	274	2.23	-	38.70	8.68	31.96
PK	16.6572G	60.29	68.20	-7.91	40.80	3	Vertical	18	1.81	-	39.51	10.73	30.75

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 22.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10548G	54.33	74.00	-19.67	38.89	3	Horizontal	229	1.92	-	38.71	8.69	31.96
AV	11.1072G	40.18	54.00	-13.82	24.74	3	Horizontal	229	1.92	-	38.71	8.69	31.96
PK	16.65628G	59.93	68.20	-8.27	40.44	3	Horizontal	0	1.95	-	39.51	10.73	30.75

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Z_2TX
Setting 23.5
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6836G	116.70	Inf	-Inf	107.59	3	Vertical	205	1.14	-	33.87	6.10	30.86
AV	5.6688G	103.78	Inf	-Inf	94.69	3	Vertical	205	1.14	-	33.84	6.10	30.85
PK	5.726G	67.48	68.20	-0.72	58.42	3	Vertical	205	1.14	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	107.79	Inf	-Inf	98.69	3	Horizontal	235	2.43	-	33.85	6.10	30.85
AV	5.676G	94.99	Inf	-Inf	85.89	3	Horizontal	235	2.43	-	33.85	6.10	30.85
PK	5.7532G	60.05	68.20	-8.15	51.06	3	Horizontal	235	2.43	-	33.80	6.10	30.91

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 23.5
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33676G	54.59	74.00	-19.41	39.07	3	Vertical	175	2.31	-	38.80	8.77	32.05
AV	11.34028G	40.72	54.00	-13.28	25.21	3	Vertical	175	2.31	-	38.80	8.77	32.06
PK	17.0188G	62.11	68.20	-6.09	40.43	3	Vertical	11	1.62	-	41.08	10.86	30.26

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33312G	53.57	74.00	-20.43	38.05	3	Horizontal	175	1.16	-	38.80	8.77	32.05
AV	11.33824G	40.72	54.00	-13.28	25.21	3	Horizontal	175	1.16	-	38.80	8.77	32.06
PK	17.01448G	62.12	68.20	-6.08	40.46	3	Horizontal	50	1.16	-	41.06	10.86	30.26

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7172G	117.81	Inf	-Inf	108.73	3	Vertical	326	2.04	-	33.87	6.10	30.89
AV	5.7172G	105.73	Inf	-Inf	96.65	3	Vertical	326	2.04	-	33.87	6.10	30.89
PK	5.8636G	65.62	68.20	-2.58	56.58	3	Vertical	326	2.04	-	33.88	6.16	31.00

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	110.13	Inf	-Inf	101.04	3	Horizontal	235	2.30	-	33.87	6.10	30.88
AV	5.7068G	97.48	Inf	-Inf	88.37	3	Horizontal	235	2.30	-	33.89	6.10	30.88
PK	5.9044G	59.71	68.20	-8.49	50.43	3	Horizontal	235	2.30	-	34.11	6.20	31.03

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42116G	54.68	74.00	-19.32	39.13	3	Vertical	126	2.25	-	38.84	8.80	32.09
AV	11.4296G	40.52	54.00	-13.48	24.95	3	Vertical	126	2.25	-	38.86	8.80	32.09
PK	17.13044G	62.81	68.20	-5.39	40.58	3	Vertical	63	1.54	-	41.58	10.90	30.25

5.47-5.725GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 25
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42556G	53.82	74.00	-20.18	38.26	3	Horizontal	32	1.55	-	38.85	8.80	32.09
AV	11.42152G	40.56	54.00	-13.44	25.01	3	Horizontal	32	1.55	-	38.84	8.80	32.09
PK	17.13408G	63.25	68.20	-4.95	41.00	3	Horizontal	209	2.08	-	41.60	10.90	30.25

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Z_2TX
 Setting 22
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	59.53	74.00	-14.47	50.90	3	Vertical	203	1.80	-	33.59	5.77	30.73
AV	5.136G	47.92	54.00	-6.08	39.31	3	Vertical	203	1.80	-	33.57	5.77	30.73
PK	5.302G	111.90	Inf	-Inf	102.97	3	Vertical	203	1.80	-	33.80	5.85	30.72
AV	5.297G	99.27	Inf	-Inf	90.35	3	Vertical	203	1.80	-	33.79	5.85	30.72
PK	5.353G	66.18	74.00	-7.82	57.11	3	Vertical	203	1.80	-	33.91	5.88	30.72
AV	5.351G	53.42	54.00	-0.58	44.36	3	Vertical	203	1.80	-	33.90	5.88	30.72
PK	5.493G	59.57	68.20	-8.63	50.30	3	Vertical	203	1.80	-	34.00	5.99	30.72

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT Z_2TX
 Setting 22
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	58.54	74.00	-15.46	50.03	3	Horizontal	234	2.17	-	33.50	5.74	30.73
AV	5.136G	46.17	54.00	-7.83	37.56	3	Horizontal	234	2.17	-	33.57	5.77	30.73
PK	5.291G	101.77	Inf	-Inf	92.86	3	Horizontal	234	2.17	-	33.78	5.85	30.72
AV	5.301G	88.92	Inf	-Inf	79.99	3	Horizontal	234	2.17	-	33.80	5.85	30.72
PK	5.368G	61.25	74.00	-12.75	52.15	3	Horizontal	234	2.17	-	33.94	5.88	30.72
AV	5.351G	48.03	54.00	-5.97	38.97	3	Horizontal	234	2.17	-	33.90	5.88	30.72
PK	5.513G	58.73	68.20	-9.47	49.45	3	Horizontal	234	2.17	-	34.00	6.01	30.73

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57256G	52.71	68.20	-15.49	37.54	3	Vertical	126	1.73	-	38.53	8.50	31.86
PK	15.87856G	55.95	74.00	-18.05	39.69	3	Vertical	235	2.53	-	37.34	10.45	31.53
AV	15.87112G	42.91	54.00	-11.09	26.62	3	Vertical	235	2.53	-	37.36	10.45	31.52

5.25-5.35GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58996G	52.72	68.20	-15.48	37.56	3	Horizontal	72	1.79	-	38.51	8.51	31.86
PK	15.86724G	55.87	74.00	-18.13	39.57	3	Horizontal	18	1.81	-	37.37	10.45	31.52
AV	15.86156G	42.91	54.00	-11.09	26.61	3	Horizontal	18	1.81	-	37.38	10.44	31.52

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 22
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	59.56	68.20	-8.64	50.59	3	Vertical	208	1.78	-	33.83	5.86	30.72
AV	5.35G	47.47	54.00	-6.53	38.42	3	Vertical	208	1.78	-	33.90	5.87	30.72
PK	5.454G	64.96	74.00	-9.04	55.73	3	Vertical	208	1.78	-	34.00	5.95	30.72
PK	5.463G	66.96	68.20	-1.24	57.72	3	Vertical	208	1.78	-	34.00	5.96	30.72
AV	5.46G	52.21	54.00	-1.79	42.97	3	Vertical	208	1.78	-	34.00	5.96	30.72
PK	5.551G	112.25	Inf	-Inf	102.96	3	Vertical	208	1.78	-	34.00	6.05	30.76
AV	5.532G	100.04	Inf	-Inf	90.75	3	Vertical	208	1.78	-	34.00	6.03	30.74
PK	5.729G	60.63	68.20	-7.57	51.58	3	Vertical	208	1.78	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	59.00	68.20	-9.20	50.03	3	Horizontal	240	2.32	-	33.83	5.86	30.72
AV	5.35G	46.33	54.00	-7.67	37.28	3	Horizontal	240	2.32	-	33.90	5.87	30.72
PK	5.456G	60.55	74.00	-13.45	51.31	3	Horizontal	240	2.32	-	34.00	5.96	30.72
AV	5.459G	47.37	54.00	-6.63	38.13	3	Horizontal	240	2.32	-	34.00	5.96	30.72
PK	5.469G	59.95	68.20	-8.25	50.70	3	Horizontal	240	2.32	-	34.00	5.97	30.72
PK	5.521G	103.39	Inf	-Inf	94.11	3	Horizontal	240	2.32	-	34.00	6.02	30.74
AV	5.521G	90.90	Inf	-Inf	81.62	3	Horizontal	240	2.32	-	34.00	6.02	30.74
PK	5.757G	59.22	68.20	-8.98	50.24	3	Horizontal	240	2.32	-	33.80	6.10	30.92

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05124G	53.90	74.00	-20.10	38.52	3	Vertical	161	2.02	-	38.65	8.67	31.94
AV	11.06004G	40.94	54.00	-13.06	25.55	3	Vertical	161	2.02	-	38.66	8.67	31.94
PK	16.5804G	60.88	68.20	-7.32	41.70	3	Vertical	99	1.80	-	39.34	10.70	30.86

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 22
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0676G	54.18	74.00	-19.82	38.79	3	Horizontal	294	1.80	-	38.67	8.67	31.95
AV	11.05012G	40.21	54.00	-13.79	24.83	3	Horizontal	294	1.80	-	38.65	8.67	31.94
PK	16.59616G	60.06	68.20	-8.14	40.80	3	Horizontal	87	1.80	-	39.39	10.71	30.84

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	59.80	74.00	-14.20	50.56	3	Vertical	308	2.10	-	34.00	5.96	30.72
AV	5.452G	47.30	54.00	-6.70	38.07	3	Vertical	308	2.10	-	34.00	5.95	30.72
PK	5.462G	60.10	68.20	-8.10	50.86	3	Vertical	308	2.10	-	34.00	5.96	30.72
PK	5.685G	114.47	Inf	-Inf	105.36	3	Vertical	308	2.10	-	33.87	6.10	30.86
AV	5.684G	101.76	Inf	-Inf	92.65	3	Vertical	308	2.10	-	33.87	6.10	30.86
PK	5.862G	66.69	68.20	-1.51	57.66	3	Vertical	308	2.10	-	33.87	6.16	31.00

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.23	74.00	-15.77	48.99	3	Horizontal	236	2.40	-	34.00	5.96	30.72
AV	5.448G	46.61	54.00	-7.39	37.38	3	Horizontal	236	2.40	-	34.00	5.95	30.72
PK	5.468G	58.38	68.20	-9.82	49.13	3	Horizontal	236	2.40	-	34.00	5.97	30.72
PK	5.691G	104.97	Inf	-Inf	95.86	3	Horizontal	236	2.40	-	33.88	6.10	30.87
AV	5.697G	92.83	Inf	-Inf	83.71	3	Horizontal	236	2.40	-	33.89	6.10	30.87
PK	5.938G	59.81	68.20	-8.39	50.45	3	Horizontal	236	2.40	-	34.18	6.23	31.05

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37692G	54.33	74.00	-19.67	38.82	3	Vertical	179	2.66	-	38.80	8.78	32.07
AV	11.37312G	40.88	54.00	-13.12	25.37	3	Vertical	179	2.66	-	38.80	8.78	32.07
PK	17.0676G	62.90	68.20	-5.30	41.01	3	Vertical	20	1.19	-	41.27	10.87	30.25

5.47-5.725GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 23.5
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37212G	54.57	74.00	-19.43	39.06	3	Horizontal	14	2.73	-	38.80	8.78	32.07
AV	11.37044G	40.85	54.00	-13.15	25.34	3	Horizontal	14	2.73	-	38.80	8.78	32.07
PK	17.06584G	62.10	68.20	-6.10	40.22	3	Horizontal	85	1.80	-	41.26	10.87	30.25

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Z_2TX
 Setting 28
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.33	74.00	-15.67	52.53	3	Vertical	307	2.09	-	33.95	6.73	34.88
AV	5.1358G	47.05	54.00	-6.95	41.22	3	Vertical	307	2.09	-	33.97	6.74	34.88
PK	5.263G	118.98	Inf	-Inf	112.59	3	Vertical	307	2.09	-	34.43	6.83	34.87
AV	5.263G	106.78	Inf	-Inf	100.39	3	Vertical	307	2.09	-	34.43	6.83	34.87
PK	5.3686G	58.65	74.00	-15.35	52.10	3	Vertical	307	2.09	-	34.54	6.88	34.87
AV	5.3902G	46.92	54.00	-7.08	40.31	3	Vertical	307	2.09	-	34.58	6.90	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1208G	57.43	74.00	-16.57	51.65	3	Horizontal	244	2.80	-	33.94	6.72	34.88
AV	5.131G	45.51	54.00	-8.49	39.70	3	Horizontal	244	2.80	-	33.96	6.73	34.88
PK	5.2612G	107.67	Inf	-Inf	101.29	3	Horizontal	244	2.80	-	34.42	6.83	34.87
AV	5.266G	95.73	Inf	-Inf	89.34	3	Horizontal	244	2.80	-	34.43	6.83	34.87
PK	5.3956G	58.92	74.00	-15.08	52.30	3	Horizontal	244	2.80	-	34.59	6.90	34.87
AV	5.3878G	46.57	54.00	-7.43	39.97	3	Horizontal	244	2.80	-	34.58	6.89	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51912G	58.49	68.20	-9.71	41.12	3	Vertical	262	1.04	-	38.20	12.29	33.12
PK	15.77958G	62.32	74.00	-11.68	42.70	3	Vertical	108	2.69	-	37.82	16.48	34.68
AV	15.78424G	49.30	54.00	-4.70	29.66	3	Vertical	108	2.69	-	37.84	16.48	34.68

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52368G	58.32	68.20	-9.88	40.96	3	Horizontal	0	1.81	-	38.20	12.29	33.13
PK	15.78398G	62.03	74.00	-11.97	42.39	3	Horizontal	139	1.80	-	37.84	16.48	34.68
AV	15.78094G	48.80	54.00	-5.20	29.18	3	Horizontal	139	1.80	-	37.82	16.48	34.68

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	118.00	Inf	-Inf	111.53	3	Vertical	273	2.10	-	34.49	6.85	34.87
AV	5.3052G	105.54	Inf	-Inf	99.06	3	Vertical	273	2.10	-	34.50	6.85	34.87
PK	5.3828G	61.68	74.00	-12.32	55.09	3	Vertical	273	2.10	-	34.57	6.89	34.87
AV	5.376G	47.03	54.00	-6.97	40.46	3	Vertical	273	2.10	-	34.55	6.89	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	107.98	Inf	-Inf	101.51	3	Horizontal	242	2.59	-	34.49	6.85	34.87
AV	5.2964G	96.01	Inf	-Inf	89.54	3	Horizontal	242	2.59	-	34.49	6.85	34.87
PK	5.3744G	59.44	74.00	-14.56	52.87	3	Horizontal	242	2.59	-	34.55	6.89	34.87
AV	5.3916G	46.34	54.00	-7.66	39.73	3	Horizontal	242	2.59	-	34.58	6.90	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59938G	56.38	68.20	-11.82	39.24	3	Vertical	111	1.52	-	38.20	12.33	33.39
PK	15.8961G	63.02	74.00	-10.98	43.57	3	Vertical	207	2.41	-	37.61	16.60	34.76
AV	15.89952G	49.02	54.00	-4.98	29.58	3	Vertical	207	2.41	-	37.60	16.60	34.76

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59648G	57.24	68.20	-10.96	40.09	3	Horizontal	300	1.20	-	38.20	12.33	33.38
PK	15.90396G	61.90	74.00	-12.10	42.47	3	Horizontal	36	2.85	-	37.59	16.60	34.76
AV	15.90142G	48.97	54.00	-5.03	29.53	3	Horizontal	36	2.85	-	37.60	16.60	34.76

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	118.64	Inf	-Inf	112.15	3	Vertical	274	2.08	-	34.50	6.86	34.87
AV	5.3172G	105.54	Inf	-Inf	99.05	3	Vertical	274	2.08	-	34.50	6.86	34.87
PK	5.3552G	60.02	74.00	-13.98	53.50	3	Vertical	274	2.08	-	34.51	6.88	34.87
AV	5.3502G	47.61	54.00	-6.39	41.10	3	Vertical	274	2.08	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3254G	109.10	Inf	-Inf	102.61	3	Horizontal	243	2.72	-	34.50	6.86	34.87
AV	5.3254G	97.01	Inf	-Inf	90.52	3	Horizontal	243	2.72	-	34.50	6.86	34.87
PK	5.3672G	58.62	74.00	-15.38	52.08	3	Horizontal	243	2.72	-	34.53	6.88	34.87
AV	5.3618G	46.31	54.00	-7.69	39.78	3	Horizontal	243	2.72	-	34.52	6.88	34.87

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.645G	58.06	74.00	-15.94	40.97	3	Vertical	62	2.93	-	38.29	12.35	33.55
AV	10.6358G	43.96	54.00	-10.04	26.86	3	Vertical	62	2.93	-	38.27	12.35	33.52
PK	15.96408G	62.51	74.00	-11.49	43.19	3	Vertical	303	2.58	-	37.47	16.66	34.81
AV	15.95708G	49.47	54.00	-4.53	30.12	3	Vertical	303	2.58	-	37.49	16.66	34.80

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63508G	57.25	74.00	-16.75	40.14	3	Horizontal	41	2.47	-	38.27	12.35	33.51
AV	10.63566G	44.05	54.00	-9.95	26.95	3	Horizontal	41	2.47	-	38.27	12.35	33.52
PK	15.95572G	62.18	74.00	-11.82	42.83	3	Horizontal	40	2.18	-	37.49	16.66	34.80
AV	15.96084G	49.31	54.00	-4.69	29.97	3	Horizontal	40	2.18	-	37.48	16.66	34.80

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.43	74.00	-13.57	53.82	3	Vertical	275	1.97	-	34.51	6.96	34.86
AV	5.4552G	48.30	54.00	-5.70	41.69	3	Vertical	275	1.97	-	34.51	6.96	34.86
PK	5.4688G	61.04	68.20	-7.16	54.39	3	Vertical	275	1.97	-	34.54	6.97	34.86
PK	5.4994G	121.52	Inf	-Inf	114.78	3	Vertical	275	1.97	-	34.60	7.00	34.86
AV	5.5022G	108.65	Inf	-Inf	101.91	3	Vertical	275	1.97	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	59.95	74.00	-14.05	53.35	3	Horizontal	134	2.31	-	34.51	6.95	34.86
AV	5.4522G	47.68	54.00	-6.32	41.09	3	Horizontal	134	2.31	-	34.50	6.95	34.86
PK	5.4648G	59.60	68.20	-8.60	52.97	3	Horizontal	134	2.31	-	34.53	6.96	34.86
PK	5.4944G	109.12	Inf	-Inf	102.40	3	Horizontal	134	2.31	-	34.59	6.99	34.86
AV	5.4948G	96.46	Inf	-Inf	89.74	3	Horizontal	134	2.31	-	34.59	6.99	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0036G	57.17	74.00	-16.83	40.99	3	Vertical	273	1.80	-	38.40	12.55	34.77
AV	11.0048G	44.63	54.00	-9.37	28.45	3	Vertical	273	1.80	-	38.40	12.55	34.77
PK	16.48566G	64.86	68.20	-3.34	43.98	3	Vertical	0	1.81	-	38.30	16.99	34.41

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00648G	57.80	74.00	-16.20	41.61	3	Horizontal	333	1.70	-	38.41	12.55	34.77
AV	11.01128G	44.85	54.00	-9.15	28.65	3	Horizontal	333	1.70	-	38.41	12.56	34.77
PK	16.48896G	64.36	68.20	-3.84	43.46	3	Horizontal	144	1.07	-	38.32	16.99	34.41

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4016G	60.69	74.00	-13.31	54.06	3	Vertical	276	2.13	-	34.60	6.90	34.87
AV	5.3848G	47.96	54.00	-6.04	41.37	3	Vertical	276	2.13	-	34.57	6.89	34.87
PK	5.4648G	59.42	68.20	-8.78	52.79	3	Vertical	276	2.13	-	34.53	6.96	34.86
PK	5.5776G	119.00	Inf	-Inf	112.20	3	Vertical	276	2.13	-	34.60	7.08	34.88
AV	5.5784G	107.19	Inf	-Inf	100.39	3	Vertical	276	2.13	-	34.60	7.08	34.88
PK	5.7536G	60.21	68.20	-7.99	53.75	3	Vertical	276	2.13	-	34.20	7.18	34.92

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.91	74.00	-14.09	53.32	3	Horizontal	200	2.01	-	34.51	6.94	34.86
AV	5.3984G	47.50	54.00	-6.50	40.87	3	Horizontal	200	2.01	-	34.60	6.90	34.87
PK	5.4656G	59.01	68.20	-9.19	52.37	3	Horizontal	200	2.01	-	34.53	6.97	34.86
PK	5.584G	108.64	Inf	-Inf	101.84	3	Horizontal	200	2.01	-	34.60	7.08	34.88
AV	5.5872G	96.51	Inf	-Inf	89.70	3	Horizontal	200	2.01	-	34.60	7.09	34.88
PK	5.772G	59.48	68.20	-8.72	53.01	3	Horizontal	200	2.01	-	34.20	7.19	34.92

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17128G	57.66	74.00	-16.34	41.25	3	Vertical	134	1.80	-	38.57	12.64	34.80
AV	11.1657G	44.22	54.00	-9.78	27.81	3	Vertical	134	1.80	-	38.57	12.64	34.80
PK	16.74312G	65.02	68.20	-3.18	43.11	3	Vertical	309	2.31	-	39.00	17.15	34.24

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15196G	56.68	74.00	-17.32	40.30	3	Horizontal	67	1.80	-	38.55	12.63	34.80
AV	11.14602G	44.18	54.00	-9.82	27.80	3	Horizontal	67	1.80	-	38.55	12.63	34.80
PK	16.74342G	65.11	68.20	-3.09	43.20	3	Horizontal	305	2.40	-	39.00	17.15	34.24

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.699G	120.45	Inf	-Inf	113.90	3	Vertical	95	1.98	-	34.30	7.15	34.90
AV	5.7018G	107.29	Inf	-Inf	100.74	3	Vertical	95	1.98	-	34.30	7.15	34.90
PK	5.7284G	62.96	68.20	-5.24	56.47	3	Vertical	95	1.98	-	34.24	7.16	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	108.86	Inf	-Inf	102.29	3	Horizontal	232	2.41	-	34.32	7.15	34.90
AV	5.6992G	95.09	Inf	-Inf	88.54	3	Horizontal	232	2.41	-	34.30	7.15	34.90
PK	5.7264G	64.09	68.20	-4.11	57.59	3	Horizontal	232	2.41	-	34.25	7.16	34.91

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3919G	57.58	74.00	-16.42	48.73	3	Vertical	66	1.66	-	38.79	12.77	42.71
AV	11.39544G	44.73	54.00	-9.27	35.88	3	Vertical	66	1.66	-	38.80	12.77	42.72
PK	17.08758G	63.77	68.20	-4.43	48.07	3	Vertical	116	1.80	-	40.16	17.35	41.81

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39958G	57.77	74.00	-16.23	48.92	3	Horizontal	134	1.28	-	38.80	12.77	42.72
AV	11.40084G	45.06	54.00	-8.94	36.21	3	Horizontal	134	1.28	-	38.80	12.77	42.72
PK	17.09196G	63.45	68.20	-4.75	47.72	3	Horizontal	311	1.80	-	40.18	17.36	41.81

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	118.67	Inf	-Inf	112.15	3	Vertical	291	2.08	-	34.27	7.16	34.91
AV	5.7152G	106.04	Inf	-Inf	99.52	3	Vertical	291	2.08	-	34.27	7.16	34.91
PK	5.8576G	60.05	68.20	-8.15	53.41	3	Vertical	291	2.08	-	34.35	7.23	34.94

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	108.96	Inf	-Inf	102.45	3	Horizontal	143	2.01	-	34.26	7.16	34.91
AV	5.7152G	97.79	Inf	-Inf	91.27	3	Horizontal	143	2.01	-	34.27	7.16	34.91
PK	5.9144G	59.32	68.20	-8.88	52.35	3	Horizontal	143	2.01	-	34.66	7.26	34.95

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42518G	58.18	74.00	-15.82	41.40	3	Vertical	128	2.79	-	38.85	12.78	34.85
AV	11.44528G	45.38	54.00	-8.62	28.55	3	Vertical	128	2.79	-	38.89	12.79	34.85
PK	17.17332G	64.67	68.20	-3.53	40.90	3	Vertical	252	1.69	-	40.49	17.40	34.12

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45164G	58.43	74.00	-15.57	41.58	3	Horizontal	87	2.91	-	38.90	12.80	34.85
AV	11.45182G	45.54	54.00	-8.46	28.69	3	Horizontal	87	2.91	-	38.90	12.80	34.85
PK	17.17284G	64.14	68.20	-4.06	40.37	3	Horizontal	268	3.00	-	40.49	17.40	34.12

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	58.35	74.00	-15.65	52.49	3	Vertical	274	1.92	-	33.99	6.75	34.88
AV	5.1356G	46.96	54.00	-7.04	41.13	3	Vertical	274	1.92	-	33.97	6.74	34.88
PK	5.276G	117.36	Inf	-Inf	110.94	3	Vertical	274	1.92	-	34.45	6.84	34.87
AV	5.2658G	104.31	Inf	-Inf	97.92	3	Vertical	274	1.92	-	34.43	6.83	34.87
PK	5.369G	60.54	74.00	-13.46	53.99	3	Vertical	274	1.92	-	34.54	6.88	34.87
AV	5.3834G	47.97	54.00	-6.03	41.38	3	Vertical	274	1.92	-	34.57	6.89	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1314G	58.01	74.00	-15.99	52.20	3	Horizontal	245	2.80	-	33.96	6.73	34.88
AV	5.1236G	45.92	54.00	-8.08	40.13	3	Horizontal	245	2.80	-	33.95	6.72	34.88
PK	5.2634G	108.59	Inf	-Inf	102.20	3	Horizontal	245	2.80	-	34.43	6.83	34.87
AV	5.2616G	97.35	Inf	-Inf	90.97	3	Horizontal	245	2.80	-	34.42	6.83	34.87
PK	5.4116G	59.49	74.00	-14.51	52.87	3	Horizontal	245	2.80	-	34.58	6.91	34.87
AV	5.3786G	47.16	54.00	-6.84	40.58	3	Horizontal	245	2.80	-	34.56	6.89	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52956G	58.16	68.20	-10.04	40.82	3	Vertical	37	2.09	-	38.20	12.29	33.15
PK	15.7995G	63.78	74.00	-10.22	44.07	3	Vertical	360	1.80	-	37.90	16.50	34.69
AV	15.80664G	50.88	54.00	-3.12	31.19	3	Vertical	360	1.80	-	37.88	16.51	34.70

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.549G	57.40	68.20	-10.80	40.12	3	Horizontal	11	1.00	-	38.20	12.30	33.22
PK	15.80754G	63.90	74.00	-10.10	44.21	3	Horizontal	360	1.80	-	37.88	16.51	34.70
AV	15.80592G	50.76	54.00	-3.24	31.07	3	Horizontal	360	1.80	-	37.88	16.51	34.70

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	117.42	Inf	-Inf	110.93	3	Vertical	274	1.95	-	34.50	6.86	34.87
AV	5.3144G	104.22	Inf	-Inf	97.73	3	Vertical	274	1.95	-	34.50	6.86	34.87
PK	5.3884G	66.26	74.00	-7.74	59.66	3	Vertical	274	1.95	-	34.58	6.89	34.87
AV	5.35G	51.84	54.00	-2.16	45.33	3	Vertical	274	1.95	-	34.50	6.88	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	106.22	Inf	-Inf	99.73	3	Horizontal	180	1.75	-	34.50	6.86	34.87
AV	5.3156G	93.89	Inf	-Inf	87.40	3	Horizontal	180	1.75	-	34.50	6.86	34.87
PK	5.37G	59.32	74.00	-14.68	52.76	3	Horizontal	180	1.75	-	34.54	6.89	34.87
AV	5.408G	47.23	54.00	-6.77	40.61	3	Horizontal	180	1.75	-	34.58	6.91	34.87

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61376G	57.32	74.00	-16.68	40.19	3	Vertical	173	1.38	-	38.23	12.34	33.44
AV	10.6077G	44.37	54.00	-9.63	27.24	3	Vertical	173	1.38	-	38.22	12.33	33.42
PK	15.9324G	63.88	74.00	-10.12	44.49	3	Vertical	16	1.80	-	37.54	16.63	34.78
AV	15.92748G	50.90	54.00	-3.10	31.50	3	Vertical	16	1.80	-	37.55	16.63	34.78

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 28
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61334G	57.50	74.00	-16.50	40.37	3	Horizontal	338	2.66	-	38.23	12.34	33.44
AV	10.61874G	44.47	54.00	-9.53	27.35	3	Horizontal	338	2.66	-	38.24	12.34	33.46
PK	15.9153G	63.69	74.00	-10.31	44.27	3	Horizontal	103	2.51	-	37.57	16.62	34.77
AV	15.93354G	50.77	54.00	-3.23	31.39	3	Horizontal	103	2.51	-	37.53	16.63	34.78

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	61.24	74.00	-12.76	54.64	3	Vertical	276	2.00	-	34.52	6.94	34.86
PK	5.47G	62.26	68.20	-5.94	55.61	3	Vertical	276	2.00	-	34.54	6.97	34.86
AV	5.46G	48.17	54.00	-5.83	41.55	3	Vertical	276	2.00	-	34.52	6.96	34.86
PK	5.5052G	116.65	Inf	-Inf	109.90	3	Vertical	276	2.00	-	34.60	7.01	34.86
AV	5.4964G	105.34	Inf	-Inf	98.61	3	Vertical	276	2.00	-	34.59	7.00	34.86

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	59.67	74.00	-14.33	53.07	3	Horizontal	245	2.32	-	34.52	6.94	34.86
AV	5.4268G	47.25	54.00	-6.75	40.63	3	Horizontal	245	2.32	-	34.55	6.93	34.86
PK	5.4688G	60.09	68.20	-8.11	53.44	3	Horizontal	245	2.32	-	34.54	6.97	34.86
PK	5.5072G	107.99	Inf	-Inf	101.24	3	Horizontal	245	2.32	-	34.60	7.01	34.86
AV	5.5028G	97.23	Inf	-Inf	90.49	3	Horizontal	245	2.32	-	34.60	7.00	34.86

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02606G	58.01	74.00	-15.99	41.79	3	Vertical	0	1.80	-	38.43	12.56	34.77
AV	11.0113G	44.85	54.00	-9.15	28.65	3	Vertical	0	1.80	-	38.41	12.56	34.77
PK	16.53846G	64.46	68.20	-3.74	43.22	3	Vertical	302	1.40	-	38.59	17.02	34.37

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0077G	58.66	74.00	-15.34	42.47	3	Horizontal	0	1.80	-	38.41	12.55	34.77
AV	11.01352G	44.72	54.00	-9.28	28.52	3	Horizontal	0	1.80	-	38.41	12.56	34.77
PK	16.5423G	64.20	68.20	-4.00	42.93	3	Horizontal	126	2.23	-	38.61	17.03	34.37

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4498G	60.40	74.00	-13.60	53.81	3	Vertical	274	2.07	-	34.50	6.95	34.86
AV	5.451G	48.11	54.00	-5.89	41.52	3	Vertical	274	2.07	-	34.50	6.95	34.86
PK	5.4618G	59.74	68.20	-8.46	53.12	3	Vertical	274	2.07	-	34.52	6.96	34.86
PK	5.5584G	118.49	Inf	-Inf	111.70	3	Vertical	274	2.07	-	34.60	7.06	34.87
AV	5.5542G	105.24	Inf	-Inf	98.46	3	Vertical	274	2.07	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4036G	59.37	74.00	-14.63	52.75	3	Horizontal	201	1.91	-	34.59	6.90	34.87
AV	5.4312G	46.89	54.00	-7.11	40.28	3	Horizontal	201	1.91	-	34.54	6.93	34.86
PK	5.4666G	59.09	68.20	-9.11	52.45	3	Horizontal	201	1.91	-	34.53	6.97	34.86
PK	5.5554G	107.84	Inf	-Inf	101.05	3	Horizontal	201	1.91	-	34.60	7.06	34.87
AV	5.5548G	95.97	Inf	-Inf	89.19	3	Horizontal	201	1.91	-	34.60	7.05	34.87

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08704G	56.51	74.00	-17.49	40.21	3	Vertical	337	1.33	-	38.49	12.60	34.79
AV	11.11242G	43.73	54.00	-10.27	27.40	3	Vertical	337	1.33	-	38.51	12.61	34.79
PK	16.64892G	64.13	68.20	-4.07	42.54	3	Vertical	140	1.80	-	38.80	17.09	34.30

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09514G	56.79	74.00	-17.21	40.48	3	Horizontal	186	2.50	-	38.50	12.60	34.79
AV	11.103G	43.62	54.00	-10.38	27.30	3	Horizontal	186	2.50	-	38.50	12.61	34.79
PK	16.65456G	63.98	68.20	-4.22	42.40	3	Horizontal	278	1.42	-	38.79	17.09	34.30

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	116.01	Inf	-Inf	109.33	3	Vertical	277	2.18	-	34.45	7.13	34.90
AV	5.668G	103.98	Inf	-Inf	97.32	3	Vertical	277	2.18	-	34.43	7.13	34.90
PK	5.7256G	62.80	68.20	-5.40	56.30	3	Vertical	277	2.18	-	34.25	7.16	34.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX



EUT_Z_2TX
 Setting 28
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6588G	107.01	Inf	-Inf	100.31	3	Horizontal	143	2.00	-	34.46	7.13	34.89
AV	5.6688G	94.75	Inf	-Inf	88.10	3	Horizontal	143	2.00	-	34.42	7.13	34.90
PK	5.7452G	58.89	68.20	-9.31	52.42	3	Horizontal	143	2.00	-	34.21	7.17	34.91