


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.574G	60.61	68.20	-7.59	53.92	3	Vertical	189	1.80	-	34.50	7.07	34.88
PK	5.7895G	116.96	Inf	-Inf	110.41	3	Vertical	189	1.80	-	34.28	7.19	34.92
AV	5.788G	106.92	Inf	-Inf	100.37	3	Vertical	189	1.80	-	34.28	7.19	34.92
PK	6.026G	61.99	68.20	-6.21	54.87	3	Vertical	189	1.80	-	34.75	7.34	34.97

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	60.80	68.20	-7.40	54.17	3	Horizontal	17	1.65	-	34.40	7.12	34.89
PK	5.792G	107.92	Inf	-Inf	101.36	3	Horizontal	17	1.65	-	34.28	7.20	34.92
AV	5.7935G	99.07	Inf	-Inf	92.50	3	Horizontal	17	1.65	-	34.29	7.20	34.92
PK	5.98G	61.89	68.20	-6.31	54.91	3	Horizontal	17	1.65	-	34.66	7.29	34.97

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55926G	55.60	74.00	-18.40	46.85	3	Vertical	0	1.64	-	39.18	12.86	43.29
AV	11.56382G	44.17	54.00	-9.83	35.41	3	Vertical	0	1.64	-	39.19	12.86	43.29
PK	17.34414G	63.62	68.20	-4.58	46.81	3	Vertical	36	1.48	-	41.31	17.51	42.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56193G	55.00	74.00	-19.00	46.24	3	Horizontal	356	2.65	-	39.19	12.86	43.29
AV	11.57318G	43.10	54.00	-10.90	34.30	3	Horizontal	356	2.65	-	39.22	12.87	43.29
PK	17.3688G	64.25	68.20	-3.95	47.25	3	Horizontal	30	1.80	-	41.48	17.52	42.00

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6175G	60.08	68.20	-8.12	53.46	3	Vertical	187	1.79	-	34.40	7.11	34.89
PK	5.8265G	116.58	Inf	-Inf	110.00	3	Vertical	187	1.79	-	34.30	7.21	34.93
AV	5.827G	106.68	Inf	-Inf	100.10	3	Vertical	187	1.79	-	34.30	7.21	34.93
PK	5.9375G	61.73	68.20	-6.47	54.84	3	Vertical	187	1.79	-	34.58	7.27	34.96

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	60.29	68.20	-7.91	53.62	3	Horizontal	13	1.80	-	34.47	7.08	34.88
PK	5.8305G	103.97	Inf	-Inf	97.38	3	Horizontal	13	1.80	-	34.30	7.22	34.93
AV	5.832G	95.17	Inf	-Inf	88.58	3	Horizontal	13	1.80	-	34.30	7.22	34.93
PK	6.034G	60.96	68.20	-7.24	53.81	3	Horizontal	13	1.80	-	34.77	7.35	34.97

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65309G	54.72	74.00	-19.28	45.74	3	Vertical	1	2.98	-	39.35	12.91	43.28
AV	11.6497G	43.84	54.00	-10.16	34.86	3	Vertical	1	2.98	-	39.35	12.91	43.28
PK	17.4753G	65.93	68.20	-2.27	48.09	3	Vertical	0	1.80	-	42.23	17.59	41.98

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64472G	54.80	74.00	-19.20	45.84	3	Horizontal	257	2.35	-	39.34	12.90	43.28
AV	11.64016G	43.19	54.00	-10.81	34.23	3	Horizontal	257	2.35	-	39.34	12.90	43.28
PK	17.48958G	65.80	68.20	-2.40	47.85	3	Horizontal	109	1.00	-	42.33	17.59	41.97

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.45	74.00	-10.55	57.48	3	Vertical	274	1.81	-	34.10	6.75	34.88
AV	5.1498G	52.42	54.00	-1.58	46.45	3	Vertical	274	1.81	-	34.10	6.75	34.88
PK	5.2018G	114.79	Inf	-Inf	108.87	3	Vertical	274	1.81	-	34.00	6.80	34.88
AV	5.1994G	105.51	Inf	-Inf	99.59	3	Vertical	274	1.81	-	34.00	6.80	34.88

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.091G	60.03	74.00	-13.97	54.27	3	Horizontal	3	2.70	-	33.95	6.69	34.88
AV	5.1116G	48.87	54.00	-5.13	43.02	3	Horizontal	3	2.70	-	34.02	6.71	34.88
PK	5.202G	101.26	Inf	-Inf	95.34	3	Horizontal	3	2.70	-	34.00	6.80	34.88
AV	5.2042G	94.95	Inf	-Inf	89.03	3	Horizontal	3	2.70	-	34.00	6.80	34.88

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38483G	55.43	68.20	-12.77	48.37	3	Vertical	23	2.24	-	37.88	12.21	43.03
PK	15.68601G	58.80	74.00	-15.20	46.71	3	Vertical	347	1.00	-	38.09	16.39	42.39
AV	15.70269G	47.51	54.00	-6.49	35.40	3	Vertical	347	1.00	-	38.08	16.40	42.37

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3719G	54.86	68.20	-13.34	47.81	3	Horizontal	57	1.80	-	37.87	12.20	43.02
PK	15.5557G	59.12	74.00	-14.88	47.23	3	Horizontal	116	1.80	-	38.18	16.26	42.55
AV	15.55512G	47.47	54.00	-6.53	35.58	3	Horizontal	116	1.80	-	38.18	16.26	42.55

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1088G	63.04	74.00	-10.96	57.19	3	Vertical	174	1.80	-	34.02	6.71	34.88
AV	5.1499G	50.27	54.00	-3.73	44.30	3	Vertical	174	1.80	-	34.10	6.75	34.88
PK	5.2315G	116.77	Inf	-Inf	110.83	3	Vertical	174	1.80	-	34.00	6.82	34.88
AV	5.2249G	106.33	Inf	-Inf	100.40	3	Vertical	174	1.80	-	34.00	6.81	34.88
PK	5.3767G	60.77	74.00	-13.23	54.30	3	Vertical	174	1.80	-	34.45	6.89	34.87
AV	5.3764G	49.44	54.00	-4.56	42.97	3	Vertical	174	1.80	-	34.45	6.89	34.87

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0944G	59.84	74.00	-14.16	54.06	3	Horizontal	6	1.50	-	33.97	6.69	34.88
AV	5.0857G	48.80	54.00	-5.20	43.08	3	Horizontal	6	1.50	-	33.91	6.69	34.88
PK	5.2219G	103.47	Inf	-Inf	97.54	3	Horizontal	6	1.50	-	34.00	6.81	34.88
AV	5.221G	97.94	Inf	-Inf	92.01	3	Horizontal	6	1.50	-	34.00	6.81	34.88
PK	5.3644G	60.33	74.00	-13.67	53.85	3	Horizontal	6	1.50	-	34.47	6.88	34.87
AV	5.371G	49.15	54.00	-4.85	42.67	3	Horizontal	6	1.50	-	34.46	6.89	34.87

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45718G	54.65	68.20	-13.55	47.47	3	Vertical	315	1.80	-	37.96	12.25	43.03
PK	15.6963G	58.74	74.00	-15.26	46.62	3	Vertical	286	1.80	-	38.10	16.40	42.38
AV	15.70272G	47.20	54.00	-6.80	35.09	3	Vertical	286	1.80	-	38.08	16.40	42.37

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45172G	54.86	68.20	-13.34	47.69	3	Horizontal	223	2.31	-	37.95	12.25	43.03
PK	15.69534G	58.55	74.00	-15.45	46.43	3	Horizontal	172	1.80	-	38.10	16.40	42.38
AV	15.69816G	47.03	54.00	-6.97	34.91	3	Horizontal	172	1.80	-	38.10	16.40	42.38

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5465G	61.25	68.20	-6.95	54.47	3	Vertical	61	1.80	-	34.60	7.05	34.87
PK	5.7685G	115.94	Inf	-Inf	109.44	3	Vertical	61	1.80	-	34.24	7.18	34.92
AV	5.7665G	105.23	Inf	-Inf	98.74	3	Vertical	61	1.80	-	34.23	7.18	34.92
PK	5.9605G	61.15	68.20	-7.05	54.21	3	Vertical	61	1.80	-	34.62	7.28	34.96

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	60.43	68.20	-7.77	53.80	3	Horizontal	30	1.36	-	34.40	7.12	34.89
PK	5.768G	108.22	Inf	-Inf	101.72	3	Horizontal	30	1.36	-	34.24	7.18	34.92
AV	5.768G	98.68	Inf	-Inf	92.18	3	Horizontal	30	1.36	-	34.24	7.18	34.92
PK	6.001G	60.65	68.20	-7.55	53.62	3	Horizontal	30	1.36	-	34.70	7.30	34.97

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51878G	52.07	74.00	-21.93	43.47	3	Vertical	2	1.80	-	39.06	12.84	43.30
AV	11.5193G	40.98	54.00	-13.02	32.38	3	Vertical	2	1.80	-	39.06	12.84	43.30
PK	17.26278G	63.51	68.20	-4.69	47.27	3	Vertical	291	1.80	-	40.81	17.46	42.03

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52491G	51.96	74.00	-22.04	43.35	3	Horizontal	202	1.04	-	39.07	12.84	43.30
AV	11.52482G	40.99	54.00	-13.01	32.38	3	Horizontal	202	1.04	-	39.07	12.84	43.30
PK	17.25894G	63.17	68.20	-5.03	46.95	3	Horizontal	192	1.81	-	40.79	17.46	42.03

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 26
 03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.63	68.20	-7.57	54.00	3	Vertical	12	1.68	-	34.40	7.12	34.89
PK	5.7845G	115.65	Inf	-Inf	109.11	3	Vertical	12	1.68	-	34.27	7.19	34.92
AV	5.7895G	105.78	Inf	-Inf	99.23	3	Vertical	12	1.68	-	34.28	7.19	34.92
PK	5.932G	61.40	68.20	-6.80	54.53	3	Vertical	12	1.68	-	34.56	7.27	34.96

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	61.32	68.20	-6.88	54.69	3	Horizontal	19	1.53	-	34.40	7.12	34.89
PK	5.7975G	109.26	Inf	-Inf	102.70	3	Horizontal	19	1.53	-	34.29	7.20	34.93
AV	5.798G	99.49	Inf	-Inf	92.92	3	Horizontal	19	1.53	-	34.30	7.20	34.93
PK	6.032G	61.83	68.20	-6.37	54.69	3	Horizontal	19	1.53	-	34.76	7.35	34.97

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57782G	54.74	74.00	-19.26	45.93	3	Vertical	0	1.80	-	39.23	12.87	43.29
AV	11.57797G	43.66	54.00	-10.34	34.85	3	Vertical	0	1.80	-	39.23	12.87	43.29
PK	17.38899G	64.53	68.20	-3.67	47.38	3	Vertical	326	1.80	-	41.62	17.53	42.00

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 26
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57629G	53.03	74.00	-20.97	44.22	3	Horizontal	182	1.89	-	39.23	12.87	43.29
AV	11.57956G	42.05	54.00	-11.95	33.23	3	Horizontal	182	1.89	-	39.24	12.87	43.29
PK	17.37654G	64.38	68.20	-3.82	47.31	3	Horizontal	160	2.59	-	41.54	17.53	42.00

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	66.34	74.00	-7.66	60.40	3	Vertical	102	1.80	-	34.08	6.74	34.88
AV	5.1435G	52.38	54.00	-1.62	46.43	3	Vertical	102	1.80	-	34.09	6.74	34.88
PK	5.1995G	114.51	Inf	-Inf	108.59	3	Vertical	102	1.80	-	34.00	6.80	34.88
AV	5.204G	105.88	Inf	-Inf	99.96	3	Vertical	102	1.80	-	34.00	6.80	34.88
PK	5.4205G	61.31	74.00	-12.69	54.77	3	Vertical	102	1.80	-	34.48	6.92	34.86
AV	5.4465G	48.42	54.00	-5.58	41.74	3	Vertical	102	1.80	-	34.59	6.95	34.86

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.35	74.00	-13.65	54.40	3	Horizontal	60	1.04	-	34.09	6.74	34.88
AV	5.139G	47.54	54.00	-6.46	41.60	3	Horizontal	60	1.04	-	34.08	6.74	34.88
PK	5.214G	100.22	Inf	-Inf	94.29	3	Horizontal	60	1.04	-	34.00	6.81	34.88
AV	5.207G	87.23	Inf	-Inf	81.31	3	Horizontal	60	1.04	-	34.00	6.80	34.88
PK	5.455G	60.94	74.00	-13.06	54.24	3	Horizontal	60	1.04	-	34.60	6.96	34.86
AV	5.4515G	48.26	54.00	-5.74	41.57	3	Horizontal	60	1.04	-	34.60	6.95	34.86

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40647G	54.74	68.20	-13.46	47.64	3	Vertical	215	1.61	-	37.91	12.22	43.03
PK	15.64158G	59.66	74.00	-14.34	47.73	3	Vertical	316	1.94	-	38.04	16.34	42.45
AV	15.61761G	47.42	54.00	-6.58	35.55	3	Vertical	316	1.94	-	38.02	16.32	42.47

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 22
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40755G	53.95	68.20	-14.25	46.85	3	Horizontal	303	1.00	-	37.91	12.22	43.03
PK	15.62811G	58.65	74.00	-15.35	46.75	3	Horizontal	170	2.95	-	38.03	16.33	42.46
AV	15.64164G	47.61	54.00	-6.39	35.68	3	Horizontal	170	2.95	-	38.04	16.34	42.45

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 25
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	62.35	68.20	-5.85	55.72	3	Vertical	60	2.04	-	34.40	7.12	34.89
PK	5.741G	115.83	Inf	-Inf	109.37	3	Vertical	60	2.04	-	34.20	7.17	34.91
AV	5.7475G	105.71	Inf	-Inf	99.25	3	Vertical	60	2.04	-	34.20	7.17	34.91
PK	5.9675G	61.83	68.20	-6.37	54.88	3	Vertical	60	2.04	-	34.63	7.28	34.96

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 25
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5705G	60.24	68.20	-7.96	53.53	3	Horizontal	-0	2.58	-	34.52	7.07	34.88
PK	5.799G	101.59	Inf	-Inf	95.02	3	Horizontal	-0	2.58	-	34.30	7.20	34.93
AV	5.794G	90.64	Inf	-Inf	84.07	3	Horizontal	-0	2.58	-	34.29	7.20	34.92
PK	5.9255G	61.31	68.20	-6.89	54.45	3	Horizontal	-0	2.58	-	34.55	7.26	34.95

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 25
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56068G	54.17	74.00	-19.83	45.42	3	Vertical	4	1.80	-	39.18	12.86	43.29
AV	11.54997G	43.16	54.00	-10.84	34.45	3	Vertical	4	1.80	-	39.15	12.85	43.29
PK	17.32818G	64.56	68.20	-3.64	47.87	3	Vertical	237	1.80	-	41.20	17.50	42.01

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



EUT_Z_2TX
Setting 25
03-J-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54775G	54.17	74.00	-19.83	45.47	3	Horizontal	114	2.45	-	39.14	12.85	43.29
AV	11.55744G	42.77	54.00	-11.23	34.03	3	Horizontal	114	2.45	-	39.17	12.86	43.29
PK	17.32983G	64.27	68.20	-3.93	47.57	3	Horizontal	226	2.60	-	41.21	17.50	42.01



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.72798G	31.10	54.00	-22.90	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72781G	38.92	74.00	-35.08	-6.30	3	Vertical	282	2.50	-	45.22	25.41	3.23	34.94
AV	1.72798G	31.10	54.00	-22.90	-6.30	3	Vertical	282	2.50	"Worst"	37.40	25.41	3.23	34.94

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.72787G	37.34	74.00	-36.66	-6.30	3	Horizontal	190	1.00	-	43.64	25.41	3.23	34.94
AV	1.728G	27.27	54.00	-26.73	-6.30	3	Horizontal	190	1.00	"Worst"	33.57	25.41	3.23	34.94