


5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	59.22	74.00	-14.78	53.36	3	Horizontal	229	2.43	-	33.99	6.75	34.88
AV	5.1484G	46.18	54.00	-7.82	40.31	3	Horizontal	229	2.43	-	34.00	6.75	34.88
PK	5.1788G	110.80	Inf	-Inf	104.78	3	Horizontal	229	2.43	-	34.12	6.78	34.88
AV	5.1794G	97.76	Inf	-Inf	91.74	3	Horizontal	229	2.43	-	34.12	6.78	34.88

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34926G	53.66	68.20	-14.54	38.42	3	Vertical	326	1.80	-	38.65	8.42	31.83
PK	15.54624G	57.95	74.00	-16.05	41.16	3	Vertical	199	1.78	-	37.82	10.32	31.35
AV	15.525G	44.63	54.00	-9.37	27.71	3	Vertical	199	1.78	-	37.95	10.31	31.34

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3549G	54.76	68.20	-13.44	38.09	3	Horizontal	317	2.38	-	38.15	12.20	33.68
PK	15.53256G	61.26	74.00	-12.74	41.07	3	Horizontal	116	1.01	-	38.47	16.23	34.51
AV	15.52782G	47.92	54.00	-6.08	27.69	3	Horizontal	116	1.01	-	38.51	16.23	34.51

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.63	74.00	-10.37	54.99	3	Vertical	197	1.58	-	33.60	5.77	30.73
AV	5.15G	50.12	54.00	-3.88	41.47	3	Vertical	197	1.58	-	33.60	5.78	30.73
PK	5.2032G	122.84	Inf	-Inf	114.07	3	Vertical	197	1.58	-	33.70	5.80	30.73
AV	5.2024G	109.89	Inf	-Inf	101.12	3	Vertical	197	1.58	-	33.70	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1272G	59.58	74.00	-14.42	51.00	3	Horizontal	223	2.21	-	33.55	5.76	30.73
AV	5.1496G	46.16	54.00	-7.84	37.52	3	Horizontal	223	2.21	-	33.60	5.77	30.73
PK	5.2012G	112.55	Inf	-Inf	103.78	3	Horizontal	223	2.21	-	33.70	5.80	30.73
AV	5.2016G	99.77	Inf	-Inf	91.00	3	Horizontal	223	2.21	-	33.70	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35154G	53.68	68.20	-14.52	38.44	3	Vertical	284	2.87	-	38.65	8.42	31.83
PK	15.60198G	58.18	74.00	-15.82	41.72	3	Vertical	213	1.46	-	37.50	10.34	31.38
AV	15.58614G	44.58	54.00	-9.42	28.04	3	Vertical	213	1.46	-	37.58	10.33	31.37

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40372G	53.01	68.20	-15.19	37.80	3	Horizontal	311	2.04	-	38.60	8.44	31.83
PK	15.59142G	58.31	74.00	-15.69	41.80	3	Horizontal	158	1.44	-	37.55	10.34	31.38
AV	15.58662G	44.33	54.00	-9.67	27.80	3	Horizontal	158	1.44	-	37.58	10.33	31.38

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.24	74.00	-9.76	55.60	3	Vertical	196	1.55	-	33.60	5.77	30.73
AV	5.1482G	51.37	54.00	-2.63	42.73	3	Vertical	196	1.55	-	33.60	5.77	30.73
PK	5.2424G	125.73	Inf	-Inf	116.94	3	Vertical	196	1.55	-	33.70	5.82	30.73
AV	5.2424G	112.92	Inf	-Inf	104.13	3	Vertical	196	1.55	-	33.70	5.82	30.73
PK	5.35G	60.54	74.00	-13.46	51.48	3	Vertical	196	1.55	-	33.90	5.88	30.72
AV	5.35G	48.03	54.00	-5.97	38.97	3	Vertical	196	1.55	-	33.90	5.88	30.72



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	58.67	74.00	-15.33	50.05	3	Horizontal	225	2.14	-	33.58	5.77	30.73
AV	5.1452G	46.47	54.00	-7.53	37.84	3	Horizontal	225	2.14	-	33.59	5.77	30.73
PK	5.2412G	116.65	Inf	-Inf	107.86	3	Horizontal	225	2.14	-	33.70	5.82	30.73
AV	5.2412G	102.65	Inf	-Inf	93.86	3	Horizontal	225	2.14	-	33.70	5.82	30.73
PK	5.366G	59.02	74.00	-14.98	49.94	3	Horizontal	225	2.14	-	33.92	5.88	30.72
AV	5.351G	46.46	54.00	-7.54	37.40	3	Horizontal	225	2.14	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4714G	54.03	68.20	-14.17	38.82	3	Vertical	9	2.82	-	38.60	8.46	31.85
PK	15.7208G	60.36	74.00	-13.64	43.91	3	Vertical	191	2.65	-	37.50	10.39	31.44
AV	15.7207G	46.56	54.00	-7.44	30.11	3	Vertical	191	2.65	-	37.50	10.39	31.44

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4587G	53.45	68.20	-14.75	38.23	3	Horizontal	215	2.78	-	38.60	8.46	31.84
PK	15.7201G	65.56	74.00	-8.44	49.11	3	Horizontal	173	2.38	-	37.50	10.39	31.44
AV	15.7222G	50.70	54.00	-3.30	34.26	3	Horizontal	173	2.38	-	37.50	10.39	31.45

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.75	68.20	-2.45	56.67	3	Vertical	220	1.96	-	33.81	6.10	30.83
PK	5.747G	125.16	Inf	-Inf	116.16	3	Vertical	220	1.96	-	33.81	6.10	30.91
AV	5.748G	112.80	Inf	-Inf	103.81	3	Vertical	220	1.96	-	33.80	6.10	30.91
PK	5.98G	59.47	68.20	-8.73	50.07	3	Vertical	220	1.96	-	34.20	6.28	31.08

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.68	68.20	-7.52	51.60	3	Horizontal	237	2.08	-	33.81	6.10	30.83
PK	5.744G	114.76	Inf	-Inf	105.76	3	Horizontal	237	2.08	-	33.81	6.10	30.91
AV	5.743G	103.93	Inf	-Inf	94.92	3	Horizontal	237	2.08	-	33.81	6.10	30.90
PK	5.932G	59.07	68.20	-9.13	49.73	3	Horizontal	237	2.08	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4934G	53.78	74.00	-20.22	38.09	3	Vertical	47	2.79	-	38.99	8.82	32.12
AV	11.4842G	40.75	54.00	-13.25	25.07	3	Vertical	47	2.79	-	38.97	8.82	32.11
PK	17.2176G	63.04	68.20	-5.16	40.26	3	Vertical	68	1.80	-	42.09	10.93	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4987G	54.41	74.00	-19.59	38.71	3	Horizontal	225	2.34	-	39.00	8.82	32.12
AV	11.4816G	40.73	54.00	-13.27	25.06	3	Horizontal	225	2.34	-	38.96	8.82	32.11
PK	17.2291G	62.83	68.20	-5.37	39.99	3	Horizontal	154	2.44	-	42.15	10.93	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.72	68.20	-8.48	50.65	3	Vertical	328	2.09	-	33.80	6.10	30.83
PK	5.783G	124.76	Inf	-Inf	115.80	3	Vertical	328	2.09	-	33.80	6.10	30.94
AV	5.782G	112.67	Inf	-Inf	103.70	3	Vertical	328	2.09	-	33.80	6.10	30.93
PK	5.948G	59.93	68.20	-8.27	50.54	3	Vertical	328	2.09	-	34.20	6.25	31.06



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	59.03	68.20	-9.17	49.82	3	Horizontal	239	2.23	-	33.91	6.09	30.79
PK	5.781G	115.25	Inf	-Inf	106.28	3	Horizontal	239	2.23	-	33.80	6.10	30.93
AV	5.782G	103.44	Inf	-Inf	94.47	3	Horizontal	239	2.23	-	33.80	6.10	30.93
PK	5.924G	60.17	68.94	-8.77	50.84	3	Horizontal	239	2.23	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57G	55.08	74.00	-18.92	39.18	3	Vertical	149	2.63	-	39.21	8.85	32.16
AV	11.5698G	42.70	54.00	-11.30	26.80	3	Vertical	149	2.63	-	39.21	8.85	32.16
PK	17.3328G	63.22	68.20	-4.98	39.78	3	Vertical	172	1.03	-	42.70	10.97	30.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5764G	54.80	74.00	-19.20	38.88	3	Horizontal	124	1.35	-	39.23	8.85	32.16
AV	11.5685G	42.55	54.00	-11.45	26.65	3	Horizontal	124	1.35	-	39.21	8.85	32.16
PK	17.3544G	64.11	68.20	-4.09	40.53	3	Horizontal	84	2.25	-	42.83	10.97	30.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	59.31	68.20	-8.89	50.09	3	Vertical	328	2.18	-	33.91	6.10	30.79
PK	5.822G	123.80	Inf	-Inf	114.85	3	Vertical	328	2.18	-	33.80	6.11	30.96
AV	5.823G	112.57	Inf	-Inf	103.63	3	Vertical	328	2.18	-	33.80	6.11	30.97
PK	5.924G	64.93	68.94	-4.01	55.60	3	Vertical	328	2.18	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	59.37	68.20	-8.83	50.12	3	Horizontal	238	2.23	-	33.95	6.08	30.78
PK	5.831G	114.38	Inf	-Inf	105.43	3	Horizontal	238	2.23	-	33.80	6.12	30.97
AV	5.822G	102.68	Inf	-Inf	93.73	3	Horizontal	238	2.23	-	33.80	6.11	30.96
PK	6.018G	58.89	68.20	-9.31	49.46	3	Horizontal	238	2.23	-	34.24	6.30	31.11

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6503G	54.34	74.00	-19.66	38.27	3	Vertical	193	2.36	-	39.40	8.88	32.21
AV	11.6501G	41.29	54.00	-12.71	25.22	3	Vertical	193	2.36	-	39.40	8.88	32.21
PK	17.49012G	65.16	68.20	-3.04	40.53	3	Vertical	42	1.23	-	43.82	11.02	30.21

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63568G	54.48	74.00	-19.52	38.44	3	Horizontal	295	2.18	-	39.37	8.87	32.20
AV	11.65024G	41.31	54.00	-12.69	25.24	3	Horizontal	295	2.18	-	39.40	8.88	32.21
PK	17.49092G	64.58	68.20	-3.62	39.94	3	Horizontal	266	1.81	-	43.83	11.02	30.21

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	70.16	74.00	-3.84	64.31	3	Vertical	194	1.26	-	33.99	6.74	34.88
AV	5.1428G	52.00	54.00	-2.00	46.15	3	Vertical	194	1.26	-	33.99	6.74	34.88
PK	5.194G	118.55	Inf	-Inf	112.46	3	Vertical	194	1.26	-	34.18	6.79	34.88
AV	5.1928G	106.16	Inf	-Inf	100.08	3	Vertical	194	1.26	-	34.17	6.79	34.88



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.72	74.00	-15.28	52.85	3	Horizontal	228	2.40	-	34.00	6.75	34.88
AV	5.1488G	46.41	54.00	-7.59	40.54	3	Horizontal	228	2.40	-	34.00	6.75	34.88
PK	5.1892G	106.71	Inf	-Inf	100.64	3	Horizontal	228	2.40	-	34.16	6.79	34.88
AV	5.1992G	94.85	Inf	-Inf	88.73	3	Horizontal	228	2.40	-	34.20	6.80	34.88

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38006G	53.66	68.20	-14.54	38.44	3	Vertical	84	1.49	-	38.62	8.43	31.83
PK	15.57038G	57.60	74.00	-16.40	40.96	3	Vertical	149	2.13	-	37.68	10.33	31.37
AV	15.56568G	44.59	54.00	-9.41	27.91	3	Vertical	149	2.13	-	37.71	10.33	31.36

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 21  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38448G	54.32	68.20	-13.88	39.10	3	Horizontal	133	2.76	-	38.62	8.43	31.83
PK	15.5717G	58.41	74.00	-15.59	41.78	3	Horizontal	354	1.21	-	37.67	10.33	31.37
AV	15.56546G	44.51	54.00	-9.49	27.83	3	Horizontal	354	1.21	-	37.71	10.33	31.36

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT Z\_2TX  
 Setting 24  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.25	74.00	-4.75	60.61	3	Vertical	197	1.45	-	33.60	5.77	30.73
AV	5.15G	53.07	54.00	-0.93	44.43	3	Vertical	197	1.45	-	33.60	5.77	30.73
PK	5.2318G	120.01	Inf	-Inf	111.22	3	Vertical	197	1.45	-	33.70	5.82	30.73
AV	5.2234G	107.20	Inf	-Inf	98.42	3	Vertical	197	1.45	-	33.70	5.81	30.73
PK	5.3506G	65.48	74.00	-8.52	56.42	3	Vertical	197	1.45	-	33.90	5.88	30.72
AV	5.35G	49.38	54.00	-4.62	40.32	3	Vertical	197	1.45	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.30	74.00	-12.70	52.67	3	Horizontal	224	2.13	-	33.59	5.77	30.73
AV	5.15G	47.71	54.00	-6.29	39.07	3	Horizontal	224	2.13	-	33.60	5.77	30.73
PK	5.2318G	109.20	Inf	-Inf	100.41	3	Horizontal	224	2.13	-	33.70	5.82	30.73
AV	5.2306G	97.15	Inf	-Inf	88.36	3	Horizontal	224	2.13	-	33.70	5.82	30.73
PK	5.3602G	59.11	74.00	-14.89	50.03	3	Horizontal	224	2.13	-	33.92	5.88	30.72
AV	5.3506G	46.91	54.00	-7.09	37.85	3	Horizontal	224	2.13	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45918G	53.70	68.20	-14.50	38.48	3	Vertical	298	2.53	-	38.60	8.46	31.84
PK	15.69494G	56.95	74.00	-17.05	40.50	3	Vertical	287	2.58	-	37.50	10.38	31.43
AV	15.6868G	43.87	54.00	-10.13	27.43	3	Vertical	287	2.58	-	37.50	10.37	31.43

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46076G	54.21	68.20	-13.99	38.99	3	Horizontal	69	2.05	-	38.60	8.46	31.84
PK	15.68534G	58.31	74.00	-15.69	41.87	3	Horizontal	319	2.84	-	37.50	10.37	31.43
AV	15.68838G	43.81	54.00	-10.19	27.36	3	Horizontal	319	2.84	-	37.50	10.38	31.43

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	70.04	70.42	-0.38	63.31	3	Vertical	216	2.06	-	34.49	7.13	34.89
PK	5.743G	119.82	Inf	-Inf	113.35	3	Vertical	216	2.06	-	34.21	7.17	34.91
AV	5.753G	108.74	Inf	-Inf	102.28	3	Vertical	216	2.06	-	34.20	7.18	34.92
PK	5.93G	61.55	68.20	-6.65	54.52	3	Vertical	216	2.06	-	34.72	7.26	34.95



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	60.18	68.20	-8.02	53.42	3	Horizontal	232	2.33	-	34.54	7.11	34.89
PK	5.757G	109.32	Inf	-Inf	102.86	3	Horizontal	232	2.33	-	34.20	7.18	34.92
AV	5.748G	97.73	Inf	-Inf	91.27	3	Horizontal	232	2.33	-	34.20	7.17	34.91
PK	5.971G	59.78	68.20	-8.42	52.65	3	Horizontal	232	2.33	-	34.80	7.29	34.96

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51012G	54.87	74.00	-19.13	39.14	3	Vertical	252	1.51	-	39.03	8.83	32.13
AV	11.51418G	40.81	54.00	-13.19	25.07	3	Vertical	252	1.51	-	39.04	8.83	32.13
PK	17.26516G	63.31	68.20	-4.89	40.27	3	Vertical	243	2.03	-	42.33	10.94	30.23

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5097G	54.65	74.00	-19.35	38.92	3	Horizontal	297	1.24	-	39.03	8.83	32.13
AV	11.51402G	40.86	54.00	-13.14	25.12	3	Horizontal	297	1.24	-	39.04	8.83	32.13
PK	17.26478G	63.37	68.20	-4.83	40.34	3	Horizontal	10	2.14	-	42.32	10.94	30.23

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	65.18	68.20	-3.02	56.10	3	Vertical	329	2.20	-	33.81	6.10	30.83
PK	5.793G	121.90	Inf	-Inf	112.94	3	Vertical	329	2.20	-	33.80	6.10	30.94
AV	5.794G	108.03	Inf	-Inf	99.07	3	Vertical	329	2.20	-	33.80	6.10	30.94
PK	5.931G	65.28	68.20	-2.92	55.94	3	Vertical	329	2.20	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-F-W-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	59.10	68.20	-9.10	49.81	3	Horizontal	239	2.14	-	33.99	6.06	30.76
PK	5.793G	110.26	Inf	-Inf	101.30	3	Horizontal	239	2.14	-	33.80	6.10	30.94
AV	5.793G	98.96	Inf	-Inf	90.00	3	Horizontal	239	2.14	-	33.80	6.10	30.94
PK	6.004G	59.29	68.20	-8.91	49.88	3	Horizontal	239	2.14	-	34.21	6.30	31.10

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58996G	54.53	74.00	-19.47	38.57	3	Vertical	107	2.78	-	39.27	8.86	32.17
AV	11.5853G	40.69	54.00	-13.31	24.75	3	Vertical	107	2.78	-	39.26	8.85	32.17
PK	17.38886G	64.06	68.20	-4.14	40.26	3	Vertical	345	1.96	-	43.03	10.99	30.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58752G	54.46	74.00	-19.54	38.51	3	Horizontal	159	2.71	-	39.26	8.86	32.17
AV	11.59424G	40.68	54.00	-13.32	24.71	3	Horizontal	159	2.71	-	39.28	8.86	32.17
PK	17.3894G	63.90	68.20	-4.30	40.09	3	Horizontal	37	1.51	-	43.04	10.99	30.22

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 21  
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	69.46	74.00	-4.54	63.65	3	Vertical	194	1.08	-	33.96	6.73	34.88
AV	5.143G	53.12	54.00	-0.88	47.27	3	Vertical	194	1.08	-	33.99	6.74	34.88
PK	5.223G	114.04	Inf	-Inf	107.82	3	Vertical	194	1.08	-	34.29	6.81	34.88
AV	5.213G	102.36	Inf	-Inf	96.18	3	Vertical	194	1.08	-	34.25	6.81	34.88
PK	5.402G	60.54	74.00	-13.46	53.91	3	Vertical	194	1.08	-	34.60	6.90	34.87
AV	5.376G	48.28	54.00	-5.72	41.71	3	Vertical	194	1.08	-	34.55	6.89	34.87



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.13	74.00	-10.87	57.26	3	Horizontal	228	2.40	-	34.00	6.75	34.88
AV	5.15G	47.56	54.00	-6.44	41.69	3	Horizontal	228	2.40	-	34.00	6.75	34.88
PK	5.198G	103.42	Inf	-Inf	97.31	3	Horizontal	228	2.40	-	34.19	6.80	34.88
AV	5.199G	91.52	Inf	-Inf	85.40	3	Horizontal	228	2.40	-	34.20	6.80	34.88
PK	5.407G	59.54	74.00	-14.46	52.91	3	Horizontal	228	2.40	-	34.59	6.91	34.87
AV	5.393G	46.97	54.00	-7.03	40.35	3	Horizontal	228	2.40	-	34.59	6.90	34.87

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42476G	53.20	68.20	-15.00	37.99	3	Vertical	263	1.74	-	38.60	8.45	31.84
PK	15.63154G	57.25	74.00	-16.75	40.80	3	Vertical	136	1.66	-	37.50	10.35	31.40
AV	15.62614G	44.02	54.00	-9.98	27.57	3	Vertical	136	1.66	-	37.50	10.35	31.40

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41728G	53.46	68.20	-14.74	38.25	3	Horizontal	75	1.36	-	38.60	8.45	31.84
PK	15.6285G	57.34	74.00	-16.66	40.89	3	Horizontal	158	2.18	-	37.50	10.35	31.40
AV	15.6311G	43.89	54.00	-10.11	27.44	3	Horizontal	158	2.18	-	37.50	10.35	31.40

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	64.58	69.68	-5.10	57.85	3	Vertical	218	2.22	-	34.49	7.13	34.89
PK	5.794G	115.94	Inf	-Inf	109.46	3	Vertical	218	2.22	-	34.20	7.20	34.92
AV	5.782G	103.09	Inf	-Inf	96.62	3	Vertical	218	2.22	-	34.20	7.19	34.92
PK	5.953G	67.47	68.20	-0.73	60.35	3	Vertical	218	2.22	-	34.80	7.28	34.96

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.41	68.20	-7.79	53.65	3	Horizontal	233	2.29	-	34.53	7.12	34.89
PK	5.788G	104.46	Inf	-Inf	97.99	3	Horizontal	233	2.29	-	34.20	7.19	34.92
AV	5.788G	92.64	Inf	-Inf	86.17	3	Horizontal	233	2.29	-	34.20	7.19	34.92
PK	5.936G	60.54	68.20	-7.66	53.49	3	Horizontal	233	2.29	-	34.74	7.27	34.96

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55482G	54.29	74.00	-19.71	38.44	3	Vertical	173	2.83	-	39.16	8.84	32.15
AV	11.54546G	40.63	54.00	-13.37	24.80	3	Vertical	173	2.83	-	39.14	8.84	32.15
PK	17.32876G	64.66	68.20	-3.54	41.25	3	Vertical	276	1.17	-	42.67	10.97	30.23

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54904G	54.05	74.00	-19.95	38.21	3	Horizontal	241	2.60	-	39.15	8.84	32.15
AV	11.54774G	40.60	54.00	-13.40	24.77	3	Horizontal	241	2.60	-	39.14	8.84	32.15
PK	17.32306G	63.55	68.20	-4.65	40.18	3	Horizontal	97	2.87	-	42.64	10.96	30.23

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 22  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.97	74.00	-8.03	57.33	3	Vertical	196	1.85	-	33.60	5.77	30.73
AV	5.15G	51.86	54.00	-2.14	43.21	3	Vertical	196	1.85	-	33.60	5.78	30.73
PK	5.1768G	119.83	Inf	-Inf	111.12	3	Vertical	196	1.85	-	33.65	5.79	30.73
AV	5.182G	105.90	Inf	-Inf	97.18	3	Vertical	196	1.85	-	33.66	5.79	30.73



5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 22  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.28	74.00	-14.72	50.64	3	Horizontal	261	2.65	-	33.60	5.77	30.73
AV	5.15G	47.23	54.00	-6.77	38.58	3	Horizontal	261	2.65	-	33.60	5.78	30.73
PK	5.1758G	109.50	Inf	-Inf	100.79	3	Horizontal	261	2.65	-	33.65	5.79	30.73
AV	5.1776G	96.23	Inf	-Inf	87.51	3	Horizontal	261	2.65	-	33.66	5.79	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 22  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3611G	54.48	68.20	-13.72	39.24	3	Vertical	309	1.94	-	38.64	8.43	31.83
PK	15.53882G	58.81	74.00	-15.19	41.97	3	Vertical	116	2.42	-	37.87	10.32	31.35
AV	15.54276G	45.09	54.00	-8.91	28.28	3	Vertical	116	2.42	-	37.84	10.32	31.35

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 22  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35934G	53.99	68.20	-14.21	38.75	3	Horizontal	215	2.31	-	38.64	8.43	31.83
PK	15.53388G	58.68	74.00	-15.32	41.82	3	Horizontal	218	1.94	-	37.90	10.31	31.35
AV	15.52746G	45.61	54.00	-8.39	28.70	3	Horizontal	218	1.94	-	37.94	10.31	31.34

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.52	74.00	-10.48	54.88	3	Vertical	195	1.95	-	33.60	5.77	30.73
AV	5.15G	50.26	54.00	-3.74	41.61	3	Vertical	195	1.95	-	33.60	5.78	30.73
PK	5.204G	120.12	Inf	-Inf	111.35	3	Vertical	195	1.95	-	33.70	5.80	30.73
AV	5.196G	107.13	Inf	-Inf	98.37	3	Vertical	195	1.95	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	58.43	74.00	-15.57	49.82	3	Horizontal	224	2.22	-	33.57	5.77	30.73
AV	5.15G	46.29	54.00	-7.71	37.64	3	Horizontal	224	2.22	-	33.60	5.78	30.73
PK	5.196G	110.35	Inf	-Inf	101.59	3	Horizontal	224	2.22	-	33.69	5.80	30.73
AV	5.2028G	96.67	Inf	-Inf	87.90	3	Horizontal	224	2.22	-	33.70	5.80	30.73

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40294G	53.43	68.20	-14.77	38.22	3	Vertical	346	1.27	-	38.60	8.44	31.83
PK	15.59946G	57.32	74.00	-16.68	40.86	3	Vertical	138	1.64	-	37.50	10.34	31.38
AV	15.60342G	43.97	54.00	-10.03	27.51	3	Vertical	138	1.64	-	37.50	10.34	31.38

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 24  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40086G	53.21	68.20	-14.99	38.00	3	Horizontal	349	1.46	-	38.60	8.44	31.83
PK	15.59622G	57.42	74.00	-16.58	40.94	3	Horizontal	77	2.75	-	37.52	10.34	31.38
AV	15.60336G	43.91	54.00	-10.09	27.45	3	Horizontal	77	2.75	-	37.50	10.34	31.38

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.45	74.00	-9.55	55.81	3	Vertical	196	1.74	-	33.60	5.77	30.73
AV	5.1494G	50.86	54.00	-3.14	42.22	3	Vertical	196	1.74	-	33.60	5.77	30.73
PK	5.2388G	122.96	Inf	-Inf	114.17	3	Vertical	196	1.74	-	33.70	5.82	30.73
AV	5.2382G	110.45	Inf	-Inf	101.66	3	Vertical	196	1.74	-	33.70	5.82	30.73
PK	5.3558G	61.64	74.00	-12.36	52.57	3	Vertical	196	1.74	-	33.91	5.88	30.72
AV	5.35G	48.32	54.00	-5.68	39.26	3	Vertical	196	1.74	-	33.90	5.88	30.72



5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	59.35	74.00	-14.65	50.74	3	Horizontal	265	2.16	-	33.57	5.77	30.73
AV	5.15G	46.25	54.00	-7.75	37.60	3	Horizontal	265	2.16	-	33.60	5.78	30.73
PK	5.2352G	111.46	Inf	-Inf	102.67	3	Horizontal	265	2.16	-	33.70	5.82	30.73
AV	5.2376G	99.75	Inf	-Inf	90.96	3	Horizontal	265	2.16	-	33.70	5.82	30.73
PK	5.375G	59.02	74.00	-14.98	49.90	3	Horizontal	265	2.16	-	33.95	5.89	30.72
AV	5.351G	46.65	54.00	-7.35	37.59	3	Horizontal	265	2.16	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47712G	53.57	68.20	-14.63	38.35	3	Vertical	331	1.39	-	38.60	8.47	31.85
PK	15.7178G	57.02	74.00	-16.98	40.57	3	Vertical	309	1.42	-	37.50	10.39	31.44
AV	15.72038G	43.45	54.00	-10.55	27.00	3	Vertical	309	1.42	-	37.50	10.39	31.44

5.15-5.25GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47818G	53.52	68.20	-14.68	38.30	3	Horizontal	337	1.18	-	38.60	8.47	31.85
PK	15.72182G	56.88	74.00	-17.12	40.44	3	Horizontal	250	1.82	-	37.50	10.39	31.45
AV	15.71574G	43.40	54.00	-10.60	26.95	3	Horizontal	250	1.82	-	37.50	10.39	31.44

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	62.64	68.20	-5.56	53.57	3	Vertical	306	2.10	-	33.80	6.10	30.83
PK	5.744G	123.26	Inf	-Inf	114.26	3	Vertical	306	2.10	-	33.81	6.10	30.91
AV	5.741G	110.16	Inf	-Inf	101.14	3	Vertical	306	2.10	-	33.82	6.10	30.90
PK	5.958G	59.84	68.20	-8.36	50.45	3	Vertical	306	2.10	-	34.20	6.26	31.07

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	59.80	68.20	-8.40	50.51	3	Horizontal	236	2.25	-	34.00	6.05	30.76
PK	5.751G	114.56	Inf	-Inf	105.57	3	Horizontal	236	2.25	-	33.80	6.10	30.91
AV	5.749G	101.31	Inf	-Inf	92.32	3	Horizontal	236	2.25	-	33.80	6.10	30.91
PK	5.936G	59.14	68.20	-9.06	49.79	3	Horizontal	236	2.25	-	34.17	6.23	31.05

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48874G	57.37	74.00	-16.63	41.69	3	Vertical	149	2.44	-	38.98	8.82	32.12
AV	11.48838G	43.69	54.00	-10.31	28.01	3	Vertical	149	2.44	-	38.98	8.82	32.12
PK	17.23476G	63.81	68.20	-4.39	40.95	3	Vertical	178	2.99	-	42.17	10.93	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48352G	56.09	74.00	-17.91	40.41	3	Horizontal	221	2.84	-	38.97	8.82	32.11
AV	11.48592G	42.35	54.00	-11.65	26.67	3	Horizontal	221	2.84	-	38.97	8.82	32.11
PK	17.22534G	63.23	68.20	-4.97	40.41	3	Horizontal	341	1.03	-	42.13	10.93	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	59.94	68.20	-8.26	50.73	3	Vertical	329	2.10	-	33.91	6.09	30.79
PK	5.79G	123.78	Inf	-Inf	114.82	3	Vertical	329	2.10	-	33.80	6.10	30.94
AV	5.787G	109.76	Inf	-Inf	100.80	3	Vertical	329	2.10	-	33.80	6.10	30.94
PK	5.939G	59.88	68.20	-8.32	50.51	3	Vertical	329	2.10	-	34.18	6.24	31.05



5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	58.95	68.20	-9.25	49.81	3	Horizontal	238	2.35	-	33.85	6.10	30.81
PK	5.779G	113.70	Inf	-Inf	104.73	3	Horizontal	238	2.35	-	33.80	6.10	30.93
AV	5.787G	100.91	Inf	-Inf	91.95	3	Horizontal	238	2.35	-	33.80	6.10	30.94
PK	5.988G	59.05	68.20	-9.15	49.65	3	Horizontal	238	2.35	-	34.20	6.29	31.09

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57258G	55.77	74.00	-18.23	39.86	3	Vertical	150	2.62	-	39.22	8.85	32.16
AV	11.57246G	42.61	54.00	-11.39	26.70	3	Vertical	150	2.62	-	39.22	8.85	32.16
PK	17.35584G	63.50	68.20	-4.70	39.91	3	Vertical	101	1.41	-	42.84	10.97	30.22

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57282G	54.55	74.00	-19.45	38.64	3	Horizontal	67	1.80	-	39.22	8.85	32.16
AV	11.56538G	40.80	54.00	-13.20	24.91	3	Horizontal	67	1.80	-	39.20	8.85	32.16
PK	17.36874G	64.04	68.20	-4.16	40.37	3	Horizontal	273	1.41	-	42.91	10.98	30.22

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.00	68.20	-9.20	49.88	3	Vertical	30	2.17	-	33.84	6.10	30.82
PK	5.829G	121.97	Inf	-Inf	113.02	3	Vertical	30	2.17	-	33.80	6.12	30.97
AV	5.827G	109.04	Inf	-Inf	100.09	3	Vertical	30	2.17	-	33.80	6.12	30.97
PK	5.93G	62.66	68.20	-5.54	53.32	3	Vertical	30	2.17	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.63	68.20	-9.57	49.55	3	Horizontal	239	2.24	-	33.81	6.10	30.83
PK	5.828G	111.31	Inf	-Inf	102.36	3	Horizontal	239	2.24	-	33.80	6.12	30.97
AV	5.828G	99.34	Inf	-Inf	90.39	3	Horizontal	239	2.24	-	33.80	6.12	30.97
PK	6.024G	59.50	68.20	-8.70	50.06	3	Horizontal	239	2.24	-	34.25	6.30	31.11

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64346G	54.63	74.00	-19.37	38.56	3	Vertical	138	1.97	-	39.39	8.88	32.20
AV	11.6503G	41.39	54.00	-12.61	25.32	3	Vertical	138	1.97	-	39.40	8.88	32.21
PK	17.48778G	64.26	68.20	-3.94	39.65	3	Vertical	213	1.30	-	43.80	11.02	30.21

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64964G	55.14	74.00	-18.86	39.07	3	Horizontal	205	2.28	-	39.40	8.88	32.21
AV	11.64808G	41.69	54.00	-12.31	25.62	3	Horizontal	205	2.28	-	39.40	8.88	32.21
PK	17.47644G	64.11	68.20	-4.09	39.59	3	Horizontal	295	1.22	-	43.71	11.02	30.21

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	67.01	74.00	-6.99	58.37	3	Vertical	196	1.58	-	33.60	5.77	30.73
AV	5.1496G	51.14	54.00	-2.86	42.50	3	Vertical	196	1.58	-	33.60	5.77	30.73
PK	5.1952G	115.02	Inf	-Inf	106.26	3	Vertical	196	1.58	-	33.69	5.80	30.73
AV	5.196G	102.36	Inf	-Inf	93.60	3	Vertical	196	1.58	-	33.69	5.80	30.73



5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	59.54	74.00	-14.46	50.91	3	Horizontal	264	1.86	-	33.59	5.77	30.73
AV	5.1452G	46.62	54.00	-7.38	37.99	3	Horizontal	264	1.86	-	33.59	5.77	30.73
PK	5.1784G	105.82	Inf	-Inf	97.10	3	Horizontal	264	1.86	-	33.66	5.79	30.73
AV	5.1836G	92.00	Inf	-Inf	83.27	3	Horizontal	264	1.86	-	33.67	5.79	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37856G	54.26	68.20	-13.94	39.04	3	Vertical	260	1.59	-	38.62	8.43	31.83
PK	15.56232G	58.71	74.00	-15.29	42.02	3	Vertical	354	1.80	-	37.73	10.32	31.36
AV	15.5682G	45.49	54.00	-8.51	28.84	3	Vertical	354	1.80	-	37.69	10.33	31.37

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38544G	54.13	68.20	-14.07	38.92	3	Horizontal	232	2.43	-	38.61	8.43	31.83
PK	15.56072G	58.54	74.00	-15.46	41.84	3	Horizontal	321	1.80	-	37.74	10.32	31.36
AV	15.56032G	45.20	54.00	-8.80	28.50	3	Horizontal	321	1.80	-	37.74	10.32	31.36

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT Z\_2TX  
 Setting 24  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	69.06	74.00	-4.94	60.42	3	Vertical	196	1.80	-	33.60	5.77	30.73
AV	5.15G	53.51	54.00	-0.49	44.87	3	Vertical	196	1.80	-	33.60	5.77	30.73
PK	5.224G	117.49	Inf	-Inf	108.71	3	Vertical	196	1.80	-	33.70	5.81	30.73
AV	5.227G	105.10	Inf	-Inf	96.32	3	Vertical	196	1.80	-	33.70	5.81	30.73
PK	5.3632G	64.41	74.00	-9.59	55.32	3	Vertical	196	1.80	-	33.93	5.88	30.72
AV	5.3506G	49.41	54.00	-4.59	40.35	3	Vertical	196	1.80	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT Z\_2TX  
Setting 24  
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	59.88	74.00	-14.12	51.26	3	Horizontal	267	2.17	-	33.58	5.77	30.73
AV	5.15G	47.03	54.00	-6.97	38.39	3	Horizontal	267	2.17	-	33.60	5.77	30.73
PK	5.2222G	107.23	Inf	-Inf	98.45	3	Horizontal	267	2.17	-	33.70	5.81	30.73
AV	5.2234G	94.43	Inf	-Inf	85.65	3	Horizontal	267	2.17	-	33.70	5.81	30.73
PK	5.3602G	59.38	74.00	-14.62	50.30	3	Horizontal	267	2.17	-	33.92	5.88	30.72
AV	5.3524G	46.97	54.00	-7.03	37.91	3	Horizontal	267	2.17	-	33.90	5.88	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT Z\_2TX  
 Setting 24  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45916G	53.99	68.20	-14.21	38.77	3	Vertical	239	1.80	-	38.60	8.46	31.84
PK	15.68064G	58.20	74.00	-15.80	41.75	3	Vertical	2	1.00	-	37.50	10.37	31.42
AV	15.6804G	44.51	54.00	-9.49	28.06	3	Vertical	2	1.00	-	37.50	10.37	31.42

5.15-5.25GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45852G	53.97	68.20	-14.23	38.75	3	Horizontal	153	2.83	-	38.60	8.46	31.84
PK	15.6908G	57.15	74.00	-16.85	40.70	3	Horizontal	220	2.09	-	37.50	10.38	31.43
AV	15.68G	44.15	54.00	-9.85	27.70	3	Horizontal	220	2.09	-	37.50	10.37	31.42

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	67.32	68.20	-0.88	58.20	3	Vertical	221	2.06	-	33.84	6.10	30.82
PK	5.757G	118.43	Inf	-Inf	109.45	3	Vertical	221	2.06	-	33.80	6.10	30.92
AV	5.759G	105.61	Inf	-Inf	96.63	3	Vertical	221	2.06	-	33.80	6.10	30.92
PK	5.928G	62.35	68.20	-5.85	53.02	3	Vertical	221	2.06	-	34.16	6.22	31.05



5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	60.35	68.20	-7.85	51.27	3	Horizontal	239	2.36	-	33.81	6.10	30.83
PK	5.762G	109.61	Inf	-Inf	100.63	3	Horizontal	239	2.36	-	33.80	6.10	30.92
AV	5.761G	97.21	Inf	-Inf	88.23	3	Horizontal	239	2.36	-	33.80	6.10	30.92
PK	5.961G	59.37	68.20	-8.83	49.98	3	Horizontal	239	2.36	-	34.20	6.26	31.07

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50332G	56.02	74.00	-17.98	40.30	3	Vertical	149	1.96	-	39.01	8.83	32.12
AV	11.50996G	42.11	54.00	-11.89	26.38	3	Vertical	149	1.96	-	39.03	8.83	32.13
PK	17.266G	64.01	68.20	-4.19	40.97	3	Vertical	55	1.80	-	42.33	10.94	30.23

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51332G	54.50	74.00	-19.50	38.76	3	Horizontal	212	2.45	-	39.04	8.83	32.13
AV	11.50484G	40.85	54.00	-13.15	25.13	3	Horizontal	212	2.45	-	39.01	8.83	32.12
PK	17.25516G	64.05	68.20	-4.15	41.06	3	Horizontal	13	1.31	-	42.28	10.94	30.23

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	65.27	68.20	-2.93	56.18	3	Vertical	329	2.20	-	33.82	6.10	30.83
PK	5.794G	118.40	Inf	-Inf	109.44	3	Vertical	329	2.20	-	33.80	6.10	30.94
AV	5.792G	106.09	Inf	-Inf	97.13	3	Vertical	329	2.20	-	33.80	6.10	30.94
PK	5.919G	72.05	72.64	-0.59	62.74	3	Vertical	329	2.20	-	34.14	6.21	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	60.56	68.20	-7.64	51.48	3	Horizontal	235	2.35	-	33.81	6.10	30.83
PK	5.794G	108.75	Inf	-Inf	99.79	3	Horizontal	235	2.35	-	33.80	6.10	30.94
AV	5.792G	96.98	Inf	-Inf	88.02	3	Horizontal	235	2.35	-	33.80	6.10	30.94
PK	5.954G	60.01	68.20	-8.19	50.63	3	Horizontal	235	2.35	-	34.20	6.25	31.07

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5912G	55.24	74.00	-18.76	39.28	3	Vertical	170	1.00	-	39.27	8.86	32.17
AV	11.5908G	41.62	54.00	-12.38	25.66	3	Vertical	170	1.00	-	39.27	8.86	32.17
PK	17.388G	63.68	68.20	-4.52	39.88	3	Vertical	45	1.80	-	43.03	10.99	30.22

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59008G	56.71	74.00	-17.29	40.75	3	Horizontal	134	2.86	-	39.27	8.86	32.17
AV	11.58312G	43.03	54.00	-10.97	27.10	3	Horizontal	134	2.86	-	39.25	8.85	32.17
PK	17.37924G	63.73	68.20	-4.47	39.99	3	Horizontal	3	1.80	-	42.98	10.98	30.22

5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT Z\_2TX  
 Setting 21  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	70.57	74.00	-3.43	61.93	3	Vertical	195	1.92	-	33.60	5.77	30.73
AV	5.15G	52.19	54.00	-1.81	43.54	3	Vertical	195	1.92	-	33.60	5.78	30.73
PK	5.216G	111.75	Inf	-Inf	102.97	3	Vertical	195	1.92	-	33.70	5.81	30.73
AV	5.217G	99.02	Inf	-Inf	90.24	3	Vertical	195	1.92	-	33.70	5.81	30.73
PK	5.353G	59.91	74.00	-14.09	50.84	3	Vertical	195	1.92	-	33.91	5.88	30.72
AV	5.376G	47.50	54.00	-6.50	38.38	3	Vertical	195	1.92	-	33.95	5.89	30.72



5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT Z\_2TX  
 Setting 21  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	58.99	74.00	-15.01	50.37	3	Horizontal	224	2.21	-	33.58	5.77	30.73
AV	5.15G	46.79	54.00	-7.21	38.14	3	Horizontal	224	2.21	-	33.60	5.78	30.73
PK	5.214G	101.23	Inf	-Inf	92.45	3	Horizontal	224	2.21	-	33.70	5.81	30.73
AV	5.206G	89.07	Inf	-Inf	80.30	3	Horizontal	224	2.21	-	33.70	5.80	30.73
PK	5.46G	59.15	74.00	-14.85	49.91	3	Horizontal	224	2.21	-	34.00	5.96	30.72
AV	5.409G	46.79	54.00	-7.21	37.60	3	Horizontal	224	2.21	-	34.00	5.91	30.72

5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41396G	53.25	68.20	-14.95	38.05	3	Vertical	8	2.37	-	38.60	8.44	31.84
PK	15.62732G	58.33	74.00	-15.67	41.88	3	Vertical	-0	1.80	-	37.50	10.35	31.40
AV	15.63096G	44.55	54.00	-9.45	28.10	3	Vertical	-0	1.80	-	37.50	10.35	31.40

5.15-5.25GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 21  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42568G	53.18	68.20	-15.02	37.97	3	Horizontal	268	2.81	-	38.60	8.45	31.84
PK	15.62372G	57.90	74.00	-16.10	41.44	3	Horizontal	360	2.30	-	37.50	10.35	31.39
AV	15.62076G	44.33	54.00	-9.67	27.87	3	Horizontal	360	2.30	-	37.50	10.35	31.39

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23.5  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.92	68.20	-2.28	56.85	3	Vertical	308	2.26	-	33.80	6.10	30.83
PK	5.795G	115.68	Inf	-Inf	106.72	3	Vertical	308	2.26	-	33.80	6.10	30.94
AV	5.784G	101.44	Inf	-Inf	92.48	3	Vertical	308	2.26	-	33.80	6.10	30.94
PK	5.951G	67.87	68.20	-0.33	58.48	3	Vertical	308	2.26	-	34.20	6.25	31.06

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23.5  
 02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.29	68.20	-8.91	50.22	3	Horizontal	241	2.36	-	33.80	6.10	30.83
PK	5.758G	104.61	Inf	-Inf	95.63	3	Horizontal	241	2.36	-	33.80	6.10	30.92
AV	5.762G	92.21	Inf	-Inf	83.23	3	Horizontal	241	2.36	-	33.80	6.10	30.92
PK	5.95G	59.50	68.20	-8.70	50.11	3	Horizontal	241	2.36	-	34.20	6.25	31.06

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23.5  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54544G	54.49	74.00	-19.51	38.66	3	Vertical	150	2.37	-	39.14	8.84	32.15
AV	11.54196G	41.08	54.00	-12.92	25.25	3	Vertical	150	2.37	-	39.13	8.84	32.14
PK	17.32128G	64.52	68.20	-3.68	41.16	3	Vertical	76	1.80	-	42.63	10.96	30.23

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 23.5  
 02-F-W-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54928G	54.00	74.00	-20.00	38.16	3	Horizontal	38	2.10	-	39.15	8.84	32.15
AV	11.5438G	40.42	54.00	-13.58	24.60	3	Horizontal	38	2.10	-	39.13	8.84	32.15
PK	17.32176G	63.34	68.20	-4.86	39.98	3	Horizontal	140	1.80	-	42.63	10.96	30.23

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	68.89	74.00	-5.11	63.04	3	Vertical	305	2.31	-	33.99	6.74	34.88
AV	5.1432G	47.78	54.00	-6.22	41.93	3	Vertical	305	2.31	-	33.99	6.74	34.88
PK	5.1852G	118.33	Inf	-Inf	112.28	3	Vertical	305	2.31	-	34.14	6.79	34.88
AV	5.1872G	107.54	Inf	-Inf	101.48	3	Vertical	305	2.31	-	34.15	6.79	34.88



5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	58.74	74.00	-15.26	52.93	3	Horizontal	240	2.44	-	33.96	6.73	34.88
AV	5.1492G	46.66	54.00	-7.34	40.79	3	Horizontal	240	2.44	-	34.00	6.75	34.88
PK	5.1778G	109.86	Inf	-Inf	103.85	3	Horizontal	240	2.44	-	34.11	6.78	34.88
AV	5.179G	97.30	Inf	-Inf	91.28	3	Horizontal	240	2.44	-	34.12	6.78	34.88

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3744G	57.51	68.20	-10.69	40.73	3	Vertical	204	1.81	-	38.17	12.21	33.60
PK	15.54266G	64.52	74.00	-9.48	44.40	3	Vertical	332	1.80	-	38.40	16.24	34.52
AV	15.53878G	50.94	54.00	-3.06	30.79	3	Vertical	332	1.80	-	38.43	16.24	34.52

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5180MHz\_TX



EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36282G	58.16	68.20	-10.04	41.45	3	Horizontal	192	1.81	-	38.16	12.20	33.65
PK	15.53812G	64.93	74.00	-9.07	44.78	3	Horizontal	215	1.80	-	38.43	16.24	34.52
AV	15.5386G	50.98	54.00	-3.02	30.83	3	Horizontal	215	1.80	-	38.43	16.24	34.52

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5200MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	58.69	74.00	-15.31	52.96	3	Vertical	273	2.03	-	33.91	6.70	34.88
AV	5.136G	46.47	54.00	-7.53	40.64	3	Vertical	273	2.03	-	33.97	6.74	34.88
PK	5.1952G	118.41	Inf	-Inf	112.31	3	Vertical	273	2.03	-	34.18	6.80	34.88
AV	5.198G	106.09	Inf	-Inf	99.98	3	Vertical	273	2.03	-	34.19	6.80	34.88

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	58.45	74.00	-15.55	52.69	3	Horizontal	243	2.52	-	33.93	6.71	34.88
AV	5.1292G	45.75	54.00	-8.25	39.94	3	Horizontal	243	2.52	-	33.96	6.73	34.88
PK	5.2028G	110.34	Inf	-Inf	104.21	3	Horizontal	243	2.52	-	34.21	6.80	34.88
AV	5.2024G	97.01	Inf	-Inf	90.88	3	Horizontal	243	2.52	-	34.21	6.80	34.88

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.398G	58.48	68.20	-9.72	41.55	3	Vertical	174	2.67	-	38.20	12.22	33.49
PK	15.5995G	64.73	74.00	-9.27	44.99	3	Vertical	0	2.45	-	38.00	16.30	34.56
AV	15.60064G	50.83	54.00	-3.17	31.09	3	Vertical	0	2.45	-	38.00	16.30	34.56

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40004G	57.92	68.20	-10.28	40.98	3	Horizontal	52	1.81	-	38.20	12.22	33.48
PK	15.60254G	64.18	74.00	-9.82	44.45	3	Horizontal	24	1.80	-	37.99	16.30	34.56
AV	15.59688G	50.65	54.00	-3.35	30.89	3	Horizontal	24	1.80	-	38.02	16.30	34.56

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	58.19	74.00	-15.81	52.32	3	Vertical	86	1.98	-	34.00	6.75	34.88
AV	5.1356G	46.88	54.00	-7.12	41.05	3	Vertical	86	1.98	-	33.97	6.74	34.88
PK	5.246G	117.99	Inf	-Inf	111.67	3	Vertical	86	1.98	-	34.38	6.82	34.88
AV	5.2388G	105.87	Inf	-Inf	99.57	3	Vertical	86	1.98	-	34.36	6.82	34.88
PK	5.3642G	59.18	74.00	-14.82	52.64	3	Vertical	86	1.98	-	34.53	6.88	34.87
AV	5.3762G	46.81	54.00	-7.19	40.24	3	Vertical	86	1.98	-	34.55	6.89	34.87



5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT Z\_2TX  
 Setting 28  
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1002G	58.18	74.00	-15.82	52.46	3	Horizontal	239	2.53	-	33.90	6.70	34.88
AV	5.1098G	45.63	54.00	-8.37	39.88	3	Horizontal	239	2.53	-	33.92	6.71	34.88
PK	5.2412G	108.66	Inf	-Inf	102.36	3	Horizontal	239	2.53	-	34.36	6.82	34.88
AV	5.2418G	97.07	Inf	-Inf	90.76	3	Horizontal	239	2.53	-	34.37	6.82	34.88
PK	5.3756G	58.64	74.00	-15.36	52.07	3	Horizontal	239	2.53	-	34.55	6.89	34.87
AV	5.3876G	46.37	54.00	-7.63	39.77	3	Horizontal	239	2.53	-	34.58	6.89	34.87

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47972G	57.92	68.20	-10.28	40.60	3	Vertical	272	1.81	-	38.20	12.26	33.14
PK	15.71876G	62.77	74.00	-11.23	43.41	3	Vertical	131	1.80	-	37.58	16.42	34.64
AV	15.71718G	49.67	54.00	-4.33	30.32	3	Vertical	131	1.80	-	37.57	16.42	34.64

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4751G	57.58	68.20	-10.62	40.28	3	Horizontal	85	2.80	-	38.20	12.26	33.16
PK	15.72296G	63.28	74.00	-10.72	43.91	3	Horizontal	78	1.78	-	37.59	16.42	34.64
AV	15.71942G	49.37	54.00	-4.63	30.01	3	Horizontal	78	1.78	-	37.58	16.42	34.64

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	60.07	68.20	-8.13	53.28	3	Vertical	295	2.25	-	34.60	7.06	34.87
PK	5.746G	120.85	Inf	-Inf	114.38	3	Vertical	295	2.25	-	34.21	7.17	34.91
AV	5.746G	108.89	Inf	-Inf	102.42	3	Vertical	295	2.25	-	34.21	7.17	34.91
PK	5.946G	60.24	68.20	-7.96	53.15	3	Vertical	295	2.25	-	34.78	7.27	34.96

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	59.85	68.20	-8.35	53.05	3	Horizontal	175	1.80	-	34.60	7.08	34.88
PK	5.752G	108.77	Inf	-Inf	102.31	3	Horizontal	175	1.80	-	34.20	7.18	34.92
AV	5.754G	98.17	Inf	-Inf	91.71	3	Horizontal	175	1.80	-	34.20	7.18	34.92
PK	5.96G	60.05	68.20	-8.15	52.93	3	Horizontal	175	1.80	-	34.80	7.28	34.96

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49606G	58.27	74.00	-15.73	41.32	3	Vertical	105	2.17	-	38.99	12.82	34.86
AV	11.49522G	45.23	54.00	-8.77	28.28	3	Vertical	105	2.17	-	38.99	12.82	34.86
PK	17.23566G	64.50	68.20	-3.70	40.39	3	Vertical	168	1.90	-	40.81	17.44	34.14

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48022G	58.14	74.00	-15.86	41.23	3	Horizontal	143	1.45	-	38.96	12.81	34.86
AV	11.48766G	45.39	54.00	-8.61	28.45	3	Horizontal	143	1.45	-	38.98	12.82	34.86
PK	17.24526G	64.32	68.20	-3.88	40.14	3	Horizontal	6	2.62	-	40.87	17.45	34.14

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	59.40	68.20	-8.80	52.62	3	Vertical	118	2.01	-	34.60	7.05	34.87
PK	5.782G	121.13	Inf	-Inf	114.66	3	Vertical	118	2.01	-	34.20	7.19	34.92
AV	5.782G	109.79	Inf	-Inf	103.32	3	Vertical	118	2.01	-	34.20	7.19	34.92
PK	6.022G	59.84	68.20	-8.36	52.64	3	Vertical	118	2.01	-	34.84	7.33	34.97



5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.558G	59.34	68.20	-8.86	52.55	3	Horizontal	235	2.29	-	34.60	7.06	34.87
PK	5.789G	112.24	Inf	-Inf	105.77	3	Horizontal	235	2.29	-	34.20	7.19	34.92
AV	5.787G	100.22	Inf	-Inf	93.75	3	Horizontal	235	2.29	-	34.20	7.19	34.92
PK	5.983G	60.00	68.20	-8.20	52.88	3	Horizontal	235	2.29	-	34.80	7.29	34.97

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5688G	58.93	74.00	-15.07	41.68	3	Vertical	329	2.43	-	39.28	12.86	34.89
AV	11.58086G	45.65	54.00	-8.35	28.36	3	Vertical	329	2.43	-	39.32	12.87	34.90
PK	17.35218G	64.77	68.20	-3.43	40.02	3	Vertical	192	2.98	-	41.41	17.51	34.17

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.582G	58.40	74.00	-15.60	41.10	3	Horizontal	190	2.58	-	39.33	12.87	34.90
AV	11.57474G	45.63	54.00	-8.37	28.36	3	Horizontal	190	2.58	-	39.30	12.87	34.90
PK	17.36316G	64.62	68.20	-3.58	39.82	3	Horizontal	258	3.00	-	41.45	17.52	34.17

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	59.42	68.20	-8.78	52.61	3	Vertical	8	2.08	-	34.59	7.10	34.88
PK	5.829G	118.60	Inf	-Inf	112.06	3	Vertical	8	2.08	-	34.26	7.21	34.93
AV	5.828G	107.63	Inf	-Inf	101.09	3	Vertical	8	2.08	-	34.26	7.21	34.93
PK	5.948G	60.31	68.20	-7.89	53.21	3	Vertical	8	2.08	-	34.79	7.27	34.96

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	59.39	68.20	-8.81	52.58	3	Horizontal	142	2.10	-	34.59	7.10	34.88
PK	5.827G	112.61	Inf	-Inf	106.08	3	Horizontal	142	2.10	-	34.25	7.21	34.93
AV	5.824G	100.50	Inf	-Inf	93.97	3	Horizontal	142	2.10	-	34.25	7.21	34.93
PK	5.945G	60.46	68.20	-7.74	53.37	3	Horizontal	142	2.10	-	34.78	7.27	34.96

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65264G	58.31	74.00	-15.69	40.94	3	Vertical	43	1.80	-	39.40	12.91	34.94
AV	11.66002G	45.46	54.00	-8.54	28.09	3	Vertical	43	1.80	-	39.40	12.91	34.94
PK	17.48136G	64.54	68.20	-3.66	38.82	3	Vertical	344	2.53	-	42.33	17.59	34.20

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65936G	58.52	74.00	-15.48	41.15	3	Horizontal	296	1.80	-	39.40	12.91	34.94
AV	11.64946G	45.43	54.00	-8.57	28.05	3	Horizontal	296	1.80	-	39.40	12.91	34.93
PK	17.4894G	64.55	68.20	-3.65	38.77	3	Horizontal	73	2.62	-	42.40	17.59	34.21

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	68.11	74.00	-5.89	62.24	3	Vertical	305	2.15	-	34.00	6.75	34.88
AV	5.1496G	52.43	54.00	-1.57	46.56	3	Vertical	305	2.15	-	34.00	6.75	34.88
PK	5.1888G	116.72	Inf	-Inf	110.65	3	Vertical	305	2.15	-	34.16	6.79	34.88
AV	5.2004G	106.52	Inf	-Inf	100.40	3	Vertical	305	2.15	-	34.20	6.80	34.88



5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	67.00	74.00	-7.00	61.14	3	Horizontal	237	2.16	-	33.99	6.75	34.88
AV	5.1456G	47.05	54.00	-6.95	41.19	3	Horizontal	237	2.16	-	33.99	6.75	34.88
PK	5.2044G	108.13	Inf	-Inf	101.99	3	Horizontal	237	2.16	-	34.22	6.80	34.88
AV	5.2044G	96.29	Inf	-Inf	90.15	3	Horizontal	237	2.16	-	34.22	6.80	34.88

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37784G	58.13	68.20	-10.07	41.32	3	Vertical	326	1.80	-	38.18	12.21	33.58
PK	15.57048G	64.99	74.00	-9.01	45.05	3	Vertical	170	1.82	-	38.21	16.27	34.54
AV	15.57702G	50.88	54.00	-3.12	30.98	3	Vertical	170	1.82	-	38.16	16.28	34.54

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37616G	57.80	68.20	-10.40	41.00	3	Horizontal	317	1.80	-	38.18	12.21	33.59
PK	15.57768G	64.51	74.00	-9.49	44.61	3	Horizontal	144	1.76	-	38.16	16.28	34.54
AV	15.58038G	50.56	54.00	-3.44	30.68	3	Horizontal	144	1.76	-	38.14	16.28	34.54

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	62.49	74.00	-11.51	56.65	3	Vertical	274	2.05	-	33.98	6.74	34.88
AV	5.1472G	48.68	54.00	-5.32	42.82	3	Vertical	274	2.05	-	33.99	6.75	34.88
PK	5.2234G	117.69	Inf	-Inf	111.47	3	Vertical	274	2.05	-	34.29	6.81	34.88
AV	5.2222G	105.70	Inf	-Inf	99.48	3	Vertical	274	2.05	-	34.29	6.81	34.88
PK	5.3578G	64.78	74.00	-9.22	58.25	3	Vertical	274	2.05	-	34.52	6.88	34.87
AV	5.3764G	48.22	54.00	-5.78	41.65	3	Vertical	274	2.05	-	34.55	6.89	34.87

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	60.42	74.00	-13.58	54.57	3	Horizontal	182	1.74	-	33.99	6.74	34.88
AV	5.149G	46.95	54.00	-7.05	41.08	3	Horizontal	182	1.74	-	34.00	6.75	34.88
PK	5.2324G	107.59	Inf	-Inf	101.32	3	Horizontal	182	1.74	-	34.33	6.82	34.88
AV	5.2312G	96.46	Inf	-Inf	90.20	3	Horizontal	182	1.74	-	34.32	6.82	34.88
PK	5.3668G	59.45	74.00	-14.55	52.91	3	Horizontal	182	1.74	-	34.53	6.88	34.87
AV	5.3722G	47.09	54.00	-6.91	40.53	3	Horizontal	182	1.74	-	34.54	6.89	34.87

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45796G	58.50	68.20	-9.70	41.28	3	Vertical	131	1.75	-	38.20	12.25	33.23
PK	15.69372G	63.79	74.00	-10.21	44.49	3	Vertical	262	1.79	-	37.53	16.39	34.62
AV	15.67632G	50.38	54.00	-3.62	30.99	3	Vertical	262	1.79	-	37.62	16.38	34.61

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47032G	58.41	68.20	-9.79	41.13	3	Horizontal	355	2.48	-	38.20	12.26	33.18
PK	15.6756G	65.41	74.00	-8.59	46.02	3	Horizontal	322	1.93	-	37.62	16.38	34.61
AV	15.68046G	50.19	54.00	-3.81	30.82	3	Horizontal	322	1.93	-	37.60	16.38	34.61

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	60.99	68.20	-7.21	54.26	3	Vertical	264	1.99	-	34.50	7.12	34.89
PK	5.749G	119.04	Inf	-Inf	112.58	3	Vertical	264	1.99	-	34.20	7.17	34.91
AV	5.748G	106.49	Inf	-Inf	100.03	3	Vertical	264	1.99	-	34.20	7.17	34.91
PK	5.939G	60.80	68.20	-7.40	53.73	3	Vertical	264	1.99	-	34.76	7.27	34.96



5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.84	68.20	-8.36	53.08	3	Horizontal	142	2.02	-	34.54	7.11	34.89
PK	5.76G	111.08	Inf	-Inf	104.62	3	Horizontal	142	2.02	-	34.20	7.18	34.92
AV	5.754G	99.20	Inf	-Inf	92.74	3	Horizontal	142	2.02	-	34.20	7.18	34.92
PK	5.934G	60.03	68.20	-8.17	52.98	3	Horizontal	142	2.02	-	34.74	7.27	34.96

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.525G	58.71	74.00	-15.29	41.64	3	Vertical	191	2.20	-	39.10	12.84	34.87
AV	11.50592G	45.11	54.00	-8.89	28.12	3	Vertical	191	2.20	-	39.02	12.83	34.86
PK	17.26116G	64.60	68.20	-3.60	40.31	3	Vertical	177	1.39	-	40.97	17.46	34.14

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49812G	58.23	74.00	-15.77	41.27	3	Horizontal	335	1.01	-	39.00	12.82	34.86
AV	11.50268G	45.52	54.00	-8.48	28.54	3	Horizontal	335	1.01	-	39.01	12.83	34.86
PK	17.27022G	63.90	68.20	-4.30	39.57	3	Horizontal	237	2.45	-	41.02	17.46	34.15

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	60.80	68.20	-7.40	54.02	3	Vertical	68	2.40	-	34.56	7.11	34.89
PK	5.8G	119.51	Inf	-Inf	113.04	3	Vertical	68	2.40	-	34.20	7.20	34.93
AV	5.799G	106.67	Inf	-Inf	100.20	3	Vertical	68	2.40	-	34.20	7.20	34.93
PK	5.93G	61.46	68.20	-6.74	54.43	3	Vertical	68	2.40	-	34.72	7.26	34.95

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	59.43	68.20	-8.77	52.61	3	Horizontal	234	2.26	-	34.60	7.10	34.88
PK	5.788G	110.73	Inf	-Inf	104.26	3	Horizontal	234	2.26	-	34.20	7.19	34.92
AV	5.79G	98.88	Inf	-Inf	92.40	3	Horizontal	234	2.26	-	34.20	7.20	34.92
PK	5.945G	60.13	68.20	-8.07	53.04	3	Horizontal	234	2.26	-	34.78	7.27	34.96

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57548G	58.03	74.00	-15.97	40.76	3	Vertical	174	1.86	-	39.30	12.87	34.90
AV	11.58262G	45.35	54.00	-8.65	28.05	3	Vertical	174	1.86	-	39.33	12.87	34.90
PK	17.39934G	64.19	68.20	-4.01	39.23	3	Vertical	20	1.80	-	41.60	17.54	34.18

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59546G	58.63	74.00	-15.37	41.28	3	Horizontal	265	1.31	-	39.38	12.88	34.91
AV	11.578G	45.25	54.00	-8.75	27.97	3	Horizontal	265	1.31	-	39.31	12.87	34.90
PK	17.37438G	64.21	68.20	-3.99	39.36	3	Horizontal	101	1.80	-	41.50	17.52	34.17

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.065G	70.35	74.00	-3.65	64.75	3	Vertical	272	2.10	-	33.83	6.66	34.89
AV	5.148G	51.66	54.00	-2.34	45.79	3	Vertical	272	2.10	-	34.00	6.75	34.88
PK	5.201G	113.09	Inf	-Inf	106.97	3	Vertical	272	2.10	-	34.20	6.80	34.88
AV	5.202G	101.15	Inf	-Inf	95.02	3	Vertical	272	2.10	-	34.21	6.80	34.88
PK	5.395G	63.32	74.00	-10.68	56.70	3	Vertical	272	2.10	-	34.59	6.90	34.87
AV	5.368G	51.56	54.00	-2.44	45.01	3	Vertical	272	2.10	-	34.54	6.88	34.87



5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT Z\_2TX  
 Setting 24  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.064G	62.39	74.00	-11.61	56.79	3	Horizontal	239	3.00	-	33.83	6.66	34.89
AV	5.138G	47.62	54.00	-6.38	41.78	3	Horizontal	239	3.00	-	33.98	6.74	34.88
PK	5.213G	105.38	Inf	-Inf	99.20	3	Horizontal	239	3.00	-	34.25	6.81	34.88
AV	5.201G	95.19	Inf	-Inf	89.07	3	Horizontal	239	3.00	-	34.20	6.80	34.88
PK	5.438G	59.89	74.00	-14.11	53.29	3	Horizontal	239	3.00	-	34.52	6.94	34.86
AV	5.386G	47.11	54.00	-6.89	40.52	3	Horizontal	239	3.00	-	34.57	6.89	34.87

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41334G	57.95	68.20	-10.25	40.95	3	Vertical	143	2.03	-	38.20	12.23	33.43
PK	15.63576G	64.54	74.00	-9.46	44.96	3	Vertical	64	2.00	-	37.82	16.34	34.58
AV	15.61794G	50.79	54.00	-3.21	31.13	3	Vertical	64	2.00	-	37.91	16.32	34.57

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
 Setting 24  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4278G	57.47	68.20	-10.73	40.39	3	Horizontal	360	1.80	-	38.20	12.24	33.36
PK	15.6357G	64.19	74.00	-9.81	44.61	3	Horizontal	298	2.18	-	37.82	16.34	34.58
AV	15.6231G	50.34	54.00	-3.66	30.71	3	Horizontal	298	2.18	-	37.88	16.32	34.57

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.36	68.20	-4.84	56.62	3	Vertical	220	2.10	-	34.51	7.12	34.89
PK	5.778G	111.23	Inf	-Inf	104.76	3	Vertical	220	2.10	-	34.20	7.19	34.92
AV	5.744G	107.44	Inf	-Inf	100.97	3	Vertical	220	2.10	-	34.21	7.17	34.91
PK	5.933G	65.18	68.20	-3.02	58.14	3	Vertical	220	2.10	-	34.73	7.27	34.96

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.567G	58.90	68.20	-9.30	52.10	3	Horizontal	112	2.88	-	34.60	7.07	34.87
PK	5.743G	100.83	Inf	-Inf	94.36	3	Horizontal	112	2.88	-	34.21	7.17	34.91
AV	5.743G	90.11	Inf	-Inf	83.64	3	Horizontal	112	2.88	-	34.21	7.17	34.91
PK	5.97G	59.82	68.20	-8.38	52.69	3	Horizontal	112	2.88	-	34.80	7.29	34.96

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53794G	58.25	74.00	-15.75	41.13	3	Vertical	290	3.00	-	39.15	12.85	34.88
AV	11.56464G	45.31	54.00	-8.69	28.08	3	Vertical	290	3.00	-	39.26	12.86	34.89
PK	17.31336G	65.17	68.20	-3.03	40.59	3	Vertical	65	1.80	-	41.25	17.49	34.16

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TX



EUT\_Z\_2TX  
 Setting 28  
 03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53584G	58.50	74.00	-15.50	41.40	3	Horizontal	176	1.71	-	39.14	12.84	34.88
AV	11.55534G	45.65	54.00	-8.35	28.46	3	Horizontal	176	1.71	-	39.22	12.86	34.89
PK	17.31498G	65.08	68.20	-3.12	40.49	3	Horizontal	266	1.80	-	41.26	17.49	34.16




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1497G	53.89	54.00	-0.11	3	Vertical	252	1.84	-



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1479G	64.67	74.00	-9.33	58.70	3	Vertical	183	1.80	-	34.10	6.75	34.88
AV	5.1479G	51.77	54.00	-2.23	45.80	3	Vertical	183	1.80	-	34.10	6.75	34.88
PK	5.1831G	118.27	Inf	-Inf	112.34	3	Vertical	183	1.80	-	34.03	6.78	34.88
AV	5.183G	109.70	Inf	-Inf	103.77	3	Vertical	183	1.80	-	34.03	6.78	34.88

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.33	74.00	-13.67	54.37	3	Horizontal	344	1.61	-	34.09	6.75	34.88
AV	5.1352G	49.14	54.00	-4.86	43.21	3	Horizontal	344	1.61	-	34.07	6.74	34.88
PK	5.1747G	105.47	Inf	-Inf	99.53	3	Horizontal	344	1.61	-	34.05	6.77	34.88
AV	5.1791G	97.39	Inf	-Inf	91.45	3	Horizontal	344	1.61	-	34.04	6.78	34.88

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3519G	51.96	68.20	-16.24	44.94	3	Vertical	229	1.80	-	37.85	12.19	43.02
PK	15.54906G	59.53	74.00	-14.47	47.63	3	Vertical	143	1.80	-	38.20	16.25	42.55
AV	15.5346G	48.00	54.00	-6.00	36.08	3	Vertical	143	1.80	-	38.26	16.23	42.57

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35008G	52.10	68.20	-16.10	45.08	3	Horizontal	26	1.80	-	37.85	12.19	43.02
PK	15.54416G	59.41	74.00	-14.59	47.51	3	Horizontal	42	1.80	-	38.22	16.24	42.56
AV	15.53726G	48.06	54.00	-5.94	36.14	3	Horizontal	42	1.80	-	38.25	16.24	42.57

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	64.13	74.00	-9.87	58.17	3	Vertical	170	1.88	-	34.09	6.75	34.88
AV	5.15G	51.98	54.00	-2.02	46.01	3	Vertical	170	1.88	-	34.10	6.75	34.88
PK	5.2038G	120.15	Inf	-Inf	114.23	3	Vertical	170	1.88	-	34.00	6.80	34.88
AV	5.2034G	111.87	Inf	-Inf	105.95	3	Vertical	170	1.88	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	60.79	74.00	-13.21	54.85	3	Horizontal	344	1.79	-	34.08	6.74	34.88
AV	5.1426G	48.94	54.00	-5.06	42.99	3	Horizontal	344	1.79	-	34.09	6.74	34.88
PK	5.2038G	108.05	Inf	-Inf	102.13	3	Horizontal	344	1.79	-	34.00	6.80	34.88
AV	5.204G	99.67	Inf	-Inf	93.75	3	Horizontal	344	1.79	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3959G	51.58	68.20	-16.62	44.49	3	Vertical	38	1.80	-	37.90	12.22	43.03
PK	15.6068G	59.06	74.00	-14.94	47.23	3	Vertical	215	2.84	-	38.01	16.31	42.49
AV	15.6038G	47.36	54.00	-6.64	35.55	3	Vertical	215	2.84	-	38.00	16.30	42.49

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3979G	51.36	68.20	-16.84	44.27	3	Horizontal	158	1.03	-	37.90	12.22	43.03
PK	15.60496G	59.98	74.00	-14.02	48.17	3	Horizontal	284	2.56	-	38.00	16.30	42.49
AV	15.59508G	47.31	54.00	-6.69	35.49	3	Horizontal	284	2.56	-	38.02	16.30	42.50



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	65.42	74.00	-8.58	59.45	3	Vertical	252	1.84	-	34.10	6.75	34.88
AV	5.1497G	53.89	54.00	-0.11	47.92	3	Vertical	252	1.84	-	34.10	6.75	34.88
PK	5.2367G	121.83	Inf	-Inf	115.89	3	Vertical	252	1.84	-	34.00	6.82	34.88
AV	5.237G	112.87	Inf	-Inf	106.93	3	Vertical	252	1.84	-	34.00	6.82	34.88
PK	5.35G	62.84	74.00	-11.16	56.33	3	Vertical	252	1.84	-	34.50	6.88	34.87
AV	5.35G	52.10	54.00	-1.90	45.59	3	Vertical	252	1.84	-	34.50	6.88	34.87

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0903G	60.30	74.00	-13.70	54.55	3	Horizontal	7	1.80	-	33.94	6.69	34.88
AV	5.1404G	49.10	54.00	-4.90	43.16	3	Horizontal	7	1.80	-	34.08	6.74	34.88
PK	5.2337G	109.17	Inf	-Inf	103.23	3	Horizontal	7	1.80	-	34.00	6.82	34.88
AV	5.234G	100.78	Inf	-Inf	94.84	3	Horizontal	7	1.80	-	34.00	6.82	34.88
PK	5.3612G	61.08	74.00	-12.92	54.59	3	Horizontal	7	1.80	-	34.48	6.88	34.87
AV	5.357G	49.48	54.00	-4.52	42.98	3	Horizontal	7	1.80	-	34.49	6.88	34.87

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47204G	51.33	68.20	-16.87	44.14	3	Vertical	12	1.80	-	37.97	12.26	43.04
PK	15.72642G	62.58	74.00	-11.42	50.56	3	Vertical	29	1.80	-	37.94	16.43	42.35
AV	15.72174G	50.45	54.00	-3.55	38.41	3	Vertical	29	1.80	-	37.97	16.42	42.35

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48768G	51.87	68.20	-16.33	44.65	3	Horizontal	164	1.53	-	37.99	12.27	43.04
PK	15.71498G	61.59	74.00	-12.41	49.53	3	Horizontal	29	2.15	-	38.01	16.41	42.36
AV	15.7165G	50.18	54.00	-3.82	38.12	3	Horizontal	29	2.15	-	38.00	16.42	42.36

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5305G	61.85	68.20	-6.35	55.09	3	Vertical	62	1.92	-	34.60	7.03	34.87
PK	5.749G	120.78	Inf	-Inf	114.32	3	Vertical	62	1.92	-	34.20	7.17	34.91
AV	5.744G	112.21	Inf	-Inf	105.75	3	Vertical	62	1.92	-	34.20	7.17	34.91
PK	5.993G	61.40	68.20	-6.80	54.38	3	Vertical	62	1.92	-	34.69	7.30	34.97

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	61.75	68.20	-6.45	55.12	3	Horizontal	19	1.62	-	34.40	7.12	34.89
PK	5.742G	115.37	Inf	-Inf	108.91	3	Horizontal	19	1.62	-	34.20	7.17	34.91
AV	5.742G	107.22	Inf	-Inf	100.76	3	Horizontal	19	1.62	-	34.20	7.17	34.91
PK	5.958G	61.40	68.20	-6.80	54.46	3	Horizontal	19	1.62	-	34.62	7.28	34.96

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49292G	59.67	74.00	-14.33	51.17	3	Vertical	360	2.98	-	38.98	12.82	43.30
AV	11.49262G	47.92	54.00	-6.08	39.42	3	Vertical	360	2.98	-	38.98	12.82	43.30
PK	17.2251G	64.76	68.20	-3.44	48.73	3	Vertical	255	1.80	-	40.63	17.44	42.04

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49302G	59.22	74.00	-14.78	50.72	3	Horizontal	3	2.24	-	38.98	12.82	43.30
AV	11.4929G	47.19	54.00	-6.81	38.69	3	Horizontal	3	2.24	-	38.98	12.82	43.30
PK	17.23212G	64.89	68.20	-3.31	48.82	3	Horizontal	183	2.42	-	40.66	17.44	42.03



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6195G	61.00	68.20	-7.20	54.38	3	Vertical	185	1.80	-	34.40	7.11	34.89
PK	5.786G	120.41	Inf	-Inf	113.87	3	Vertical	185	1.80	-	34.27	7.19	34.92
AV	5.786G	111.88	Inf	-Inf	105.34	3	Vertical	185	1.80	-	34.27	7.19	34.92
PK	6.0255G	61.37	68.20	-6.83	54.25	3	Vertical	185	1.80	-	34.75	7.34	34.97

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5635G	60.34	68.20	-7.86	53.60	3	Horizontal	15	1.76	-	34.55	7.06	34.87
PK	5.788G	111.73	Inf	-Inf	105.18	3	Horizontal	15	1.76	-	34.28	7.19	34.92
AV	5.788G	103.05	Inf	-Inf	96.50	3	Horizontal	15	1.76	-	34.28	7.19	34.92
PK	6.0335G	61.07	68.20	-7.13	53.92	3	Horizontal	15	1.76	-	34.77	7.35	34.97

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56374G	57.09	74.00	-16.91	48.33	3	Vertical	194	2.34	-	39.19	12.86	43.29
AV	11.56002G	45.84	54.00	-8.16	37.09	3	Vertical	194	2.34	-	39.18	12.86	43.29
PK	17.35678G	64.67	68.20	-3.53	47.76	3	Vertical	344	1.82	-	41.40	17.51	42.00

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56764G	57.55	74.00	-16.45	48.78	3	Horizontal	228	1.80	-	39.20	12.86	43.29
AV	11.56714G	46.00	54.00	-8.00	37.23	3	Horizontal	228	1.80	-	39.20	12.86	43.29
PK	17.35698G	63.90	68.20	-4.30	46.99	3	Horizontal	340	2.86	-	41.40	17.51	42.00

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	60.63	68.20	-7.57	54.01	3	Vertical	173	1.80	-	34.40	7.11	34.89
PK	5.822G	120.45	Inf	-Inf	113.87	3	Vertical	173	1.80	-	34.30	7.21	34.93
AV	5.827G	112.11	Inf	-Inf	105.53	3	Vertical	173	1.80	-	34.30	7.21	34.93
PK	5.954G	62.34	68.20	-5.86	55.41	3	Vertical	173	1.80	-	34.61	7.28	34.96

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5785G	60.90	68.20	-7.30	54.21	3	Horizontal	15	1.67	-	34.49	7.08	34.88
PK	5.8275G	111.41	Inf	-Inf	104.83	3	Horizontal	15	1.67	-	34.30	7.21	34.93
AV	5.8275G	103.21	Inf	-Inf	96.63	3	Horizontal	15	1.67	-	34.30	7.21	34.93
PK	5.9455G	61.83	68.20	-6.37	54.93	3	Horizontal	15	1.67	-	34.59	7.27	34.96

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64806G	60.59	74.00	-13.41	51.61	3	Vertical	328	1.76	-	39.35	12.91	43.28
AV	11.64848G	48.88	54.00	-5.12	39.90	3	Vertical	328	1.76	-	39.35	12.91	43.28
PK	17.4747G	65.94	68.20	-2.26	48.12	3	Vertical	12	1.79	-	42.22	17.58	41.98

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65372G	58.85	74.00	-15.15	49.87	3	Horizontal	13	2.22	-	39.35	12.91	43.28
AV	11.64512G	47.15	54.00	-6.85	38.18	3	Horizontal	13	2.22	-	39.35	12.90	43.28
PK	17.48142G	65.28	68.20	-2.92	47.39	3	Horizontal	43	1.73	-	42.27	17.59	41.97



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	66.75	74.00	-7.25	60.80	3	Vertical	173	1.81	-	34.09	6.74	34.88
AV	5.1498G	52.20	54.00	-1.80	46.23	3	Vertical	173	1.81	-	34.10	6.75	34.88
PK	5.1814G	121.15	Inf	-Inf	115.21	3	Vertical	173	1.81	-	34.04	6.78	34.88
AV	5.1818G	108.82	Inf	-Inf	102.88	3	Vertical	173	1.81	-	34.04	6.78	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	60.44	74.00	-13.56	54.48	3	Horizontal	345	1.84	-	34.09	6.75	34.88
AV	5.1449G	48.59	54.00	-5.41	42.64	3	Horizontal	345	1.84	-	34.09	6.74	34.88
PK	5.1841G	108.13	Inf	-Inf	102.20	3	Horizontal	345	1.84	-	34.03	6.78	34.88
AV	5.1838G	96.63	Inf	-Inf	90.70	3	Horizontal	345	1.84	-	34.03	6.78	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 24.5  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35914G	56.50	68.20	-11.70	49.46	3	Vertical	23	2.30	-	37.86	12.20	43.02
PK	15.5411G	59.86	74.00	-14.14	47.94	3	Vertical	0	1.80	-	38.24	16.24	42.56
AV	15.53056G	47.69	54.00	-6.31	35.75	3	Vertical	0	1.80	-	38.28	16.23	42.57

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 24.5  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35396G	55.90	68.20	-12.30	48.88	3	Horizontal	153	1.26	-	37.85	12.19	43.02
PK	15.54086G	60.02	74.00	-13.98	48.10	3	Horizontal	98	1.66	-	38.24	16.24	42.56
AV	15.53444G	47.58	54.00	-6.42	35.66	3	Horizontal	98	1.66	-	38.26	16.23	42.57

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.27	74.00	-6.73	61.30	3	Vertical	172	1.00	-	34.10	6.75	34.88
AV	5.15G	53.80	54.00	-0.20	47.83	3	Vertical	172	1.00	-	34.10	6.75	34.88
PK	5.2026G	122.79	Inf	-Inf	116.87	3	Vertical	172	1.00	-	34.00	6.80	34.88
AV	5.2028G	111.21	Inf	-Inf	105.29	3	Vertical	172	1.00	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	60.88	74.00	-13.12	54.92	3	Horizontal	345	1.80	-	34.09	6.75	34.88
AV	5.148G	48.75	54.00	-5.25	42.78	3	Horizontal	345	1.80	-	34.10	6.75	34.88
PK	5.203G	110.69	Inf	-Inf	104.77	3	Horizontal	345	1.80	-	34.00	6.80	34.88
AV	5.2038G	99.37	Inf	-Inf	93.45	3	Horizontal	345	1.80	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4548G	54.09	68.20	-14.11	46.92	3	Vertical	248	1.40	-	37.95	12.25	43.03
PK	15.5332G	60.08	74.00	-13.92	48.15	3	Vertical	2	1.80	-	38.27	16.23	42.57
AV	15.5348G	47.74	54.00	-6.26	35.82	3	Vertical	2	1.80	-	38.26	16.23	42.57

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3962G	53.62	68.20	-14.58	46.53	3	Horizontal	200	2.09	-	37.90	12.22	43.03
PK	15.59384G	58.54	74.00	-15.46	46.73	3	Horizontal	286	2.12	-	38.02	16.29	42.50
AV	15.6088G	46.96	54.00	-7.04	35.12	3	Horizontal	286	2.12	-	38.01	16.31	42.48



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.50	74.00	-10.50	57.53	3	Vertical	251	1.80	-	34.10	6.75	34.88
AV	5.1479G	51.41	54.00	-2.59	45.44	3	Vertical	251	1.80	-	34.10	6.75	34.88
PK	5.2331G	122.48	Inf	-Inf	116.54	3	Vertical	251	1.80	-	34.00	6.82	34.88
AV	5.234G	111.47	Inf	-Inf	105.53	3	Vertical	251	1.80	-	34.00	6.82	34.88
PK	5.3567G	61.37	74.00	-12.63	54.87	3	Vertical	251	1.80	-	34.49	6.88	34.87
AV	5.35G	49.94	54.00	-4.06	43.43	3	Vertical	251	1.80	-	34.50	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	60.41	74.00	-13.59	54.49	3	Horizontal	6	1.80	-	34.07	6.73	34.88
AV	5.1038G	48.70	54.00	-5.30	42.87	3	Horizontal	6	1.80	-	34.01	6.70	34.88
PK	5.2376G	111.07	Inf	-Inf	105.13	3	Horizontal	6	1.80	-	34.00	6.82	34.88
AV	5.2379G	100.04	Inf	-Inf	94.10	3	Horizontal	6	1.80	-	34.00	6.82	34.88
PK	5.3675G	60.25	74.00	-13.75	53.77	3	Horizontal	6	1.80	-	34.47	6.88	34.87
AV	5.3519G	48.98	54.00	-5.02	42.47	3	Horizontal	6	1.80	-	34.50	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48016G	57.08	68.20	-11.12	49.88	3	Vertical	39	2.17	-	37.98	12.26	43.04
PK	15.71856G	62.04	74.00	-11.96	49.99	3	Vertical	28	1.80	-	37.99	16.42	42.36
AV	15.7175G	49.57	54.00	-4.43	37.52	3	Vertical	28	1.80	-	37.99	16.42	42.36

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47142G	55.42	68.20	-12.78	48.23	3	Horizontal	97	1.89	-	37.97	12.26	43.04
PK	15.72604G	63.39	74.00	-10.61	51.37	3	Horizontal	30	2.00	-	37.94	16.43	42.35
AV	15.71638G	50.22	54.00	-3.78	38.16	3	Horizontal	30	2.00	-	38.00	16.42	42.36

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6465G	63.92	68.20	-4.28	57.29	3	Vertical	61	1.96	-	34.40	7.12	34.89
PK	5.7485G	121.30	Inf	-Inf	114.84	3	Vertical	61	1.96	-	34.20	7.17	34.91
AV	5.747G	111.33	Inf	-Inf	104.87	3	Vertical	61	1.96	-	34.20	7.17	34.91
PK	5.937G	61.26	68.20	-6.94	54.38	3	Vertical	61	1.96	-	34.57	7.27	34.96

5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5215G	60.66	68.20	-7.54	53.90	3	Horizontal	16	1.68	-	34.60	7.02	34.86
PK	5.7395G	111.25	Inf	-Inf	104.79	3	Horizontal	16	1.68	-	34.20	7.17	34.91
AV	5.7415G	100.66	Inf	-Inf	94.20	3	Horizontal	16	1.68	-	34.20	7.17	34.91
PK	5.9765G	61.55	68.20	-6.65	54.57	3	Horizontal	16	1.68	-	34.65	7.29	34.96

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49748G	60.16	74.00	-13.84	51.65	3	Vertical	346	3.00	-	38.99	12.82	43.30
AV	11.49702G	47.52	54.00	-6.48	39.01	3	Vertical	346	3.00	-	38.99	12.82	43.30
PK	17.22974G	64.84	68.20	-3.36	48.78	3	Vertical	354	1.09	-	40.65	17.44	42.03

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49672G	57.29	74.00	-16.71	48.78	3	Horizontal	-0	1.80	-	38.99	12.82	43.30
AV	11.4953G	44.95	54.00	-9.05	36.44	3	Horizontal	-0	1.80	-	38.99	12.82	43.30
PK	17.24484G	63.58	68.20	-4.62	47.44	3	Horizontal	37	1.48	-	40.72	17.45	42.03



5.725-5.85GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6155G	60.93	68.20	-7.27	54.31	3	Vertical	174	1.80	-	34.40	7.11	34.89
PK	5.783G	121.22	Inf	-Inf	114.68	3	Vertical	174	1.80	-	34.27	7.19	34.92
AV	5.784G	110.75	Inf	-Inf	104.21	3	Vertical	174	1.80	-	34.27	7.19	34.92
PK	5.978G	61.34	68.20	-6.86	54.36	3	Vertical	174	1.80	-	34.66	7.29	34.97

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5525G	60.53	68.20	-7.67	53.76	3	Horizontal	14	1.74	-	34.59	7.05	34.87
PK	5.7865G	112.45	Inf	-Inf	105.91	3	Horizontal	14	1.74	-	34.27	7.19	34.92
AV	5.786G	101.90	Inf	-Inf	95.36	3	Horizontal	14	1.74	-	34.27	7.19	34.92
PK	6.0125G	61.49	68.20	-6.71	54.41	3	Horizontal	14	1.74	-	34.73	7.32	34.97

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56666G	61.27	74.00	-12.73	52.50	3	Vertical	2	1.80	-	39.20	12.86	43.29
AV	11.56778G	49.28	54.00	-4.72	40.51	3	Vertical	2	1.80	-	39.20	12.86	43.29
PK	17.35594G	64.30	68.20	-3.90	47.40	3	Vertical	121	2.72	-	41.39	17.51	42.00

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56702G	58.98	74.00	-15.02	50.21	3	Horizontal	342	3.00	-	39.20	12.86	43.29
AV	11.5661G	47.38	54.00	-6.62	38.61	3	Horizontal	342	3.00	-	39.20	12.86	43.29
PK	17.36442G	64.27	68.20	-3.93	47.30	3	Horizontal	356	2.85	-	41.45	17.52	42.00

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6285G	60.37	68.20	-7.83	53.75	3	Vertical	172	1.80	-	34.40	7.11	34.89
PK	5.8275G	121.18	Inf	-Inf	114.60	3	Vertical	172	1.80	-	34.30	7.21	34.93
AV	5.8285G	110.51	Inf	-Inf	103.93	3	Vertical	172	1.80	-	34.30	7.21	34.93
PK	6.029G	61.64	68.20	-6.56	54.51	3	Vertical	172	1.80	-	34.76	7.34	34.97

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5755G	60.79	68.20	-7.41	54.09	3	Horizontal	15	1.72	-	34.50	7.08	34.88
PK	5.8315G	112.06	Inf	-Inf	105.47	3	Horizontal	15	1.72	-	34.30	7.22	34.93
AV	5.821G	101.72	Inf	-Inf	95.14	3	Horizontal	15	1.72	-	34.30	7.21	34.93
PK	6.054G	62.37	68.20	-5.83	55.15	3	Horizontal	15	1.72	-	34.82	7.38	34.98

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64692G	60.04	74.00	-13.96	51.06	3	Vertical	327	1.80	-	39.35	12.91	43.28
AV	11.64768G	47.66	54.00	-6.34	38.68	3	Vertical	327	1.80	-	39.35	12.91	43.28
PK	17.4825G	66.33	68.20	-1.87	48.43	3	Vertical	9	1.80	-	42.28	17.59	41.97

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65956G	57.99	74.00	-16.01	48.99	3	Horizontal	343	1.80	-	39.36	12.91	43.27
AV	11.64776G	46.29	54.00	-7.71	37.31	3	Horizontal	343	1.80	-	39.35	12.91	43.28
PK	17.474G	64.97	68.20	-3.23	47.15	3	Horizontal	15	2.58	-	42.22	17.58	41.98



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.47	74.00	-8.53	59.50	3	Vertical	169	1.89	-	34.10	6.75	34.88
AV	5.1488G	53.81	54.00	-0.19	47.84	3	Vertical	169	1.89	-	34.10	6.75	34.88
PK	5.197G	115.72	Inf	-Inf	109.79	3	Vertical	169	1.89	-	34.01	6.80	34.88
AV	5.1974G	104.54	Inf	-Inf	98.61	3	Vertical	169	1.89	-	34.01	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	61.35	74.00	-12.65	55.42	3	Horizontal	8	1.78	-	34.07	6.74	34.88
AV	5.144G	48.92	54.00	-5.08	42.97	3	Horizontal	8	1.78	-	34.09	6.74	34.88
PK	5.193G	103.88	Inf	-Inf	97.96	3	Horizontal	8	1.78	-	34.01	6.79	34.88
AV	5.1928G	92.25	Inf	-Inf	86.33	3	Horizontal	8	1.78	-	34.01	6.79	34.88

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 21.5  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38282G	54.99	68.20	-13.21	47.93	3	Vertical	347	1.83	-	37.88	12.21	43.03
PK	15.56774G	59.08	74.00	-14.92	47.21	3	Vertical	7	1.80	-	38.13	16.27	42.53
AV	15.56G	47.15	54.00	-6.85	35.27	3	Vertical	7	1.80	-	38.16	16.26	42.54

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 21.5  
 03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38614G	54.15	68.20	-14.05	47.08	3	Horizontal	92	2.45	-	37.89	12.21	43.03
PK	15.56172G	58.60	74.00	-15.40	46.73	3	Horizontal	277	1.04	-	38.15	16.26	42.54
AV	15.56044G	47.10	54.00	-6.90	35.22	3	Horizontal	277	1.04	-	38.16	16.26	42.54

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	65.64	74.00	-8.36	59.70	3	Vertical	171	1.01	-	34.08	6.74	34.88
AV	5.1484G	52.32	54.00	-1.68	46.35	3	Vertical	171	1.01	-	34.10	6.75	34.88
PK	5.2291G	118.15	Inf	-Inf	112.22	3	Vertical	171	1.01	-	34.00	6.81	34.88
AV	5.2174G	106.79	Inf	-Inf	100.86	3	Vertical	171	1.01	-	34.00	6.81	34.88
PK	5.3599G	61.52	74.00	-12.48	55.03	3	Vertical	171	1.01	-	34.48	6.88	34.87
AV	5.3761G	49.54	54.00	-4.46	43.07	3	Vertical	171	1.01	-	34.45	6.89	34.87

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1277G	60.54	74.00	-13.46	54.63	3	Horizontal	7	1.71	-	34.06	6.73	34.88
AV	5.1433G	48.76	54.00	-5.24	42.81	3	Horizontal	7	1.71	-	34.09	6.74	34.88
PK	5.2219G	106.99	Inf	-Inf	101.06	3	Horizontal	7	1.71	-	34.00	6.81	34.88
AV	5.2225G	95.04	Inf	-Inf	89.11	3	Horizontal	7	1.71	-	34.00	6.81	34.88
PK	5.3794G	60.48	74.00	-13.52	54.02	3	Horizontal	7	1.71	-	34.44	6.89	34.87
AV	5.3557G	48.98	54.00	-5.02	42.48	3	Horizontal	7	1.71	-	34.49	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 24.5  
03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45506G	56.10	68.20	-12.10	48.92	3	Vertical	349	1.63	-	37.96	12.25	43.03
PK	15.68562G	58.58	74.00	-15.42	46.49	3	Vertical	126	1.80	-	38.09	16.39	42.39
AV	15.69904G	46.88	54.00	-7.12	34.76	3	Vertical	126	1.80	-	38.10	16.40	42.38

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45848G	55.43	68.20	-12.77	48.26	3	Horizontal	176	2.99	-	37.96	12.25	43.04
PK	15.69316G	58.23	74.00	-15.77	46.14	3	Horizontal	152	1.63	-	38.09	16.39	42.39
AV	15.699G	46.68	54.00	-7.32	34.56	3	Horizontal	152	1.63	-	38.10	16.40	42.38



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	66.40	68.20	-1.80	59.77	3	Vertical	60	1.94	-	34.40	7.12	34.89
PK	5.7675G	118.39	Inf	-Inf	111.90	3	Vertical	60	1.94	-	34.23	7.18	34.92
AV	5.7575G	107.11	Inf	-Inf	100.63	3	Vertical	60	1.94	-	34.22	7.18	34.92
PK	5.928G	61.67	68.20	-6.53	54.80	3	Vertical	60	1.94	-	34.56	7.26	34.95

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 03-J-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5445G	60.76	68.20	-7.44	53.99	3	Horizontal	15	1.58	-	34.60	7.04	34.87
PK	5.7605G	106.00	Inf	-Inf	99.52	3	Horizontal	15	1.58	-	34.22	7.18	34.92
AV	5.7605G	96.21	Inf	-Inf	89.73	3	Horizontal	15	1.58	-	34.22	7.18	34.92
PK	6G	61.18	68.20	-7.02	54.15	3	Horizontal	15	1.58	-	34.70	7.30	34.97

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51016G	66.11	74.00	-7.89	57.55	3	Vertical	59	2.46	-	39.03	12.83	43.30
AV	11.51026G	50.68	54.00	-3.32	42.12	3	Vertical	59	2.46	-	39.03	12.83	43.30
PK	17.26046G	62.62	68.20	-5.58	46.39	3	Vertical	34	2.61	-	40.80	17.46	42.03

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50172G	64.75	74.00	-9.25	56.21	3	Horizontal	2	1.60	-	39.01	12.83	43.30
AV	11.51062G	49.96	54.00	-4.04	41.40	3	Horizontal	2	1.60	-	39.03	12.83	43.30
PK	17.26598G	63.97	68.20	-4.23	47.71	3	Horizontal	130	1.36	-	40.83	17.46	42.03

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	68.01	68.20	-0.19	61.38	3	Vertical	59	1.93	-	34.40	7.12	34.89
PK	5.7925G	118.42	Inf	-Inf	111.86	3	Vertical	59	1.93	-	34.28	7.20	34.92
AV	5.7925G	107.45	Inf	-Inf	100.89	3	Vertical	59	1.93	-	34.28	7.20	34.92
PK	5.9295G	65.84	68.20	-2.36	58.97	3	Vertical	59	1.93	-	34.56	7.26	34.95

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	60.80	68.20	-7.40	54.18	3	Horizontal	13	1.80	-	34.40	7.10	34.88
PK	5.8055G	107.46	Inf	-Inf	100.89	3	Horizontal	13	1.80	-	34.30	7.20	34.93
AV	5.7955G	96.96	Inf	-Inf	90.40	3	Horizontal	13	1.80	-	34.29	7.20	34.93
PK	6.042G	61.95	68.20	-6.25	54.79	3	Horizontal	13	1.80	-	34.78	7.36	34.98

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59016G	55.55	74.00	-18.45	46.70	3	Vertical	55	1.15	-	39.27	12.87	43.29
AV	11.59067G	42.56	54.00	-11.44	33.71	3	Vertical	55	1.15	-	39.27	12.87	43.29
PK	17.38956G	62.64	68.20	-5.56	45.48	3	Vertical	66	1.14	-	41.63	17.53	42.00

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59252G	55.62	74.00	-18.38	46.75	3	Horizontal	246	1.64	-	39.28	12.88	43.29
AV	11.59254G	49.78	54.00	-4.22	40.91	3	Horizontal	246	1.64	-	39.28	12.88	43.29
PK	17.38118G	62.24	68.20	-5.96	45.14	3	Horizontal	97	1.74	-	41.57	17.53	42.00



5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	64.26	74.00	-9.74	58.31	3	Vertical	173	1.00	-	34.09	6.74	34.88
AV	5.142G	53.76	54.00	-0.24	47.82	3	Vertical	173	1.00	-	34.08	6.74	34.88
PK	5.2024G	111.47	Inf	-Inf	105.55	3	Vertical	173	1.00	-	34.00	6.80	34.88
AV	5.212G	100.64	Inf	-Inf	94.71	3	Vertical	173	1.00	-	34.00	6.81	34.88
PK	5.41G	60.33	74.00	-13.67	53.85	3	Vertical	173	1.00	-	34.44	6.91	34.87
AV	5.376G	49.22	54.00	-4.78	42.75	3	Vertical	173	1.00	-	34.45	6.89	34.87

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0576G	60.34	74.00	-13.66	54.82	3	Horizontal	346	1.80	-	33.75	6.66	34.89
AV	5.1316G	48.51	54.00	-5.49	42.60	3	Horizontal	346	1.80	-	34.06	6.73	34.88
PK	5.2144G	98.96	Inf	-Inf	93.03	3	Horizontal	346	1.80	-	34.00	6.81	34.88
AV	5.2036G	88.24	Inf	-Inf	82.32	3	Horizontal	346	1.80	-	34.00	6.80	34.88
PK	5.3872G	60.27	74.00	-13.73	53.82	3	Horizontal	346	1.80	-	34.43	6.89	34.87
AV	5.38G	48.86	54.00	-5.14	42.40	3	Horizontal	346	1.80	-	34.44	6.89	34.87

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41863G	55.76	68.20	-12.44	48.64	3	Vertical	260	2.00	-	37.92	12.23	43.03
PK	15.63408G	58.71	74.00	-15.29	46.80	3	Vertical	313	2.33	-	38.03	16.33	42.45
AV	15.63201G	46.77	54.00	-7.23	34.87	3	Vertical	313	2.33	-	38.03	16.33	42.46

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 20.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41538G	55.72	68.20	-12.48	48.60	3	Horizontal	228	2.56	-	37.92	12.23	43.03
PK	15.63248G	58.45	74.00	-15.55	46.55	3	Horizontal	275	1.03	-	38.03	16.33	42.46
AV	15.63198G	46.83	54.00	-7.17	34.93	3	Horizontal	275	1.03	-	38.03	16.33	42.46

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	67.45	68.20	-0.75	60.82	3	Vertical	13	1.80	-	34.40	7.12	34.89
PK	5.798G	112.79	Inf	-Inf	106.22	3	Vertical	13	1.80	-	34.30	7.20	34.93
AV	5.787G	101.97	Inf	-Inf	95.43	3	Vertical	13	1.80	-	34.27	7.19	34.92
PK	5.924G	66.84	68.94	-2.10	59.98	3	Vertical	13	1.80	-	34.55	7.26	34.95

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5455G	61.23	68.20	-6.97	54.45	3	Horizontal	15	1.74	-	34.60	7.05	34.87
PK	5.795G	104.21	Inf	-Inf	97.64	3	Horizontal	15	1.74	-	34.29	7.20	34.92
AV	5.7855G	93.34	Inf	-Inf	86.80	3	Horizontal	15	1.74	-	34.27	7.19	34.92
PK	6.002G	61.33	68.20	-6.87	54.30	3	Horizontal	15	1.74	-	34.70	7.30	34.97

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55326G	57.48	74.00	-16.52	48.76	3	Vertical	276	1.60	-	39.16	12.85	43.29
AV	11.55338G	45.05	54.00	-8.95	36.33	3	Vertical	276	1.60	-	39.16	12.85	43.29
PK	17.32118G	64.42	68.20	-3.78	47.79	3	Vertical	102	2.05	-	41.15	17.49	42.01

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
Setting 24  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5471G	56.84	74.00	-17.16	48.14	3	Horizontal	112	1.51	-	39.14	12.85	43.29
AV	11.55483G	45.04	54.00	-8.96	36.31	3	Horizontal	112	1.51	-	39.16	12.86	43.29
PK	17.32695G	64.14	68.20	-4.06	47.46	3	Horizontal	163	1.75	-	41.19	17.50	42.01



5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	65.40	74.00	-8.60	59.44	3	Vertical	183	1.92	-	34.09	6.75	34.88
AV	5.1499G	53.80	54.00	-0.20	47.83	3	Vertical	183	1.92	-	34.10	6.75	34.88
PK	5.1839G	119.92	Inf	-Inf	113.99	3	Vertical	183	1.92	-	34.03	6.78	34.88
AV	5.1836G	106.79	Inf	-Inf	100.86	3	Vertical	183	1.92	-	34.03	6.78	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	60.89	74.00	-13.11	54.93	3	Horizontal	344	1.53	-	34.09	6.75	34.88
AV	5.1484G	48.91	54.00	-5.09	42.94	3	Horizontal	344	1.53	-	34.10	6.75	34.88
PK	5.1771G	108.06	Inf	-Inf	102.11	3	Horizontal	344	1.53	-	34.05	6.78	34.88
AV	5.1817G	95.65	Inf	-Inf	89.71	3	Horizontal	344	1.53	-	34.04	6.78	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36003G	55.89	68.20	-12.31	48.85	3	Vertical	23	2.17	-	37.86	12.20	43.02
PK	15.54497G	59.83	74.00	-14.17	47.93	3	Vertical	118	1.80	-	38.22	16.24	42.56
AV	15.54034G	47.81	54.00	-6.19	35.89	3	Vertical	118	1.80	-	38.24	16.24	42.56

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36467G	55.71	68.20	-12.49	48.67	3	Horizontal	8	2.14	-	37.86	12.20	43.02
PK	15.53649G	59.86	74.00	-14.14	47.94	3	Horizontal	359	1.80	-	38.25	16.24	42.57
AV	15.54116G	47.70	54.00	-6.30	35.78	3	Horizontal	359	1.80	-	38.24	16.24	42.56

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	64.73	74.00	-9.27	58.76	3	Vertical	276	2.09	-	34.10	6.75	34.88
AV	5.1498G	53.23	54.00	-0.77	47.26	3	Vertical	276	2.09	-	34.10	6.75	34.88
PK	5.2058G	120.40	Inf	-Inf	114.48	3	Vertical	276	2.09	-	34.00	6.80	34.88
AV	5.1982G	108.81	Inf	-Inf	102.89	3	Vertical	276	2.09	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	60.30	74.00	-13.70	54.34	3	Horizontal	345	1.58	-	34.09	6.75	34.88
AV	5.149G	48.90	54.00	-5.10	42.93	3	Horizontal	345	1.58	-	34.10	6.75	34.88
PK	5.1984G	109.22	Inf	-Inf	103.30	3	Horizontal	345	1.58	-	34.00	6.80	34.88
AV	5.2028G	97.74	Inf	-Inf	91.82	3	Horizontal	345	1.58	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39566G	55.73	68.20	-12.47	48.64	3	Vertical	43	2.97	-	37.90	12.22	43.03
PK	15.60392G	58.05	74.00	-15.95	46.24	3	Vertical	193	1.13	-	38.00	16.30	42.49
AV	15.59719G	46.60	54.00	-7.40	34.79	3	Vertical	193	1.13	-	38.01	16.30	42.50

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40232G	56.17	68.20	-12.03	49.08	3	Horizontal	17	2.01	-	37.90	12.22	43.03
PK	15.60204G	58.05	74.00	-15.95	46.24	3	Horizontal	206	1.97	-	38.00	16.30	42.49
AV	15.60054G	46.62	54.00	-7.38	34.81	3	Horizontal	206	1.97	-	38.00	16.30	42.49



5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.93	74.00	-7.07	60.96	3	Vertical	252	1.84	-	34.10	6.75	34.88
AV	5.15G	53.80	54.00	-0.20	47.83	3	Vertical	252	1.84	-	34.10	6.75	34.88
PK	5.2358G	120.85	Inf	-Inf	114.91	3	Vertical	252	1.84	-	34.00	6.82	34.88
AV	5.2361G	109.29	Inf	-Inf	103.35	3	Vertical	252	1.84	-	34.00	6.82	34.88
PK	5.3516G	63.57	74.00	-10.43	57.06	3	Vertical	252	1.84	-	34.50	6.88	34.87
AV	5.3507G	51.48	54.00	-2.52	44.97	3	Vertical	252	1.84	-	34.50	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	60.11	74.00	-13.89	54.23	3	Horizontal	6	1.80	-	34.04	6.72	34.88
AV	5.141G	48.61	54.00	-5.39	42.67	3	Horizontal	6	1.80	-	34.08	6.74	34.88
PK	5.2337G	108.44	Inf	-Inf	102.50	3	Horizontal	6	1.80	-	34.00	6.82	34.88
AV	5.2361G	97.23	Inf	-Inf	91.29	3	Horizontal	6	1.80	-	34.00	6.82	34.88
PK	5.3711G	60.70	74.00	-13.30	54.22	3	Horizontal	6	1.80	-	34.46	6.89	34.87
AV	5.3801G	48.86	54.00	-5.14	42.40	3	Horizontal	6	1.80	-	34.44	6.89	34.87

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48115G	56.55	68.20	-11.65	49.35	3	Vertical	188	2.82	-	37.98	12.26	43.04
PK	15.71537G	58.88	74.00	-15.12	46.81	3	Vertical	285	2.91	-	38.01	16.42	42.36
AV	15.72246G	46.86	54.00	-7.14	34.82	3	Vertical	285	2.91	-	37.97	16.42	42.35

5.15-5.25GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48439G	55.66	68.20	-12.54	48.45	3	Horizontal	138	1.16	-	37.98	12.27	43.04
PK	15.72283G	58.77	74.00	-15.23	46.74	3	Horizontal	86	2.62	-	37.96	16.42	42.35
AV	15.71501G	46.98	54.00	-7.02	34.91	3	Horizontal	86	2.62	-	38.01	16.42	42.36

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	62.16	68.20	-6.04	55.53	3	Vertical	60	1.97	-	34.40	7.12	34.89
PK	5.7425G	119.47	Inf	-Inf	113.01	3	Vertical	60	1.97	-	34.20	7.17	34.91
AV	5.7435G	109.34	Inf	-Inf	102.88	3	Vertical	60	1.97	-	34.20	7.17	34.91
PK	5.9295G	61.44	68.20	-6.76	54.57	3	Vertical	60	1.97	-	34.56	7.26	34.95

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.511G	60.97	68.20	-7.23	54.22	3	Horizontal	15	1.77	-	34.60	7.01	34.86
PK	5.7395G	109.36	Inf	-Inf	102.90	3	Horizontal	15	1.77	-	34.20	7.17	34.91
AV	5.7465G	98.49	Inf	-Inf	92.03	3	Horizontal	15	1.77	-	34.20	7.17	34.91
PK	5.935G	60.80	68.20	-7.40	53.92	3	Horizontal	15	1.77	-	34.57	7.27	34.96

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48588G	56.62	74.00	-17.38	48.13	3	Vertical	355	2.87	-	38.96	12.82	43.29
AV	11.49132G	44.10	54.00	-9.90	35.61	3	Vertical	355	2.87	-	38.97	12.82	43.30
PK	17.23769G	64.57	68.20	-3.63	48.47	3	Vertical	311	2.23	-	40.69	17.44	42.03

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48975G	56.59	74.00	-17.41	48.10	3	Horizontal	140	1.58	-	38.97	12.82	43.30
AV	11.4866G	44.05	54.00	-9.95	35.56	3	Horizontal	140	1.58	-	38.96	12.82	43.29
PK	17.239G	63.32	68.20	-4.88	47.22	3	Horizontal	318	1.08	-	40.69	17.44	42.03



5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	60.85	68.20	-7.35	54.23	3	Vertical	175	1.99	-	34.40	7.10	34.88
PK	5.783G	120.04	Inf	-Inf	113.50	3	Vertical	175	1.99	-	34.27	7.19	34.92
AV	5.7885G	108.81	Inf	-Inf	102.26	3	Vertical	175	1.99	-	34.28	7.19	34.92
PK	6.0305G	61.47	68.20	-6.73	54.33	3	Vertical	175	1.99	-	34.76	7.35	34.97

5.725-5.85GHz\_802.11ax\_HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5625G	60.17	68.20	-8.03	53.43	3	Horizontal	14	1.76	-	34.55	7.06	34.87
PK	5.787G	111.21	Inf	-Inf	104.67	3	Horizontal	14	1.76	-	34.27	7.19	34.92
AV	5.7885G	99.97	Inf	-Inf	93.42	3	Horizontal	14	1.76	-	34.28	7.19	34.92
PK	6.0275G	61.58	68.20	-6.62	54.45	3	Horizontal	14	1.76	-	34.76	7.34	34.97

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57284G	57.97	74.00	-16.03	49.17	3	Vertical	328	3.00	-	39.22	12.87	43.29
AV	11.56889G	45.44	54.00	-8.56	36.66	3	Vertical	328	3.00	-	39.21	12.86	43.29
PK	17.35766G	63.99	68.20	-4.21	47.08	3	Vertical	127	1.36	-	41.40	17.51	42.00

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5662G	57.07	74.00	-16.93	48.30	3	Horizontal	327	2.22	-	39.20	12.86	43.29
AV	11.56754G	45.41	54.00	-8.59	36.64	3	Horizontal	327	2.22	-	39.20	12.86	43.29
PK	17.35437G	63.98	68.20	-4.22	47.09	3	Horizontal	345	1.89	-	41.38	17.51	42.00

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	61.39	68.20	-6.81	54.74	3	Vertical	173	1.80	-	34.44	7.09	34.88
PK	5.8275G	119.75	Inf	-Inf	113.17	3	Vertical	173	1.80	-	34.30	7.21	34.93
AV	5.8265G	109.01	Inf	-Inf	102.43	3	Vertical	173	1.80	-	34.30	7.21	34.93
PK	5.9255G	64.64	68.20	-3.56	57.78	3	Vertical	173	1.80	-	34.55	7.26	34.95

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.20	68.20	-8.00	53.57	3	Horizontal	16	1.80	-	34.40	7.12	34.89
PK	5.8285G	110.27	Inf	-Inf	103.69	3	Horizontal	16	1.80	-	34.30	7.21	34.93
AV	5.8275G	99.46	Inf	-Inf	92.88	3	Horizontal	16	1.80	-	34.30	7.21	34.93
PK	5.9255G	62.14	68.20	-6.06	55.28	3	Horizontal	16	1.80	-	34.55	7.26	34.95

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64742G	57.83	74.00	-16.17	48.85	3	Vertical	14	1.37	-	39.35	12.91	43.28
AV	11.64501G	45.83	54.00	-8.17	36.86	3	Vertical	14	1.37	-	39.35	12.90	43.28
AV	11.64516G	47.74	54.00	-6.26	38.77	3	Vertical	14	1.37	-	39.35	12.90	43.28
PK	11.64872G	59.59	74.00	-14.41	50.61	3	Vertical	324	2.04	-	39.35	12.91	43.28
PK	17.45028G	65.75	68.20	-2.45	48.11	3	Vertical	43	1.80	-	42.05	17.57	41.98
PK	17.47624G	65.81	68.20	-2.39	47.97	3	Vertical	340	1.47	-	42.23	17.59	41.98

5.725-5.85GHz\_802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




EUT\_Z\_2TX  
Setting 28  
03-J-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64832G	58.54	74.00	-15.46	49.56	3	Horizontal	358	2.26	-	39.35	12.91	43.28
AV	11.6456G	46.65	54.00	-7.35	37.67	3	Horizontal	358	2.26	-	39.35	12.91	43.28
AV	11.64833G	45.80	54.00	-8.20	36.82	3	Horizontal	358	2.26	-	39.35	12.91	43.28
PK	11.64923G	58.11	74.00	-15.89	49.13	3	Horizontal	297	2.82	-	39.35	12.91	43.28
PK	17.46244G	65.56	68.20	-2.64	47.82	3	Horizontal	77	1.04	-	42.14	17.58	41.98
PK	17.47006G	65.34	68.20	-2.86	47.55	3	Horizontal	288	1.93	-	42.19	17.58	41.98



5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 22.5  
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.35	74.00	-9.65	58.38	3	Vertical	173	1.10	-	34.10	6.75	34.88
AV	5.1496G	53.23	54.00	-0.77	47.26	3	Vertical	173	1.10	-	34.10	6.75	34.88
PK	5.1954G	113.96	Inf	-Inf	108.03	3	Vertical	173	1.10	-	34.01	6.80	34.88
AV	5.1948G	102.29	Inf	-Inf	96.37	3	Vertical	173	1.10	-	34.01	6.79	34.88

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
Setting 22.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0944G	60.65	74.00	-13.35	54.87	3	Horizontal	346	1.80	-	33.97	6.69	34.88
AV	5.15G	48.56	54.00	-5.44	42.59	3	Horizontal	346	1.80	-	34.10	6.75	34.88
PK	5.182G	100.73	Inf	-Inf	94.79	3	Horizontal	346	1.80	-	34.04	6.78	34.88
AV	5.2044G	89.71	Inf	-Inf	83.79	3	Horizontal	346	1.80	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 22.5  
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3815G	55.33	68.20	-12.87	48.27	3	Vertical	182	2.21	-	37.88	12.21	43.03
PK	15.56623G	58.97	74.00	-15.03	47.09	3	Vertical	106	1.01	-	38.14	16.27	42.53
AV	15.5672G	46.84	54.00	-7.16	34.97	3	Vertical	106	1.01	-	38.13	16.27	42.53

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




EUT\_Z\_2TX  
 Setting 22.5  
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.379G	55.23	68.20	-12.97	48.17	3	Horizontal	228	1.49	-	37.88	12.21	43.03
PK	15.571G	59.00	74.00	-15.00	47.14	3	Horizontal	228	1.24	-	38.12	16.27	42.53
AV	15.56718G	46.84	54.00	-7.16	34.97	3	Horizontal	228	1.24	-	38.13	16.27	42.53

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1361G	70.69	74.00	-3.31	64.76	3	Vertical	168	1.96	-	34.07	6.74	34.88
AV	5.1499G	53.13	54.00	-0.87	47.16	3	Vertical	168	1.96	-	34.10	6.75	34.88
PK	5.2204G	115.72	Inf	-Inf	109.79	3	Vertical	168	1.96	-	34.00	6.81	34.88
AV	5.2249G	104.20	Inf	-Inf	98.27	3	Vertical	168	1.96	-	34.00	6.81	34.88
PK	5.3536G	61.90	74.00	-12.10	55.40	3	Vertical	168	1.96	-	34.49	6.88	34.87
AV	5.35G	49.79	54.00	-4.21	43.28	3	Vertical	168	1.96	-	34.50	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11G	60.05	74.00	-13.95	54.20	3	Horizontal	345	1.80	-	34.02	6.71	34.88
AV	5.1499G	48.73	54.00	-5.27	42.76	3	Horizontal	345	1.80	-	34.10	6.75	34.88
PK	5.2156G	103.90	Inf	-Inf	97.97	3	Horizontal	345	1.80	-	34.00	6.81	34.88
AV	5.2174G	92.31	Inf	-Inf	86.38	3	Horizontal	345	1.80	-	34.00	6.81	34.88
PK	5.3548G	60.72	74.00	-13.28	54.22	3	Horizontal	345	1.80	-	34.49	6.88	34.87
AV	5.353G	48.80	54.00	-5.20	42.30	3	Horizontal	345	1.80	-	34.49	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4602G	55.68	68.20	-12.52	48.51	3	Vertical	259	1.58	-	37.96	12.25	43.04
PK	15.69449G	58.42	74.00	-15.58	46.32	3	Vertical	162	2.04	-	38.09	16.39	42.38
AV	15.69326G	46.71	54.00	-7.29	34.62	3	Vertical	162	2.04	-	38.09	16.39	42.39

5.15-5.25GHz\_802.11ax\_HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




EUT\_Z\_2TX  
Setting 25  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46337G	56.44	68.20	-11.76	49.27	3	Horizontal	56	2.27	-	37.96	12.25	43.04
PK	15.68714G	58.80	74.00	-15.20	46.71	3	Horizontal	58	2.13	-	38.09	16.39	42.39
AV	15.6928G	46.84	54.00	-7.16	34.75	3	Horizontal	58	2.13	-	38.09	16.39	42.39



5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.98	68.20	-4.22	57.35	3	Vertical	62	1.94	-	34.40	7.12	34.89
PK	5.7565G	115.71	Inf	-Inf	109.24	3	Vertical	62	1.94	-	34.21	7.18	34.92
AV	5.763G	104.06	Inf	-Inf	97.57	3	Vertical	62	1.94	-	34.23	7.18	34.92
PK	5.9375G	61.35	68.20	-6.85	54.46	3	Vertical	62	1.94	-	34.58	7.27	34.96

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




15/04/2023

EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	61.35	68.20	-6.85	54.58	3	Horizontal	16	1.80	-	34.60	7.04	34.87
PK	5.7595G	105.28	Inf	-Inf	98.80	3	Horizontal	16	1.80	-	34.22	7.18	34.92
AV	5.764G	94.01	Inf	-Inf	87.52	3	Horizontal	16	1.80	-	34.23	7.18	34.92
PK	5.978G	61.47	68.20	-6.73	54.49	3	Horizontal	16	1.80	-	34.66	7.29	34.97

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50903G	56.38	74.00	-17.62	47.82	3	Vertical	351	2.34	-	39.03	12.83	43.30
AV	11.50982G	44.46	54.00	-9.54	35.90	3	Vertical	351	2.34	-	39.03	12.83	43.30
PK	17.26214G	63.31	68.20	-4.89	47.07	3	Vertical	336	1.77	-	40.81	17.46	42.03

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




EUT\_Z\_2TX  
 Setting 25.5  
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51395G	56.81	74.00	-17.19	48.24	3	Horizontal	149	3.00	-	39.04	12.83	43.30
AV	11.51402G	44.54	54.00	-9.46	35.97	3	Horizontal	149	3.00	-	39.04	12.83	43.30
PK	17.26573G	63.56	68.20	-4.64	47.30	3	Horizontal	226	1.09	-	40.83	17.46	42.03

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.89	68.20	-3.31	58.26	3	Vertical	187	1.80	-	34.40	7.12	34.89
PK	5.8G	115.40	Inf	-Inf	108.83	3	Vertical	187	1.80	-	34.30	7.20	34.93
AV	5.798G	104.90	Inf	-Inf	98.33	3	Vertical	187	1.80	-	34.30	7.20	34.93
PK	5.9235G	66.06	69.31	-3.25	59.20	3	Vertical	187	1.80	-	34.55	7.26	34.95

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.56G	60.71	68.20	-7.49	53.96	3	Horizontal	14	1.80	-	34.56	7.06	34.87
PK	5.787G	106.84	Inf	-Inf	100.30	3	Horizontal	14	1.80	-	34.27	7.19	34.92
AV	5.796G	95.39	Inf	-Inf	88.83	3	Horizontal	14	1.80	-	34.29	7.20	34.93
PK	5.951G	61.85	68.20	-6.35	54.93	3	Horizontal	14	1.80	-	34.60	7.28	34.96

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58536G	57.08	74.00	-16.92	48.24	3	Vertical	20	1.15	-	39.26	12.87	43.29
AV	11.58567G	45.36	54.00	-8.64	36.52	3	Vertical	20	1.15	-	39.26	12.87	43.29
PK	17.38094G	63.89	68.20	-4.31	46.79	3	Vertical	350	1.87	-	41.57	17.53	42.00

5.725-5.85GHz\_802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




EUT\_Z\_2TX  
Setting 25.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59191G	57.32	74.00	-16.68	48.45	3	Horizontal	177	1.36	-	39.28	12.88	43.29
AV	11.58654G	45.25	54.00	-8.75	36.41	3	Horizontal	177	1.36	-	39.26	12.87	43.29
PK	17.38865G	64.59	68.20	-3.61	47.44	3	Horizontal	90	2.67	-	41.62	17.53	42.00



5.15-5.25GHz\_802.11ax\_HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 22  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	66.81	74.00	-7.19	60.88	3	Vertical	169	1.95	-	34.07	6.74	34.88
AV	5.142G	53.47	54.00	-0.53	47.53	3	Vertical	169	1.95	-	34.08	6.74	34.88
PK	5.2168G	110.78	Inf	-Inf	104.85	3	Vertical	169	1.95	-	34.00	6.81	34.88
AV	5.204G	98.94	Inf	-Inf	93.02	3	Vertical	169	1.95	-	34.00	6.80	34.88
PK	5.4008G	60.19	74.00	-13.81	53.76	3	Vertical	169	1.95	-	34.40	6.90	34.87
AV	5.3516G	49.15	54.00	-4.85	42.64	3	Vertical	169	1.95	-	34.50	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 22  
03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.38	74.00	-13.62	54.42	3	Horizontal	346	1.80	-	34.09	6.75	34.88
AV	5.142G	48.60	54.00	-5.40	42.66	3	Horizontal	346	1.80	-	34.08	6.74	34.88
PK	5.2032G	98.02	Inf	-Inf	92.10	3	Horizontal	346	1.80	-	34.00	6.80	34.88
AV	5.2052G	86.99	Inf	-Inf	81.07	3	Horizontal	346	1.80	-	34.00	6.80	34.88
PK	5.3968G	60.13	74.00	-13.87	53.69	3	Horizontal	346	1.80	-	34.41	6.90	34.87
AV	5.3572G	48.81	54.00	-5.19	42.31	3	Horizontal	346	1.80	-	34.49	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 22  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41648G	55.52	68.20	-12.68	48.40	3	Vertical	334	1.38	-	37.92	12.23	43.03
PK	15.62988G	58.91	74.00	-15.09	47.01	3	Vertical	122	1.50	-	38.03	16.33	42.46
AV	15.62873G	46.80	54.00	-7.20	34.90	3	Vertical	122	1.50	-	38.03	16.33	42.46

5.15-5.25GHz\_802.11ax\_HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




EUT\_Z\_2TX  
Setting 22  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42054G	55.99	68.20	-12.21	48.87	3	Horizontal	11	2.12	-	37.92	12.23	43.03
PK	15.62603G	58.22	74.00	-15.78	46.32	3	Horizontal	161	1.65	-	38.03	16.33	42.46
AV	15.62625G	46.72	54.00	-7.28	34.82	3	Horizontal	161	1.65	-	38.03	16.33	42.46

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	67.80	68.20	-0.40	61.17	3	Vertical	175	1.91	-	34.40	7.12	34.89
PK	5.7885G	110.78	Inf	-Inf	104.23	3	Vertical	175	1.91	-	34.28	7.19	34.92
AV	5.787G	100.49	Inf	-Inf	93.95	3	Vertical	175	1.91	-	34.27	7.19	34.92
PK	5.9285G	66.42	68.20	-1.78	59.55	3	Vertical	175	1.91	-	34.56	7.26	34.95

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5855G	60.87	68.20	-7.33	54.20	3	Horizontal	15	1.76	-	34.46	7.09	34.88
PK	5.7885G	102.79	Inf	-Inf	96.24	3	Horizontal	15	1.76	-	34.28	7.19	34.92
AV	5.7875G	91.80	Inf	-Inf	85.26	3	Horizontal	15	1.76	-	34.27	7.19	34.92
PK	6.006G	61.69	68.20	-6.51	54.64	3	Horizontal	15	1.76	-	34.71	7.31	34.97

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
 Setting 24.5  
 03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54965G	57.00	74.00	-17.00	48.29	3	Vertical	90	1.37	-	39.15	12.85	43.29
AV	11.55374G	45.01	54.00	-8.99	36.29	3	Vertical	90	1.37	-	39.16	12.85	43.29
PK	17.32704G	64.64	68.20	-3.56	47.96	3	Vertical	174	1.69	-	41.19	17.50	42.01

5.725-5.85GHz\_802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




EUT\_Z\_2TX  
Setting 24.5  
03-J-5-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55398G	57.18	74.00	-16.82	48.46	3	Horizontal	54	2.47	-	39.16	12.85	43.29
AV	11.55443G	45.10	54.00	-8.90	36.38	3	Horizontal	54	2.47	-	39.16	12.85	43.29
PK	17.32934G	64.31	68.20	-3.89	47.61	3	Horizontal	24	1.54	-	41.21	17.50	42.01



5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	60.38	74.00	-13.62	54.41	3	Vertical	272	1.96	-	34.10	6.75	34.88
AV	5.1434G	49.88	54.00	-4.12	43.93	3	Vertical	272	1.96	-	34.09	6.74	34.88
PK	5.1822G	118.63	Inf	-Inf	112.69	3	Vertical	272	1.96	-	34.04	6.78	34.88
AV	5.1752G	107.38	Inf	-Inf	101.43	3	Vertical	272	1.96	-	34.05	6.78	34.88

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1325G	59.59	74.00	-14.41	53.67	3	Horizontal	33	1.47	-	34.07	6.73	34.88
AV	5.1391G	48.69	54.00	-5.31	42.75	3	Horizontal	33	1.47	-	34.08	6.74	34.88
PK	5.1745G	105.00	Inf	-Inf	99.06	3	Horizontal	33	1.47	-	34.05	6.77	34.88
AV	5.1764G	93.91	Inf	-Inf	87.96	3	Horizontal	33	1.47	-	34.05	6.78	34.88

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34641G	55.20	68.20	-13.00	48.18	3	Vertical	26	1.83	-	37.85	12.19	43.02
PK	15.53658G	59.56	74.00	-14.44	47.64	3	Vertical	321	1.80	-	38.25	16.24	42.57
AV	15.53214G	47.84	54.00	-6.16	35.91	3	Vertical	321	1.80	-	38.27	16.23	42.57

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5180MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37497G	55.07	68.20	-13.13	48.01	3	Horizontal	33	1.80	-	37.87	12.21	43.02
PK	15.52968G	59.36	74.00	-14.64	47.43	3	Horizontal	192	1.80	-	38.28	16.23	42.58
AV	15.53016G	47.89	54.00	-6.11	35.96	3	Horizontal	192	1.80	-	38.28	16.23	42.58

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	60.36	74.00	-13.64	54.41	3	Vertical	321	2.00	-	34.09	6.74	34.88
AV	5.1014G	49.28	54.00	-4.72	43.46	3	Vertical	321	2.00	-	34.00	6.70	34.88
PK	5.2008G	117.96	Inf	-Inf	112.04	3	Vertical	321	2.00	-	34.00	6.80	34.88
AV	5.2026G	108.02	Inf	-Inf	102.10	3	Vertical	321	2.00	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1118G	59.74	74.00	-14.26	53.89	3	Horizontal	3	2.72	-	34.02	6.71	34.88
AV	5.1232G	48.71	54.00	-5.29	42.82	3	Horizontal	3	2.72	-	34.05	6.72	34.88
PK	5.2034G	109.85	Inf	-Inf	103.93	3	Horizontal	3	2.72	-	34.00	6.80	34.88
AV	5.2044G	98.85	Inf	-Inf	92.93	3	Horizontal	3	2.72	-	34.00	6.80	34.88

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39811G	55.97	68.20	-12.23	48.88	3	Vertical	26	2.95	-	37.90	12.22	43.03
PK	15.61059G	58.43	74.00	-15.57	46.59	3	Vertical	159	1.17	-	38.01	16.31	42.48
AV	15.60285G	47.19	54.00	-6.81	35.38	3	Vertical	159	1.17	-	38.00	16.30	42.49

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40174G	54.48	68.20	-13.72	47.39	3	Horizontal	76	2.97	-	37.90	12.22	43.03
PK	15.61365G	58.81	74.00	-15.19	46.97	3	Horizontal	187	1.80	-	38.01	16.31	42.48
AV	15.6051G	47.06	54.00	-6.94	35.23	3	Horizontal	187	1.80	-	38.01	16.31	42.49



5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1074G	59.79	74.00	-14.21	53.95	3	Vertical	274	1.90	-	34.01	6.71	34.88
AV	5.0927G	48.80	54.00	-5.20	43.03	3	Vertical	274	1.90	-	33.96	6.69	34.88
PK	5.234G	112.77	Inf	-Inf	106.83	3	Vertical	274	1.90	-	34.00	6.82	34.88
AV	5.2331G	105.50	Inf	-Inf	99.56	3	Vertical	274	1.90	-	34.00	6.82	34.88
PK	5.35G	60.58	74.00	-13.42	54.07	3	Vertical	274	1.90	-	34.50	6.88	34.87
AV	5.3591G	49.04	54.00	-4.96	42.55	3	Vertical	274	1.90	-	34.48	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.093G	60.33	74.00	-13.67	54.56	3	Horizontal	360	1.80	-	33.96	6.69	34.88
AV	5.1128G	48.68	54.00	-5.32	42.82	3	Horizontal	360	1.80	-	34.03	6.71	34.88
PK	5.237G	102.13	Inf	-Inf	96.19	3	Horizontal	360	1.80	-	34.00	6.82	34.88
AV	5.2367G	87.42	Inf	-Inf	81.48	3	Horizontal	360	1.80	-	34.00	6.82	34.88
PK	5.3567G	60.28	74.00	-13.72	53.78	3	Horizontal	360	1.80	-	34.49	6.88	34.87
AV	5.3588G	49.04	54.00	-4.96	42.55	3	Horizontal	360	1.80	-	34.48	6.88	34.87

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47304G	54.56	68.20	-13.64	47.37	3	Vertical	90	2.02	-	37.97	12.26	43.04
PK	15.71028G	59.19	74.00	-14.81	47.11	3	Vertical	276	1.80	-	38.04	16.41	42.37
AV	15.71229G	47.27	54.00	-6.73	35.19	3	Vertical	276	1.80	-	38.03	16.41	42.36

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_2TX

5240MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49434G	55.03	68.20	-13.17	47.81	3	Horizontal	74	1.80	-	37.99	12.27	43.04
PK	15.71211G	58.53	74.00	-15.47	46.45	3	Horizontal	166	1.80	-	38.03	16.41	42.36
AV	15.71691G	47.23	54.00	-6.77	35.17	3	Horizontal	166	1.80	-	38.00	16.42	42.36

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	60.91	68.20	-7.29	54.14	3	Vertical	62	1.89	-	34.60	7.04	34.87
PK	5.7415G	118.68	Inf	-Inf	112.22	3	Vertical	62	1.89	-	34.20	7.17	34.91
AV	5.736G	107.64	Inf	-Inf	101.18	3	Vertical	62	1.89	-	34.20	7.17	34.91
PK	5.9565G	60.84	68.20	-7.36	53.91	3	Vertical	62	1.89	-	34.61	7.28	34.96

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.531G	60.76	68.20	-7.44	54.00	3	Horizontal	17	1.67	-	34.60	7.03	34.87
PK	5.738G	107.53	Inf	-Inf	101.07	3	Horizontal	17	1.67	-	34.20	7.17	34.91
AV	5.7365G	97.90	Inf	-Inf	91.44	3	Horizontal	17	1.67	-	34.20	7.17	34.91
PK	5.9355G	60.93	68.20	-7.27	54.05	3	Horizontal	17	1.67	-	34.57	7.27	34.96

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48586G	51.96	74.00	-22.04	43.47	3	Vertical	264	1.80	-	38.96	12.82	43.29
AV	11.47761G	40.48	54.00	-13.52	32.03	3	Vertical	264	1.80	-	38.93	12.81	43.29
PK	17.22081G	63.19	68.20	-5.01	47.20	3	Vertical	28	1.80	-	40.60	17.43	42.04

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX



EUT\_Z\_2TX  
Setting 26  
03-J-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47527G	52.35	74.00	-21.65	43.90	3	Horizontal	7	2.54	-	38.93	12.81	43.29
AV	11.47842G	40.61	54.00	-13.39	32.15	3	Horizontal	7	2.54	-	38.94	12.81	43.29
PK	17.24976G	63.61	68.20	-4.59	47.44	3	Horizontal	32	1.00	-	40.75	17.45	42.03