

Mode:	11B-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	61.6	-18.02	43.58	74.00	30.42	Horizontal	PASS
2	2484.0363	82.00	-18.16	63.84	74.00	10.16	Horizontal	PASS
3	2500.0000	60.75	-18.85	41.90	74.00	32.10	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	61.43	-18.02	43.41	54.00	10.59	Horizontal	PASS
2	2484.0363	60.16	-18.16	42.00	54.00	12.00	Horizontal	PASS
3	2500.0000	60.65	-18.85	41.80	54.00	12.20	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	72.76	-18.02	54.74	74.00	19.26	Vertical	PASS
2	2484.5825	80.91	-18.30	62.61	74.00	11.39	Vertical	PASS
3	2500.0000	60.89	-18.85	42.04	74.00	31.96	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	71.86	-18.02	53.84	54.00	0.16	Vertical	PASS
2	2484.5825	59.27	-18.30	40.97	54.00	13.03	Vertical	PASS
3	2500.0000	60.89	-18.85	42.04	54.00	11.96	Vertical	PASS

Mode:	11G-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	62.73	-19.79	42.94	74.00	31.06	Horizontal	PASS
2	2385.6757	79.05	-17.81	61.24	74.00	12.76	Horizontal	PASS
3	2389.4394	79.55	-17.60	61.95	74.00	12.05	Horizontal	PASS
4	2390.0000	74.37	-17.57	56.80	74.00	17.20	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.64	-19.79	39.85	54.00	14.15	Horizontal	PASS
2	2385.6757	60.77	-17.81	42.96	54.00	11.04	Horizontal	PASS
3	2389.4394	62.13	-17.60	44.53	54.00	9.47	Horizontal	PASS
4	2390.0000	69.03	-17.57	51.46	54.00	2.54	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	60.63	-19.79	40.84	74.00	33.16	Vertical	PASS
2	2385.0350	73.55	-17.84	55.71	74.00	18.29	Vertical	PASS
3	2389.3594	74.42	-17.61	56.81	74.00	17.19	Vertical	PASS
4	2390.0000	73.9	-17.57	56.33	74.00	17.67	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	57.42	-19.79	37.63	54.00	16.37	Vertical	PASS
2	2385.0350	68.69	-17.84	50.85	54.00	3.15	Vertical	PASS
3	2389.3594	65.60	-17.61	47.99	54.00	6.01	Vertical	PASS
4	2390.0000	69.52	-17.57	51.95	54.00	2.05	Vertical	PASS

Mode:	11G-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	78.50	-18.02	60.48	74.00	13.52	Horizontal	PASS
2	2484.5759	78.70	-18.30	60.40	74.00	13.60	Horizontal	PASS
3	2500.0000	66.19	-18.85	47.34	74.00	26.66	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	63.12	-18.02	45.10	54.00	8.90	Horizontal	PASS
2	2484.5759	61.53	-18.30	43.23	54.00	10.77	Horizontal	PASS
3	2500.0000	65.21	-18.85	46.36	54.00	7.64	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	79.30	-18.02	61.28	74.00	12.72	Vertical	PASS
2	2484.3020	79.27	-18.23	61.04	74.00	12.96	Vertical	PASS
3	2500.0000	61.12	-18.85	42.27	74.00	31.73	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	63.38	-18.02	45.36	54.00	8.64	Vertical	PASS
2	2484.3020	62.21	-18.23	43.98	54.00	10.02	Vertical	PASS
3	2500.0000	60.92	-18.85	42.07	54.00	11.93	Vertical	PASS

Mode:	11N-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	62.07	-19.79	42.28	74.00	31.72	Horizontal	PASS
2	2383.8338	81.86	-17.91	63.95	74.00	10.05	Horizontal	PASS
3	2389.4394	83.39	-17.60	65.79	74.00	8.21	Horizontal	PASS
4	2390.0000	78.27	-17.57	60.70	74.00	13.30	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	57.57	-19.79	37.78	54.00	16.22	Horizontal	PASS
2	2383.8338	60.47	-17.91	42.56	54.00	11.44	Horizontal	PASS
3	2389.4394	63.39	-17.60	45.79	54.00	8.21	Horizontal	PASS
4	2390.0000	66.96	-17.57	49.39	54.00	4.61	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.63	-19.79	41.84	74.00	32.16	Vertical	PASS
2	2388.6386	81.06	-17.64	63.42	74.00	10.58	Vertical	PASS
3	2390.0000	75.86	-17.57	58.29	74.00	15.71	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	58.24	-19.79	38.45	54.00	15.55	Vertical	PASS
2	2388.6386	61.19	-17.64	43.55	54.00	10.45	Vertical	PASS
3	2390.0000	67.68	-17.57	50.11	54.00	3.89	Vertical	PASS

Mode:	11N-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	83.85	-18.02	65.83	74.00	8.17	Horizontal	PASS
2	2486.6337	81.73	-18.60	63.13	74.00	10.87	Horizontal	PASS
3	2500.0000	67.98	-18.85	49.13	74.00	24.87	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	67.69	-18.02	49.67	54.00	4.33	Horizontal	PASS
2	2486.6337	62.44	-18.60	43.84	54.00	10.16	Horizontal	PASS
3	2500.0000	67.78	-18.85	48.93	54.00	5.07	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	82.97	-18.02	64.95	74.00	9.05	Vertical	PASS
2	2483.8762	82.44	-18.12	64.32	74.00	9.68	Vertical	PASS
3	2500.0000	61.97	-18.85	43.12	74.00	30.88	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	67.22	-18.02	49.20	54.00	4.80	Vertical	PASS
2	2483.8762	66.32	-18.12	48.20	54.00	5.80	Vertical	PASS
3	2500.0000	61.25	-18.85	42.40	54.00	11.60	Vertical	PASS

Appendix I: Spurious emissions

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.


Above 1GHz, The emission level with margin less than 20db is recorded.

Below 1G

Worst case scenario was recorded

Mode:	11B-2412
-------	----------


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	43.5936	14.64	-15.69	40.00	25.36	Horizontal	PASS
2	117.387	33.38	-18.89	43.50	10.12	Horizontal	PASS
3	196.036	26.34	-18.66	43.50	17.16	Horizontal	PASS
4	396.056	30.13	-13.64	46.00	15.87	Horizontal	PASS
5	653.363	41.46	-8.85	46.00	4.54	Horizontal	PASS
6	792.212	36.34	-6.61	46.00	9.66	Horizontal	PASS

Mode:	11B-2412
-------	----------


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	44.5646	26.39	-15.66	40.00	13.61	Vertical	PASS
2	117.387	34.01	-18.89	43.50	9.49	Vertical	PASS
3	231.962	31.45	-18.16	46.00	14.55	Vertical	PASS
4	396.056	31.05	-13.64	46.00	14.95	Vertical	PASS
5	651.421	45.18	-8.87	46.00	0.82	Vertical	PASS
6	792.212	33.92	-6.61	46.00	12.08	Vertical	PASS

Mode:	11B-2437
-------	----------


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	35.8258	21.13	-16.51	40.00	18.87	Horizontal	PASS
2	43.5936	21.30	-15.69	40.00	18.70	Horizontal	PASS
3	117.387	35.29	-18.89	43.50	8.21	Horizontal	PASS
4	231.962	26.78	-18.16	46.00	19.22	Horizontal	PASS
5	396.056	36.93	-13.64	46.00	9.07	Horizontal	PASS
6	634.914	36.78	-9.03	46.00	9.22	Horizontal	PASS

Mode:	11B-2437
-------	----------


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	44.5646	26.63	-15.66	40.00	13.37	Vertical	PASS
2	116.416	33.64	-18.96	43.50	9.86	Vertical	PASS
3	231.962	31.93	-18.16	46.00	14.07	Vertical	PASS
4	396.056	30.90	-13.64	46.00	15.10	Vertical	PASS
5	652.392	44.81	-8.86	46.00	1.19	Vertical	PASS
6	792.212	33.62	-6.61	46.00	12.38	Vertical	PASS

Mode:	11B-2462
-------	----------


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	36.7968	21.25	-16.35	40.00	18.75	Horizontal	PASS
2	43.5936	21.25	-15.69	40.00	18.75	Horizontal	PASS
3	117.387	35.33	-18.89	43.50	8.17	Horizontal	PASS
4	396.056	36.79	-13.64	46.00	9.21	Horizontal	PASS
5	652.392	37.74	-8.86	46.00	8.26	Horizontal	PASS
6	792.212	32.44	-6.61	46.00	13.56	Horizontal	PASS

Mode:	11B-2462
-------	----------

Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	44.5646	26.95	-15.66	40.00	13.05	Vertical	PASS
2	117.387	33.75	-18.89	43.50	9.75	Vertical	PASS
3	230.991	31.80	-18.25	46.00	14.20	Vertical	PASS
4	396.056	30.63	-13.64	46.00	15.37	Vertical	PASS
5	649.479	44.74	-8.89	46.00	1.26	Vertical	PASS
6	792.212	33.68	-6.61	46.00	12.32	Vertical	PASS

Mode:	11B-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1495.699	68.45	43.52	-24.93	74.00	30.48	Horizontal	PASS
2	1988.197	66.15	45.55	-20.60	74.00	28.45	Horizontal	PASS
3	4824.182	66.82	50.41	-16.41	74.00	23.59	Horizontal	PASS
4	6702.370	61.77	48.86	-12.91	74.00	25.14	Horizontal	PASS
5	8102.010	61.38	50.08	-11.30	74.00	23.92	Horizontal	PASS
6	11109.811	59.77	52.45	-7.32	74.00	21.55	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1481.696	68.00	43.08	-24.92	74.00	30.92	Vertical	PASS
2	1885.377	66.16	44.76	-21.40	74.00	29.24	Vertical	PASS
3	4824.182	68.95	52.54	-16.41	74.00	21.46	Vertical	PASS
4	6441.344	62.61	49.52	-13.09	74.00	24.48	Vertical	PASS
5	7503.450	63.17	50.74	-12.43	74.00	23.26	Vertical	PASS
6	11522.35	60.27	53.45	-6.82	74.00	20.55	Vertical	PASS

Mode:	11B-2437
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1482.496	68.79	43.87	-24.92	74.00	30.13	Horizontal	PASS
2	1817.763	66.76	44.74	-22.02	74.00	29.26	Horizontal	PASS
3	4873.687	65.86	49.54	-16.32	74.00	24.46	Horizontal	PASS
4	6846.384	61.54	49.11	-12.43	74.00	24.89	Horizontal	PASS
5	9296.129	61.64	51.38	-10.26	74.00	22.62	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1484.096	68.18	43.26	-24.92	74.00	30.74	Vertical	PASS
2	2058.611	65.93	45.60	-20.33	74.00	28.40	Vertical	PASS
3	4873.687	66.37	50.05	-16.32	74.00	23.95	Vertical	PASS
4	6822.382	61.32	48.87	-12.45	74.00	25.13	Vertical	PASS
5	10176.71	60.52	51.93	-8.59	74.00	22.07	Vertical	PASS

Mode:	11B-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1494.098	69.34	44.41	-24.93	74.00	29.59	Horizontal	PASS
2	1987.797	66.25	45.65	-20.60	74.00	28.35	Horizontal	PASS
3	3721.572	63.55	44.89	-18.66	74.00	29.11	Horizontal	PASS
4	4924.692	66.85	50.46	-16.39	74.00	23.54	Horizontal	PASS
5	7714.971	61.96	49.87	-12.09	74.00	24.13	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1493.698	68.46	43.53	-24.93	74.00	30.47	Vertical	PASS
2	2057.811	66.07	45.73	-20.34	74.00	28.27	Vertical	PASS
3	4924.692	67.68	51.29	-16.39	74.00	22.71	Vertical	PASS
4	6763.876	62.62	49.69	-12.93	74.00	24.31	Vertical	PASS
5	8870.087	61.99	50.83	-11.16	74.00	23.17	Vertical	PASS

Mode:	11G-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1474.494	68.20	43.28	-24.92	74.00	30.72	Horizontal	PASS
2	1978.195	65.19	44.50	-20.69	74.00	29.50	Horizontal	PASS
3	4132.613	63.37	46.23	-17.14	74.00	27.77	Horizontal	PASS
4	5413.741	62.95	47.63	-15.32	74.00	26.37	Horizontal	PASS
5	7077.407	62.79	50.13	-12.66	74.00	23.87	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1494.899	67.85	42.92	-24.93	74.00	31.08	Vertical	PASS
2	1938.987	65.92	44.90	-21.02	74.00	29.10	Vertical	PASS
3	4360.636	63.01	46.18	-16.83	74.00	27.82	Vertical	PASS
4	5344.734	62.78	47.17	-15.61	74.00	26.83	Vertical	PASS
5	7129.913	62.62	49.84	-12.78	74.00	24.16	Vertical	PASS

Mode:	11G-2437
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1480.496	69.34	44.42	-24.92	74.00	29.58	Horizontal	PASS
2	1963.392	65.26	44.44	-20.82	74.00	29.56	Horizontal	PASS
3	4936.693	63.20	46.77	-16.43	74.00	27.23	Horizontal	PASS
4	6514.851	61.45	48.14	-13.31	74.00	25.86	Horizontal	PASS
5	7756.975	62.14	50.23	-11.91	74.00	23.77	Horizontal	PASS
6	11070.80	59.96	52.69	-7.27	74.00	21.31	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1490.498	67.82	42.89	-24.93	74.00	31.11	Vertical	PASS
2	1992.198	65.81	45.25	-20.56	74.00	28.75	Vertical	PASS
3	5004.200	62.56	46.72	-15.84	74.00	27.28	Vertical	PASS
4	6129.312	61.29	47.44	-13.85	74.00	26.56	Vertical	PASS
5	7932.493	61.71	50.00	-11.71	74.00	24.00	Vertical	PASS
6	11178.817	60.45	53.01	-7.44	74.00	20.99	Vertical	PASS

Mode:	11G-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1476.495	68.69	43.77	-24.92	74.00	30.23	Horizontal	PASS
2	2007.801	65.69	45.22	-20.47	74.00	28.78	Horizontal	PASS
3	3582.058	64.50	45.64	-18.86	74.00	28.36	Horizontal	PASS
4	4939.694	63.33	46.89	-16.44	74.00	27.11	Horizontal	PASS
5	6750.375	62.01	48.90	-13.11	74.00	25.10	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1481.296	68.06	43.14	-24.92	74.00	30.86	Vertical	PASS
2	2031.006	66.54	46.14	-20.40	74.00	27.86	Vertical	PASS
3	3945.094	64.58	46.76	-17.82	74.00	27.24	Vertical	PASS
4	4821.182	63.26	46.84	-16.42	74.00	27.16	Vertical	PASS
5	6841.884	61.75	49.31	-12.44	74.00	24.69	Vertical	PASS

Mode:	11N-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1478.895	68.79	43.87	-24.92	74.00	30.13	Horizontal	PASS
2	2028.205	65.66	45.25	-20.41	74.00	28.75	Horizontal	PASS
3	5004.200	62.47	46.63	-15.84	74.00	27.37	Horizontal	PASS
4	6643.864	61.47	48.90	-12.57	74.00	25.10	Horizontal	PASS
5	7933.993	61.68	49.97	-11.71	74.00	24.03	Horizontal	PASS
6	10947.79	61.17	53.52	-7.65	74.00	20.48	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1493.698	67.42	42.49	-24.93	74.00	31.51	Vertical	PASS
2	2061.812	66.70	46.37	-20.33	74.00	27.63	Vertical	PASS
3	3814.581	63.42	45.25	-18.17	74.00	28.75	Vertical	PASS
4	4728.172	63.85	47.33	-16.52	74.00	26.67	Vertical	PASS
5	7033.903	61.38	48.87	-12.51	74.00	25.13	Vertical	PASS
6	9582.658	61.05	51.11	-9.94	74.00	22.89	Vertical	PASS

Mode:	11N-2437
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1488.097	69.49	44.56	-24.93	74.00	29.44	Horizontal	PASS
2	2021.404	65.73	45.30	-20.43	74.00	28.70	Horizontal	PASS
3	4155.115	62.98	45.98	-17.00	74.00	28.02	Horizontal	PASS
4	5260.726	62.42	47.05	-15.37	74.00	26.95	Horizontal	PASS
5	7662.466	61.74	49.26	-12.48	74.00	24.74	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1490.498	68.64	43.71	-24.93	74.00	30.29	Vertical	PASS
2	1824.965	66.39	44.45	-21.94	74.00	29.55	Vertical	PASS
3	4246.624	64.32	47.08	-17.24	74.00	26.92	Vertical	PASS
4	5070.207	62.07	46.21	-15.86	74.00	27.79	Vertical	PASS
5	6106.810	61.73	48.13	-13.60	74.00	25.87	Vertical	PASS


Mode:	11N-2462
-------	----------

Test Graph


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1472.894	68.58	43.66	-24.92	74.00	30.34	Horizontal	PASS
2	2055.4111	65.88	45.54	-20.34	74.00	28.46	Horizontal	PASS
3	5322.232	62.19	46.55	-15.64	74.00	27.45	Horizontal	PASS
4	6684.368	61.75	48.99	-12.76	74.00	25.01	Horizontal	PASS
5	8079.508	62.06	50.45	-11.61	74.00	23.55	Horizontal	PASS
6	11256.82	60.94	53.72	-7.22	74.00	20.28	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1470.094	67.97	43.05	-24.92	74.00	30.95	Vertical	PASS
2	2144.628	65.96	45.85	-20.11	74.00	28.15	Vertical	PASS
3	4308.130	63.66	46.54	-17.12	74.00	27.46	Vertical	PASS
4	5788.778	62.72	47.72	-15.00	74.00	26.28	Vertical	PASS
5	7678.967	62.82	50.47	-12.35	74.00	23.53	Vertical	PASS
6	10577.25	61.67	53.65	-8.02	74.00	20.35	Vertical	PASS

Appendix J: Conducted emission AC power port



NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Type	Verdict
1	0.1755	10.24	33.78	64.70	30.92	16.91	54.70	37.79	L	PASS
2	0.5478	10.27	32.91	56.00	23.09	26.89	46.00	19.11	L	PASS
3	1.4144	10.32	25.71	56.00	30.29	21.44	46.00	24.56	L	PASS
4	1.9834	10.35	26.35	56.00	29.65	22.54	46.00	23.46	L	PASS
5	4.6816	10.41	25.37	56.00	30.63	19.23	46.00	26.77	L	PASS
6	9.4796	10.51	23.01	60.00	36.99	17.84	50.00	32.16	L	PASS



NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1915	10.24	32.28	63.97	31.69	16.05	53.97	37.92	N	PASS
2	0.5403	10.27	30.83	56.00	25.17	17.33	46.00	28.67	N	PASS
3	0.7861	10.26	25.79	56.00	30.21	18.45	46.00	27.55	N	PASS
4	1.3263	10.28	25.63	56.00	30.37	17.88	46.00	28.12	N	PASS
5	2.4742	10.30	28.04	56.00	27.96	20.31	46.00	25.69	N	PASS
6	9.5954	10.47	32.09	60.00	27.91	22.82	50.00	27.18	N	PASS