



11N40SISO_Ant1_2422



11N40SISO_Ant1_2437



11N40SISO_Ant1_2452

Appendix I: Emissions in Restricted Bands

Radiated emission measurements

Worst case scenario was recorded

Mode:	11B-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	63.14	-19.79	43.35	74.00	30.65	Horizontal	PASS
2	2326.9770	64.3	-19.76	44.54	74.00	29.46	Horizontal	PASS
3	2344.1942	62.7	-19.73	42.97	74.00	31.03	Horizontal	PASS
4	2365.4955	62.83	-18.89	43.94	74.00	30.06	Horizontal	PASS
5	2383.6737	62.08	-17.91	44.17	74.00	29.83	Horizontal	PASS
6	2390.0000	61.61	-17.57	44.04	74.00	29.96	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	59.24	-19.79	39.45	54.00	14.55	Horizontal	PASS
2	2326.9770	58.15	-19.76	38.39	54.00	15.61	Horizontal	PASS
3	2344.1942	57.50	-19.73	37.77	54.00	16.23	Horizontal	PASS
4	2365.4955	59.05	-18.89	40.16	54.00	13.84	Horizontal	PASS
5	2383.6737	57.27	-17.91	39.36	54.00	14.64	Horizontal	PASS
6	2390.0000	58.64	-17.57	41.07	54.00	12.93	Horizontal	PASS

Mode:	11B-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.58	-19.79	41.79	74.00	32.21	Vertical	PASS
2	2326.0961	62.47	-19.76	42.71	74.00	31.29	Vertical	PASS
3	2337.5475	62.89	-19.74	43.15	74.00	30.85	Vertical	PASS
4	2363.4935	63.5	-19.00	44.50	74.00	29.50	Vertical	PASS
5	2374.5445	61.88	-18.40	43.48	74.00	30.52	Vertical	PASS
6	2390.0000	60.41	-17.57	42.84	74.00	31.16	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	57.78	-19.79	37.99	54.00	16.01	Vertical	PASS
2	2326.0961	57.23	-19.76	37.47	54.00	16.53	Vertical	PASS
3	2337.5475	58.57	-19.74	38.83	54.00	15.17	Vertical	PASS
4	2363.4935	57.49	-19.00	38.49	54.00	15.51	Vertical	PASS
5	2374.5445	56.66	-18.40	38.26	54.00	15.74	Vertical	PASS
6	2390.0000	57.07	-17.57	39.50	54.00	14.50	Vertical	PASS

Mode:	11B-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	61.15	-18.02	43.13	74.00	30.87	Horizontal	PASS
2	2486.8432	63.72	-18.62	45.10	74.00	28.90	Horizontal	PASS
3	2490.6980	63.12	-18.97	44.15	74.00	29.85	Horizontal	PASS
4	2492.2046	62.88	-18.95	43.93	74.00	30.07	Horizontal	PASS
5	2496.8944	63.12	-18.89	44.23	74.00	29.77	Horizontal	PASS
6	2500.0000	60.56	-18.85	41.71	74.00	32.29	Horizontal	PASS

AV Final Data List					
NO.	Freq. [MHz]	Factor [dB/m]	AV Limit [dB μ V/m]	Polarity	Verdict
1	2483.5000	-18.02	54.00	Horizontal	PASS
2	2486.8432	-18.62	54.00	Horizontal	PASS
3	2490.6980	-18.97	54.00	Horizontal	PASS
4	2492.2046	-18.95	54.00	Horizontal	PASS
5	2496.8944	-18.89	54.00	Horizontal	PASS
6	2500.0000	-18.85	54.00	Horizontal	PASS

Mode:	11B-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	60.93	-18.02	42.91	74.00	31.09	Vertical	PASS
2	2484.3498	63.61	-18.24	45.37	74.00	28.63	Vertical	PASS
3	2487.9538	63.28	-18.74	44.54	74.00	29.46	Vertical	PASS
4	2492.0413	64.12	-18.95	45.17	74.00	28.83	Vertical	PASS
5	2495.8135	63.41	-18.91	44.50	74.00	29.50	Vertical	PASS
6	2500.0000	60.91	-18.85	42.06	74.00	31.94	Vertical	PASS

AV Final Data List					
NO.	Freq. [MHz]	Factor [dB/m]	AV Limit [dB μ V/m]	Polarity	Verdict
1	2483.5000	-18.02	54.00	Vertical	PASS
2	2484.3498	-18.24	54.00	Vertical	PASS
3	2487.9538	-18.74	54.00	Vertical	PASS
4	2492.0413	-18.95	54.00	Vertical	PASS
5	2495.8135	-18.91	54.00	Vertical	PASS
6	2500.0000	-18.85	54.00	Vertical	PASS

Mode:	11G-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2315.6056	66.13	-19.78	46.35	74.00	27.65	Horizontal	PASS
2	2328.2583	64.48	-19.76	44.72	74.00	29.28	Horizontal	PASS
3	2348.7588	64.56	-19.72	44.84	74.00	29.16	Horizontal	PASS
4	2359.8899	64.94	-19.19	45.75	74.00	28.25	Horizontal	PASS
5	2383.6737	78.22	-17.92	60.30	74.00	13.70	Horizontal	PASS
6	2388.7187	82.06	-17.64	64.42	74.00	9.58	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2315.6056	60.23	-19.78	40.45	54.00	13.55	Horizontal	PASS
2	2328.2583	58.29	-19.76	38.53	54.00	15.47	Horizontal	PASS
3	2348.7588	58.59	-19.72	38.87	54.00	15.13	Horizontal	PASS
4	2359.8899	59.82	-19.19	40.63	54.00	13.37	Horizontal	PASS
5	2383.6737	59.25	-17.92	41.33	54.00	12.67	Horizontal	PASS
6	2388.7187	64.037	-17.64	46.40	54.00	7.60	Horizontal	PASS

Mode:	11G-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.77	-19.79	41.98	74.00	32.02	Vertical	PASS
2	2334.1842	61.76	-19.75	42.01	74.00	31.99	Vertical	PASS
3	2359.8899	62.71	-19.19	43.52	74.00	30.48	Vertical	PASS
4	2373.6637	62.12	-18.45	43.67	74.00	30.33	Vertical	PASS
5	2383.1932	66.97	-17.94	49.03	74.00	24.97	Vertical	PASS
6	2390.0000	66.36	-17.57	48.79	74.00	25.21	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	57.65	-19.79	37.86	54.00	16.14	Vertical	PASS
2	2334.1842	56.89	-19.75	37.14	54.00	16.86	Vertical	PASS
3	2359.8899	57.77	-19.19	38.58	54.00	15.42	Vertical	PASS
4	2373.6637	57.17	-18.45	38.72	54.00	15.28	Vertical	PASS
5	2383.1932	59.20	-17.94	41.26	54.00	12.74	Vertical	PASS
6	2390.0000	62.79	-17.57	45.22	54.00	8.78	Vertical	PASS

Mode:	11G-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2484.1106	85.91	-18.18	67.73	74.00	6.27	Horizontal	PASS
2	2488.3746	81.03	-18.78	62.25	74.00	11.75	Horizontal	PASS
3	2489.5231	82.81	-18.92	63.89	74.00	10.11	Horizontal	PASS
4	2493.7607	79.56	-18.93	60.63	74.00	13.37	Horizontal	PASS
5	2494.2244	81.87	-18.93	62.94	74.00	11.06	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2484.1106	59.39	-18.18	41.21	54.00	12.79	Horizontal	PASS
2	2488.3746	57.29	-18.78	38.51	54.00	15.49	Horizontal	PASS
3	2489.5231	57.96	-18.92	39.04	54.00	14.96	Horizontal	PASS
4	2493.7607	54.93	-18.93	36.00	54.00	18.00	Horizontal	PASS
5	2494.2244	55.63	-18.93	36.70	54.00	17.30	Horizontal	PASS

Mode:	11G-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.8960	78.69	-18.13	60.56	74.00	13.44	Vertical	PASS
2	2484.2046	80.17	-18.20	61.97	74.00	12.03	Vertical	PASS
3	2487.9142	76.52	-18.73	57.79	74.00	16.21	Vertical	PASS
4	2492.4686	78.83	-18.95	59.88	74.00	14.12	Vertical	PASS
5	2494.5644	78.51	-18.92	59.59	74.00	14.41	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.8960	55.33	-18.13	37.20	54.00	16.80	Vertical	PASS
2	2484.2046	55.81	-18.20	37.61	54.00	16.39	Vertical	PASS
3	2487.9142	55.25	-18.73	36.52	54.00	17.48	Vertical	PASS
4	2492.4686	54.11	-18.95	35.16	54.00	18.84	Vertical	PASS
5	2494.5644	53.58	-18.92	34.66	54.00	19.34	Vertical	PASS

Mode:	N20-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2379.3493	72.40	-18.15	54.25	74.00	19.75	Vertical	PASS
2	2384.0741	74.71	-17.90	56.81	74.00	17.19	Vertical	PASS
3	2389.5996	77.64	-17.59	60.05	74.00	13.95	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2379.3493	52.44	-18.15	34.29	54.00	19.71	Vertical	PASS
2	2384.0741	53.32	-17.90	35.42	54.00	18.58	Vertical	PASS
3	2389.5996	55.62	-17.59	38.03	54.00	15.97	Vertical	PASS

Mode:	N20-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2372.4625	78.13	-18.51	59.62	74.00	14.38	Horizontal	PASS
2	2373.9039	80.62	-18.44	62.18	74.00	11.82	Horizontal	PASS
3	2377.9880	80.15	-18.22	61.93	74.00	12.07	Horizontal	PASS
4	2380.7107	81.54	-18.07	63.47	74.00	10.53	Horizontal	PASS
5	2383.2733	83.66	-17.94	65.72	74.00	8.28	Horizontal	PASS
6	2389.6797	87.37	-17.59	69.78	74.00	4.22	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2372.4625	53.64	-18.51	35.13	54.00	18.87	Horizontal	PASS
2	2373.9039	54.16	-18.44	35.72	54.00	18.28	Horizontal	PASS
3	2377.9880	54.40	-18.22	36.18	54.00	17.82	Horizontal	PASS
4	2380.7107	56.67	-18.07	38.60	54.00	15.40	Horizontal	PASS
5	2383.2733	58.37	-17.94	40.43	54.00	13.57	Horizontal	PASS
6	2389.6797	63.12	-17.59	45.53	54.00	8.47	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2484.5512	88.54	-18.29	70.25	74.00	3.75	Horizontal	PASS
2	2485.3680	87.58	-18.45	69.13	74.00	4.87	Horizontal	PASS
3	2490.1320	81.46	-18.97	62.49	74.00	11.51	Horizontal	PASS
4	2492.4521	82.36	-18.95	63.41	74.00	10.59	Horizontal	PASS
5	2496.4257	81.33	-18.90	62.43	74.00	11.57	Horizontal	PASS
6	2499.3300	80.77	-18.86	61.91	74.00	12.09	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2484.5512	60.11	-18.29	41.82	54.00	12.18	Horizontal	PASS
2	2485.3680	59.72	-18.45	41.27	54.00	12.73	Horizontal	PASS
3	2490.1320	56.52	-18.97	37.55	54.00	16.45	Horizontal	PASS
4	2492.4521	56.90	-18.95	37.95	54.00	16.05	Horizontal	PASS
5	2496.4257	55.03	-18.90	36.13	54.00	17.87	Horizontal	PASS
6	2499.3300	54.49	-18.86	35.63	54.00	18.37	Horizontal	PASS

Mode:	N20-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.7343	80.70	-18.08	62.62	74.00	11.38	Vertical	PASS
2	2484.8944	80.65	-18.38	62.27	74.00	11.73	Vertical	PASS
3	2486.5776	78.53	-18.59	59.94	74.00	14.06	Vertical	PASS
4	2490.2888	78.18	-18.97	59.21	74.00	14.79	Vertical	PASS
5	2491.1964	77.91	-18.96	58.95	74.00	15.05	Vertical	PASS
6	2495.1238	76.81	-18.92	57.89	74.00	16.11	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.7343	55.12	-18.08	37.04	54.00	16.96	Vertical	PASS
2	2484.8944	55.85	-18.38	37.47	54.00	16.53	Vertical	PASS
3	2486.5776	55.50	-18.59	36.91	54.00	17.09	Vertical	PASS
4	2490.2888	55.06	-18.97	36.09	54.00	17.91	Vertical	PASS
5	2491.1964	54.16	-18.96	35.20	54.00	18.80	Vertical	PASS
6	2495.1238	53.47	-18.92	34.55	54.00	19.45	Vertical	PASS

Mode:	N40-2422
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2365.9760	78.01	-18.86	59.15	74.00	14.85	Horizontal	PASS
2	2375.9059	79.51	-18.33	61.18	74.00	12.82	Horizontal	PASS
3	2377.6677	80.78	-18.24	62.54	74.00	11.46	Horizontal	PASS
4	2383.7538	82.67	-17.91	64.76	74.00	9.24	Horizontal	PASS
5	2386.7968	77.75	-17.75	60.00	74.00	14.00	Horizontal	PASS
6	2388.0781	81.44	-17.67	63.77	74.00	10.23	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2365.9760	54.25	-18.86	35.39	54.00	18.61	Horizontal	PASS
2	2375.9059	57.96	-18.33	39.63	54.00	14.37	Horizontal	PASS
3	2377.6677	58.32	-18.24	40.08	54.00	13.92	Horizontal	PASS
4	2383.7538	60.09	-17.91	42.18	54.00	11.82	Horizontal	PASS
5	2386.7968	58.40	-17.75	40.65	54.00	13.35	Horizontal	PASS
6	2388.0781	60.64	-17.67	42.97	54.00	11.03	Horizontal	PASS

Mode:	N40-2452
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2484.6997	81.84	-18.33	63.51	74.00	10.49	Horizontal	PASS
2	2488.1683	83.10	-18.76	64.34	74.00	9.66	Horizontal	PASS
3	2488.7871	85.75	-18.83	66.92	74.00	7.08	Horizontal	PASS
4	2489.7343	85.90	-18.94	66.96	74.00	7.04	Horizontal	PASS
5	2495.5875	83.80	-18.91	64.89	74.00	9.11	Horizontal	PASS
6	2499.9851	80.55	-18.85	61.70	74.00	12.30	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2484.6997	55.63	-18.33	37.30	54.00	16.70	Horizontal	PASS
2	2488.1683	56.75	-18.76	37.99	54.00	16.01	Horizontal	PASS
3	2488.7871	56.51	-18.83	37.68	54.00	16.32	Horizontal	PASS
4	2489.7343	56.82	-18.94	37.88	54.00	16.12	Horizontal	PASS
5	2495.5875	56.51	-18.91	37.60	54.00	16.40	Horizontal	PASS
6	2499.9851	55.52	-18.85	36.67	54.00	17.33	Horizontal	PASS

Mode:	N40-2452
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.6254	74.87	-18.06	56.81	74.00	17.19	Vertical	PASS
2	2486.2442	78.56	-18.55	60.01	74.00	13.99	Vertical	PASS
3	2487.2145	77.98	-18.66	59.32	74.00	14.68	Vertical	PASS
4	2489.5050	80.16	-18.91	61.25	74.00	12.75	Vertical	PASS
5	2489.8432	78.05	-18.95	59.10	74.00	14.90	Vertical	PASS
6	2495.4785	76.96	-18.91	58.05	74.00	15.95	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.6254	52.86	-18.06	34.80	54.00	19.20	Vertical	PASS
2	2486.2442	53.76	-18.55	35.21	54.00	18.79	Vertical	PASS
3	2487.2145	53.82	-18.66	35.16	54.00	18.84	Vertical	PASS
4	2489.5050	54.03	-18.91	35.12	54.00	18.88	Vertical	PASS
5	2489.8432	54.16	-18.95	35.21	54.00	18.79	Vertical	PASS
6	2495.4785	53.56	-18.91	34.65	54.00	19.35	Vertical	PASS

Mode:	11N40-2422
-------	------------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	62.88	-19.79	43.09	74.00	30.91	Vertical	PASS
2	2382.9530	77.94	-17.96	59.98	74.00	14.02	Vertical	PASS
3	2387.5976	78.33	-17.70	60.63	74.00	13.37	Vertical	PASS
4	2390.0000	71.92	-17.57	54.35	74.00	19.65	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2310.0000	58.07	-19.79	38.28	54.00	15.72	Vertical	PASS
2	2382.9530	57.95	-17.96	39.99	54.00	14.01	Vertical	PASS
3	2387.5976	57.68	-17.70	39.98	54.00	14.02	Vertical	PASS
4	2390.0000	66.68	-17.57	49.11	54.00	4.89	Vertical	PASS

Appendix I: Spurious emissions

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.


Above 1GHz, The emission level with margin less than 20db is recorded.

Below 1G

Worst case scenario was recorded

Mode:	11B-2412
-------	----------


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	32.2312	28.74	-16.91	40.00	11.26	Horizontal	PASS
2	49.7900	28.22	-15.63	40.00	11.78	Horizontal	PASS
3	147.381	26.97	-16.05	43.50	16.53	Horizontal	PASS
4	167.947	27.02	-16.36	43.50	16.48	Horizontal	PASS
5	418.232	30.53	-13.35	46.00	15.47	Horizontal	PASS
6	844.881	41.09	-6.43	46.00	4.91	Horizontal	PASS

Mode: 11B-2412


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	32.5223	26.76	-16.86	40.00	13.24	Vertical	PASS
2	52.2152	27.11	-15.82	40.00	12.89	Vertical	PASS
3	147.769	26.95	-16.04	43.50	16.55	Vertical	PASS
4	308.320	28.25	-15.54	46.00	17.75	Vertical	PASS
5	672.398	35.68	-8.83	46.00	10.32	Vertical	PASS
6	844.881	41.78	-6.43	46.00	4.22	Vertical	PASS

Mode: 11B-2437


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	38.3428	26.91	-16.02	40.00	13.09	Horizontal	PASS
2	63.6624	25.94	-17.19	40.00	14.06	Horizontal	PASS
3	150.001	27.36	-16.00	43.50	16.14	Horizontal	PASS
4	326.073	29.67	-15.19	46.00	16.33	Horizontal	PASS
5	489.146	32.81	-11.88	46.00	13.19	Horizontal	PASS
6	728.760	38.04	-7.95	46.00	7.96	Horizontal	PASS

Mode: 11B-2437


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	33.5894	26.99	-16.71	40.00	13.01	Vertical	PASS
2	52.7973	27.07	-15.86	40.00	12.93	Vertical	PASS
3	145.538	26.76	-16.08	43.50	16.74	Vertical	PASS
4	358.086	29.19	-14.62	46.00	16.81	Vertical	PASS
5	690.539	34.81	-8.59	46.00	11.19	Vertical	PASS
6	845.172	40.22	-6.43	46.00	5.78	Vertical	PASS

Mode: 11B-2462


Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	42.9993	27.59	-15.74	40.00	12.41	Horizontal	PASS
2	71.6172	25.85	-18.81	40.00	14.15	Horizontal	PASS
3	146.217	28.15	-16.07	43.50	15.35	Horizontal	PASS
4	283.195	27.88	-16.23	46.00	18.12	Horizontal	PASS
5	408.337	31.61	-13.57	46.00	14.39	Horizontal	PASS
6	845.269	40.18	-6.43	46.00	5.82	Horizontal	PASS

Mode: 11B-2462

Test Graph



Suspected Data List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	43.5814	27.35	-15.73	40.00	12.65	Vertical	PASS
2	61.4311	27.31	-16.75	40.00	12.69	Vertical	PASS
3	146.702	27.54	-16.06	43.50	15.96	Vertical	PASS
4	311.328	30.30	-15.47	46.00	15.70	Vertical	PASS
5	728.469	38.60	-7.96	46.00	7.40	Vertical	PASS
6	845.075	39.93	-6.43	46.00	6.07	Vertical	PASS

Mode:	11B-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1438.887	69.07	44.11	-24.96	74.00	29.89	Horizontal	PASS
2	4009.601	63.39	45.83	-17.56	74.00	28.17	Horizontal	PASS
3	4824.182	64.18	47.77	-16.41	74.00	26.23	Horizontal	PASS
4	6826.882	61.29	48.84	-12.45	74.00	25.16	Horizontal	PASS
5	9395.139	60.23	50.09	-10.14	74.00	23.91	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1729.745	71.23	48.46	-22.77	74.00	25.54	Vertical	PASS
2	3876.087	62.79	44.70	-18.09	74.00	29.30	Vertical	PASS
3	6082.808	61.44	47.75	-13.69	74.00	26.25	Vertical	PASS
4	8079.508	61.51	49.90	-11.61	74.00	24.10	Vertical	PASS
5	9981.698	61.77	52.93	-8.84	74.00	21.07	Vertical	PASS

Mode:	11B-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1439.287	68.41	43.45	-24.96	74.00	30.55	Horizontal	PASS
2	2036.207	65.51	45.13	-20.38	74.00	28.87	Horizontal	PASS
3	4824.182	68.35	51.94	-16.41	74.00	22.06	Horizontal	PASS
4	7762.976	62.38	50.42	-11.96	74.00	23.58	Horizontal	PASS
5	10671.76	60.60	52.40	-8.20	74.00	21.60	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1731.346	67.87	45.11	-22.76	74.00	28.89	Vertical	PASS
2	4824.182	66.88	50.47	-16.41	74.00	23.53	Vertical	PASS
3	6043.804	62.13	48.05	-14.08	74.00	25.95	Vertical	PASS
4	8073.507	61.79	50.08	-11.71	74.00	23.92	Vertical	PASS
5	11093.30	59.85	52.56	-7.29	74.00	21.44	Vertical	PASS

Mode:	11B-2442
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1624.524	66.27	42.53	-23.74	74.00	31.47	Horizontal	PASS
2	4884.188	68.52	52.20	-16.32	74.00	21.80	Horizontal	PASS
3	6456.345	62.14	49.13	-13.01	74.00	24.87	Horizontal	PASS
4	8090.009	62.17	50.73	-11.44	74.00	23.27	Horizontal	PASS
5	10485.74	60.62	52.20	-8.42	74.00	21.80	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1734.546	68.25	45.51	-22.74	74.00	28.49	Vertical	PASS
2	4884.188	66.72	50.40	-16.32	74.00	23.60	Vertical	PASS
3	6493.849	61.69	48.47	-13.22	74.00	25.53	Vertical	PASS
4	8643.564	62.87	51.17	-11.70	74.00	22.83	Vertical	PASS
5	10751.27	60.57	52.95	-7.62	74.00	21.05	Vertical	PASS

Mode:	11B-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1428.885	66.33	41.33	-25.00	74.00	32.67	Horizontal	PASS
2	2039.808	66.23	45.86	-20.37	74.00	28.14	Horizontal	PASS
3	4924.692	66.91	50.52	-16.39	74.00	23.48	Horizontal	PASS
4	6115.8116	61.39	47.69	-13.70	74.00	26.31	Horizontal	PASS
5	7153.915	61.80	49.02	-12.78	74.00	24.98	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1516.503	65.68	40.91	-24.77	74.00	33.09	Vertical	PASS
2	1892.978	65.66	44.32	-21.34	74.00	29.68	Vertical	PASS
3	4924.692	69.42	53.03	-16.39	74.00	20.97	Vertical	PASS
4	6748.874	62.42	49.31	-13.11	74.00	24.69	Vertical	PASS
5	9390.639	60.44	50.26	-10.18	74.00	23.74	Vertical	PASS

Mode:	11G-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1604.921	65.88	42.01	-23.87	74.00	31.99	Horizontal	PASS
2	2040.208	66.24	45.87	-20.37	74.00	28.13	Horizontal	PASS
3	4822.682	63.85	47.44	-16.41	74.00	26.56	Horizontal	PASS
4	6727.872	62.35	49.33	-13.02	74.00	24.67	Horizontal	PASS
5	9912.691	61.00	52.02	-8.98	74.00	21.98	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1374.074	66.14	41.04	-25.10	74.00	32.96	Vertical	PASS
2	1954.991	66.31	45.41	-20.90	74.00	28.59	Vertical	PASS
3	3586.558	64.28	45.44	-18.84	74.00	28.56	Vertical	PASS
4	5191.719	62.35	46.80	-15.55	74.00	27.20	Vertical	PASS
5	9899.189	59.97	50.96	-9.01	74.00	23.04	Vertical	PASS

Mode:	11G-2442
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1545.709	66.79	42.30	-24.49	74.00	31.70	Horizontal	PASS
2	1986.997	65.79	45.18	-20.61	74.00	28.82	Horizontal	PASS
3	4489.649	63.22	46.60	-16.62	74.00	27.40	Horizontal	PASS
4	6124.812	62.06	48.26	-13.80	74.00	25.74	Horizontal	PASS
5	6889.889	61.70	48.95	-12.75	74.00	25.05	Horizontal	PASS
6	9029.102	61.19	50.42	-10.77	74.00	23.58	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1463.292	66.25	41.33	-24.92	74.00	32.67	Vertical	PASS
2	2037.007	66.04	45.66	-20.38	74.00	28.34	Vertical	PASS
3	4173.117	63.65	46.52	-17.13	74.00	27.48	Vertical	PASS
4	4884.188	65.90	49.58	-16.32	74.00	24.42	Vertical	PASS
5	7602.460	63.02	50.53	-12.49	74.00	23.47	Vertical	PASS
6	9303.630	61.13	50.86	-10.27	74.00	23.14	Vertical	PASS

Mode:	11G-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1440.488	65.85	40.90	-24.95	74.00	33.10	Horizontal	PASS
2	1804.560	65.89	43.71	-22.18	74.00	30.29	Horizontal	PASS
3	4918.691	65.72	49.35	-16.37	74.00	24.65	Horizontal	PASS
4	6988.898	61.92	49.31	-12.61	74.00	24.69	Horizontal	PASS
5	8067.506	61.38	49.57	-11.81	74.00	24.43	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1296.459	66.46	41.05	-25.41	74.00	32.95	Vertical	PASS
2	2050.610	65.68	45.34	-20.34	74.00	28.66	Vertical	PASS
3	4921.692	65.50	49.12	-16.38	74.00	24.88	Vertical	PASS
4	6298.829	61.75	48.45	-13.30	74.00	25.55	Vertical	PASS
5	8022.502	62.52	50.51	-12.01	74.00	23.49	Vertical	PASS

Mode:	N20-2412
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1462.092	67.99	43.08	-24.91	74.00	30.92	Horizontal	PASS
2	2021.804	65.84	45.42	-20.42	74.00	28.58	Horizontal	PASS
3	4818.181	64.30	47.87	-16.43	74.00	26.13	Horizontal	PASS
4	5466.246	62.71	47.28	-15.43	74.00	26.72	Horizontal	PASS
5	8085.508	61.68	50.17	-11.51	74.00	23.83	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1295.259	66.25	40.84	-25.41	74.00	33.16	Vertical	PASS
2	1733.346	68.39	45.64	-22.75	74.00	28.36	Vertical	PASS
3	4825.682	65.81	49.41	-16.40	74.00	24.59	Vertical	PASS
4	6645.364	61.23	48.69	-12.54	74.00	25.31	Vertical	PASS
5	8963.096	61.14	50.09	-11.05	74.00	23.91	Vertical	PASS

Mode:	N20-2442
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1352.070	66.11	41.04	-25.07	74.00	32.96	Horizontal	PASS
2	1911.382	66.09	44.88	-21.21	74.00	29.12	Horizontal	PASS
3	4891.689	64.86	48.55	-16.31	74.00	25.45	Horizontal	PASS
4	7017.401	61.52	49.02	-12.50	74.00	24.98	Horizontal	PASS
5	9276.627	61.17	50.86	-10.31	74.00	23.14	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1416.883	65.98	40.92	-25.06	74.00	33.08	Vertical	PASS
2	2071.414	66.27	45.94	-20.33	74.00	28.06	Vertical	PASS
3	4884.188	64.55	48.23	-16.32	74.00	25.77	Vertical	PASS
4	6639.363	61.72	49.07	-12.65	74.00	24.93	Vertical	PASS
5	7926.492	62.00	50.29	-11.71	74.00	23.71	Vertical	PASS

Mode:	N20-2462
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1350.470	65.92	40.85	-25.07	74.00	33.15	Horizontal	PASS
2	1812.962	65.88	43.80	-22.08	74.00	30.20	Horizontal	PASS
3	4117.6118	62.73	45.44	-17.29	74.00	28.56	Horizontal	PASS
4	4926.192	63.32	46.93	-16.39	74.00	27.07	Horizontal	PASS
5	7186.918	61.06	48.29	-12.77	74.00	25.71	Horizontal	PASS
6	10139.21	60.52	51.86	-8.66	74.00	22.14	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1265.653	66.12	40.62	-25.50	74.00	33.38	Vertical	PASS
2	1824.564	65.59	43.64	-21.95	74.00	30.36	Vertical	PASS
3	4926.192	68.41	52.02	-16.39	74.00	21.98	Vertical	PASS
4	6888.388	62.95	50.21	-12.74	74.00	23.79	Vertical	PASS
5	8429.042	61.27	49.34	-11.93	74.00	24.66	Vertical	PASS
6	11588.35	59.93	53.18	-6.75	74.00	20.82	Vertical	PASS

Mode:	N40-2422
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1337.667	65.21	40.06	-25.15	74.00	33.94	Horizontal	PASS
2	1966.193	66.76	45.97	-20.79	74.00	28.03	Horizontal	PASS
3	4270.627	62.80	45.59	-17.21	74.00	28.41	Horizontal	PASS
4	6849.384	61.58	49.15	-12.43	74.00	24.85	Horizontal	PASS
5	9404.140	61.49	51.36	-10.13	74.00	22.64	Horizontal	PASS
6	10314.73	59.89	51.51	-8.38	74.00	22.49	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1396.479	65.26	40.13	-25.13	74.00	33.87	Vertical	PASS
2	1893.778	65.59	44.26	-21.33	74.00	29.74	Vertical	PASS
3	3726.072	62.62	43.96	-18.66	74.00	30.04	Vertical	PASS
4	5727.272	61.23	46.31	-14.92	74.00	27.69	Vertical	PASS
5	7764.476	61.53	49.55	-11.98	74.00	24.45	Vertical	PASS
6	9785.178	60.05	50.68	-9.37	74.00	23.32	Vertical	PASS

Mode:	N40-2442
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1437.287	65.10	40.13	-24.97	74.00	33.87	Horizontal	PASS
2	2041.808	65.37	45.01	-20.36	74.00	28.99	Horizontal	PASS
3	4282.628	62.52	45.33	-17.19	74.00	28.67	Horizontal	PASS
4	6736.873	61.57	48.52	-13.05	74.00	25.48	Horizontal	PASS
5	8576.057	61.28	49.48	-11.80	74.00	24.52	Horizontal	PASS
6	11058.80	60.28	53.02	-7.26	74.00	20.98	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1384.076	65.73	40.62	-25.11	74.00	33.38	Vertical	PASS
2	2014.602	65.49	45.04	-20.45	74.00	28.96	Vertical	PASS
3	3045.004	63.65	44.23	-19.42	74.00	29.77	Vertical	PASS
4	4188.118	63.12	45.88	-17.24	74.00	28.12	Vertical	PASS
5	5845.784	60.66	45.91	-14.75	74.00	28.09	Vertical	PASS
6	7740.474	62.81	50.90	-11.91	74.00	23.10	Vertical	PASS


Mode:	N40-2452
-------	----------

Test Graph

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1598.519	65.48	41.56	-23.92	74.00	32.44	Horizontal	PASS
2	2040.208	65.95	45.58	-20.37	74.00	28.42	Horizontal	PASS
3	4464.146	62.18	45.35	-16.83	74.00	28.65	Horizontal	PASS
4	5070.207	61.19	45.33	-15.86	74.00	28.67	Horizontal	PASS
5	7737.473	61.43	49.50	-11.93	74.00	24.50	Horizontal	PASS
6	10494.74	60.27	51.89	-8.38	74.00	22.11	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1331.666	66.45	41.26	-25.19	74.00	32.74	Vertical	PASS
2	2003.800	65.22	44.74	-20.48	74.00	29.26	Vertical	PASS
3	4896.189	63.17	46.86	-16.31	74.00	27.14	Vertical	PASS
4	5923.792	60.80	46.22	-14.58	74.00	27.78	Vertical	PASS
5	8691.569	61.31	49.67	-11.64	74.00	24.33	Vertical	PASS
6	10082.20	60.55	51.51	-9.04	74.00	22.49	Vertical	PASS

Appendix J: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Type	Verdict
1	0.1761	10.24	39.61	64.67	25.06	22.54	54.67	32.13	L	PASS
2	0.2110	10.24	36.82	63.17	26.35	18.99	53.17	34.18	L	PASS
3	0.5518	10.27	29.72	56.00	26.28	25.00	46.00	21.00	L	PASS
4	1.3353	10.31	21.74	56.00	34.26	13.07	46.00	32.93	L	PASS
5	4.0156	10.40	21.31	56.00	34.69	14.49	46.00	31.51	L	PASS
6	9.6344	10.52	31.90	60.00	28.10	26.51	50.00	23.49	L	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1530	10.24	40.18	65.84	25.66	23.63	55.84	32.21	N	PASS
2	0.1912	10.24	38.13	63.98	25.85	20.92	53.98	33.06	N	PASS
3	0.5491	10.27	30.03	56.00	25.97	24.32	46.00	21.68	N	PASS
4	1.0822	10.28	25.52	56.00	30.48	17.14	46.00	28.86	N	PASS
5	2.5807	10.32	25.26	56.00	30.74	19.11	46.00	26.89	N	PASS
6	9.5611	10.47	33.41	60.00	26.59	27.43	50.00	22.57	N	PASS