




# LM55811\_ label sample and location


<p><b>LED UTILITY LIGHT</b> PRODUCT CODE: LM55811 INPUT: 120VAC, 60 Hz, 48W 3800 Lumens</p> <p><b>Suitable for Wet Locations</b></p> <p>FCC ID : WUI-LM55811 / IC: 7297A-LM55811 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.</p> <p>CAN ICES-3(B)/NMB-3(B)</p> <p>CONFORMS TO UL STD.: UL1598 CERTIFIED TO CSA STD.: C22.2 NO, 250</p> <p>Made in China</p>	<p><b>WINPLUS®</b></p>	 <p>20160401 PL-55811_V1</p>
---	------------------------	---




## LM55861\_label sample

<b>LED UTILITY LIGHT</b> PRODUCT CODE: LM55861 INPUT: 120VAC, 60 Hz, 48W 3800 Lumens <b>Suitable for Wet Locations</b> FCC ID : WUI-LM55811 / IC: 7297A-LM55811 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3(B)/NMB-3(B) CONFORMS TO UL STD.: UL1598 CERTIFIED TO CSA STD.: C22.2 NO. 250 Made in China	<b>WINPLUS®</b>	 <b>20160401</b> PL-55861_V1
---	-----------------	---


## LM55860\_label sample

<b>LED UTILITY LIGHT</b> PRODUCT CODE: LM55860 INPUT: 120VAC, 60 Hz, 48W 3800 Lumens <b>Suitable for Wet Locations</b> FCC ID : WUI-LM55811 / IC: 7297A-LM55811 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3(B)/NMB-3(B) CONFORMS TO UL STD.: UL1598 CERTIFIED TO CSA STD.: C22.2 NO. 250 Made in China	<b>WINPLUS®</b>	 <b>20160401</b> PL-55860_V1
---	-----------------	---


## LM55970\_label sample

<b>LED UTILITY LIGHT</b> PRODUCT CODE: LM55970 INPUT: 120VAC, 60 Hz, 48W 3800 Lumens <b>Suitable for Wet Locations</b> FCC ID : WUI-LM55811 / IC: 7297A-LM55811 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3(B)/NMB-3(B) CONFORMS TO UL STD.: UL1598 CERTIFIED TO CSA STD.: C22.2 NO. 250 Made in China	<b>WINPLUS®</b>	 <b>20160401</b> PL-55860_V1
---	-----------------	---

## LM55971\_ label sample

<b>LED UTILITY LIGHT</b> PRODUCT CODE: LM55971 INPUT: 120VAC, 60 Hz, 48W 3800 Lumens <b>Suitable for Wet Locations</b> FCC ID : WUI-LM55811 / IC: 7297A-LM55811 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3(B)/NMB-3(B) CONFORMS TO UL STD.: UL1598 CERTIFIED TO CSA STD.: C22.2 NO. 250 Made in China	<b>WINPLUS®</b>	 C LISTED US <b>Intertek</b> 5003382  20160401 PL-55860_V1
---	-----------------	---

## LM55972\_ label sample

<b>LED UTILITY LIGHT</b> PRODUCT CODE: LM55972 INPUT: 120VAC, 60 Hz, 48W 3800 Lumens <b>Suitable for Wet Locations</b> FCC ID : WUI-LM55811 / IC: 7297A-LM55811 This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. CAN ICES-3(B)/NMB-3(B) CONFORMS TO UL STD.: UL1598 CERTIFIED TO CSA STD.: C22.2 NO. 250 Made in China	<b>WINPLUS®</b>	 C LISTED US <b>Intertek</b> 5003382  20160401 PL-55860_V1
---	-----------------	--