


Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	30~1000	5.06	-61.17	≤-24.94	PASS
			1000~26500	5.06	-53.3	≤-24.94	PASS
		2437	30~1000	4.95	-61.81	≤-25.05	PASS
			1000~26500	4.95	-52.78	≤-25.05	PASS
		2462	30~1000	4.49	-61.45	≤-25.51	PASS
			1000~26500	4.49	-53.19	≤-25.51	PASS
11G	Ant1	2412	30~1000	0.53	-61.05	≤-29.47	PASS
			1000~26500	0.53	-52.73	≤-29.47	PASS
		2437	30~1000	1.50	-61.97	≤-28.5	PASS
			1000~26500	1.50	-53.03	≤-28.5	PASS
		2462	30~1000	1.21	-61.78	≤-28.79	PASS
			1000~26500	1.21	-52.74	≤-28.79	PASS
11N20SISO	Ant1	2412	30~1000	-0.22	-61.73	≤-30.22	PASS
			1000~26500	-0.22	-53.33	≤-30.22	PASS
		2437	30~1000	0.40	-61.63	≤-29.6	PASS
			1000~26500	0.40	-52.89	≤-29.6	PASS
		2462	30~1000	0.06	-61.89	≤-29.94	PASS
			1000~26500	0.06	-52.86	≤-29.94	PASS


Test Graphs



11B_Ant1_2412_30~1000




11B_Ant1_2412_1000~26500



11B_Ant1_2437_30~1000



11B_Ant1_2437_1000~26500



11B_Ant1_2462_30~1000




11B_Ant1_2462_1000~26500




11G_Ant1_2412_30~1000




11G_Ant1_2412_1000~26500




11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500



11G_Ant1_2462_30~1000



11G_Ant1_2462_1000~26500



11N20SISO_Ant1_2412_30~1000




11N20SISO_Ant1_2412_1000~26500



11N20SISO_Ant1_2437_30~1000



11N20SISO_Ant1_2437_1000~26500



11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500

Appendix G: Duty Cycle


Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B	Ant1	2412	12.42	12.72	97.64
		2437	12.42	12.72	97.64
		2462	12.42	12.72	97.64
11G	Ant1	2412	2.06	2.37	86.92
		2437	2.06	2.36	87.29
		2462	2.07	2.37	87.34
11N20SISO	Ant1	2412	1.92	2.22	86.49
		2437	1.92	2.22	86.49
		2462	1.92	2.10	91.43



Test Graphs




11B_Ant1_2412




11B_Ant1_2437




11G_Ant1_2437




11G_Ant1_2462



11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462

Appendix H: Emissions in Restricted Bands

Test Result

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2316.2462	62.9	-19.78	43.12	74.00	30.88	Vertical	PASS
2	2327.3774	62.84	-19.76	43.08	74.00	30.92	Vertical	PASS
3	2351.5616	62.84	-19.64	43.20	74.00	30.80	Vertical	PASS
4	2361.4114	63.76	-19.11	44.65	74.00	29.35	Vertical	PASS
5	2386.2362	73.18	-17.78	55.40	74.00	18.60	Vertical	PASS
6	2390.0000	64.45	-17.57	46.88	74.00	27.12	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2316.2462	57.94	-19.78	38.16	54.00	15.84	Vertical	PASS
2	2327.3774	57.97	-19.76	38.21	54.00	15.79	Vertical	PASS
3	2351.5616	57.55	-19.64	37.91	54.00	16.09	Vertical	PASS
4	2361.4114	60.50	-19.11	41.39	54.00	12.61	Vertical	PASS
5	2386.2362	63.61	-17.78	45.83	54.00	8.17	Vertical	PASS
6	2390.0000	61.14	-17.57	43.57	54.00	10.43	Vertical	PASS

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2313.1231	64.02	-19.79	44.23	74.00	29.77	Horizontal	PASS
2	2319.4494	63.64	-19.77	43.87	74.00	30.13	Horizontal	PASS
3	2345.0751	62.95	-19.73	43.22	74.00	30.78	Horizontal	PASS
4	2383.1131	73.32	-17.95	55.37	74.00	18.63	Horizontal	PASS
5	2385.8358	73.28	-17.80	55.48	74.00	18.52	Horizontal	PASS
6	2390.0000	66.61	-17.57	49.04	74.00	24.96	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2313.1231	58.49	-19.79	38.70	54.00	15.30	Horizontal	PASS
2	2319.4494	58.06	-19.77	38.29	54.00	15.71	Horizontal	PASS
3	2345.0751	58.79	-19.73	39.06	54.00	14.94	Horizontal	PASS
4	2383.1131	63.83	-17.95	45.88	54.00	8.12	Horizontal	PASS
5	2385.8358	65.09	-17.80	47.29	54.00	6.71	Horizontal	PASS
6	2390.0000	63.13	-17.57	45.56	54.00	8.44	Horizontal	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	64.48	-18.02	46.46	74.00	27.54	Vertical	PASS
2	2487.5590	69.59	-18.70	50.89	74.00	23.11	Vertical	PASS
3	2487.9550	69.1	-18.74	50.36	74.00	23.64	Vertical	PASS
4	2490.2650	68.92	-18.97	49.95	74.00	24.05	Vertical	PASS
5	2491.2220	68.85	-18.96	49.89	74.00	24.11	Vertical	PASS
6	2496.6835	64.51	-18.90	45.61	74.00	28.39	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	60.40	-18.02	42.38	54.00	11.62	Vertical	PASS
2	2487.5590	64.33	-18.70	45.63	54.00	8.37	Vertical	PASS
3	2487.9550	65.35	-18.74	46.61	54.00	7.39	Vertical	PASS
4	2490.2650	65.39	-18.97	46.42	54.00	7.58	Vertical	PASS
5	2491.2220	65.45	-18.96	46.49	54.00	7.51	Vertical	PASS
6	2496.6835	61.46	-18.90	42.56	54.00	11.44	Vertical	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	67.06	-18.02	49.04	74.00	24.96	Horizontal	PASS
2	2487.1465	73.74	-18.65	55.09	74.00	18.91	Horizontal	PASS
3	2487.8725	74.58	-18.73	55.85	74.00	18.15	Horizontal	PASS
4	2489.8195	70.79	-18.95	51.84	74.00	22.16	Horizontal	PASS
5	2491.5355	68.93	-18.96	49.97	74.00	24.03	Horizontal	PASS
6	2496.7825	65.48	-18.90	46.58	74.00	27.42	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	62.79	-18.02	44.77	54.00	9.23	Horizontal	PASS
2	2487.1465	63.88	-18.65	45.23	54.00	8.77	Horizontal	PASS
3	2487.8725	64.87	-18.73	46.14	54.00	7.86	Horizontal	PASS
4	2489.8195	68.01	-18.95	49.06	54.00	4.94	Horizontal	PASS
5	2491.5355	66.29	-18.96	47.33	54.00	6.67	Horizontal	PASS
6	2496.7825	62.18	-18.90	43.28	54.00	10.72	Horizontal	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2376.6266	76.88	-18.29	58.59	74.00	15.41	Vertical	PASS
2	2378.7087	78.62	-18.18	60.44	74.00	13.56	Vertical	PASS
3	2381.2713	79.90	-18.04	61.86	74.00	12.14	Vertical	PASS
4	2384.3944	80.24	-17.88	62.36	74.00	11.64	Vertical	PASS
5	2389.0390	83.75	-17.62	66.13	74.00	7.87	Vertical	PASS
6	2390.0000	84.57	-17.57	67.00	74.00	7.00	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2376.6266	58.06	-18.29	39.77	54.00	14.23	Vertical	PASS
2	2378.7087	59.37	-18.18	41.19	54.00	12.81	Vertical	PASS
3	2381.2713	60.27	-18.04	42.23	54.00	11.77	Vertical	PASS
4	2384.3944	61.89	-17.88	44.01	54.00	9.99	Vertical	PASS
5	2389.0390	65.33	-17.62	47.71	54.00	6.29	Vertical	PASS
6	2390.0000	65.96	-17.57	48.39	54.00	5.61	Vertical	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2358.4484	75.45	-19.27	56.18	74.00	17.82	Horizontal	PASS
2	2368.6987	79.21	-18.71	60.50	74.00	13.50	Horizontal	PASS
3	2374.6246	80.66	-18.40	62.26	74.00	11.74	Horizontal	PASS
4	2378.6286	81.94	-18.19	63.75	74.00	10.25	Horizontal	PASS
5	2381.7518	84.25	-18.02	66.23	74.00	7.77	Horizontal	PASS
6	2390.0000	88.21	-17.57	70.64	74.00	3.36	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2358.4484	57.19	-19.27	37.92	54.00	16.08	Horizontal	PASS
2	2368.6987	59.38	-18.71	40.67	54.00	13.33	Horizontal	PASS
3	2374.6246	61.83	-18.40	43.43	54.00	10.57	Horizontal	PASS
4	2378.6286	62.43	-18.19	44.24	54.00	9.76	Horizontal	PASS
5	2381.7518	65.49	-18.02	47.47	54.00	6.53	Horizontal	PASS
6	2390.0000	69.30	-17.57	51.73	54.00	2.27	Horizontal	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	91.45	-18.02	73.43	74.00	0.57	Horizontal	PASS
2	2483.6485	86.27	-18.06	68.21	74.00	5.79	Horizontal	PASS
3	2485.3480	79.24	-18.45	60.79	74.00	13.21	Horizontal	PASS
4	2486.1070	76.99	-18.54	58.45	74.00	15.55	Horizontal	PASS
5	2489.6380	81.61	-18.93	62.68	74.00	11.32	Horizontal	PASS
6	2492.2120	73.87	-18.95	54.92	74.00	19.08	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	66.60	-18.02	48.58	54.00	5.42	Horizontal	PASS
2	2483.6485	61.96	-18.06	43.90	54.00	10.10	Horizontal	PASS
3	2485.3480	60.27	-18.45	41.82	54.00	12.18	Horizontal	PASS
4	2486.1070	59.55	-18.54	41.01	54.00	12.99	Horizontal	PASS
5	2489.6380	63.31	-18.93	44.38	54.00	9.62	Horizontal	PASS
6	2492.2120	55.70	-18.95	36.75	54.00	17.25	Horizontal	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	82.64	-18.02	64.62	74.00	9.38	Vertical	PASS
2	2483.6650	82.05	-18.07	63.98	74.00	10.02	Vertical	PASS
3	2483.8300	82.01	-18.11	63.90	74.00	10.10	Vertical	PASS
4	2484.4900	79.14	-18.28	60.86	74.00	13.14	Vertical	PASS
5	2484.9025	80.12	-18.38	61.74	74.00	12.26	Vertical	PASS
6	2487.2455	72.68	-18.67	54.01	74.00	19.99	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	58.53	-18.02	40.51	54.00	13.49	Vertical	PASS
2	2483.6650	59.10	-18.07	41.03	54.00	12.97	Vertical	PASS
3	2483.8300	59.06	-18.11	40.95	54.00	13.05	Vertical	PASS
4	2484.4900	58.26	-18.28	39.98	54.00	14.02	Vertical	PASS
5	2484.9025	60.06	-18.38	41.68	54.00	12.32	Vertical	PASS
6	2487.2455	55.83	-18.67	37.16	54.00	16.84	Vertical	PASS

Mode:	2412
-------	------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2366.7768	77.46	-18.82	58.64	74.00	15.36	Horizontal	PASS
2	2374.7047	82.05	-18.39	63.66	74.00	10.34	Horizontal	PASS
3	2381.9920	82.10	-18.01	64.09	74.00	9.91	Horizontal	PASS
4	2386.3964	84.30	-17.77	66.53	74.00	7.47	Horizontal	PASS
5	2388.8789	87.78	-17.63	70.15	74.00	3.85	Horizontal	PASS
6	2390.0000	87.08	-17.57	69.51	74.00	4.49	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2366.7768	58.65	-18.82	39.83	54.00	14.17	Horizontal	PASS
2	2374.7047	60.44	-18.39	42.05	54.00	11.95	Horizontal	PASS
3	2381.9920	63.47	-18.01	45.46	54.00	8.54	Horizontal	PASS
4	2386.3964	66.25	-17.77	48.48	54.00	5.52	Horizontal	PASS
5	2388.8789	68.79	-17.63	51.16	54.00	2.84	Horizontal	PASS
6	2390.0000	67.38	-17.57	49.81	54.00	4.19	Horizontal	PASS

Mode:	2412
-------	------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2376.1461	79.40	-18.32	61.08	74.00	12.92	Vertical	PASS
2	2379.1091	79.15	-18.16	60.99	74.00	13.01	Vertical	PASS
3	2382.9530	78.73	-17.96	60.77	74.00	13.23	Vertical	PASS
4	2384.2342	79.80	-17.89	61.91	74.00	12.09	Vertical	PASS
5	2388.7187	83.64	-17.64	66.00	74.00	8.00	Vertical	PASS
6	2390.0000	84.91	-17.57	67.34	74.00	6.66	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2376.1461	58.83	-18.32	40.51	54.00	13.49	Vertical	PASS
2	2379.1091	59.88	-18.16	41.72	54.00	12.28	Vertical	PASS
3	2382.9530	60.71	-17.96	42.75	54.00	11.25	Vertical	PASS
4	2384.2342	61.63	-17.89	43.74	54.00	10.26	Vertical	PASS
5	2388.7187	64.27	-17.64	46.63	54.00	7.37	Vertical	PASS
6	2390.0000	65.43	-17.57	47.86	54.00	6.14	Vertical	PASS

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	84.79	-18.02	66.77	74.00	7.23	Vertical	PASS
2	2483.7475	87.53	-18.09	69.44	74.00	4.56	Vertical	PASS
3	2484.0610	85.15	-18.17	66.98	74.00	7.02	Vertical	PASS
4	2484.7210	80.48	-18.34	62.14	74.00	11.86	Vertical	PASS
5	2485.2820	80.76	-18.44	62.32	74.00	11.68	Vertical	PASS
6	2485.6945	77.75	-18.49	59.26	74.00	14.74	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	58.58	-18.02	40.56	54.00	13.44	Vertical	PASS
2	2483.7475	61.18	-18.09	43.09	54.00	10.91	Vertical	PASS
3	2484.0610	59.54	-18.17	41.37	54.00	12.63	Vertical	PASS
4	2484.7210	57.21	-18.34	38.87	54.00	15.13	Vertical	PASS
5	2485.2820	58.74	-18.44	40.30	54.00	13.70	Vertical	PASS
6	2485.6945	56.68	-18.49	38.19	54.00	15.81	Vertical	PASS

Mode:	N20-2462
-------	----------


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	94.08	-18.02	76.06	74.00	-2.06	Horizontal	FAIL
2	2484.3745	90.32	-18.25	72.07	74.00	1.93	Horizontal	PASS
3	2484.5065	90.18	-18.28	71.90	74.00	2.10	Horizontal	PASS
4	2485.3645	89.12	-18.45	70.67	74.00	3.33	Horizontal	PASS
5	2487.8230	81.14	-18.72	62.42	74.00	11.58	Horizontal	PASS
6	2490.8425	79.56	-18.96	60.60	74.00	13.40	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	2483.5000	67.05	-18.02	49.03	54.00	4.97	Horizontal	FAIL
2	2484.3745	65.06	-18.25	46.81	54.00	7.19	Horizontal	PASS
3	2484.5065	65.27	-18.28	46.99	54.00	7.01	Horizontal	PASS
4	2485.3645	65.72	-18.45	47.27	54.00	6.73	Horizontal	PASS
5	2487.8230	62.79	-18.72	44.07	54.00	9.93	Horizontal	PASS
6	2490.8425	61.34	-18.96	42.38	54.00	11.62	Horizontal	PASS

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dB μ V/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Appendix I: Spurious emissions

Mode:	B-2412
-------	--------



NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	129.039	-17.49	35.86	43.50	7.64	200	74	Horizontal
2	322.262	-15.25	31.58	46.00	14.42	100	191	Horizontal
3	452.372	-12.79	37.09	46.00	8.91	100	104	Horizontal
4	484.414	-12.04	33.58	46.00	12.42	100	210	Horizontal
5	549.469	-10.84	37.23	46.00	8.77	100	113	Horizontal
6	742.692	-7.75	38.08	46.00	7.92	200	38	Horizontal
7	891.251	-5.85	42.80	46.00	3.20	100	315	Horizontal

Mode: B-2412



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	99.9099	-20.27	23.11	43.50	20.39	100	121	Vertical
2	129.039	-17.49	36.97	43.50	6.53	200	65	Vertical
3	566.946	-10.60	37.57	46.00	8.43	100	98	Vertical
4	645.595	-9.24	32.66	46.00	13.34	100	306	Vertical
5	742.692	-7.75	37.70	46.00	8.30	100	15	Vertical
6	836.876	-6.49	33.82	46.00	12.18	200	32	Vertical
7	890.280	-5.85	39.57	46.00	6.43	100	84	Vertical

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	75.8	-26.15	49.65	74.00	24.35	Horizontal	PASS
2	1800.4002	69.98	-22.23	47.75	74.00	26.25	Horizontal	PASS
3	3600.1000	62.67	-18.76	43.91	74.00	30.09	Horizontal	PASS
4	5732.9555	59.18	-14.94	44.24	74.00	29.76	Horizontal	PASS
5	7235.7060	60.54	-12.72	47.82	74.00	26.18	Horizontal	PASS
6	10378.7298	58.22	-8.29	49.93	74.00	24.07	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	76.43	-26.15	50.28	74.00	23.72	Vertical	PASS
2	1800.4002	68.6	-22.23	46.37	74.00	27.63	Vertical	PASS
3	3947.6579	64.32	-17.82	46.50	74.00	27.50	Vertical	PASS
4	4732.7888	61.11	-16.50	44.61	74.00	29.39	Vertical	PASS
5	6635.6059	59.28	-12.73	46.55	74.00	27.45	Vertical	PASS
6	7758.2930	60.23	-11.92	48.31	74.00	25.69	Vertical	PASS

Mode:	B-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	75.18	-26.15	49.03	74.00	24.97	Horizontal	PASS
2	1800.4002	71.29	-22.23	49.06	74.00	24.94	Horizontal	PASS
3	3600.1000	62.13	-18.76	43.37	74.00	30.63	Horizontal	PASS
4	6293.0488	58.49	-13.38	45.11	74.00	28.89	Horizontal	PASS
5	9043.5073	58.92	-10.63	48.29	74.00	25.71	Horizontal	PASS
6	9996.1660	59.29	-8.80	50.49	74.00	23.51	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	76.13	-26.15	49.98	74.00	24.02	Vertical	PASS
2	1800.4002	69.07	-22.23	46.84	74.00	27.16	Vertical	PASS
3	3950.1584	65.18	-17.81	47.37	74.00	26.63	Vertical	PASS
4	5247.8746	61.13	-15.30	45.83	74.00	28.17	Vertical	PASS
5	6788.1314	59.51	-12.62	46.89	74.00	27.11	Vertical	PASS
6	10436.2394	58.58	-8.42	50.16	74.00	23.84	Vertical	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	75.29	-26.15	49.14	74.00	24.86	Horizontal	PASS
2	1634.3172	66.2	-23.68	42.52	74.00	31.48	Horizontal	PASS
3	1800.4002	68.48	-22.23	46.25	74.00	27.75	Horizontal	PASS
4	4905.3176	60.39	-16.33	44.06	74.00	29.94	Horizontal	PASS
5	7923.3206	59.41	-11.70	47.71	74.00	26.29	Horizontal	PASS
6	10278.7131	58.22	-8.44	49.78	74.00	24.22	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	75.03	-26.15	48.88	74.00	25.12	Vertical	PASS
2	1337.1686	66.58	-25.15	41.43	74.00	32.57	Vertical	PASS
3	1800.4002	69.29	-22.23	47.06	74.00	26.94	Vertical	PASS
4	4572.7621	59.85	-16.54	43.31	74.00	30.69	Vertical	PASS
5	6098.0163	59.75	-13.54	46.21	74.00	27.79	Vertical	PASS
6	7978.3297	59.74	-11.85	47.89	74.00	26.11	Vertical	PASS

Mode:	G-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	76.97	-26.15	50.82	74.00	23.18	Horizontal	PASS
2	1800.4002	69.39	-22.23	47.16	74.00	26.84	Horizontal	PASS
3	4245.2075	61.57	-17.24	44.33	74.00	29.67	Horizontal	PASS
4	4997.8330	60.54	-15.88	44.66	74.00	29.34	Horizontal	PASS
5	7463.2439	59.81	-12.66	47.15	74.00	26.85	Horizontal	PASS
6	10238.7065	58.86	-8.65	50.21	74.00	23.79	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	75.3	-26.15	49.15	74.00	24.85	Vertical	PASS
2	1800.4002	67.91	-22.23	45.68	74.00	28.32	Vertical	PASS
3	3957.6596	60.71	-17.77	42.94	74.00	31.06	Vertical	PASS
4	6483.0805	58.45	-13.16	45.29	74.00	28.71	Vertical	PASS
5	7943.3239	60.35	-11.71	48.64	74.00	25.36	Vertical	PASS
6	10853.8090	57.89	-7.49	50.40	74.00	23.60	Vertical	PASS

Mode:	G-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	76.57	-26.15	50.42	74.00	23.58	Horizontal	PASS
2	1800.4002	68.44	-22.23	46.21	74.00	27.79	Horizontal	PASS
3	3600.1000	62.87	-18.76	44.11	74.00	29.89	Horizontal	PASS
4	6430.5718	58.6	-13.23	45.37	74.00	28.63	Horizontal	PASS
5	10781.2969	57.28	-7.61	49.67	74.00	24.33	Horizontal	PASS
6	12369.0615	57.88	-4.84	53.04	74.00	20.96	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	72.1	-26.15	45.95	74.00	28.05	Vertical	PASS
2	1800.4002	68.72	-22.23	46.49	74.00	27.51	Vertical	PASS
3	3945.1575	62.31	-17.82	44.49	74.00	29.51	Vertical	PASS
4	4932.8221	60.36	-16.42	43.94	74.00	30.06	Vertical	PASS
5	6198.0330	60.26	-14.21	46.05	74.00	27.95	Vertical	PASS
6	9111.0185	59.51	-10.89	48.62	74.00	25.38	Vertical	PASS

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	76.24	-26.15	50.09	74.00	23.91	Vertical	PASS
2	1800.4002	68.15	-22.23	45.92	74.00	28.08	Vertical	PASS
3	3937.6563	65.05	-17.84	47.21	74.00	26.79	Vertical	PASS
4	5540.4234	59.95	-15.55	44.40	74.00	29.60	Vertical	PASS
5	7918.3197	59.66	-11.70	47.96	74.00	26.04	Vertical	PASS
6	8598.4331	59.55	-11.80	47.75	74.00	26.25	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	76.14	-26.15	49.99	74.00	24.01	Horizontal	PASS
2	1800.4002	68.57	-22.23	46.34	74.00	27.66	Horizontal	PASS
3	4295.2159	60.76	-17.18	43.58	74.00	30.42	Horizontal	PASS
4	6418.0697	58.95	-13.40	45.55	74.00	28.45	Horizontal	PASS
5	7095.6826	60.04	-12.77	47.27	74.00	26.73	Horizontal	PASS
6	10308.7181	58.28	-8.34	49.94	74.00	24.06	Horizontal	PASS

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	71.45	-26.15	45.30	74.00	28.70	Vertical	PASS
2	1800.4002	66.54	-22.23	44.31	74.00	29.69	Vertical	PASS
3	3600.1000	62.41	-18.76	43.65	74.00	30.35	Vertical	PASS
4	4882.8138	60.73	-16.32	44.41	74.00	29.59	Vertical	PASS
5	8558.4264	58.98	-11.80	47.18	74.00	26.82	Vertical	PASS
6	13389.2315	58.09	-4.10	53.99	74.00	20.01	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	74.42	-26.15	48.27	74.00	25.73	Horizontal	PASS
2	1782.3912	70.05	-22.37	47.68	74.00	26.32	Horizontal	PASS
3	4262.7105	60.85	-17.21	43.64	74.00	30.36	Horizontal	PASS
4	6540.5901	59.69	-13.41	46.28	74.00	27.72	Horizontal	PASS
5	8248.3747	60.27	-12.03	48.24	74.00	25.76	Horizontal	PASS
6	11958.9932	57.64	-5.38	52.26	74.00	21.74	Horizontal	PASS

Mode:	N20-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	70.53	-26.15	44.38	74.00	29.62	Vertical	PASS
2	1782.3912	66.66	-22.37	44.29	74.00	29.71	Vertical	PASS
3	4290.2150	61.4	-17.18	44.22	74.00	29.78	Vertical	PASS
4	6673.1122	60.43	-12.66	47.77	74.00	26.23	Vertical	PASS
5	7753.2922	59.27	-11.87	47.40	74.00	26.60	Vertical	PASS
6	10806.3011	58.55	-7.59	50.96	74.00	23.04	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1188.0940	66.17	-25.75	40.42	74.00	33.58	Horizontal	PASS
2	1800.4002	69.59	-22.23	47.36	74.00	26.64	Horizontal	PASS
3	3600.1000	61.74	-18.76	42.98	74.00	31.02	Horizontal	PASS
4	4952.8255	60.88	-16.43	44.45	74.00	29.55	Horizontal	PASS
5	6658.1097	58.97	-12.52	46.45	74.00	27.55	Horizontal	PASS
6	8840.9735	59.06	-11.17	47.89	74.00	26.11	Horizontal	PASS

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	71.06	-26.15	44.91	74.00	29.09	Horizontal	PASS
2	1800.4002	68.61	-22.23	46.38	74.00	27.62	Horizontal	PASS
3	4470.2450	61.26	-16.78	44.48	74.00	29.52	Horizontal	PASS
4	6673.1122	60.34	-12.66	47.68	74.00	26.32	Horizontal	PASS
5	8848.4747	59.05	-11.11	47.94	74.00	26.06	Horizontal	PASS
6	11096.3494	57.78	-7.30	50.48	74.00	23.52	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	1050.0250	68.13	-26.15	41.98	74.00	32.02	Vertical	PASS
2	1800.4002	65.75	-22.23	43.52	74.00	30.48	Vertical	PASS
3	3355.0592	60.12	-19.10	41.02	74.00	32.98	Vertical	PASS
4	4935.3226	60.4	-16.42	43.98	74.00	30.02	Vertical	PASS
5	6723.1205	59.11	-13.00	46.11	74.00	27.89	Vertical	PASS
6	9941.1569	58.6	-8.95	49.65	74.00	24.35	Vertical	PASS