

Produkte  
Products

17038645 001

Page 29 of 108

**Test Results of Radiated Emissions; model SCTPS-AB-CU**



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #830	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	192.0073	59.52	-12.58	46.94	53.50	-6.56	QP			
2	960.0000	46.48	2.37	48.85	56.40	-7.55	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #831	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9952	56.38	-12.58	43.80	53.50	-9.70	QP			
2	749.9467	51.99	-1.03	50.96	56.40	-5.44	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #840	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9979	58.00	-12.58	45.42	53.50	-8.08	QP			
2	760.0035	50.03	-0.87	49.16	56.40	-7.24	QP			
3	960.0010	44.94	2.37	47.31	59.50	-12.19	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #841	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	125.0050	58.90	-13.73	45.17	53.50	-8.33	QP			
2	624.9776	52.05	-2.62	49.43	56.40	-6.97	QP			
3	960.0000	48.56	2.37	50.93	56.40	-5.47	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #846	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9860	59.28	-12.58	46.70	53.50	-6.80	QP			
2	759.9976	51.49	-0.87	50.62	56.40	-5.78	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #847	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9670	60.11	-12.58	47.53	53.50	-5.97	QP			
2	960.0000	46.03	2.37	48.40	56.40	-8.00	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #848	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 10M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9886	59.09	-12.58	46.51	53.50	-6.99	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #849	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note: 10M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9900	59.68	-12.58	47.10	53.50	-6.40	QP			
2	679.9934	52.63	-2.02	50.61	56.40	-5.79	QP			



**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #865	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	681.9729	50.79	-2.00	48.79	56.40	-7.61	QP			
2	749.9717	51.43	-1.03	50.40	56.40	-6.00	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #866	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9940	59.49	-12.58	46.91	53.50	-6.59	QP			
2	960.0000	46.14	2.37	48.51	56.40	-7.89	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian #2575	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1719.890	62.37	-10.34	52.03	80.00	-27.97	peak			
2	1719.890	55.78	-10.34	45.44	60.00	-14.56	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2576	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1319.403	59.26	-12.16	47.10	80.00	-32.90	peak			
2	1319.403	52.76	-12.16	40.60	60.00	-19.40	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian #2579	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.447	58.57	-11.08	47.49	80.00	-32.51	peak			
2	1599.447	52.68	-11.08	41.60	60.00	-18.40	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2580	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1919.929	55.34	-9.56	45.78	80.00	-34.22	peak			
2	1919.929	48.97	-9.56	39.41	80.00	-40.59	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: lan #2592	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1125.010	63.91	-12.55	51.36	80.00	-28.64	peak			
2	1125.010	57.64	-12.55	45.09	60.00	-14.91	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian #2593	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1125.210	58.38	-12.55	45.83	80.00	-34.17	peak			
2	1125.210	51.91	-12.55	39.36	60.00	-20.64	AVG			





**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2596	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.589	59.74	-11.08	48.66	80.00	-31.34	peak			
2	1599.589	52.38	-11.08	41.30	60.00	-18.70	AVG			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: lan #2597	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: SCTPS-AB-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1159.469	55.85	-12.50	43.35	80.00	-36.65	peak			
2	1159.469	48.07	-12.50	35.57	60.00	-24.43	AVG			

Produkte  
Products

17038645 001

Page 47 of 108

**Test Results of Radiated Emissions; model CSC-TPSVW-CU**



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #832	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9929	56.48	-12.58	43.90	53.50	-9.60	QP			
2	800.0020	52.33	0.04	52.37	56.40	-4.03	QP			
3	863.9955	53.88	1.00	54.88	56.40	-1.52	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #833	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9960	58.49	-12.58	45.91	53.50	-7.59	QP			
2	799.9990	50.22	0.04	50.26	56.40	-6.14	QP			
3	959.9980	49.38	2.37	51.75	56.40	-4.65	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #838	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 230V/50Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	125.0035	57.77	-13.73	44.04	53.50	-9.46	QP			
2	499.9984	55.37	-4.89	50.48	56.40	-5.92	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #839	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 230V/50Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	192.0026	57.78	-12.58	45.20	53.50	-8.30	QP			
2	799.9929	50.29	0.04	50.33	56.40	-6.07	QP			
3	863.9975	50.31	1.00	51.31	56.40	-5.09	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #855	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note: 10M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9459	60.06	-12.58	47.48	53.50	-6.02	QP			
2	800.0054	49.43	0.04	49.47	56.40	-6.93	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #856	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014-3-26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note: 10M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9830	57.97	-12.58	45.39	53.50	-8.11	QP			
2	749.9797	50.59	-1.03	49.56	56.40	-6.84	QP			





**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #857	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9960	58.01	-12.58	45.43	53.50	-8.07	QP			
2	863.9940	48.87	1.00	49.87	56.40	-6.53	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #858	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9946	60.03	-12.58	47.45	53.50	-6.05	QP			
2	800.0010	49.72	0.04	49.76	56.40	-6.64	QP			
3	960.0000	47.11	2.37	49.48	56.40	-6.92	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: PHY #863	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	191.9972	58.40	-12.58	45.82	53.50	-7.68	QP			
2	799.9910	49.34	0.04	49.38	56.40	-7.02	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: PHY #864	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/03/26
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	319.9992	58.09	-8.75	49.34	56.40	-7.06	QP			
2	819.1870	51.78	0.31	52.09	56.40	-4.31	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2577	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1319.403	57.41	-12.16	45.25	80.00	-34.75	peak			
2	1319.403	51.25	-12.16	39.09	60.00	-20.91	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2578	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Copper testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.532	59.61	-11.08	48.53	80.00	-31.47	peak			
2	1599.532	53.39	-11.08	42.31	60.00	-17.69	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2581	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1319.647	58.36	-12.16	46.20	80.00	-33.80	peak			
2	1319.647	52.65	-12.16	40.49	60.00	-19.51	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian #2582	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: POTS testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.581	57.95	-11.08	46.87	80.00	-33.13	peak			
2	1599.581	51.24	-11.08	40.16	60.00	-19.84	AVG			



**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian #2594	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1125.194	56.81	-12.55	44.26	80.00	-35.74	peak			
2	1125.194	49.67	-12.55	37.12	60.00	-22.88	AVG			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: lan #2595	Polarization: Vertical
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.594	59.25	-11.08	48.17	80.00	-31.83	peak			
2	1599.594	51.98	-11.08	40.90	60.00	-19.10	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2598	Polarization: Horizontal
Standard: FCC Class A above1GHz	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1319.403	59.01	-12.16	46.85	80.00	-33.15	peak			
2	1319.403	51.92	-12.16	39.76	60.00	-20.24	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: lan #2599	Polarization: Vertical
Standard: FCC Class A above1GHZ	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/04/12/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance: 3m
Model: CSC-TPSVW-CU	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	1599.548	57.04	-11.08	45.96	80.00	-34.04	peak			
2	1599.548	50.16	-11.08	39.08	60.00	-20.92	AVG			

**Test Results of Radiated Emissions; model SCTPS-AB**

**ACCURATE TECHNOLOGY CO., LTD.**

 F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian2014 #86

Standard: FCC Class A 3M Radiated

Test item: Radiation Test

Temp.( C)/Hum.(%) 23 C / 48 %

EUT: SmartClass TPS

Mode: DSL Testing

Model: SCTPS-AB

Manufacturer: JDSU

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2014/05/14

Time:

Engineer Signature: PEI

Distance:

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	320.0087	55.50	-8.75	46.75	56.40	-9.65	QP			
2	499.9880	54.49	-4.89	49.60	56.40	-6.80	QP			
3	749.6761	52.38	-1.03	51.35	56.40	-5.05	QP			

**Produkte**  
 Products




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
 Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
 Tel:+86-0755-26503290  
 Fax:+86-0755-26503396

Job No.: Ian2014 #87	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 2014/05/14
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: DSL Testing	Distance:
Model: SCTPS-AB	
Manufacturer: JDSU	

Note:



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	125.0040	59.02	-13.73	45.29	53.50	-8.21	QP			
2	499.9870	54.67	-4.89	49.78	56.40	-6.62	QP			
3	960.0340	50.30	2.37	52.67	59.50	-6.83	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian2014 #101	Polarization: Horizontal
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/15/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance:
Model: SCTPS-AB	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	320.2071	53.33	-8.73	44.60	56.40	-11.80	QP			
2	680.8260	50.00	-2.02	47.98	56.40	-8.42	QP			
3	749.6761	50.60	-1.03	49.57	56.40	-6.83	QP			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Ian2014 #102	Polarization: Vertical
Standard: FCC Class A 3M Radiated	Power Source: AC 120V/60Hz
Test item: Radiation Test	Date: 14/05/15/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: SmartClass TPS	Engineer Signature: PEI
Mode: Ethernet TE testing	Distance:
Model: SCTPS-AB	
Manufacturer: JDSU	

Note: 100M



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	192.1271	57.66	-12.58	45.08	53.50	-8.42	QP			
2	625.0160	48.83	-2.62	46.21	56.40	-10.19	QP			
3	960.2187	47.75	2.37	50.12	59.50	-9.38	QP			