


Annex no. 1

External Photographs


RML-HFMR102-B




RML-HFMR102-B



RML-HFMR102-B




RML-HFMR102-B




RML-HFMR102-B



RML-HFMR102-B




RML-HFMR102-PoE




RML-HFMR102-PoE




RML-HFMR102-PoE




RML-HFMR102-PoE




RML-HFMR102-PoE



RML-HFMR102-PoE



RML-HFMR102-USB



RML-HFMR102-USB




rfidcanada www.rfidcanada.com
1-877-476-6760

Modél: RML-HFMR102-USB
FCC ID: WVF-HFMR102 IC: 6686A-HFMR102
Input: 12-24V --- max. 0.5A


This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received including interference that may cause undesired operation.

Cet appareil conforme à la section 15 des règles FCC: (1) cet artifice peut ne pas provoquer l'interférence et (2) cet artifice doit accepter n'importe quelle interférence qui peut provoquer l'opération indésirable de l'artifice. Pour réduire l'interférence radio potentielle à d'autres utilisateurs, le type d'antenne et son augmentation devraient être choisis qui intrinsèquement équivalent à celui le pouvoir n'est pas plus que cela permis pour la communication réussie.


RML-HFMR102-USB



RML-HFMR102-USB




RML-HFMR102-USB



RML-HFMR102-USB



RML-HFANT500/500-B



RML-HFANT500/300-B

