






### EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS



<p style="text-align: center;"><b>Solder Board-Component View 2</b></p>	 <p>A photograph showing a green printed circuit board (PCB) component and a circular white component. The PCB has a USB-A port and a red component. The circular component is connected to the PCB by two white wires. A black ruler with white markings is placed below the components for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm. The PCB is approximately 40 mm wide and 30 mm high. The circular component has a diameter of approximately 40 mm.</p>
<p style="text-align: center;"><b>Solder Board-Component View 3</b></p>	 <p>A photograph showing a black PCB component with a digital display. The display shows the number '2113' and 'AM PM'. The PCB has several components and a small red component. A black ruler with white markings is placed below the component for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm. The PCB is approximately 60 mm wide and 20 mm high.</p>

<p style="text-align: center;"><b>Solder Board-Component View 4</b></p>	 <p>A photograph of a small electronic board with a yellow lithium battery attached. The board is placed on a black ruler with white markings. The ruler shows dimensions in millimeters, with the board's length being approximately 100 mm and its width around 30 mm. The background is a light blue textured surface.</p>
<p style="text-align: center;"><b>Solder Board-Component View 5</b></p>	 <p>A photograph of the same electronic board as in view 4, but with the yellow lithium battery removed. The board is placed on the same black ruler. The ruler shows dimensions in millimeters, with the board's length being approximately 100 mm and its width around 30 mm. The background is a light blue textured surface.</p>

